

DAFTAR PUSTAKA

- abTES Malaria qPCR. Material Safety Data Sheet, 2017; REF 300221.
- Agung Nugroho. 2012. Patogenesis Malaria Berat dalam Malaria: Dari Klinis Ke Biomolekuler. Jakarta: EGC.
- Alam MS, et al. 2011. Real-time PCR assay and rapid diagnostic tests for the diagnosis of clinically suspected malaria patients in Bangladesh; 10:175. Available at: <http://www.malariajournal.com/content/10/1/175>. Accessed: July 25, 2018.
- Arsin AA. 2012. Malaria di Indonesia (tinjauan aspek epidemiologi). Masagena Press, pp: 25-53. Available at: <http://repository.unhas.ac.id/handle/123456789/2744>. Accessed: July 25, 2018.
- Arum I, Purwanto AP, Arfi S, Tetrawindu H, M.Octora , Mulyanto, Surayah K, Amanukarti. 2006. Uji Diagnostik Plamodium Malaria Menggunakan Metode Imunokromatografi Diperbandingkan Dengan Pemeriksaan Mikroskopis. *Indonesian Journal of Clinical Pathology and Medical Laboratory*.12 (3) : 118-122.
- Ashley E, Touabi M, Ahrer M, Hutagalung R, Htun K, Luchavez J et al. Evaluation of three parasite lactate dehydrogenase-based rapid diagnostic test for the diagnosis of falcifarum and vivax malaria. *Malaria Journal*. 8: 241-833.
- Autino B, Corbett Y, Castelli F, Taramelli D. 2012. Pathogenesis of Malaria in Tissues and Blood. *Mediterr J Hematol Infect Dis*; 4(1): e2012061. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3499994/>. Accessed: September 24, 2018.
- Bailey JW, Williams J, Bain BJ, Williams JP, Chiodini PL. 2013. Guideline : The Laboratory Diagnosis of Malaria. *British Journal of Haematology*; 163: 573-580. Available at: [file:///C:/Users/hp/Downloads/Bailey et al-2013-British Journal of Haematology%20\(1\).pdf](file:///C:/Users/hp/Downloads/Bailey%20et%20al-2013-British%20Journal%20of%20Haematology%20(1).pdf). Accessed: July 20, 2018.
- Bartolini A and Zammarchi L. 2012. Clinical Aspect of Uncomplicated and Severe Malaria. *Mediterranean Journal of Hematology and Infectious Diseases*. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4804037/>. Accessed: September 27, 2018.
- Belli D, Peeling RW. 2006. Evaluation of rapid diagnostic tests: malaria. *Nat Rev Microbiol*. 4:S34-S38
- Bharti P, Silawat N, Singh P, Singh M, Shukla M, Chand G et al.2008. The usefulness of a new rapid diagnostic test, the First Response Malaria Combo

(pLDH/HRP2) card test, for malaria diagnosis in the forested belt of central India. *Malaria Journal*. 7: 126.

Bioneer Exicycler 96. Material Safety Data Sheet, 2018; REF: 5531.

Bousema T, Okell L, Felger I, Drakeley C. 2014. Asymptomatic malaria infections: detectability, transmissibility and public health relevance. *Nature Reviews Microbiology*. Available at: <https://www.researchgate.net/publication/267103180> Asymptomatic malaria infections Detectability transmissibility and public health relevance. Accessed July 22, 2017.

Centres Disease for Control and Prevention (CDC). 2010. Available at: <https://www.cdc.gov/malaria>. Accessed: July 22, 2018.

Cho SJ, Lee J, Lee HJ, Ko HY, et al. 2016. A Novel Malaria Pf/Pv Ab Rapid Diagnostic Test Using a Differential Diagnostic Marker Identified by Network Biology. *Int. J. Biol. Sci.* Vol 12 (7): 824-835. Available at: DOI: 10.7150/ijbs.14408. Accessed: July 22, 2018.

Cowman A.F, Tonkin C.J, Tham W, Duraisingh M.T. 2017. The Molecular Basis of Erythrocyte Invasion by Malaria Parasites. *Cell Host and Microbe Review*. Available at: [https://www.cell.com/cell-host-microbe/abstract/S1931-3128\(17\)30286-X](https://www.cell.com/cell-host-microbe/abstract/S1931-3128(17)30286-X). Accessed September 24, 2018.

Dachlan YP. 2013. *Malaria: Epidemiologi, Klinik, Diagnostik, dan Terapi dalam Imunologi Malaria*. Surabaya: RS Penyakit Tropik Infeksi Universitas Airlangga.

Data dan Informasi Profil Kesehatan Indonesia. 2016. Kementerian Kesehatan Republik Indonesia, PUSDATIN. Available at: <http://www.depkes.go.id/resources/download/pusdatin/lain-lain/Data%20dan%20Informasi%20Kesehatan%20Profil%20Kesehatan%20Indonesia%202016%20-%20%20smaller%20size%20-%20web.pdf>. Accessed: July 15, 2018.

Ejezie G, Ezedinachi E.1992. Malaria parasite density and body temperature in children under 10 years of age in Calabar, Nigeria. *Trop Geogr Med*. 44:97–101.

Falade *et al.*, 2017. Malaria Rapid Diagnostic Tests and Malaria Microscopy for Guiding Malaria Treatment of Uncomplicated Fevers in Nigeria and Prereferral Cases in 3 African Countries. *Infectious Diseases Society of America*. Available at: <http://cid.oxfordjournals.org/>. Accessed: October 4, 2018.

Fransisca L et al., 2015. Comparison of rapid diagnostic test Plasmotec Malaria-3, microscopy, and quantitative real-time PCR for diagnoses of *Plasmodium falciparum* and *Plasmodium vivax* infections in Mimika Regency, Papua,

- Indonesia. *Malaria Journal*. Available at: DOI 10.1186/s12936-015-0615-5. Accessed: October 4, 2018.
- Gazzinelli RT, Kalantari P, Katherine A, Douglas TG. 2014. *Innate sensing of malaria parasites*. *Nature Reviews Immunology*, 14:744–757. Available at: http://www.nature.com/nri/journal/v14/n11/fig_tab/nri3742_F1.html. Accessed July 27, 2018.
- Gravenor M, Lloyd A, Kremsner P, Missinou M, English M, Marsh K, et al. 2002. A model for estimating total parasite load in *Falciparum* malaria patients. *J Theor Biol*. 217:137–48.
- Hänscheid T, Carvalho T, Grobusch MP. 2016. *Hemozoin Detection for Human Malaria Diagnosis Investigated in Rodent Models: How Similar Is Similar? Trends in Parasitology*. Vol.32, no 2. Available at: [http://www.cell.com/trends/parasitology/pdf/S1471-4922\(15\)00256-1.pdf](http://www.cell.com/trends/parasitology/pdf/S1471-4922(15)00256-1.pdf). Accessed July 28, 2018.
- Harani et al., 2006. Role of ICT Malaria Immunochromatographic Test for Rapid diagnosis of Malaria. *J Pak Med Assoc*, 56 (4); 167-171. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/16711337>. Accessed October 4, 2018.
- Kaisar M, Supali T, Wiria A, Hamid F, Wammes L, Sartono E, et al. 2013. Epidemiology of Plasmodium infection in Flores Island, Indonesia using realtime PCR. *Malaria Journal*. 12:169.
- Kementrian Kesehatan Republik Indonesia. 2011. Epidemiologi Malaria di Indonesia. Buletin jendela Data dan Informasi Kesehatan. Available at: www.depkes.go.id/download.php?file=download/pusdatin/buletin/buletin-malaria. Accessed: Juni 24, 2018.
- Kementerian Kesehatan Republik Indonesia. 2017^a. Pedoman Teknis Pemeriksaan Parasit Malaria. Subdit Malaria – Ditjen P2P. Available at: <http://www.malaria.id/2017/12/buku-pedoman-teknis-pemeriksaan-parasi.html> . Accessed: July 16, 2018.
- Kementerian Kesehatan Republik Indonesia. 2017^b. Tular Vektor & Zoonotik. Subdit Malaria – Ditjen P2P. Available at: <http://www.depkes.go.id/article/view/13010100020/unit-kerja-eselon-2-ditjen-pengendalian-penyakit-dan-penyehatan-lingkungan.html>. Accessed: July 16, 2018.
- Khare V, Shukla P, Ansari A, Yaqoob S, Begum R. 2016. Evaluation of enzyme immunoassay based on detection of pLDH antigen for the diagnosis of malaria. *International Journal of Medical Research and Review*. Available at: <http://medresearch.in/index.php/IJMRR/article/view/982>. Accessed: Juni 22 , 2018.

- Kim SH, Nam MH, Roh KH, Park HC, Nam DH, Park GH, et al. 2008. Evaluation of rapid diagnostic test specific for *Plasmodium vivax*. *Trop Med Int Health*. 13:1495–500.
- McMorrow ML, Aidoo M, Kachur S. 2011. Malaria Rapid Diagnostic test in elimination settings-can they find the last parasite? *Clinical Microbiology and Infection*. 17 : 1624-1631.
- Mooedy A. 2002. Rapid Diagnostic Tests for Malaria Parasites. *Clinical Microbiology Reviews*. Vol 15 (1): 66-78. Available at: DOI: [10.1128/CMR.15.1.66-78.2002](https://doi.org/10.1128/CMR.15.1.66-78.2002). Accessed: August 27, 2018
- Palutop® +4 Optima. Material Safety Data Sheet, 2018; REF 5499.
- Pasvol G., Weatherall D. J. and Wilson R. J. 1977. Effects of foetal haemoglobin on susceptibility of red cells to *Plasmodium falciparum*. *Nature* .270 : 171–173.
- Plasmotec® Malaria-3. Material Safety Data Sheet, 2018; RP-PM25/25.
- Peraturan Menteri Kesehatan Republik Indonesia. 2012. Pedoman Tatalaksana Malaria. Available at: https://kupdf.com/download/pedoman-penatalaksanaan-kasus-malaria-2012_598d9a78dc0d604f47300d18_pdf. Accessed: July 22, 2018.
- Podder MP, Khanum H, Elahi R, Mohan AN, Mohiuddin K, Alam MS. 2015. Comparison of a New ELISA Kit (Recombilisa Malaria Ab Test) with Microscopic Detection of Malaria. Available at: https://www.researchgate.net/publication/281274027_Comparison_of_a_New_ELISA_Kit_Recombilisa_Malaria_Ab_Test_with_Microscopic_Detection_of_Malaria Accessed: July 5, 2018.
- Purtero *et al.*, 2018. Accuracy of an Immunochromatographic Diagnostic Test (ICTMalaria Combo Cassette Test) Compared to Microscopy among under Five-Year-Old Children when Diagnosing Malaria in Equatorial Guinea.
- Raghuveer, Goneppanavar M. 2012. Laboratory Diagnosis of Malaria, A Review. Available at: file:///C:/Users/hp/Downloads/LABORATORY_DIAGNOSIS_OF_MALARIA_A_REVIEW.pdf. Accessed: July 10, 2018.
- Reuben R. 1993. Women and Malaria-Special Risk and Appropriate Control Strategy. *Social Science and Medicine*. 37(4): 473-480.
- Riley E. M., Wagner G. E., Ofori M. F., Wheeler J. G., Akanmori B. D., Tetteh K., McGuinness D., Bennett S., Nkrumah F. K., Anders R. F. and Koram K. A. 2000. Lack of association between maternal antibody and protection of African infants from malaria infection. *Infection and Immunity* . 68 : 5856–5863.

- Riset Kesehatan Dasar. 2013. Kementerian Kesehatan Republik Indonesia, RISKESDAS. Available at: www.depkes.go.id/resources/download/general/Hasil%20Riskasdas%202013.pdf. Accessed: July 16, 2018.
- Rudolfo, et al. 2007. Comparison of the diagnosis of malaria by microscopy, immunochromatography and PCR in endemic areas of Venezuela. *Brazilian Journal of Medical and Biological Research*; 40: 535-543.
- SC Chow, J Shao, H Wang. 2003. *Sample Size Calculation in Clinical Research*. 2nd edition. Chapman&Hall, 83p.
- Shakya G, Gupta R, Pant SD, Poudel P, Upadhaya B, Sapkota A, et al. 2012. Comparative study of sensitivity of rapid diagnostic (hexagon) test with calculated malarial parasitic density in peripheral blood. *J Nepal Health Res Council*.10:16–9.
- Snounou GS, Viriyakosol S, Zhu XP, Pinheiro WJL, Rosario VD, Thaithong S, Brown KN. 1993. *High sensitivity of detection of human malaria parasites by the use of nested polymerase chain reaction*. *Mol. Biochem. Parasitol*; 61:315–320.
- Stauffer *et al.*, 2010. Diagnostic Performance of Rapid Diagnostic Tests versus Blood Smears for Malaria in US Clinical Practice. *Clinical Infectious Diseases*; 49: 908-913.
- Tangpukdee N, Duangdee C, Wilairatana P, Krussoos S. 2009. Malaria Diagnosis : A Brief Review. *Korean J Parasitol*; 47 (2): 93-102. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2688806/>. Accessed: July 10, 2018.
- van Dijk, et al. 2009. Evaluation of the Palutop+4 malaria rapid diagnostic test in a non-endemic setting. *Malaria Journal*; 8:293. Available at: doi:10.1186/1475-2875-8-293. Accessed: October 10, 2018.
- Verma P, Biswas S, Mohan T, Ali S, Rao D.N. 2013. Detection of histidine rich protein & lactate dehydrogenase of *Plasmodium falciparum* in malaria patients by sandwich ELISA using in-house reagents. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3978991/> Accessed: July 5, 2018.
- World Health Organization.2012. *Malaria Rapid Diagnostic Test Performance: Summary Result of WHO Product Testing of Malaria RDTs Round 1–5*. Geneva: World Health Organization
- Wilson ML. 2013. Laboratory Diagnosis of Malaria Conventional and Rapid Diagnostic Methods. *Arch Pathol Lab Med*; 137: 805-811. Available at: <http://www.archivesofpathology.org/doi/10.5858/arpa.2011-0602->

RA?url_ver=Z39.88-2003&rfr_id=ori:rid:crossref.org&rfr_dat=cr_pub%3dpubmed&code=coop-site. Accessed: July 16, 2018.

Wongsrichanalai C, Barcus MJ, Muth S, Sutamihardja A, Wernsdorfer WH. 2007. A review of malaria diagnostic tools: microscopy and rapid diagnostic test (RDT). *Am J Trop Med Hyg.* 77:119-127

World Health Organization. 2015. *Guidelines for The Treatment of Malaria, 3rd Edition*. Who library Cataloguing-in-Publication Data. Available at: <http://www.who.int/malaria/publications/atoz/9789241549127/en/>. Accessed: Juni 25, 2018

World Health Organization. 2016. *Basic Malaria Microscopy Part I, Learner's guide, 2nd Ed.* Available at: http://apps.who.int/iris/bitstream/10665/44208/1/9789241547826_eng.pdf?ua=1&ua=1. Accessed: July 31, 2018.