

## DAFTAR PUSTAKA

- Abou-Khalil, B., Gallagher, M., & Macdonald, R. (2016). *Bradleys's Neurology in Clinical practice*. London: *Elsivier*, pp 1563-1614.
- Aminoff, M. J., & Douglas, V. C. (2017). *Nervous System Disorders. CURRENT Medical Diagnosis & Treatment*. New York: *McGraw-Hill Education*, pp 977-1049.
- Anderson, G.H., Hunschede, S., Akilen, R. & Kubant, R. (2016). Physiology of Food Intake Control in Children. *American Society for Nutrition. Advances Nutrition*, 7: pp 232-240.
- Andersson, U., Filipsson, K., Abbott, CR., Woods, A., Smith, K., Bloom, SR., Carling, D., Small, CJ. (2004). AMP-activated protein kinase plays a role in the control of food intake. *Journal of Biological Chemistry*, 279; pp 12005–12008.
- Andrews, Z. B., Liu, Z. W., Wallingford, N., Erion, D. M., et al. (2008). UCP2 mediates ghrelin's action on NPY/AgRP neurons by lowering free radicals. *Nature*, 454: pp 846-885.
- Andrianti, P., Gunawan, P., Husein, F. (2016). Profil epilepsi anak dan keberhasilan pengobatannya di RSUD dr. Seotomo tahun 2013. *Sari Pediatri* 18 (1).
- Asadi-Pooya, A. A., & Sperling, M. R. (2016). *Antiepileptic Drugs – A Clinician's manual*. 2nd penyunt. New York: *Oxford University Press*, pp 89-90.
- Avery, L.B., & Bumpus, N. (2014). Valproic Acid Is a Novel Activator of AMP-Activated Protein Kinase and Decresed Liver Mass, Hepatic Fat Accumulation, and Serum Glucose in Obese Mice. *The American Society For Pharmacology and Experimental Therapeutics*, 85(1): pp 1-10.
- Aydin, S. (2007). Discovery of ghrelin hormone: researches and clinical applications. *Turk J Biochem*. 32 : pp 76-89.
- Aymerich, I., Foufelle, F., Ferre, P., Casado, FJ., Anglada, MP. (2006). Extracellular adenosine activates. AMP-dependent protein kinase (AMPK). *Journal of Cell Science*, 119: pp 1612-1621.
- Barbara, B. Kahn., et al. (2005). AMP-activated protein kinase: Ancient energy gauge provides clues to modern understanding of metabolism, *1(1)* : pp 15-25.
- Bear., et al. (2001). *Neuroscience-Explorating the Brain*, 2<sup>nd</sup> ed. *Brooks/Cole*, pp 617-620.
- Boguszewski & Van der lely. (2015). The role of the gastrointestinal tract in the control energy balance. *Vol 4, No.1*.

- Bosnak, M. et al. (2003). Do Epileptic Children Treated With Valproate Have a Risk of Excessive Weight Gain. *Journal of Child Neurology*, 18(4); pp 306
- Broberger, C., Johansen, J., Johansson, C., Schalling, M., Hokfelt, T. (1998). The neuropeptide Y/agouti gene-related protein (AGRP) brain circuitry in normal, anorectic, and monosodium glutamate-treated mice. *Proceedings of the National Academi Sciences U S A*, 95(25); pp 15043-15048
- Brown, KA., Samarajeewa, NU., Simpson, ER. (2013). Endocrine-related cancers and the role of AMPK. *Journal of Moral and Civic Education*. 366; p 170-79.
- Bruni, J. (2012). Episodic Impairment of Consciousness. Dalam: R. Daroff, G. Fenichel, J. Jankovic & J. Mazziotta, penyunt. *Branley's Neurology in Clinical Praticce. Philadelphia: Elsevier*, pp 10-19.
- Cicek Nafiye Pola., et al. (2018). The Effect of Valproat and Topiramate Use on Serum Insulin, Leptin, Neuropeptide Y and Ghrelin Level in Epileptic Children, 58; p 90-95
- Chen H., et al. (2013). Adiponectin activates the AMPK signaling pathway to regulate lipid metabolism in bovine hepatocytes. *Journal of Steroid Biochemistry and Molecular Biology*. pp 445-454.
- Chung, S. (2015). Body mass index and body composition scaling to height in children and adolescent. *Annal of Pediatric Endrocrinology & Metabolism*. 20(3); pp 125-129.
- Clarke, W., & Dasgupta, A. (2016). Clinical Challenges in Therapeutic Drug Monitoring – Special Population, Physiological Condition, and Pharmacogenomics. Amsterdam: *Elsivier*, pp 376.
- Claret, M., Smith, M. A., Batterham, R. L., Selman, C., Choudhury, A. I., Fryer, L. G., et al. (2007). AMPK is essential for energy homeostasis regulation and glucose sensing by POMC and AgRP neurons. *Journal of Clinical Investigation*. 117 : pp 2325–2336.
- Cloyd, J. C., Kriel, R. L., Jones-Saete, C. M., Ong, B. Y., Jancik, J. T., & Rimmel, R. P. (1992). Comparison of sprinkle versus syrup formulations of valproate for bioavailability, tolerance, and preference. *The Journal of Pediatrics, Volume: 120 Issues: 4-part-P1*: pp 634-638.
- Coll, AP., Farooqi, IS., Challis, BG., Yeo, GS., O’Rahilly, S. (2004). Proopiomelanocortin and energy balance: insights from human and murine genetics. *The Journal of Clinical Endocrinology and Metabolism*, 89(6): pp 2557-2562.
- Corman, C.L., Leung, N.M. & Guberman, A.H. (1997). Weight Gain in Epileptic Patients During Treatment with Valproic Acid: a Retrospective Study. *Canadian Journal of Neurological Sciences*, 24(3) : pp 240-244.

- Cowley, et al. (2003). The Distribution and Mechanism of Action of Ghrelin in the CNS Demonstrates a Novel Hypothalamic Circuit Regulating Energy Homeostasis. *Neuron*. 37: p 649-661.
- Cummings, DE., Overduin, J. (2007). Gastrointestinal regulation of food intake. *Journal of Clinical Investigation*, 117(1): pp 13-23.
- Dahlan, M Sopiudin. (2013). Besar Sampel dan Cara Pengambilan Sampel. Edisi 3. Penerbit Salemba media Jakarta.
- Dana, W. J., Fuller, M. A., Goldman, M. P., Golembiewski, J. A., Gonzales, J. P., Lowe, J. F., et al. (2012). *Drug Information Handbook 21st edition. USA: by Lexi-Comp Inc. pp : 491*
- Demir, E & Aysun, S. (2000). Weight gain associated with valproate in childhood. *Pediatric Neurology*, 22 pp :361-364.
- Dikić, D, Jutrić, D, Dominko, K. 2017. The Dual Nature of the Antiepileptic Drug Valproic Acid, with Possible Beneficial Effects in Alzheimer's Disease. *Southeastern Medical Journal*, 11(1): pp 74-89.
- Dinesen, H., Gram, L., Andersen, T., Gam, M. (1984). Weight Gain during Treatment with Valproat. *Acta Neurol Scand*, 69: pp 65-69
- Dreifuss, F. E., Santilli, N., Langer, D. H., Sweeney, K. P., Moline, K. A., & Menander, K. B. (1987). Valproic acid hepatic fatalities: A retrospective review. *Neurology Volume: 37 Issues 3: pp 379-379.*
- Drugs.com. (2018). Valproic acid side effects. [Online] Available at: <https://www.drugs.com/sfx/valproic-acid-side-effects.html> [Diakses 29 Desember 2018].
- Eadie, M & Vadja, F. (2016). Antiepileptic Drugs and Pregnancy – A Guide for Prescribers. Switzerland: *Springer*, pp 34-60.
- Elias, CF., Lee, C., Kelly, J., Aschkenasi, C., Ahima, RS., Couceyro, PR., Kuhar, MJ., Saper, CB., Elmquist, JK. (1998). Leptin activates hypothalamic CART neurons projecting to the spinal cord. *Neuron*; 21: pp 1375- 1385.
- Engel, J., Pedley, T. A., Aicardi, J., Dichter, M. A., Moshé, S., Perucca, E., et al. (2007). *Epilepsy: A Comprehensive Textbook (3-volume set)*. New York: Lippincott Williams & Wilkins.
- Era Baru. (2017, September 21). Retrieved from Who Mengeluarkan Kriteria Baru Kelompok Usia: <http://www.erabaru.net/2017/03/15/who-mengeluarkan-kriteria-baru-kelompok-usia>

- Ewart, Ma., & Kennedy S. (2010). AMPK and vasculoprotection. *Journal Pharmacology & Therapeutics*, 131: pp 242-53.
- Fang, J., Chen, S., Tong, N, Chen, T., An, D., Mu, J., Zhou, D. (2012). Metabolic Syndrome among Chinese obese patients with epilepsy on sodium valproate. *Seizure*. 21 : pp 578-582.
- Fiest, K.M. et al., 2016. Prevalence and incidence of epilepsy. *American Academy of Neurology*, 88 : pp 296-303.
- Fisher Robert S, et.al. (2014). A Practical Clinical Definition of Epilepsy. *Epilepsi*. 55(4) : pp 475-482.
- Fisher Robert S, et.al. (2017). Instruction manual for the ILAE 2017 operational classification of seizure types. *Epilepsia*, pp 1-12.
- Fishman J, et al. (2018). Antiepileptic Drug Titration and Related Health Care Resource Use and Costs. *Journal of Managed Care & Speciality Pharmacy*.24(9): pp 929-938.
- Flynn, S., & Babi, M. A. (2017). Anticonvulsants. In V. A. Lewis, *Pharmacology and Therapeutics for Dentistry (Seventh Edition)*, pp 176-192.
- Frederich, M., O'rourke, MR., Furey, NB., Jost, JA. (2008). AMP-activated protein kinase (AMPK) in the rock crab cancer *irroratus* an early indicator of temperature stress. *Journal of Experimental Biology*; 121 : pp722-30
- Fui, M.N.T. et al. (2016). Effects of testosterone treatment on body fat and lean mass in obese men on a hypocaloric diet: a randomised controlled trial. *BMC Medicine*, 14(153) : pp 1-11.
- Gao, N., Casals, W., Keung, T., Moran, and Lopaschuk. (2013). "Differential effects of central ghrelin on fatty acid metabolism in hypothalamic ventral medial and arcuate nuclei," *Physiology and Behavior*, Vol.118: pp 165-170
- Gerstner, T., Bell, N., & Konig, S. (2008). Oral valproic acid for epilepsy – long-term experience in therapy and side effects. *Expert Opinion Pharmacotherapy*, 9(2): pp 285-292.
- Ghodke-Puranik, Y., Thorn, C., Lamba, J., Leeder, S., Song, W., Birnbaun, A. (2013). Valproic Acid Pathway: Pharmacokinetics and Pharmacodynamics. *Pharmacogenetics and Genomics*, 23: pp 236-241.
- Glauser, T. A., Cnaan, A., Shinnar, S., Hirtz, D. G., Dlugos, D., Masur, D., et al. (2013). Ethosuximide, valproic acid, and lamotrigine in childhood absence epilepsy: Initial monotherapy outcomes at 12 months. *Epilepsia*, 54(1) : pp 141-155.

- Gungor, et al. (2007). The Role of Ghrelin in Weight Gain and Growth in Epileptic Children Using Valproat. *Journal of Child Neurology*. Sage Publications, 22(12): pp 1384-1388.
- Guyton, A.C., & Hall, J.E. (2007). Buku Ajar Fisiologi Kedokteran (*Textbook of Medical Physiology*). Alih bahasa Irawati et al ; editor Luqman Y.R et al Edisi-11. Jakarta: EGC
- Greco, R., Latini, G., Chiarelli, F., Laretti, P., Verrotti, A. (2005). Leptin, Ghrelin, and Adiponectin in Epileptic Patient Treated with Valproic Acid. *Neurology*, 65: pp1808-1809.
- Hahn, TM., Breininger, JF., Baskin, DG., Schwartz MW. (1998). Coexpression of Agrp and NPY in fasting-activated hypothalamic neurons. *Nature Neuroscience*. 1 : pp 271-2.
- Han, SM., Namkoong, C., Jang, PG., Park, IS., Hong, SW., Katakami, H., Chun, S., Kim, SW., Park, JY., Lee, KU., et al. (2005). Hypothalamic AMP-activated protein kinase mediates counter regulatory responses to hypoglycaemia in rats. *Diabetologia*, 48: pp 2170-2178.
- Handayani, Yatmihatun dan Harsono. (2012). Perbandingan Status Gizi Balita Berdasarkan Indeks Antropometri BB/U dan BB/TB Pada Posyandu di Wilayah Binaan Poltekkes Surakarta. *Journal Terpadu Ilmu Kesehatan*, 2, pp.33-37.
- Hardie, DG., et al. (2003). Management of cellular by the AMP-activated protein kinase system. *Febs Letters*, 546 : pp 113-120.
- Hardie, DG. (2004). AMP-activated protein kinase pathway-new players upstream and downstream. *Journal of the American Chemical Society*, 117 : pp 5479-5487.
- Hardie, DG., Ross, FA., Hawley, SA. (2012). AMP-activated protein kinase: a target for drugs both ancient and modern. *Journal of Chemical Biology*.19 (10) : pp 1222-1236.
- Harjes, U., Bensaad, K., Harris, AL. (2012). Endothelial cell metabolism and implications for cancer therapy. *British Journal of Cancer*, 107 : pp 1207-1212.
- Hartshorn, E. A., & Tatro, D. S. (2009). *Principles of Drug Interactions: Drug Interaction Facts* . Wolters Kluwer Health, Inc, pp 472.
- Hutchinson, D.S., Summers, RJ., Bengtsson, T. (2008). Regulation of AMP-activated protein kinase by G-protein coupled receptors: potential utility in treatment of diabetes and heart disease. *Journal Pharma Thera*. 119 : pp291-310.
- Ikatan Dokter Anak Indonesia (IDAI). (2014). Kurva Pertumbuhan WHO [online] <http://www.idai.or.id/professional-resources/growth-chart/kurva-pertumbuhan-who> diakses pada 20 Januari 2019

- Ikatan Dokter Anak Indonesia (IDAI). (2006). *Konsensus Penatalaksanaan Kejang Demam*. Jakarta: Unit Kerja Koordinasi Neurologi IDAI
- Isojarvi, JI., Laatikainen, TJ., Pakarinen, AJ., Juntunen, KT., Myllyla, VV. (1993). Polycystic ovaries and hyperandrogenism in women taking valproate for epilepsy. *New England Journal of Medicine*, 329 : pp 1383-1388.
- Kadowaki, Takashi & Yamauchi, Toshimasa. (2005). Adiponectin and Adiponectin Receptor. *Endocrine Review*, 26(3) : pp 439-451.
- Kanemura, H., Sano, F., Maeda, Y., Sugita, K., Aihara, M. (2012). Valproate sodium enhances body weight gain in patients with childhood epilepsy: A pathogenic mechanisms and open-label clinical trial of behavior therapy. *Seizure* 21: pp 495-500.
- Kim, IY., He, YY. (2013). Targeting the AMP-activated protein kinase for cancer prevention and therapy. *Frontiers in oncology*, 15 (3) : pp 175.
- Khatib, F., Rauchenzauner, M., Lechleitner M., Hoppichler F., Naser, A., et al. (2007). Valproate, weight gain and carbohydrate craving : A gender study. *Seizure* 16 (3) : pp 226-232.
- Kola Blerina. (2008). Role of AMP-Activated Protein kinase in the Control of Appetite. *Journal of Neuroendocrinology*, 20: pp 942-951
- Lagace, D. C., Mcleod, R. S., & Nachtigal, M. W. (2004). Valproic Acid Inhibits Leptin Secretion and Reduces Leptin Messenger Ribonucleic Acid Levels in Adipocytes. *Endocrinology*, 145: pp 5493-5503.
- Lexicomp. (2018). Lexi-CLINICAL Suite [App], s.l.: Wolters Kluwer, pp 491.
- Lim., Kola., Feltrin et al. (2013). "Ghrelin and cannabinoids require the ghrelin receptor to affect cellular energy metabolism," *Molecular and Cellular Endocrinology*, Vol. 365, no. 2, pp : 303-308.
- Lin, YY., Kihl, S., Suhail, Y., Liu, S-Y., Chou, YH., Kuang, Z., Lu, JY., Khor, CN., Lin, CL., and Bader, JS., et al. (2012). Functional dissection of lysine deacetylases reveals that HDAC1 and p300 regulate AMPK. *Nature*, 482 : pp 251-255.
- Lopez, M., Lage, R., Saha, A. K., PérezTilve, D., Vázquez, M. J., Varela, L., et al. (2008). Hypothalamic fatty acid metabolism mediates the orexigenic action of ghrelin. *Cell Metab.* 7 : pp 389-399.
- Lowenstein, D. H. (2015). Seizure and Epilepsi. Dalam: D. Kasper, et al. Penyut. Harrison's Principles of Internal Medicine. *New York: McGraw-Hill Education*, pp 2542-2559.

- Malhotra, R., Warne, JP., Salas, E., Xu, AW., Debnath, J. (2015). Loss of Atg12, but not Atg5, in pro-opiomelanocortin neurons exacerbates diet-induced obesity. *Autophagy*. 11: pp 145-54.
- Malvoisin, E., Livrozet, JM., Ridah, IE., Makloufi, D., Vincent, N. (2009). Detection of AMP-activated protein kinase in human sera by immuno-isoelectric focusing. *Journal of Investigation Medicine*, 351: pp 24-9.
- Marson, A. G., Williamson, P. R., Clough, H., Hutton, J. I., & Chadwick, D. W. (2002). Carbamazepine versus valproate Monotherapy for Epilepsy: A Meta-analysis. *Epilepsia*, 43(5) : pp 505-513.
- Martin, G., Han, H., Anton, S., Greenway, F., Smith, S. (2009). Effect of valproic acid on bodyweight, food intake, physical activity and hormones: results of a randomized controlled trial. *J Psychopharmacol* 23(7): pp 814-25
- Masturoh, I & Anggita, N. (2018). Bahan Ajar Rekam Medik dan Informasi Kesehatan (RMKI): Metodologi Penelitian Kesehatan. Jakarta: Kementerian Kesehatan Republik Indonesia, pp 60-61.
- McEvoy, G. K., Snow, E. K., Kester, L., Litvak, K., Miller, J. L., Welsh, O. H., et al. (2011). *AHFS DRUG INFORMATION ESSENTIALS*. Bethesda, Maryland: American Society of Health-System Pharmacists. pp 182-185.
- McHugh J & Delanty N. (2008). Epilepsy And Classification of Epilepsy: Gender Comparison. *International Review of Neurobiology*, 83 : pp 11-26.
- Micromedex. (2018). *IBM micromedex*. Retrieved from [www.micromedex.com: http://www.micromedexsolutions.com/micromedex2/librarian/PFDdefaultActionId/videncexpert.DoIntegratedSearch](http://www.micromedex.com: http://www.micromedexsolutions.com/micromedex2/librarian/PFDdefaultActionId/videncexpert.DoIntegratedSearch)
- Minokoshi, Y., Alquier, T., Furukawa, N., Kim, YB., Lee, A., et al. (2004). AMP-kinase regulates food intake by responding to hormonal and nutrient signals in the hypothalamus. *Nature*, 428 : pp 569-74.
- Moshé, S. L., Perucca, E., Ryvlin, P. & Tomson, T. (2014). Epilepsy: *New Advances*. *The Lancet*, pp. 1-15.
- NCBI. (2017). PubChem Compound Database; CID=16760703. [Online] Available at : <https://pubchem.ncbi.nlm.gov/compound/16760703> [Diakses 27 Desember 2019].
- Nevitt, S. J., Marson, A. G., Weston, J., & Smith, C. T. (2018). Sodium valproate versus phenytoin monotherapy for epilepsy: an individual participant data review. *Cochrane Database of Systematic Reviews*, pp 1-8.
- NICE. (2018). Epilepsies: diagnosis and management. *Epilepsies*, pp 1-99.

- Nigro, E., Scudiero, O., Monaco, M., et al. (2012). New Insight into Adiponectin Role in Obesity and Obesity-Related Disease. *BioMed Research International*, pp 1-14.
- Novikova, et al. (2015). AMP activated protein kinase structure function and role pathological processer. *Biochemistry*, 80 : pp 127-44.
- Oh seok., et al. (2016). Hypothalamic AMPK-induced autophagy increases food intake by regulating NPY and POMC expression. *Taylor & Francis*. 12(11): pp 2009-2025.
- Perdossi. (2014). Pedoman Tatalaksana Epilepsi. Surabaya: Airlangga University Press.
- Permenkes. (2014). *Peraturan Menteri Kesehatan Republik Indonesia No 25 tahun 2014 tentang Upaya Kesehatan Anak*. Jakarta: Menteri Kesehatan Republik Indonesia.
- Pimentel, GD. (2009). AMP-activated protein kinase (AMPK)-the key role in metabolic regulation and control of food intake. *Nutrire: Revista Sociedade Bras Alimentacao Nutricao*, 34 : pp 159-73.
- Pooya-Asadi, A., Sperling, M., 2016. Antiepileptic Drug: A Clinician's Manual, 2<sup>nd</sup> Edition. Oxford : *Oxford University Press*, pp 163.
- Qiao., et al. (2006). Suppression of Adiponectin Gene Expression by Histone Deacetylase Inhibitor Valproic Acid. *The Endocrinology Society*, pp 865-874.
- Quan, W., Kim, HK., Moon, EY., Kim, SS., Choi, CS., Komatsu, M., Jeong, YT., Lee, MK., Kim, KW., Kim, MS., et al. (2012). Role of hypothalamic proopiomelanocortin neuron autophagy in the control of appetite and leptin response. *Endocrinology*. 153:pp 1817-26.
- Rabie MO, El-din EA, Rashed KH, Bahnasy WS, El-Serogy HA. (2016). A Study on Serum Level of Testosteron and Prolactin Hormones in Male Epileptic Adolescent. The Egyptian Journal of Neurology, *Psychiatry and Neurosurgery*. Vol 53 No.2.
- Robinson, K., Prins, J., Venkatesh, B., 2011. Clinical review: Adiponectin biology and its role in inflammation and critical illness. *Critical care* pp 15: 221.
- Rollins, D. E & Blumenthal, D. K. (2016). Workbook and Casebook For Goodman and Gilman's The Pharmacological Basic of Therapeutics. 1st penyut. New York: McGraw-Hill Companies.
- Rosati, A., Masi, SD., Guerrini, R. (2015). Antiepileptic Drug Treatment in Children with Epilepsy. *Springerlink.com*, pp 847-863.
- Ruan, H., Dong, L. (2016). Adiponectin Signaling and Function in Insulin Target Tissues. *Journal of Molecular Cell Biology* 8(2) pp :101-109.
- Saad Khaled. (2015). Childhood Epilepsy: An Update on Diagnosis and Management. *American Journal of Neuroscience*, 5(2): pp 36-51



- Scheffer, I. E., Berkovic, S., Capovilla, G., Connolly, M. B., French, J., Guilhoto, L., et al. (2017). ILAE classification of the epilepsies: Position paper of the ILAE Commission for Classification and Terminology. *Epilepsia*, 58 (4) : pp 512-521.
- Schneeberger Marc & Claret Marc. (2012). Recent insights into the role hypothalamic AMPK signaling cascade upon metabolic control. *Frontiers in Neuroscience*, pp 185.
- Shinnar, S., Berg, A. T., Moshé, S. L., Kang, H., O'Dell, C., Alemany, M., et al. (1994). Discontinuing antiepileptic drugs in children with epilepsy: A prospective study. *Annals of Neurology*, Vol 35 (5) : pp 534-545.
- Smith, M. D., Metcalf, C. S., & Wilcox, K. S. (2018). chapter 17: Pharmacotherapy of the Epilepsies. In L. L. Brunton, R. Hilal-Dandan, & B. C. Knollmann, *Goodman & Gilman's The Pharmacological Basis of Therapeutics Thirteenth edition*, pp 303-326.
- Solorzano Christine M Burt & McCartney Christopher R. (2010). Obesity and The Pubertal Transition in Girl and Boys. *Society for Reproduction and Fertility*. 140 (3) : pp 399-410.
- Steinberg GR., Kemp BE. (2009). AMPK in health and diseases. *Physiological Reviews*. 80 : pp 1025-1078.
- Steinberg, GR., Dandapani, M., Hardie, DG. (2013). AMPK mediating the metabolic affect of salicylate-based drugs. *Journal Trends Endocrinol Metabolism*, 24(10): pp 481-487.
- Stern, J., Rutkowski, J., Scherer, P. (2016). Adiponectin, Leptin, and Fatty Acids in the Maintenance of Metabolic Homeostasis through Adipose Tissue Crosstalk. *Cell Metabolism* 23: pp 770-779.
- Svalheim, S., Sveberg, L., Mochol, M., Tauboll, E. (2015). Interaction between antiepileptic drugs and hormones. *Seizure*. 28: pp 7-12.
- Tasker, R. C., McClure, R. J., & Acerini, C. L. (2013). *Oxford Handbook of Paediatrics. United Kingdom: Oxford University Press*. pp 997-1002.
- Tokgoz, H., Aydin, K., Oran, B. (2012). Plasma leptin, neuropeptide Y, ghrelin, and adiponectin levels and carotid artery intima media thickness in epileptic children treated with valproate. *Child Nerves System*, 28 (7): pp 1049-1053.
- Varela, L., Horvath, TL. (2012). Leptin and insulin pathways in POMC and AgRP neurons that modulate energy balance and glucose homeostasis. *13(12) : pp 1079-1086*.
- Verroti, A., Torre, R., Trotta, D., Mohn, A., Chiarelli, F. (2009). Valproate induced insulin resistance and obesity in Children. *Hormon Research*, 71: pp 125-131

- Verrotti A, et al. (2010). Weight gain following treatment with valproic acid: pathogenetic mechanisms and clinical implications. obesity reviews. *International Association for the Study of Obesity*, 12(5) : pp 32-43.
- Villena, JA., Viollet, B., Andreelli, F., Kahn, A., Vaulont, S., Sul, HS. (2004). Induced adiposity and adipocyte hypertrophy in mice lacking the AMP-activated protein kinase-alpha2 subunit. *Diabetes*; 53: pp2242-9
- Wang, S., Song, P., Zou, MH. (2012). AMP-activated protein kinase, stress responses and cardiovascular disease, *Clinical Science*, 122 : pp 555-73.
- Wang, XR., Zhang, MW., Chen, DD., Chen, AF. (2011). AMP-activated protein kinase rescues the angiogenic function of endothelial progenitor cells via manganese superoxide dismutase induction in type 1 diabetes. *American Journal of Physiology Endocrinol and Metabolism*, 300: pp E1135-E1145.
- Wikipedia. (2018). *Wikipedia, the free encyclopedia*. Retrieved from Wikipedia.com: <https://en.wikipedia.org/wiki/Pediatrics>
- WHO. (2017). *Epilepsy in the WHO South-East Asian Region*. pp 18-20.
- WHO. (2018). *Epilepsy. WHO Fact Sheet, March*.
- Wren., Small., Ward et al. (2000). "The novel hypothalamic peptide ghrelin stimulates food intake and growth hormone secretion," *Endocrinology*, vol. 141(11) : pp. 4325-4328.
- Wu, SB., Wu, YT., Wei, YH. (2014). Role of AMPK-mediated adaptive responses in human cells with mitochondrial dysfunction to oxidative stress. *Journal Biochimica et Biophysica Acta*, 1840 : pp 1331-41.
- Xue, B., Yang, Z., Wang, X., Shi, H. (2012). Omega-3 polyunsaturated fatty acids antagonize macrophage inflammation via activation of AMPK/SIRT1 pathway. *PloS ONE*, 7 : pp 1-6.
- Yaswen, L., Diehl, N., Brennan, MB., Hochgeschwender, U. (1999). Obesity in the mouse model of pro-opiomelanocortin deficiency responds to peripheral melanocortin. *Nature Medicine* 5: pp 1066-70.
- Yang, Y., Atasoy, D., Su, H. H., and Sternson, S. M. (2011). Hunger states switch a flip-flop memory circuit via asynaptic AMPK-dependent positive feedback loop. *Cell* 146 : pp 992-1003.
- Yeni MSN. Epilepsi İnsidansı, Prevalansı ve Risk Faktörleri. (2008). In: Bora İdt, Yeni SN, Gurses C, Editor. Epilepsi. İstanbul: *Nobel Tıp Kitapevleri*; pp. 65-73