

ISSN: 1811-9506

B

Bioscience Research

An international quarterly journal of ISISnet

R

Innovative

Informative

Excelling




Worldwide



 **ISISnet**®

Volume: 1 No: 1
Dec: 2004

Bioscience Research








Country	Pakistan -  SJR Ranking of Pakistan
Subject Area and Category	Agricultural and Biological Sciences Agronomy and Crop Science
Publisher	Innovative Scientific Information & Services network (ISISnet)
Publication type	Journals
ISSN	18119506, 22183973
Coverage	2007-ongoing
Scope	Publishing the best original research papers in all key areas of modern biological sciences from the world's leading laboratories, Bioscience Research aims to provide a dynamic forum for this ever growing international research community. Bioscience Research publishes original peer-reviewed articles, review papers and short communications concerning all aspects of biological sciences.
	Homepage
	How to publish in this journal
	Contact
	Join the conversation about this journal

5

H Index

This website uses cookies to ensure you get the best experience on our website

Got it!



Bioscience Research ← Show this widget in your own website

Q4 Agronomy and Crop Science
best quartile

SJR 2018 0.13

Just copy the code below and paste within your html code:

```
<a href="https://www.scimagojr.com" data-bbox="640 845 720 855">
```

powered by scimagojr.com

This website uses cookies to ensure you get the best experience on our website

Got it!

QUICK LINKS

[Home](#)

[about us](#)

[Author guidelines](#)

[Authorship Policy](#)

[Copyrights](#)

[Review process](#)

[Submission](#)

Call for papers



Bioscience Research
(ISSN: 1811-9506)
Science 2004



Animal Science Journal



Plant Science Journal

Hit Counter

Bioscience Research

Bioscience Research

- Print ISSN: 1811-9506
- Online ISSN: 2218-3973
- Starting year: 2004
- Current volume: 16
- **Impact Factor (Scopus) 2017: 0.737**

[Author guidelines](#)

[Editorial board](#)

[All vols & issues](#)

[Indexing & coverage](#)

Editorial board

Managing editor

Dr. Z. H. Malik
Chief Executive (CE)
Innovative Scientific Information & Services network
Email: meditorbr@yahoo.co.uk

Regional Editors

1. Dr. Dhari N. Al-Ajmi
Director – Environment & Urban Development Division
Kuwait Institute for Scientific Research
P.O.Box:24885, Kuwait, Safat –13109.

2. Dr. Wafaa Choumane
Professor, Head of the department of Fundamental Sciences
Consultant in biotechnology at ICARDA in Aleppo, Syria
Faculty of Agriculture, Tishreen University,
P.O.Box 2099, Lattakia, Syria

3. Dr. Farid A Talukder
Assistant Professor
Department of Crop Sciences,
Sultan Qaboos University, Oman.

4. Dr. MD. Khalequzzaman
Professor
Department of Zoology,
Rajshahi University, Rajshahi 6205, **Bangladesh.**

Subject Editors

1. Dr. Muhammad Akbar Anjum
Associate Professor of Horticulture,
University College of Agriculture,
Bahauddin Zakariya University, Multan, **Pakistan**

2. Dr. Ehsan Elahi Valeem
Ph. D. Marine Biology (Phycochemistry)
Govt. Degree College
Buffer zone,
North Nazimabad Town,
Karachi-75850. **Pakistan.**

3. Dr. Soodabeh Saeidnia
Medicinal Plants Research Center,
Tehran University of Medical Sciences,
Tehran, **Iran.**

4. Dr. Mohammad Zeeshan
Department of Microbiology/ Biotechnology
Integral University
Dasauli, Kursi Road
Lucknow-226 026. **India.**

5. Dr. Ismail Hamad Osman
Department of Biochemistry,
Faculty of Medicine & Health Sciences,
Upper Nile University, Khartoum, **Sudan**

5. Dr. Yeşim (Opak) Kara
Assistant Professor
Department of Biology,
Faculty of Arts & Science Pamukkale University,
Kınık Campus, 20017 Denizli **Turkey.**

6. Dr. Mohamed Debouba
Institut Supérieur de Biologie Appliquée de Médenine
Route El Jorf - Km 22.5 - 4119 Medenine, **Tunisie.**

7. Dr. Ravi S. Varma Nadimpalli
Cellular and Molecular Imaging Laboratory,
Department of Radiology,
Henry Ford Hospital, 1 Ford Place, 2F, Detroit, **USA**

8. Dr. Mohammad Moneruzzaman Khandaker
School of Agriculture Science and Biotechnology,
Faculty of Bioresources and Food Industry,
Universiti Sultan Zainal Abidin, Tembilanga Campus, Besut,
Terengganu, **Malaysia**

6. Dr. Vasudeo Zambare
Research Scientist-I
Center for Bioprocessing Research and Development
South Dakota School of Mines and Technology,
501, E. Saint Joseph Street,
Rapid City, South Dakota, USA 57701.

7. Dr. Tamer M. El-Saeed
Department of P. T. for Growth and Development Disorders and its
Surgery in Children, Faculty of Physical Therapy, Cairo University,
Egypt.

8. Ahmed Darwish El-Gamal
Umm Al-Qura University,
University College, Biology Department,
Makkah, **Saudi Arabia.**

9. Dr. Shafaq Noori
Sr. Scientific Research Officer
National Institute Of Blood Disease
& Bone Marrow Transplantation
Karachi **Pakistan.**

10. Prof. Dr. Bahaa El Din Mekki
Field Crops Research Dept.
National Research Centre
Dokki- Giza - **Egypt.**



Sr. #	Titles, Authors & affiliation (s)	Download
1	<p>RESEARCH ARTICLE BIOSCIENCE RESEARCH, 2017 14(4): 713-720. OPEN ACCESS</p> <p>Biodegradation of phenol by <i>Pseudomonas aeruginosa</i> isolated from soil contaminated with diesel fuel</p> <p>Kais Kassim Ghaima*, Basim Shamkhi Rahal, Mahir Mahmoud Mohamed Institute of Genetic Engineering and Biotechnology for Postgraduate Studies, University of Baghdad, Baghdad, Iraq</p>	Free Full Text [PDF]
2	<p>RESEARCH ARTICLE BIOSCIENCE RESEARCH, 2017 14(4):721-730. OPEN ACCESS</p> <p>Efficacy of some essential oils as seed dressing against faba bean root rot incidence under field conditions</p> <p>Nehal Samy El-Mougy, Mokhtar Mohamed Abdel-Kader and Mahfouz Mohamed Mostafa Abd-Elgwad Plant Pathology Dept., National Research Centre, Dokki, 12622, Giza, Egypt</p>	Free Full Text [PDF]
3	<p>RESEARCH ARTICLE BIOSCIENCE RESEARCH, 2017 14(4): 731-740. OPEN ACCESS</p> <p>Molecular mechanism of synthesized chalcone as an anticancer agent in Leukemia Cell Line HL60</p> <p>Arina Novilla^{1*}, Mustofa Mustofa², Indwiani Astuti², Jumina Jumina³, Hery Suwito⁴ ¹Doctoral Program of Faculty of Medicine, Gadjah Mada University, Yogyakarta, Indonesia ²Faculty of Medicine, Gadjah Mada University, Yogyakarta, Indonesia ³Faculty of Chemistry, Gadjah Mada University, Yogyakarta, Indonesia ⁴Department of Chemistry, Faculty of Mathematics and Natural Science, Airlangga University, Surabaya, Indonesia.</p>	Free Full Text [PDF]
4	<p>RESEARCH ARTICLE BIOSCIENCE RESEARCH, 2017 14(4): 741-749. OPEN ACCESS</p> <p>Quality traits of some entomopathogenic nematodes and their energy reserves</p> <p>Hala Mohamed Sayed Metwally, Amany Ramadan Ebeid, Mohamed Ahmed Gesraha and Wafaa Lotfy Abdou Pests and Plant Protection Department, National Research Centre, Giza, Egypt</p>	Free Full Text [PDF]
5	<p>RESEARCH ARTICLE BIOSCIENCE RESEARCH, 2017 14(4): 750-755. OPEN ACCESS</p> <p>Antifungal and antibacterial activity of black betel (<i>Piper betle</i> L. var <i>Nigra</i>) extract</p> <p>Junairiah^{1*}, Ni' matuzahroh¹, Nabilah Istighfari Zuraidassanaaz¹ and Iliis Sulistyorini² ¹Department of Biology, Faculty of Science and Technology, University of Airlangga, St. Mulyorejo, Sukolilo, Mulyorejo, Surabaya 60115, East Java, Indonesia, ²Faculty of Public Health, University of Airlangga, St. Mulyorejo, Sukolilo, Mulyorejo, Surabaya 60115, East Java, Indonesia.</p>	Free Full Text [PDF]
6	<p>RESEARCH ARTICLE BIOSCIENCE RESEARCH, 2017 14(4): 756-767. OPEN ACCESS</p> <p>Late nitrogen application and late season irrigation increased bulb yield but negatively affected quality and storability of onion.</p> <p>Abdalla A. Ghoname; Gamal S. Riad*; Abd-Elmohsin M. El-Bassiony; Zakaria F. Fawzy and Maged A. El-Nemr Vegetable Research Department, Agricultural and Biological Research Division, National Research Centre, Cairo, Egypt.</p>	Free Full Text [PDF]
7	<p>RESEARCH ARTICLE BIOSCIENCE RESEARCH, 2017 14(4): 768-775. OPEN ACCESS</p> <p>Ascorbic acid, carotenoid contents and antioxidant properties of Australian summer carrot with different irrigation amounts on a free-draining, sandy soil</p> <p>Daniel Peter Mantilen Ludong¹, Song Ai Nio², Peter O'Malley³, Zora Singh⁴ and Mark Gibberd⁵ ¹Agricultural Technology Department, Faculty of Agriculture, University of Sam Ratulangi, Kampus Unsrat, Manado 95115, North Sulawesi, Indonesia. ²Biology Department, Faculty of Mathematics and Natural Sciences, University of Sam Ratulangi, Kampus Unsrat, Manado 95115, North Sulawesi, Indonesia. ³Department of Food and Agriculture Western Australia, South Perth, Australia. ⁴Department of Environment and Agriculture, Faculty of Science and Engineering, Curtin University of Technology, Australia. ⁵School of Science, Faculty of Science and Engineering, Curtin University of Technology, Australia.</p>	Free Full Text [PDF]
8	<p>RESEARCH ARTICLE BIOSCIENCE RESEARCH, 2017 14(4): 776-787. OPEN ACCESS</p> <p>Interleukins and VEGF secretome of human wharton's Jelly mesenchymal stem cells-conditioned medium (hvjmscs-CM) in different passages and oxygen tensions</p> <p>Wahyu Widawati^{1*}, Halida Widyastuti², Harry Murti², Dian Ratih Laksmiawati³, Hanna Sari W Kusuma⁴, Rizal Rizal⁴, Ervi Afifah⁴, Sutiman B. Sumitro⁵, M. Aris Widodo⁶, Indra Bachtiar² ¹Medical Research Centre, Faculty of Medicine, Maranatha Christian University, Jl. Prof. drg. Surya Sumantri No.65, Bandung 40164, West Java, Indonesia ²Stem Cell and Cancer Institute, Jl. A. Yani no 2 Pulo Mas, Jakarta 13210, Indonesia ³Faculty of Pharmacy, Pancasila University, Jagakarsa, Jakarta, Indonesia ⁴Molecular and Biomedical Research Center, Aretha Medika Utama, Jl. Babakan Jeruk II no. 9, Bandung 40163, West Java, Indonesia ⁵Department of Biology, Faculty of Science, Brawijaya University, Jl. Veteran, Malang 65145, East Java, Indonesia ⁶Pharmacology Laboratory, Faculty of Medicine, Brawijaya University, Malang 65145, East Java, Indonesia</p>	Free Full Text [PDF]
9	<p>RESEARCH ARTICLE BIOSCIENCE RESEARCH, 2017 14(4): 788-800. OPEN ACCESS</p> <p>Solvents extraction efficiency for lycopene and β-carotene of GAC fruit (<i>Momordica cochinchinensis</i>, Spreng) cultivated in Iraq</p> <p>Shurook Mohammad Kadhim Saadedin¹, Iqbal Harbi Mohammed Al-Zaidi^{1, 2} and Salwa Jaber Abdullah AL-Awadi³ ¹Institute of Genetic Engineering and Biotechnology, University of Baghdad, Baghdad, Iraq ²Ministry of Agriculture office -Horticulture, Baghdad, Iraq ³College of Applied Biotechnology - Al Nahrain University, Habbad, Iraq</p>	Free Full Text [PDF]

10	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 801-808.	OPEN ACCESS	Free Full Text [PDF]
<p>Response of sunflower cultivars to partial replacement of recommended nitrogen fertilizer by organic and biofertilizers Hassanein, M.S.¹, Nabila M. Zaki and Amal G. Ahmed Field Crops Research Department, National Research Centre, 33 El-Behouth St., (former El- Tahrir St.,) Dokki, Giza, Egypt.</p>				
11	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 809-816.	OPEN ACCESS	Free Full Text [PDF]
<p>Expression analysis of AtTPS1 gene coding for trehalose-6-phosphate synthase in salt stressed olive (<i>Olea europaea</i> L.) Eglal M. Said Department of Fruit and Ornamental Plants Breeding, Horticulture Research Institute, Agricultural Research Center, Egypt.</p>				
12	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 817-830.	OPEN ACCESS	Free Full Text [PDF]
<p>Phenolic profile and antimicrobial activity of green synthesized <i>Acalypha wilkesiana</i> seed's silver nanoparticles against some food borne pathogens Dina A. Marzouk¹, Mohamed A. El Raay², Ali M. El-Hagrassi², Mohamed M. Seif¹ Tamer I.M. Ragab³, Sabry I. El Negoumy¹, Mahmoud Emam² ¹Food Toxicology and Contaminants Department, National Research Centre, El-Behous St. 33, Dokki-Cairo 12622, Egypt ²Phytochemistry and Plant Systematic Department, National Research Centre, El-Behous St. 33, Dokki-Cairo 12622, Egypt ³Natural and Microbial Product Chemistry, National Research Centre, El-Behous St. 33, Dokki-Cairo 12622, Egypt</p>				
13	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4):831-838.	OPEN ACCESS	Free Full Text [PDF]
<p>Molecular analysis of somaclonal variations in chili pepper (<i>Capsicum annuum</i> L.) Zahra Noori. Al Hattab¹, Ekhlas AbdulKareem El Kaaby¹ and Saadon Abdulhadi Al-Ajeel² ¹Department of Genetic Engineering, Biotechnology Center, Ministry of Science and Technology, Baghdad, Iraq ²Department of Biology, Faculty of Education, University of Kufa, An-Najaf 54001, Iraq</p>				
14	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 839-844.	OPEN ACCESS	Free Full Text [PDF]
<p>Spermatogenic cell count of mice (<i>Mus musculus</i>) after the treatment with polysaccharide-K from <i>Coriulus versicolor</i> extract Sandy Kartikasari and Sri Puji Astuti Wahyuningsih¹ Department of Biology, Faculty of Science and Technology, Airlangga University, Surabaya 60115, Indonesia.</p>				
15	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 845-851.	OPEN ACCESS	Free Full Text [PDF]
<p>Resistance patterns associated with bacterial pathogens causing omphalitis in baby chicks Zeinab A Saad¹, Soad A. Nasef¹, Mahmoud Elhariri^{2*}, Rehab Elhelw², Nashwa Ezzaldeen³ ¹Reference Laboratory for Veterinary Quality Control on Poultry Production, Dokki, Giza, Egypt ²Microbiology Department, Faculty of Veterinary Medicine, Cairo University, Giza, Egypt ³Research Institute for Biotechnology, Faculty of Agriculture, Cairo University, Giza, Egypt</p>				
16	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 852-859.	OPEN ACCESS	Free Full Text [PDF]
<p>Prevalence of <i>Hafnia alvei</i> (<i>H. alvei</i>) in hemorrhagic colitis (HC) and hemolytic uremic syndrome (HUS) patients and food samples in Iraq Sahar H. Ali¹, Kamil M. AL-Jobori¹, Muna T. AL-Musawi², Hayder S. Kareem³ ¹Institute of Genetic Engineering and Biotechnology for Postgraduate Studies, University of Baghdad, Iraq. ²College of Science for Women , University of Baghdad, Iraq. ³Central Public Health Laboratory, Ministry of Health, Baghdad, Iraq.</p>				
17	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 860-868.	OPEN ACCESS	Free Full Text [PDF]
<p>Influence of juvenile hormone analogue on respiratory metabolism during non-diapausing <i>Sesamia cretica</i> wandering Larvae (Lepidoptera :Noctuidae) Elham Ahmed Abdel-Hakim Department of Pests and Plant Protection, National Research Centre, Dokki, Cairo, Egypt.</p>				
18	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 869-873.	OPEN ACCESS	Free Full Text [PDF]
<p>Influence of Silver Nitrate on the production of Astragalosides in hairy root cultures of <i>Astragalus membranaceus</i> Yun Ji Park¹, Jae Kwang Kim^{2*}, and Sang Un Park^{1,3*} ¹Department of Crop Science, Chungnam National University, 99 Daehak-Ro, Yuseong-Gu,Daejeon 305-764, Republic of Korea. ²Division of Life Sciences and Convergence Research Center for Insect Vectors, Incheon National University, Incheon 22012, Korea</p>				
19	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 874-878.	OPEN ACCESS	Free Full Text [PDF]
<p>Insecticidal effects of essential oils of <i>Mentha</i> against <i>Tetranychus urticae</i> Sally farouk Allam¹, basem abdel-nasser, souady², and ahmed salah hassan¹ ¹Zoology and Agricultural Nematology Department, Faculty of Agriculture, Cairo University, Giza, Egypt ²Applied Center of Entomomenatodes, Faculty of Agriculture, Cairo University, Giza, Egypt</p>				
20	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 879-886.	OPEN ACCESS	Free Full Text [PDF]
<p>Population dynamics of <i>Tetranychid</i> mite and its predator on watermelon and muskmelon and effect of mite feeding on the phytochemical components of the host plants Badawi Abou-Awad, Sahar Ibrahim Afia and El-Sayed El-Saiedy Pests and Plant Protection department, National Research Centre, 33 El Bohouth St., Dokki, Giza, 2, Egypt.</p>				
21	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 887-894.	OPEN ACCESS	Free Full Text [PDF]
<p>Screening of genetic diversity in pomegranate (<i>Punica granatum</i> L.) cultivars from Egypt and Kingdom of Saudi Arabia (KSA) Eldessouly S. Dessouly^{1,2*}, Attia O. Attia^{1,2}, Ismail A. Ismail^{1,2}, Hossam M. Zakaria⁴, Mohamed M. Hassan^{1,3}, Ahmed Gaber^{1,4} ¹Biotechnology and Genetic Engineering Research Unit, Taif University, Taif, Al-Haweiah, P.O. Box 888, Zip code 21974, Taif, Kingdom of Saudi Arabia (KSA). ²Agricultural Genetic Engineering Research Institute, Agricultural Research Center, P.O. Box, 12619, Giza, Egypt. ³Department of Genetics, Faculty of Agriculture, Minufiya University, Egypt. ⁴Department of Genetics, Faculty of Agriculture, Cairo University, Egypt.</p>				
22	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 895-899.	OPEN ACCESS	Free Full Text [PDF]
<p>Plant regeneration from immature female inflorescence explants of date palm (<i>Phoenix dactylifera</i> L.) via direct somatic embryogenesis Fayek M.A.^{1*}, Mohamed Helmy¹, Eman M.M Zayed² and Maha Rashed ahmed¹ ¹Plantology Department, Faculty of Agriculture, Cairo University, Giza, Egypt. ²Central Lab of Date Palm Researches and development, Agriculture Research Center, Giza, Egypt.</p>				
23	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 900-907.	OPEN ACCESS	Free Full Text [PDF]
<p>Quantitative assessment of genetic diversity among local chicken breeds detected by microsatellite markers Ayman Sabry^{1,2}, Mohamed M. Hassan^{1,3}, Alaa A. Mohamed^{1,4}, Hassen Y. H. Allam⁵, and Ahmed Gaber^{1,6} ¹Current address: Scientific Research Deanship, Taif University, Taif, Kingdom of Saudi Arabia (KSA). ²Permanent address: Cell Biology Dept., National Research Center, Dokki, Giza, Egypt ³Dept. of Genetics, Faculty of Agriculture, Menoufia University, Egypt ⁴Dept. of Animal Reproduction and AI, National Research Center, Dokki, Giza, Egypt ⁵Animal Production Department, Al Azher University, Cairo, Egypt ⁶Permanent address: Dept. of Genetics, Faculty of Agriculture, Cairo University, Egypt</p>				
24	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 908-914.	OPEN ACCESS	Free Full Text [PDF]
<p>Effects of exercise on bilateral transfer of function and kinematic parameters in short servicing badminton skill Hamideh Abdolzadeh Faculty of Sport Sciences and Physical Education, Vali-e-Asr University, Rafsanjan, Iran.</p>				
25	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 915-923.	OPEN ACCESS	Free Full Text [PDF]
<p>Phenotypic and phylogenetic diversity of mycorrhizae isolated from Al-Jabal Al- Akhdar, Libya Salma O. Jaddallah¹, Manal Farouk M. Abdellal², O. S. Elkobeisy³ and M. A. Ali⁴ ¹Dept. of Botany, Faculty of Science, Omar El-Mokhtar Univ., Al-Haida, Libya. ²Dept. of Microb. Molec. Biol., Agric. Genetic Engin. Res. Inst., Agric. Res. Center, 12619, Giza, Egypt. ³Economic Botany Dept., Faculty of Agric., Cairo Univ., Giza 12613, Egypt. ⁴Agric., Microbiology Dept., Faculty of Agric., Cairo Univ., Giza 12613, Egypt.</p>				

26	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 924-933.	OPEN ACCESS	
<p>Genetic diversity and <i>in vitro</i> propagation of some <i>Acacia spp.</i> trees grown in Taif governorate.</p> <p>Attia O. Attia^{1,3*}, El Dessoky S. Dessoky^{1,3} and Yassin M. Al-Sodany^{2,4}</p> <p>¹Biotechnology and Genetic Engineering Unit, Scientific Research Deanship, Taif University, Taif, Kingdom of Saudi Arabia. ²Hilology Department, Faculty of Science, Taif University, Kingdom of Saudi Arabia. ³Plant Genetic Transformation Department, Agricultural Genetic Engineering Research Institute (AGERI), Agricultural Research Centre (ARC), 12618, Giza, Egypt. ⁴Botany Department, Faculty of Science, Kafu El-Sheikh University, Kafu El-Sheikh, Egypt</p>				Free Full Text [PDF]
27	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 934-941.	OPEN ACCESS	
<p>Biomass and Flavonoid production of <i>Gynura procumbens</i> adventitious roots induced by sucrose, Phenylalanine and Tyrosine</p> <p>Rime Noviyanti¹, Rafika Lailiyatul Kurnia Sari¹, Alfinda Novi Kristanti², Arif Yachya³, Yosephine Sri Wulan Manuhara^{1*}</p> <p>¹Plant Tissue Culture Laboratory, Biology Department, Faculty Sciences and Technology, Airlangga University, Surabaya, Indonesia ²Organic Chemistry Laboratory, Chemistry Department, Faculty Sciences and Technology, Airlangga University, Surabaya, Indonesia ³Biology Department, Faculty of Mathematics and Natural Sciences, PGRI Adi Buana University, Surabaya, Indonesia</p>				Free Full Text [PDF]
28	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 942-948.	OPEN ACCESS	
<p>The potential role of iron molecule in some insect's guidance and navigation</p> <p>Mohamed Ragaee, Al-kazafy Hassan sabry*, Atef Abd-El Rahman, Huda Hassan Elbehery, and Nagy Abd Ellatif Farag</p> <p>Pests and Plant Protection Department, National Research Centre, Cairo, Egypt.</p>				Free Full Text [PDF]
29	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 949-954.	OPEN ACCESS	
<p>Effect of Rhizosphere Bacteria application on saline tolerant to Proline and Chlorophyll contents of Cucumber</p> <p>Rikza Alfya Auग्रah Cahyati^{1*}, Nurul Aini² and Titin Sumarni²</p> <p>¹Postgraduate Program, Faculty of Agriculture, Brawijaya University, Jl. Veteran, Malang 65145, Indonesia ²Department of Agronomy, Faculty of Agriculture, Brawijaya University, Jl. Veteran, Malang 65145, Indonesia</p>				Free Full Text [PDF]
30	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 955-965.	OPEN ACCESS	
<p>Characterization of biochar combination with organic fertilizer: the effects on physical properties of some soil types</p> <p>Widowati, Sutoyo, Taufik Iskandar, and Hidayati Karamina</p> <p>Agrotechnology Department, Agriculture Faculty, University of Tribhuwana Tunggal Malang, East Java, Indonesia</p>				Free Full Text [PDF]
31	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 966-975.	OPEN ACCESS	
<p>Effects of the Juvenoid (Fenoxycarb) on Entomopathogenic Nematode <i>Steinernema carpocapsae</i> S2 strain.</p> <p>Hala Mohamed Sayed Metwally*, Elham Abdel-Hakim and Wafaa Lotfy Abdou,</p> <p>Pests and Plant Protection Department, National Research Centre, 33 El Buhouth St., Dokki, Cairo, Egypt.</p>				Free Full Text [PDF]
32	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 974-981.	OPEN ACCESS	
<p>Evaluation of Different Methods in Detection of Campylobacter Infection in Poultry</p> <p>Mai M. Morsy¹, Engy A. Hamed¹, Osama Mahna¹, Soad² A. Nasef, El-Enbaawy², M.I</p> <p>¹RLQP, AHRI, Dokki, Giza 12618, Egypt ²Department of Microbiology, Faculty of Veterinary Medicine, Cairo University Egypt</p>				Free Full Text [PDF]
33	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 982-992.	OPEN ACCESS	
<p>Plants formation from protoplast-derived from date palm callus</p> <p>Awatef Badr-Elden¹, Ibrahim Ibrahim¹, Hamdy Emar¹, Mahdia Gabr², Ahmed Nower¹, and Tamer Abd Elaziem²</p> <p>¹Department of Plant Biotechnology, Genetic Engineering, and Biotechnology, Research Institute (GEBRI), University of Sadat City, Egypt ²Department of Plant Genetic Resources, Desert Research Center, Cairo, Egypt</p>				Free Full Text [PDF]
34	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 993-1004.	OPEN ACCESS	
<p>Potential renoprotective effect of Silymarin against Amikacin-Induced acute nephrotoxicity in rats</p> <p>Abeer A. Abd El-Baky^{1*}, Shaymaa I. Salem¹ and Faten F. Mohammed²</p> <p>¹Department of Clinical Pathology, Faculty of Veterinary Medicine, Cairo University, Egypt. ²Department of Pathology, Faculty of Veterinary Medicine, Cairo University, Egypt.</p>				Free Full Text [PDF]
35	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1005-1010.	OPEN ACCESS	
<p>Rapid <i>Salmonella</i> Detection in Different Food Samples by Direct-PCR</p> <p>Mahmoud Elhariri¹, Yosra Samy Aleslamboly², Mohamed Ahmed Elshater² Rehab Elhelw¹ and Mohamed Kamal Refai¹</p> <p>¹Microbiology Department, Faculty of Veterinary Medicine, Cairo University, Giza, Egypt ²Food Hygiene Department, Animal Research Institute, Dokki, Egypt</p>				Free Full Text [PDF]
36	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1011-1018.	OPEN ACCESS	
<p>Effect of assisted high voltage electricity on <i>Nannochloropsis oculata</i> lipid extraction</p> <p>Imam Sofi^{1*} and Ridwan Baharta¹</p> <p>¹Department of Agricultural Technology, State Polytechnic of Lampung, 35144 Bandar Lampung, Indonesia</p>				Free Full Text [PDF]
37	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1019-1023.	OPEN ACCESS	
<p>Molecular detection of <i>Mycoplasma spp.</i> in wild and domestic birds by rapid multiplex real time PCR</p> <p>Heba Farouk*, Soad A. Nasef¹, Ahmed M. Erfan¹ and Mona I. H. El-Enbaawy²</p> <p>¹Reference laboratory for veterinary quality control on poultry production-animal health research institute, Egypt ²Department of Microbiology, Faculty of Veterinary Medicine, Cairo University, Egypt.</p>				Free Full Text [PDF]
38	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1024-1041.	OPEN ACCESS	
<p>Different methods for extraction of some chemical constituents from different organs of <i>Ipomea carnea</i> and their antioxidant activity</p> <p>Walid E. Abdallah^{1,*}, Abeer F. Osman², Abdelnasser G. El Gendy³, Khaled A. Abdelshafeek¹ and Elsayed A. Omer³</p> <p>¹Phytochemistry Department, Plants Researches Department, Pharmaceutical Industries Division, National Research Centre, 33 El Buhouth St. (Former El Tahrir St.), 12622-Dokki, Giza, Egypt. ²Chemistry of Natural Compounds Dept Plants Researches Department, Pharmaceutical Industries Division, National Research Centre, 33 El Buhouth St. (Former El Tahrir St.), 12622-Dokki, Giza, Egypt. ³Medicinal and Aromatic Plants Researches Department, Pharmaceutical Industries Division, National Research Centre, 33 El Buhouth St. (Former El Tahrir St.), 12622-Dokki, Giza, Egypt.</p>				Free Full Text [PDF]
39	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1042-1049.	OPEN ACCESS	
<p>Efficiency of two predatory phytoseiid mites, biopesticide and fungal pathogen for controlling <i>Tetranychus urticae</i> Koch (<i>Acari: Tetranychidae</i>) on watermelon and muskmelon at Behera Governorate Egypt.</p> <p>Badawi Abou-Awad, Sahar Ibrahim Afia and El-Sayed El-Saiedy</p> <p>Pests and Plant Protection department, National Research Centre, 33 El Buhouth St., Dokki, Giza, Egypt</p>				Free Full Text [PDF]
40	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1050-1056.	OPEN ACCESS	
<p>Biofilm producing non-typhoidal salmonella serovars field isolates screening from poultry farms.</p> <p>Haytham M. Hawash^{1*}, Mona I. H. El-Enbaawy^{2*} and Soad A. Nasef^{1*}</p> <p>¹Reference Laboratory for Veterinary Quality Control on Poultry Production, Animal Health Research Institute, Dokki, Giza, Egypt. ²Department of Microbiology, Faculty of Veterinary Medicine, Cairo University, Giza, Egypt.</p>				Free Full Text [PDF]
41	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1057-1063.	OPEN ACCESS	
<p>The application of compost and arbuscular mycorrhizal fungi to increase efficiency of inorganic fertilization on maize (<i>Zea mays</i> L.)</p> <p>Titin Sumarni¹, Nurul Aini, and Sisca Fajriani</p> <p>Faculty of Agriculture, University of Brawijaya, Malang, East Java Indonesia.</p>				Free Full Text [PDF]
42	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1064-1073.	OPEN ACCESS	
<p>Impact of probiotic strain of the non-pathogenic <i>Escherichia coli</i> "Nissle1917" on gene expression of shiga toxin <i>E. coli</i> O157:H7 <i>In vitro</i> and <i>In vivo</i></p>				Free Full Text [PDF]

Sahar H. Ali¹, Kamil M. AL-Jobori¹ and Muna Turkey AL-Mossawei²
¹Institute of Genetic Engineering and Biotechnology for Postgraduate Studies, University of Baghdad, Iraq.
²College of Science for Women, University of Baghdad, Iraq.

43	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1074-1079.	OPEN ACCESS	Free Full Text [PDF]
Effect of <i>Bacillus subtilis</i> as plant beneficial bacteria on growth performance of Pegaga (<i>Centella asiatica</i>)				
H. Mardhati Hazirah ¹ , J. Noraini ² M. Khairun Naima ³ and A. Norhanani ¹ ¹ Faculty of Plantation and Management, Universiti Teknologi MARA, 02600 11135 Axau, Perlis, Malaysia. ² Department of Land Management, Faculty of Agriculture, Universiti Putra Malaysia, 43400 UPM Serdang, Malaysia. ³ International Environmental and Agricultural Sciences Department, Tokyo University of Agriculture and Technology, Fuchu, 183-0054, Tokyo, Japan.				
44	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1080-1090.	OPEN ACCESS	Free Full Text [PDF]
Effects of genotype and drought stress on some agronomic and yield traits of quinoa (<i>Chenopodium quinoa</i> Willd.)				
Ahmed Medhat Mohamed Al-Naggar ¹ , Rabie Mohamed Abd El-Salam ¹ , Ayman Ebrahim El-Sayed Badran ² and Mai Moghazi Abul-Fetouh El-Moghazi ² ¹ Agronomy Department, Faculty of Agriculture, Cairo University, Egypt ² Plant Breeding Unit, Genetic Resources Dept., Desert Research Center, Cairo, Egypt				
45	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1091-1095.	OPEN ACCESS	Free Full Text [PDF]
Effect of polygamy on egg production and longevity of the phytoseiid Mite <i>Euseius scutalis</i> (Athias – Henriot)				
Aly H. Rasmy and A. A. Abdel- Khalik Pests and Plant Protection Department, National Research Centre, Cairo, Egypt.				
46	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1096-1102.	OPEN ACCESS	Free Full Text [PDF]
Effect of solid-state fermentation on Anthocyanin and physicochemical content of Lebui bean (<i>Cajanus</i> sp.)				
Wahyu Mushollaeni ^{1*} , Sri Kumalaningsih ² , Wignyanto ² and Imam Santoso ² ¹ Department of Agro-Industrial Technology, University of Tribhuwana Tunggaladewi, Malang East Java Province, 65144, Indonesia ² Department of Agro-Industrial Technology, University of Brawijaya, Malang East Java Province, 65145, Indonesia				
47	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1103-1109.	OPEN ACCESS	Free Full Text [PDF]
Implications of separate feeding technology in sucking lambs of fat-tailed breeds of Kazakhstan farms fat-tailed lambs				
Rashit Kazikhanov, Nurlybai Kazhgaliyev, Saule Kazikhanova, Kymbat Shaikenova Seisembay Imbai, Zhibek Nurlankyzy and Lyazzat Kalashinova S. Seifallin Kazakh Aero technical University, Pobedy prospect 62, 010000 Astana, Kazakhstan				
48	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1110-1119.	OPEN ACCESS	Free Full Text [PDF]
Catalytic hydrogenation of a mixture of coal and heavy oil residue fractions				
Gulnaz N. Musina ¹ , Marat K. Ibatov ¹ , Myrzabek E. Baikenov ² , Gulnar Sh. Zhaksybayeva ¹ and Rymgul K. Zhaslan ¹ ¹ Karaganda State Industrial University, Chemical Technology and Ecology, Temirtau, 101400, Kazakhstan ² Karaganda State Industrial University, Technological Machines and Vehicles, Temirtau, 101400, Kazakhstan				
49	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1120-1127.	OPEN ACCESS	Free Full Text [PDF]
Uric acid metabolism disorder in case of metabolic syndrome				
Raiza Aringazina, Yerlan Bazargaliyev, Anes Bekkuzhin, Gulnara Kurmanalina, and Kuanysb Suleimenov West Kazakhstan Marat Ospanov State Medical University, Maresiev Street, 68, Aktobe, Kazakhstan.				
50	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1128-1135.	OPEN ACCESS	Free Full Text [PDF]
Trans-tracheal wash analysis of canine distemper infected dogs.				
M.R. Khattab ¹ , Shaymaa I. Salem ^{2*} , A.A. Kubesy ¹ and M.E. Ali ¹ ¹ Department of Medicine and Infectious Diseases, Faculty of Veterinary Medicine, Cairo University, Egypt. ² Department of Clinical Pathology, Faculty of Veterinary Medicine, Cairo University, Egypt.				
51	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1136-1142.	OPEN ACCESS	Free Full Text [PDF]
Diagnostic value of synovial Serum Smyloid A (SAA) and Matrix Metalloproteinases (MMPs) -2 and -9 in equine arthritis				
Abeer Ahmed Abd El-Baky* and Shaymaa Ismaiel Salem Department of Clinical Pathology, Faculty of Veterinary Medicine, Cairo University, Egypt.				
52	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1143-1149.	OPEN ACCESS	Free Full Text [PDF]
Climatic variables study on generative characters of some types of durian (<i>Durio zibethinus</i> Murr.)				
Didik Hariyono Department of Agronomy, Faculty of Agriculture, Brawijaya University Jl. Veteran, Malang 65145 Jawa Timur, Indonesia				
53	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1150-1155.	OPEN ACCESS	Free Full Text [PDF]
Effect of potassium fertilization on the yield and quality of two tomato varieties				
Deffi Armita, Aldila Putri Rahayu , Moch. Dawam Maghfoer and Dian Aida Fitri Fuadi Department of Agronomy, Faculty of Agriculture, University of Brawijaya, Jl. Veteran Malang, 65145, Indonesia				
54	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1156-1166.	OPEN ACCESS	Free Full Text [PDF]
Identification and molecular characterization of egyptian <i>trichoderma</i> isolates				
Mohamed Ibrahim Abd Elhamid ¹ , Ismail Mohamed Ismail ¹ , Hisham Mohamed Alshishtawy ¹ and Mohamed Zakaria Sedik ² ¹ Agricultural Genetic Engineering Research Institute, AGERI, ARC, Giza, Egypt ² Microbiology Department, Faculty of Agriculture, Cairo University, Giza, Egypt				
55	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1167-1174.	OPEN ACCESS	Free Full Text [PDF]
Metabolic fuel level and enzyme activity changes in starved Broadhead catfish (<i>Clarias macrocephalus</i> Gunther, 1864)				
Rattanasuda Chaiyachate ¹ , Bundit Yuangsoi ¹ Thongchai Champasri ¹ -Chamaiporn Champasri ² and Siripavee Charoenwattanasak ¹ ¹ Department of Fisheries, Faculty of Agriculture, Khon Kaen University, 40002, Khonkaen, Thailand ² Department of Biochemistry, Faculty of Science, Khon Kaen University, 40002, Khonkaen, Thailand				
56	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1175-1181.	OPEN ACCESS	Free Full Text [PDF]
Effect of <i>Saccharomyces cerevisiae</i> on seed production and fry performance of <i>Oreochromis niloticus</i> broodstock				
Hanan Aly Abo-State ^{1*} and Al-Azab Mohamed Tahoun ² ¹ Fish Nutrition Lab, Animal Production Department, National Research Centre, P.O. Box 12622 Dokki, Giza, Egypt. ² Department of Aquaculture, Faculty of Fish Resources, Suez University, Suez, Egypt.				
57	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1182-1189.	OPEN ACCESS	

					Free Full Text [PDF]
		Effect of L-carnitine on reproductive performance and fry performance of Nile tilapia broodstock			
		Hanan Aly Abo-State^{1*} and Al-Azab Mohamed Tahoun²			
		¹ Fish Nutrition Lab, Animal Production Department, National Research Centre, Cairo, Dokki, Giza, Egypt . ² Department of Aquaculture, Faculty of Fish Resources, Suez University, Suez, Egypt .			
58	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1190-1196	OPEN ACCESS		Free Full Text [PDF]
		Amelioration of oxidative stress induced by gamma radiation in rats using some medicinal plants			
		Helal Ragab Mousa¹, Amr Saad Mohamed Elsayed², Ahmed Ibrahim Amin² and Khaled Solyman Ibrahim²			
		¹ Radioisotope Department, Nuclear Research Center, Atomic Energy Authority, Malaeb El-Gamaa St., P.O. 12311, Dokki, Giza, Egypt ² Chemistry Department, Faculty of Science, Cairo University, Egypt			
59	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1197-1203	OPEN ACCESS		Free Full Text [PDF]
		Effect of some mineral compounds on yield and fruit quality of pomegranate			
		Hemat M. Kamala, Mohamed A. Elisa and Ahmed Adnan Mohammed			
		Department of Homology, Faculty of Agriculture, Cairo University, Giza, Egypt			
60	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1204-1215	OPEN ACCESS		Free Full Text [PDF]
		Heterosis, gene action and combining ability of grain yield and its components in six bread wheat crosses			
		Saied Abd El-Rahman Shrief, Mohamed Abd El-Maboud Abd El-Shafi and Sawwan Abd El-Bady El-Sadi Agronomy Department, Faculty of Agriculture, Cairo University, Giza, Egypt			
61	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1217-1222	OPEN ACCESS		Free Full Text [PDF]
		In vitro propagation of yam via nodal segment culture			
		Sahar S. Taha and Mohamed E. Abdelaziz			
		Address: Department of Vegetable Crops, Faculty of Agriculture, Cairo University, P.O. Box12613, Giza, Egypt .			
62	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1223-1229	OPEN ACCESS		Free Full Text [PDF]
		Diagnosis of hemorrhagic gastroenteritis in dogs			
		Abeer A. Abd El-Baky^{1*}, S. A. Mousa² and W. M. Kelany²			
		¹ Department of Clinical Pathology, Faculty of Veterinary Medicine, Cairo University, Egypt . ² Department of Internal Medicine and Infectious Diseases, Faculty of Veterinary Medicine, Cairo University, Egypt .			
63	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1230-1237	OPEN ACCESS		Free Full Text [PDF]
		Conservation status of black bear (<i>Ursus thibetanus</i>) in the Kumrat valley, Pakistan			
		Abdul Wahid¹, Juma Muhammad^{2*}, Allah Ditta^{2*}, Alamgir Khan¹, Ali Murtaza¹ and Sajjad Saeed³			
		¹ Department of Forestry, Shaheed Benazir Bhutto University Sheringal, Dir (U), Khyber Pakhtunkhwa, 18000, Pakistan ² Department of Environmental Sciences, Shaheed Benazir Bhutto University Sheringal, Dir (U), Khyber Pakhtunkhwa, 18000, Pakistan . ³ Beijing Forestry University, Beijing, China .			
64	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1238-1245	OPEN ACCESS		Free Full Text [PDF]
		Antioxidant and antidiabetic activity of <i>Garcinia mangostana</i> L. pericarp extract in streptozotocin-induced diabetic mice			
		Saikhu Akhmad Husen^{1,2}, Septian Hary Kalqutny¹, Arif Nur Muhammad Ansori³, Raden Joko Kuncoroningrat Susilo¹, Achmad Dary Aymahdy¹, Dwi Winarni^{1,2}			
		¹ Department of Biology, Faculty of Science and Technology Universitas Airlangga, Kampus C Universitas Airlangga, 60115, Surabaya, Indonesia ² Animal Histology Laboratory, Faculty of Science and Technology Universitas Airlangga, Kampus C Universitas Airlangga, 60115, Surabaya, Indonesia ³ Faculty of Veterinary Medicine Universitas Airlangga, Kampus C Universitas Airlangga, 60115, Surabaya, Indonesia			
65	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1246-1252	OPEN ACCESS		Free Full Text [PDF]
		Effects of Chromium on seed germination, growth and yield of pink lentil			
		Sana Murtaza, Nimra Parveen, Shagufta Murtaza, Muhammad Zafar Iqbal, Muhammad Shafiq⁺, Muhammad Kabir and Zia-ur-Rehman Farooqi			
		Department of Botany, University of Karachi, Karachi, 75270, Pakistan			
66	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1253-1260	OPEN ACCESS		Free Full Text [PDF]
		Overproduction of mercuric reductase protein expressed by synthetic <i>merA</i> gene and reduction of inorganic mercury HgCl₂			
		Fatimawali¹, Billy Kepel¹ and Trina Ekawati Tallei²			
		¹ Medical Faculty, Sam Ratulangi University, Indonesia ² Department of Biology, Faculty of Mathematics and Natural Sciences, Sam Ratulangi University Indonesia .			
67	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1261-1268	OPEN ACCESS		Free Full Text [PDF]
		The content fat, protein and dry weight of cocoa beans (<i>Theobroma cacao</i> L.) from different fruit on the canopy at different ages of the plant			
		Sarawa, Muhidin, Dirvamena Boer, Halim and Asriningsih			
		Department of Agrotechnology, Faculty of Agriculture, Halu Oleo University, Kendari Southeast Sulawesi, Indonesia .			
68	RESEARCH ARTICLE	BIOSCIENCE RESEARCH, 2017 14(4): 1269-1278	OPEN ACCESS		Free Full Text [PDF]
		Identification of optimum incubation temperature for saccharification of various waste paper materials by cellulase from <i>Trichoderma viride</i>.			
		Khomotso M.P. Mokatse and J. Pieter H. van Wyk[*]			
		Department of Pharmacology and Therapeutics, Sefako Makgatho Health Sciences University, South Africa .			



Available online freely at www.isisn.org

Bioscience Research

Print ISSN: 1811-9506 Online ISSN: 2218-3973

Journal by Innovative Scientific Information & Services Network



RESEARCH ARTICLE

BIOSCIENCE RESEARCH, 2017 14(4): 839-844.

OPEN ACCESS

Spermatogenic cell count of mice (*Mus musculus*) after the treatment with polysaccharide-K from *Coriolus versicolor* extract

Sandhy Kartikasari and Sri Puji Astuti Wahyuningsih*

Department of Biology, Faculty of Science and Technology, Airlangga University, Surabaya 60115, **Indonesia**.

*Correspondence: sri-p-a-w@fst.unair.ac.id Accepted: 15 August. 2017 Published online: 27 Nov. 2017

The objectives of this study were to determine the effect of different doses of polysaccharide-K from *Coriolus versicolor* extract after 35 days of injection on the number of spermatogenic cells in mice (*Mus musculus*). Twenty eight, 4-8 week old male mice, weight between 20-25 g were used in this study. The animal try were divided into four groups. The first group was the control group (K), treated by giving them aquadest by gavage for 35 days. The other groups (P1, P2, and P3) as the treatment groups, were treated by using three different doses of polysaccharide-K (15, 30, and 60 mg/kg of body weight respectively) injected by gavage for 35 days. Testicular histological slides were prepared to observe the structure of spermatogenic cells. The data of parameters such as the number of spermatogonia cells, spermatocyte cells, and oval spermatid cells were collected. The number of spermatocyte cells and oval spermatid cells was tested using the One Way Anova followed and Duncan. The number of spermatogonia cells was tested using Brown Forsythe. The results showed that spermatogonia and spermatocyte cell numbers were not significantly different in K, P1, P2, and P3 respectively ($P > 0.5$). The number of oval spermatid cells was significantly different ($P < 0.5$). In P1, the number of spermatid cells decreased 7.9% compared to K. The number of oval spermatid cells P2 and P3 was relatively equal to K. The conclusion of this research showed that the polysaccharide-K treatment from *C. versicolor* extract had no effect on both the number of spermatogonia and spermatocyte cells, but slightly decreased the number of oval spermatids. Polysaccharide-K is still safe to use as a herbal medicine

Keywords: *Coriolus versicolor*, polysaccharide krestin, spermatogonia, spermatocyte, spermatid

INTRODUCTION

Coriolus versicolor is a mushroom that is widely used in traditional Asian herbal medicine. There are two main substances that can be extracted from the mushroom, polysaccharide peptide (PSP) and polysaccharide-K (PSK, krestin), which are being studied as cancer treatments (Asterina, 2011). Polysaccharide-K has the appearance of a light powder or a dark brown substance that dissolves in hot water. Polysaccharide-K is obtained from the body and mycelium of the mushroom. It has a major component of β -glucan, with β -1,4 being the main

chain and β -1,3 and β -1,6 being side chains bound to the protein membrane (Cui and Chisti, 2003).

According to Wahyuningsih et al. (2009), polysaccharide-K can improve the conditions of immune-competent cells, restoring and strengthening the function of non-specific immune responses, as well as specific responses in mice that have been injected with *Mycobacterium tuberculosis*. Ho et al. (2006) reported that polysaccharide-K may inhibit leukemia, lymphoma, and hepatoma *in vitro* as well.

The lethal dose 50 (LD_{50}) from

polysaccharide-K is 231.8 mg/kg of body weight in female, Balb/C strain mice (Wahyuningsih and Darmanto, 2010), whereas the administration of polysaccharide-K from *C. versicolor* extract in the subchronic toxicity test for 62 days increased the serum creatinine levels of mice at a dose of 6 mg/kg BB (Wahyuningsih *et al.* 2009). The polysaccharide-K contains β -glucan as an active compound, which might be toxic at certain doses. According to Murtini *et al.* (2010), all substances that enter the body have the potential to be toxic depending on the dose consumed and the duration of use.

In male reproductive organs, high doses of polysaccharide-K and the long duration of use can trigger the increase in Reactive Oxygen Species (ROS). According to Hayati (2011), ROS has a potential negative effect on the quality and function of spermatozoa at high levels. The high ROS may increase the number of leucocytes (Effendi, 2003). Leucocyte plays a role in cellular and humoral defenses of organisms against foreign substances. Furthermore, the increased number of leukocyte cells may lead to high levels of ROS, because one of the sources of ROS is derived from the enzymatic reactions in leucocytes cells (Hayati, 2011).

Oxidative stress occurs when there are not enough antioxidants to counter the negative effects of ROS causing pathological effects. Oxidative stress arises as a consequence of an excessive increase in ROS production and the disruption of defense mechanisms by antioxidants (Soehadi, 2009). According to Safarinejad *et al.* (2009), oxidative stress may lead to a damage to the testicular tissues, especially the seminiferous tubules.

The seminiferous tubules act as functional units for the process of spermatogenesis. The main components of seminiferous tubules are germ cells and somatic cells (Sertoli cells) (Hayati, 2011). Spermatogenesis is directly regulated by the gonadotropin hormone known as Luteinizing Hormone (LH). This hormone stimulates Leydig cells to produce testosterone which is very important in the regulation of spermatogenesis. Testosterone and Follicle Stimulating Hormone (FSH) in the seminiferous tubules, stimulate the spermatogenesis (Hayati, 2011).

Damage to Sertoli cells results in a disruption of spermatogenesis and spermatogenesis, while the destruction of Leydig cells causes a disruption of the synthesis of testosterone, thus decreasing plasma testosterone levels, which may interfere with spermatogenesis (Siti, 2009). According to

Indyastuti (1990), Impaired spermatogenesis can be characterized by a decreased spermatogenic cell count and its effect on seminiferous tubular size. The indicator of the disrupted process of spermatogenesis is a change in the number of spermatogenic cells in the seminiferous tubules at a particular stage. The number of spermatocytes is an indicator for meiosis whereas spermatids are indicators for spermatogenesis as a whole. The decreasing number of spermatogenic cells is one of the causes of declining fertility in males

MATERIALS AND METHODS

This research was conducted from June to November 2015 at the Laboratory of Reproductive Biology, and Institute of Tropical Diseases, Department of Biology, Faculty of Science and Technology, Airlangga University. The research used 48 male mice strain BALB/c, 4-8 week old, and weight 20-25g. The materials in the present study included the *C.versicolor* mushroom, aquadest, phenol, H₂SO₄, formaldehyde buffer, 70% ethanol, 80% ethanol, 96% ethanol, absolute ethanol, xylol, paraffin, Meyer's albumin, Hematoxylin, Eosin, and entellan.

Isolation of the polysaccharide-K

The extracts were made by cleaning the mushroom and then drying it to reduce the water content, the dried mushrooms were then ground into a powder. The extraction and isolation of polysaccharide-K was carried out according to the methods reported by Cui and Chisti (2003) and Wahyuningsih *et al.* (2009). The measurement of PSK with phenol-sulfuric acid was done according to Wahyuningsih *et al.* (2009)

Experimental design

The animal try were acclimatized for 14 days before the treatment, and were allowed to eat as much as they wanted (*ad libitum*) during the treatment. It were divided into four groups. The first group (K) was the control group, only giving the aquadest. The other groups were P1, P2, and P3. Its were treated by using three different doses of polysaccharide-K (15, 30, and 60 mg/Kg of body weight respectively) injected by gavage for 35 days.

Spermatogenic cell count

After the treatment, the testicles were collected. Testicular histological slides were prepared to observe the structure of spermatogenic cells. Data of parameters such as the number of spermatogonia cells, spermatocyte

cells, and oval spermatids cells were collected. The calculations of spermatogenic cell count is according to Hayati (2011). The number of spermatocyte cells and oval spermatids cells were tested using One Way Anova and followed by Duncan test. The number of spermatogonia cells were tested using Brown Forsythe.

RESULTS

The data of spermatogenic cell count of the control group (K) and the treated groups (P1, P2, and P3) after the administration of polysaccharide-K for 35 days are shown in Table 1.

Table 1. Spermatogenic cell count of the control group (K) and the treatment groups (P1, P2, and P3) after the administration of polysaccharide-K for 35 days.

Treatment	The dose of PSK (mg/Kg of BW)	Cell count (cell./tubules)		
		Spermatogonium	Spermatocyte	Oval Spermatid
K	0	81.17± 9.70 ^a	118.67±12.35 ^a	104.94±6.07 ^{bc}
P1	15	83.64±14.67 ^a	125.50±18.97 ^a	96.67±6.65 ^a
P2	30	88.97± 5.30 ^a	128.46±11.16 ^a	101.64±5.70 ^{ab}
P3	60	91.74± 4.64 ^a	129.90± 6.29 ^a	112.20±5.80 ^c

The same letters indicate no significant differences and different letters indicate a significant differences ($\alpha=0.05$)




Figure 1. Testicular histological slides of K, P1, P2, and P3 group. K= PSK 0 mg/Kg of BW, P1=PSK 15 mg/Kg of BW, P2= PSK 30 mg/Kg BB, P3= PSK 60 mg/Kg BB, A=Spermatogonium, B=Primary spermatocyte C=Secondary spermatocyte, D=Oval Spermatid, 40x magnification.

DISCUSSION

Polysaccharide-K can improve the conditions of immunocompetent cells, and restore and strengthen the function of non-specific immune responses, and specific responses in mice due to infection *Mycobacterium tuberculosis* (Wahyuningsih et al. 2009). Polysaccharide-K contain a major component of β -glucan, with β -1,4 being the main chain and the β -1,3 and β -1,6 side chains being bound to the protein membrane (Cui and Christi, 2003). Polysaccharide-K of *C. versicolor* might be toxic at certain doses. According to Murtini et al. (2010), all substances that enter the body have the potential to be toxic depending on the dose consumed and the duration of use.

Reactive oxygen species or free radicals sources are derived from enzymatic factors (internal) and non-enzymatic (external) factors. Internal factors include enzymatic oxidation in mitochondria, phagocyte cells, reaction with metals (Fe), peroxisomes, inflammation, and ischemia. External factors include X-ray radiation, ozone, cigarettes, air pollution, pesticide drugs and chemicals or solvents used in industry (Hayati, 2011).

These free radicals may cause a disruption to spermatogenesis and the spermatozoa membranes, thus decreasing sperm motility and the ability to penetrate the ovum. This cell membrane disorder is caused because the cell membrane is one of the main targets of cell damage or injury caused by various external stimuli including free radicals (Sutarina and Edward, 2004). The damage to the cell membrane may occur because there is a covalent bond between the free radical and the membrane component, resulting in a structural change of the receptor function, and thiol group oxidation of the membrane component by free radical which cause the membrane transport process to be disturbed, or even a peroxidation reaction of the membrane lipid containing poly unsaturated fatty acids (PUFAs) (Slatter, 1984). Free radicals can also cause damage to spermatozoa DNA especially the integrity of the DNA, in the nucleus, which can further lead to cell death (Termelen, 2008).

Both endogenous and exogenous antioxidants are important for body function, because they are able to reduce the negative effects of oxidants in the body. Endogenous antioxidants include superoxide dismutase (SOD) enzymes, catalase, and glutathione peroxidase

(GSH-Px), whereas exogenous antioxidants include vitamin E, vitamin C, β -carotene, flavonoids, uric acid, bilirubin and albumin. The effective utilization of exogenous antioxidant compounds is necessary to prevent oxidative stress. Exogenous antioxidants are preventive defense systems, where the antioxidants work by cutting off the chain oxidation reaction of the free radicals or by capturing them (Winarsi, 2007). Exogenous sources of antioxidants are deemed important to increase the endogenous antioxidant sources (Abu, 2015).

β -Glucan has various biological activities such as antitumor, antioxidant, anticholesterol, anti-aging, and immune system enhancers (Miura et al. 2003). The benefits include the fact that β -glucan as antioxidants neutralize the presence of ROS that can interfere with the spermatogenesis process (Table 1). The results showed similar spermatogonium cell counts (Table 1) (K: 81.17, P1: 83.64, P2: 88.97, and P3: 91.74) cell/tubules. This was because spermatogonium has strong resistance to foreign substances compared to other spermatogenic cells. This was in accordance with the statements of Rumanta *et al.* (2001) and Hayati et al. (2004), in a study of the effects of 2-methoxyethanol on the histologic structure of testicular mice (*Mus musculus*); the results showed the spermatogenic cells that had a greater resistance to the influence of 2-methoxyacetic acid (MAA), which are spermatogonium A and paleptoten spermatocytes. Spermatogonium A and paleptotene spermatocytes are more resistant to MAA because these two cells are located in the basal compartment, outside of the adluminal compartment, so they are protected by the presence of barriers formed by Sertoli cells

The spermatocyte cell count (Table 1) was not significantly different between the groups (K: 118.67, P1: 125.50, P2: 128.46, and P3: 129.90) cell/tubules. This result showed the effect of polysaccharide-K from *C. versicolor* extract as an antioxidant because spermatocyte cells have very high sensitivity to external influences. Johnson and Everitt (1990) stated that spermatocytes are very sensitive to external influences and tend to decay after the first meiotic prophase especially in the pachytene stage, that is, during the crossover between homologous chromosomes.

The result of oval spermatid cell count (Table 1) showed no significant differences between the groups (K: 104.94, P1: 96.67, P2: 101.64, and P3: 112.20) cell/tubules. The increase in the number of oval spermatid cells was directly proportional to

the increase in the number of spermatocyte cells. Anas and Asterina (2011) reported that spermatogenesis is an elaborate and orderly cycle; the increase from the previous stage will affect the subsequent stage. In this study, the number of spermatocyte cells increased, although this was not significant; as the spermatocyte cell number increased so did the spermatid cell number. However, there was a decrease in the number of oval spermatid cells in mice given polysaccharide-K extract at a dose of 15 mg/kg BW, possibly because the low doses of polysaccharide-K may affect spermatid formation, which tends to decrease spermatid count by inhibiting spermatid formation. In accordance with the statement of Murtini *et al.* (2010), all substances that enter the body have the potential to be toxic depending on the dose consumed and the duration of use

CONCLUSION

It can be concluded from the results that treatment polysaccharide-K from *C. versicolor* extract had no effect on the number of spermatogonia cells and spermatocyte cells, but decreased the number of oval spermatid cells at a dose of 15 mg/kg of body weight.

CONFLICT OF INTEREST

The authors declare that all researchers familiar with this work contributed in all this work items without conflicts

ACKNOWLEDGEMENT

This research as a part of the project entitled "Special toxicity test of the polysaccharides krestin from *Coriolus versicolor*". It was supported and funded by the Indonesia Government through the Excellent Research University, fiscal year 2015. This research protocol was permitted by Animal Care and Use Committee (ACUC), Faculty of Animal Medical, Airlangga University with registration No. 711/KE.

AUTHOR CONTRIBUTIONS

SPAW and SK designed and performed the experiments and also wrote the manuscript. We both also prepared and isolation the extract, performed animal treatments, collect and data analysis. All authors read and approved the final version.

Copyrights: © 2017 @ author (s).

This is an open access article distributed under the terms of the [Creative Commons Attribution License \(CC BY 4.0\)](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author(s) and source are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

REFERENCES

- Abu IF, Manohara KB, Ambia KM, Noah RM, Ishak R. 2015. Effects of *Cassia alata* leaf extract towards liver and renal microsomal oxidative stress in hyperglycemic rats. *Bioscience Research*, 12, 21-25.
- Asterina AE. 2011. Effect of tomato juice (*Lycopersicon pyriporme*) on spermatogenesis in white rat (*Rattus norvergicus*) male adult hyperkholestrolemia. *Medical Magazines*.
- Cui J, Chisti Y. 2003. Polysaccharopeptides of *Coriolus versicolor*, physiological activity, uses, and production. *J. Biotechnol. Adv.* 109– 122.
- Effendi Z, 2003. Role of leucocytes as allergic anti inflammatory in body. Faculty of Medicine, University of North Sumatera.
- Hashimoto T, Nonaka Y, Minato K. 2002. Suppressive effect of polysaccharides from the edible and medicinal mushrooms, *Lentinus edodes* and *Agaricus blezei*, on the expression of cytochrome P450s in mice. *Biosci. J. Biotechnol and Biochem*, 344, 610-1614.
- Hayati A, 2011. *Spermatology*. Airlangga University Press, Indonesia.
- Hayati A, Yunaida B, Pidada IBR, Darmanto W, Winarni D. 2004. 2-Methoxyethanol effect on histological structure of mice testis (*Mus musculus*). Faculty of Mathematics and Natural Sciences, Airlangga University.
- Ho CY, Kim CF, Lueng KN, Fung KP, Tse TF, Chan H, Lau CBS. 2006. *Coriolus versicolor* extract induces apoptosis in leukimia cell trough mitochondrial pathway. *Onchol. Report*, 16, 609-661
- Johnson M, Everitt. 1990. *Essensial reproduction*, 3nd edition. Blackwell Sci. Pub. Oxford London, Edinburg, 221-232.
- Miura NNY, Adachi T, Yadomae H, Tamura S, Tanaka, Ohno N. 2003. Structure and

- biological activities of β -glucans from yeast and mycelial forms of *Candida albicans*. *Microbiol and Immunol.*, 47, 173-182.
- Murtini JT, Priyanto N, Siregar TH. 2010. Subchronic toxicity of alginate in liver histopathology, kidney and stomach in mice. *J. Marine Biotechnol and Fisheries*, 5, 2-8.
- Rumanta M, Tien WS, Sudarwati S. 2001. Effect of methoxyacetic acid on mice reproductive organs. *J. Medicine and Pharmacy*, 33, 61-67.
- Safarinejad MR, Azma K, Kohali AA. 2009. The effects of intensive, long-term treadmill running on reproductive hormones, hypothalamus-pituitary-testis axis, and semen quality: a randomized controlled study. *J. Endocrinol.*, 200, 259–271.
- Siti UB, 2009. Effect of vitamin E on spermatogenesis process of mice strain Balb/C exposed to cigarette smoke. Research Institute of Airlangga University.
- Slatter KF. 1984. Free-radical mechanisms in tissue injury, *J. Biochem.*, 22, 115-120.
- Soehadi K. 1996. Reactive oxygen species and quality spermatozoa. *Medika*, 10, 174 – 177.
- Sutarina N, Edward T. 2004. Provision of supplements on sports. *GizMind Magazine*, 3, 14-15.
- Tremellen, K. 2008. Oxidative stress and male infertility-A clinical perspective. *Human Reproduction Update*, 14, 243–258.
- Wahyuningsih SPA, Darmanto W. 2010. Acute toxicity test of polysaccharide krestin from extracts and mycelia of *Coriolus versicolor* mushroom, Research Institute of Airlangga University.
- Wahyuningsih SPA, Darmanto W, Wiqoyah N. 2009. Bioactivity of the polysaccharide krestin from *Coriolus versicolor* fungus Extract as immunomodulator of immune response due to *Mycobacterium tuberculosis* infection. Research Institute of Airlangga University.
- Winarsi H. 2007. Natural antioxidants and free radicals. Kanisius Publishers, Indonesia.