

Berkala PENELITIAN HAYATI Journal of Biological Researches

Berkala Penelitian Hayati
Journal of Biological Researches

ARCHIVES ▾ ANNOUNCEMENT EDITORIAL BOARD REVIEWER BOARD ABOUT THE JOURNAL ▾ LOGIN ▾



ISSN : 0852-6834

E-ISSN : 2337-389X

Indexed by:



DIRECTORY OF
OPEN ACCESS
JOURNALS



Already have a Username/Password for JOURNAL OF BIOLOGICAL RESEARCHES?

Go to [Login](#) Need a Username/Password? Go to [Registration](#)

Registration and login are required to submit online journal and to check the status of current submissions.

JOURNAL OF BIOLOGICAL RESEARCHES BERKALA PENELITIAN HAYATI is international peer-reviewed, open access journal of life science. The journal formerly used Indonesian language. The first edition of this journal is Vol 1 No 1 at June 1995. It was accredited by Ministry of Culture and Education number 134/DIKTI/Kep/2001 and **has been re-accredited for 26 April 2017 - 26 April 2022** by Ministry of Research and Higher Education number 32a/E/KPT/2017. Download [Supplementary File \(including Revised Author Guideline\)](#) and [More Information](#). About Author Guidelines you can download [here](#).

Looking For Paper ?

Find title here ...

FINDING...



Recent Publish

Biofilm formation and detection of A/D genes in MRSA (Methicillin-Resistant Staphylococcus aureus) and MSSA (Methicillin-Sensitive Staphylococcus aureus)

Rini Purbowati

Jun 25, 2019

183 views

Effect of bait density on consumption rates and mortality of subterranean termite *Coptotermes curvignathus*

Yullati Indrayani , Dewi Fatmawati

Jun 23, 2019

221 views

In silico exploration the phenolic compound of olive leaves as acetylcholinesterase enzyme (AChE) inhibitor for Alzheimer's disease therapy

Nurul Jadid Mubarakati , Oktavia Rahayu
Pusnitarini Tintrim Rahayu Alik Manirlivah

Jun 01, 2019

327 views

Popular Search

KOMPOSISI KIMIA DAN UJI AKTIVITAS ANTIBAKTERI MINYAK KEMANGI *Ocimum americanum* L TERHADAP BAKTERI *Escherichia coli* *Shigella sonnei* DAN *Salmonella enteritidis*

Asep Kadarohman , Gebi Dwiyantri , Yuni Anggraeni , Lela Lailatul Khumaisah

Jun 23, 2011

4386 views

THE EVIDENCE OF BACILLIFORM VIRUS A CAUSATIVE AGENT OF WHITE SPOT SYNDROME OF WHITE SHRIMP *Penaeus merguensis*

Hari Suprpto

Feb 02, 2012

2083 views

PEMBUKTIAN HORIZONTAL TRANSFER OF RESISTANCE GENES MELALUI UJI SENSITIVITAS ANTIBIOTIKA PADA BAKTERI GENUS *Staphylococcus* DARI KASUS BOVINE MASTITIS

Mustofa I Helmi Effend

Feb 04, 2012

1718 views



00024440
Website Stats

Berkala Penelitian Hayati
Journal of Biological Researches



Published by The East Java Biological Society, Jalan Surakarta
No 5, Malang, East Java 65114, Indonesia
+62 341 570631
berkalahayati@yahoo.com / libiolresearches@gmail.com

Biology Departments

Universitas Muhammadiyah Malang
Universitas Brawijaya
UIN Maliki Malang
Universitas Islam Malang
Universitas Airlangga
Institut Teknologi Sepuluh
Nopember
Universitas Gadjah Mada
IKIP PGRI Madiun

Current Projects

International Biodiversity Conservation (IBC Raja Ampat)
Smartbio

Editorial in Chief



Name Prof. Sutiman Bambang Sumitro, SU., D.Sc.
Date of Birth Mar 11, 1954
Position Editor-in-Chief Berkala Penelitian Hayati Journal of Biological Researches and Professor
Office Address Department of Biology Faculty of Mathematics and Natural Sciences, Brawijaya University, Malang, 65145, East Java, Indonesia.
E - Mail sutiman@ub.ac.id

For more information download this pdf

Managing Editor



Name Romaidi, Ph.D
Date of Birth Feb 01, 1981
Position Managing Editor Berkala Penelitian Hayati Journal of Biological Researches Indonesia and Lecturer
Office Address Department of Biology, Faculty of Sciences and Technology, Islamic State University of Malang, East Java, Indonesia
E - Mail romaidi_06@yahoo.com

For more information download this pdf



Name Wulida Kholunnisa, S.Si
Date of Birth Aug 16, 1993
Position Managing Editor, Berkala Penelitian Hayati Journal of Biological Researches Indonesia
Office Address Jalan Surenkarta 5, Malang 65114, East Java, Indonesia
E - Mail wulida.nisa@gmail.com

For more information download this pdf



Name Hadistullah, S.Si
Date of Birth Aug 16, 1993
Position Managing Editor, Berkala Penelitian Hayati Journal of Biological Researches Indonesia
Office Address Jalan Surenkarta 5, Malang 65114, East Java, Indonesia
E - Mail hadistullah93@yahoo.co.id

For more information download this pdf

Editorial Member



Name Dr. Bagyo Yanuwadi
Date of Birth Jan 18, 1960
Position Editorial Member Berkala Penelitian Hayati Journal of Biological Researches and Associate Professor
Office Address Department of Biology Faculty of Mathematics and Natural Sciences, Brawijaya University, Malang, 65145, East Java, Indonesia.
E - Mail yanuwadi@ub.ac.id

For more information download this pdf



Name Prof. Dr. Bambang Irawan, M.Sc
Date of Birth Apr 05, 1955
Position Editorial Member Berkala Penelitian Hayati Journal of Biological Researches and Professor
Office Address Biology Department, Faculty of Science and Technology, Airlangga University, Jalan Mulyorejo Kampus C Surabaya 60115, Indonesia
E - Mail bamir1955@yahoo.co.id

For more information download this pdf



Name Dr. Akira Kikuchi
Date of Birth Aug 02, 1971
Position Editorial Member Berkala Penelitian Hayati Journal of Biological Researches and Associate Professor
Office Address Department Environmental Technology, and Institute of Environmental and Water Resource Management (IPASA), Universiti Teknologi Malaysia, 81310, Skudai, Johor, Malaysia.



Name Wildodo, S.Si, M. Si, Ph. D Med Sc.
Date of Birth Aug 11,1973
Position Editorial Member Berkala Penelitian Hayati Journal of Biological Researches and Associate Professor
Office Address Department of Biology Faculty of Mathematics and Natural Sciences, Brawijaya University, Malang, 65145, Indonesia.
E - Mail wildodo@ub.ac.id

[For more information download this pdf](#)



Name Prof. Fatchiyah, Ph.D.
Date of Birth Nov 27,1963
Position Editorial Member Berkala Penelitian Hayati Journal of Biological Researches, Professor and Director of Lab Biosains UB
Office Address Department of Biology Faculty of Mathematics and Natural Sciences Brawijaya University, Malang 65145, East Java, Indonesia
E - Mail fatchiya@ub.ac.id; fatchiya@gmail.com

[For more information download this pdf](#)



Name Prof. Intan Ahmad, Ph.D.
Date of Birth May 01,1958
Position Editorial Member Berkala Penelitian Hayati Journal of Biological Researches, Professor
Office Address School of Life Sciences and Technology, Bandung Institute of Technology, Jalan Dipati Ukur 4 Bandung, Indonesia
E - Mail intan@silth.itb.ac.id

[For more information download this pdf](#)

Name Dr. Endang Semarti, M.S., M.Sc.
Date of Birth Nov 23,1962
Position Editorial Member Berkala Penelitian Hayati Journal of Biological Researches and Associate Professor
Office Address Faculty of Biology, Gadjah Mada University, Yogyakarta, Indonesia
E - Mail endsemi@ugm.ac.id

[For more information download this pdf](#)

Berkala Penelitian Hayati
Journal of Biological Researches



Published by The East Java Biological Society, Jalan Surakarta No 5, Malang, East Java 65114, Indonesia
 +62 341 570631
 berkalahayati@yahoo.com / jbioiresearches@gmail.com



This work is licensed under a [Creative Commons Attribution-NonDerivatives 4.0 International License](#)

Biology Departments

- Universitas Muhammadiyah Malang
- Universitas Brawijaya
- UIN Malik Malang
- Universitas Islam Malang
- Universitas Alirangga
- Institut Teknologi Sepuluh Nopember
- Universitas Gadjah Mada
- IKIP PGRI Madun
- Universitas Jember
- Universitas Negeri Malang
- Institut Teknologi Bandung
- Universitas Jenderal Soedirman
- Universitas Diponegoro
- Universitas Sebelas Maret
- Universitas Indonesia
- Institut Pertanian Bogor
- Universitas Mulawarman
- Universitas Lambung Mangkurat
- Konsorsium Biologi Indonesia
- UIN Alauddin Makassar
- Universitas Esa Unggul Jakarta
- Universitas Ahmad Dahlan Yogyakarta

Current Projects

- International Biodiversity Conservation (IBC Raja Ampat)
- Smartblo

Year

VOL 21, NO 2 (2016) : VOLUME VOL 22, NO 1 (2016) : VOLUME

2019	STUDY OF ADHESIN FROM <i>Aggregatibacter actinomycetemcomitans</i> LOCAL ISOLATE ON ALVEOLAR BONE DESTRUCTION IN AGGRESSIVE PERIODONTITIS DISEASE	
2018	Rini Devijanti Ridwan, Tuti Kusumaningsih, Sidarningsih , Soetjipto	May 10, 2016
2017	THE EFFECT OF POLYSACCHARIDES KRESTIN BIOACTIVITY FROM <i>Coriolus versicolor</i> TO ESTRADIOL LEVELS ON <i>Mus musculus</i> ESTROUS CYCLE	
2016	Sri Puji Astuti Wahyuningsih	May 10, 2016
2015	HISTOLOGIC PROFILE AND CD44 EXPRESSION IN BREAST CANCER TISSUE OF BALUR NANO DIVINE KRETEK VOLUNTEERS	
2014	Dody Novrial, A'liyatur Rosyidah, Saraswati Saraswati, Subagio Subagio, Sarjadi Sarjadi	May 18, 2016
2013	ANTIMICROBIAL ACTIVITY OF <i>Streptomyces</i> spp. ISOLATES FROM VEGETABLE PLANTATION SOIL	
2012	Isnaeni , Idha Kusumawati, Mega Ferdina Suwito, Asri Darmawati, Ni Made Mertaniasih	May 19, 2016
2011	THE EXPLORATION OF FRUIT FLIES <i>Bactrocera</i> (DIPTERA:TEPHRITIDAE) AND ITS PARASITOID IN MADURA ISLAND REGIONS	
2010	Tjipto Haryono, Ika Rochdjatun Sastrahidayat, Gatot Mudjiono, Toto Himawan	Jul 02, 2016
2009	POPULATION DYNAMIC OF <i>Viscum articulatum</i> Burm. f. ON ITS HOST IN PURWODADI BOTANIC GARDEN	
2008	Solikin Solikin	Aug 13, 2016
2007	FOLIAR SYMPTOMS RECOVERY: DEVELOPING SCORING TECHNIQUE FOR ASSESSMENT OF SOYBEAN RESISTANCE TO CPMMV (COWPEA MILD MOTTLE VIRUS)	
2006	Siti Zubaidah, Heru Kuswanto	Sep 01, 2016
2005	ENDOPHYTIC FUNGI COLONIZE AGRICULTURAL AND NON-AGRICULTURAL PLANTS IN BEDUGUL, BALI AND THEIR ANTIFUNGAL ACTIVITY AGAINST <i>Rhizoctonia solani</i> Kuhn	
2004	Suciatmih Suciatmih	Sep 07, 2016
2003		
2001		
2000		
1999		
1997		
1996		
1995		

Berkala Penelitian Hayati
Journal of Biological Researches



perhimpunan biologi indonesia

Biology Departments

Universitas Muhammadiyah Malang
Universitas Brawijaya
UIN Maliki Malang
Universitas Islam Malang
Universitas Airlangga
Institut Teknologi Sepuluh

Current Projects

International Biodiversity Conservation (IBC Raja Ampat)
Smartbio

THE EFFECT OF POLYSACCHARIDES KRESTIN BIOACTIVITY FROM *Coriolus versicolor* TO ESTRADIOL LEVELS ON *Mus musculus* ESTROUS CYCLE

Sri Puji Astuti Wahyuningsih

Department of Biology, Faculty of Science and Technology, Airlangga University

ABSTRACT

This study aimed to determine the activity of polysaccharide krestin (PSK) from *Coriolus versicolor* extract to the duration of estrous cycle and estradiol levels. PSK was administrated for 24 days in female *Mus musculus*, strain Balb/C, 10 weeks old, weight about 25-30 grams. Polysaccharide krestin given in sub-chronic dose. There were 4 groups, i.e K0 (0 mg/kg BW), P1 (15 mg/kg BW), P2 (30 mg/kg BW), and P3 (60 mg/kg BW). Each treatment group contained 7 replications. Data were analyzed using One Way ANOVA and Duncan test at $\alpha = 5\%$. The duration of estrous cycle was determined by vaginal smear methods. The estradiol levels were measured using ELISA kit. The results show that the administration of PSK decreased the duration of estrous cycle with an average of 4.4 days. Polysaccharide krestin dose of 15 and 60 mg/kg BW did not affect the estradiol levels. Decrease of estrous cycle duration was still in the range of normal estrous time between 4-6 days. PSK dose of 15 and 60 mg/kg BW can be used as a therapeutic dose.

Keywords: polysaccharides krestin (PSK), *Coriolus versicolor*, estrous cycle, estradiol

INTRODUCTION

The usage of mushroom as anti-viral and anti-cancer has been proven. More than 50 species have been tested on animals. *Coriolus versicolor* mushroom or yun zhi been known at the time of the Ming Dynasty of China. The mushroom is classified in sub-class Homobasidiomycetes and family Polyporaceae (Ho *et al.*, 2006).

Polysaccharopeptide can be obtained from *C. versicolor*, known as *Coriolus versicolor* polysaccharides (CVP) or polysaccharides krestin. The main component of PSK is β -glucan (Zhang *et al.*, 2001). Polysaccharides krestin have many pharmacological activities, as an adjuvant in the immune system (Noguchi *et al.*, 1995), increasing the number of leukocytes and macrophages (Wahyuningsih, 2006).

With the facts and the description above, the benefits of PSK from the mushroom *C. versicolor* is not in doubt. Nevertheless, PSK component is not necessarily safe. Excessive use may cause a bad influence. According Murtini *et al.* (2010), all the substances that enter into body would potentially be toxic materials. The toxicity of the material depends on the dose consumed and the long period of usage.

PSK is beneficial to increase the production of cytokines, such as interleukin-1 (IL-1), IL-2, IL-4, IL-6, IL-7 and IL-8 (Noguchi *et al.*, 1995). Cytokines IL-1, IL-2,

and IL-6 give a signal to the brain to activate the hypothalamic-pituitary-adrenal (HPA) axis in response to an immune stress. HPA axis actively stimulates the secretion of adrenocorticotrophic hormone (ACTH). The ACTH stimulates the secretion of glukortikoid. If the use of PSK in the long run, it will increase the secretion of gluco-corticoids and will suppress the HPG axis at a rate supra-pituitary. It will suppress gonadotropin-releasing hormone (GnRH) produced by the anterior pituitary. A decrease of GnRH will reduce production of the reproduction hormone, such as follicle stimulating hormone (FSH) and luteinizing hormone (LH). GnRH suppression can reduce the production of FSH and LH. Decrease of FSH production will inhibit the ovarian follicles maturation, thus it also inhibits ovulation. If ovulation is inhibited, it will extend the duration of the estrous cycle. LH decline will also affect the production of the hormone estrogen or estradiol (Kirby *et al.*, 2009).

The estrous cycle is a period that is physiologically can receive a stud or a series of events related to the preparation of the uterus for the reception and implantation of the ovum. The estrous cycle can be divided into four stages: proestrus, estrus, metestrus, and diestrus. This cycle coincides with the maturation of ovarian follicles stimulated by FSH. FSH production stimulated by GnRH (Freeman, 1994; Sarkar *et al.*, 1976).

Estrogen is a female reproductive hormone in animals. This hormone is mainly secreted by the granulosa cells of ovarian follicles constituent. Estrogen takes role on GnRH regulation. On the basis of this study wanted to test the effect of extracts of PSK from *C. versicolor* against the estrous cycle length and estradiol levels in mice (*Mus musculus*).

* Corresponding Author:
Sri Puji Astuti Wahyuningsih
Department of Biology, Faculty of Science and Technology,
Airlangga University
telp : 08121668644
e-mail : sri-p-a-w@fst.unair.ac.id

METHODS

Animal materials

This research used female mice (*Mus musculus*), Balb/C strain, aged 10 weeks, weight about 25-30 g. Mice were acclimatized for 7 days for adjustment to the environment the animal cages.

Polysaccharide krestin extraction

Fruit body of *C. versicolor* can be found grows on dead wood, or trees that were not productive during the rainy season. Fungal fruiting body was dried and made a coarse powder in a blender (Wahyuningsih *et al.*, 2009). *Coriolus versicolor* mushroom extract production was done according to the method of Cui and Chisti (2003) and Wahyuningsih *et al.* (2009). This step would get dried mushroom extract. Mushroom extracts precipitated with 90% ammonium sulphate. In this process would produce a rough polysaccharopeptide. Further, it was diluted with PBS solution. The solution was dialyzed for 24 hours. This process would produce a solution of PSK (Wahyuningsih *et al.*, 2009).

PSK treatment in experimental animals

PSK solution was given to female mice orally with repeated doses. Polysaccharides krestin was given for 5 times the estrous cycle or 24 days. There are four groups for treatment, ie 1. The control group (K, 0 mg/kg BW), 2. PSK group of 15 mg/kg BW (P1), 3. PSK group of 30 mg/kg BW (P2), and 4. PSK group of 60 mg/kg BW (P3).

Observation of animal estrous cycle length

The estrous cycle length was observed by vaginal smear per hour 8-10 am for 5 times from the time of the estrous cycle or 24 days (Cooper *et al.*, 1993). Results obtained are determined phase and counted how many times the period of one full cycle at each repetition. Furthermore, the data were averaged.

Isolation of blood serum

Blood was collected from the heart. Blood put in a centrifuge and placed oblique. After that, it stored at 4°C overnight. Then centrifuged at 3000 rpm at temperature of 4°C for 15 minutes and taken the serum. Serum was stored at -20°C until the measured levels of estradiol.

Estradiol level measurement

Estradiol levels were measured using ELISA Kit (17-β-estradiol mice, Elabscience). Serum estradiol levels were measured with a microplate reader, a wavelength of 450 nm. After knowing the value OD, then the standard curve was made. Estradiol levels were measured by standard curve.

Data Analysis

Data were analyzed statistically. Prior to the statistical test, all the data was tested first distribution normality and homogeneity of its variants. Data of normal and homogeneous were tested by using one-way ANOVA. Differences between treatments were analyzed by Duncan test.

RESULTS

The mouse estrous cycle is 4-6 days. The information below refers to determining the stage of the estrous cycle in the mouse by the appearance of the vagina. Result of observation estrous cycles including changes in the vaginal epithelium of each phase can be seen in Figures 1, 2, 3, and 4.

Proestrus (Figure 1) was showed by the presence of nucleated epithelial cells that are round. However, sometimes these cornify rapidly, especially in mice. Estrus (Figure 2) was characterized by non-nucleated, cornified epithelial cells. Metestrus typically (Figure 3) had a low cell number, often with a lot of cell debris. Diestrus (Figure 4) contained mostly leukocytes.

Figure 5 shows the length of the estrous cycle time. Vaginal epithelium looks determined phase and then the data results of the phase count how many times the period of a full cycle. The study of the estrous cycle length showed shorter cycles. Analysis of the estrous cycle length showed cycles were getting shorter. In the control group and the treatment P1 showed estrous cycle length of 4.8 days, whereas the treatment group P2 and P3 long-cycle produces about 4.7 and 4.4 days. The statistical results showed that the treatment group was not significantly different from P3 to P2 group, but significantly different with group K0 and P1. The length of the estrous cycle in this research shortened in the treatment group P3, but it is still in the range of a normal cycle in mice. According Caligioni and Franci (2002), the length of the estrous cycle of a normal cycle in mice was between 4-5 days

Figure 6 shows the concentration of serum estradiol. Results of a study of 17-β estradiol levels indicated that treatment group K0, P1, P2 and P3, respectively produced estradiol was 26094.92, 25162.89, 15609.56, and 21609.51 pg/mL. Measurement of 17 β-estradiol levels in the control group did not differ significantly by treatment group P1, P2, and P3. This showed that there was no effect on female mice estradiol hormone levels due to treatment.

DISCUSSION

Research on the toxicity of polysaccharide peptide sub-chronic been done by Jian *et al.* (1999) in Cheng and Leung (2008) with a dose of (0, 1.5, 3, and 6 mg/kg BW) showed no toxic symptoms or no death in experimental animals. Sub-chronic effects of *C. versicolor* on organs, tissues, and cells had been widely studied by Cheng and Leung (2008). However, not much research related to the effects of *C. versicolor* specific toxicity to reproductive organs, particularly in the female reproductive organs.

Polysaccharide krestin of the mushroom *C. versicolor* was used as immuno-potential, can increase the production of cytokines, such as IL-1, IL-2, IL-4, IL-6, IL-7 and IL-8 (Noguchi *et al.*, 1995). Interleukin-6 (IL-6) has been known to have several functions, among others regulate differentiation, stimulation, and activation of immune cells and some inflammatory reaction (Arzt, 2001, Gautron *et al.*, 2003). Recent studies have also shown that IL-6 affects the secretion of various hormones and worked at

various levels of the HPA axis during the local inflammatory process (Bethin *et al.*, 2000; Gautron *et al.*, 2003). Interleukin-6 is mainly stimulates the release of the hormone prolactin (PRL), growth hormone (GH), ACTH, FSH and LH from the anterior pituitary (Renner *et al.*,

1996). In addition, IL-6 regulates the function of the ovaries, including regulation of the LH receptor (LHR) on granulosa cells (Tamura *et al.*, 2000) and also has an important role in folliculogenesis and oocyte maturation (Loret *et al.*, 1998).




Figure 1. Proestrus phase showed epithelial nuclei (arrow A) with a bit of leukocytes (arrow B).




Figure 2. Estrus Phase showed all epithelium undergoes cornification become core (arrows).




Figure 3. Metestrus phase showed a mixture of three types of cells, i.e. the leukocytes (arrow A, at most), the nucleated epithelial cells (arrow B, a few), and the cornification of epithelial cells (arrow C, at least).




Figure 4. Diestrus phase showed all leukocytes (arrows).




Figure 5. Diagram of the average of estrous cycle length. Different letters indicate no significant difference. K0: control; P1: PSK dose of 15 mg/kg BW, P2: PSK dose of 30 mg/kg BW, P3: PSK dose of 60 mg / kg BW.




Figure 6. Diagram of the average of 17-β estradiol level. The same letter showed no significant difference. K0: control; P1: PSK dose of 15 mg/kg BW, P2: PSK dose of 30 mg/kg BW, P3: PSK dose of 60 mg/kg BW.

Mechanism of IL-6 in regulating the function of the ovaries and LHR is through the increase of the hormone FSH. FSH induces the expression of LHR mRNA through the Janus kinase (JAK) (Tamura *et al.*, 2000). PSK as immuno-potential may increase the secretion of IL-6. Increased IL-6 will result in an increase in FSH and LHR mRNA. Follicle stimulating hormone is a hormone essential to the development of ovarian follicles (Ulloa-Aguirre *et al.*, 2003). If this hormone increases will accelerate the

estrous cycle and folliculogenesis (Hamburg, 2005). Increased LHR may cause increased excretion of LH by the anterior pituitary (Ascoli and Puett, 2008). Luteinizing hormone that increases will result in the acceleration time of ovulation (Pratap & Sameer, 2011).

Acceleration time of the phases of folliculogenesis and ovulation was what causes the shortening of the length of time the estrus cycle that occurs on the results of this study (Figure 5). It showed that the PSK in doses of

15-60 mg / kg body weight increased the levels of IL-6 and FSH, which could shorten the estrus cycle. This is similar to study Tebar *et al.* (1998), the injection of FSH and LH increase levels of estradiol and shortening the length of time of the estrous cycle in mice. Although the estrous cycle on the research there was a decrease, but it was still within normal limits.

In this study, estradiol levels did not change after the administration of PSK from *C. versicolor* extract. This was in line with research Jian *et al.* (1999) that the provision PSK sub-chronic dose did not affect blood and serum biochemistry.

Based on data showed that at administration of PSK does not affected the length of estrous cycle. The research dose used PSK was a safe dose. It was a sub-chronic doses or a dose below the LD₅₀. According to Chen and Leung (2008), the LD₅₀ value of PSK was 26-300.36 mg/kg for administered by intraperitoneous injection. The highest daily tolerant dose was over 18-20 g/kg for mice.

Base on research, PSK dose of 15-60 mg/kg body weight did not affect the estrous cycle time, which was still within the normal range between 4-5 days. PSK dose of 15-60 mg/kg body weight did not affect the hormone levels of serum estradiol mice. It showed that PSK dose 15-60 mg/kg body weight was the optimal dose that could be used without affecting the reproductive system. If this dose used for therapy in humans, it should be tested with advanced testing and doing research on another reproductive parameters with higher doses for long term or equal to this study.

ACKNOWLEDGEMENT

Author would like to thank Amelia Permata Sari Putri who helped the research. The research was funded by DIPA BOPTN Airlangga University Research Activities Decentralisation through fiscal year 2014.

REFERENCES

- Arzt E. 2001. Gp130 Cytokine Signaling in the Pituitary Gland: a Paradigm for Cytokine-neuro-endocrine Pathways. *Journal of Clinical Investigation*. 108:1729–1733.
- Ascoli M, Puett D. 2008. *The Gonadotropin Hormones and Their Receptor*. 6th of Yen and Jaffe edition. Philadelphia (PA): Elsevier Publishing.
- Bethin KE, Vogt SK, Muglia LJ. 2000. Interleukin-6 is an Essential, Corticotropin-releasing Hormone-Independent Stimulator of the Adrenal Axis during Immune System Activation. *Proceeding of the National Academy of Science of USA*. 97(16):9317–9322.
- Caligioni CS, Franci CR. 2002. Oxytocin Secretion Induced by Osmotic Stimulation in Rats during the Estrous Cycle and after Ovariectomy and Hormone Replacement Therapy. *Life Sciences*. 71:2821–2831.
- Cheng KF, Leung PC. 2008. General review of polysaccharopeptides (PSP) from *Coriolus versicolor*. *Journal of Medicine*. 6:117–130.
- Cooper RL, Goldman JM, Vandenberg JG. 1993. Monitoring of the Estrous Cycle in the Laboratory Rodent by Vaginal Lavage. In: *Methods in Toxicology Female Reproductive*. Toxicology, editions by Heindel JJ, Chapin RE, vol 3 B 57–8. San Diego: Academic Press.
- Cui J, Chisti Y. 2003. Polysaccharopeptides of *Coriolus versicolor* : Physiological Activity, Uses, and Production. *Journal of Biotechnology Advances*. 21(2):109–22.
- Freeman ME. 1994. The Neuroendocrine Control of The Ovarian Cycle in The Rat. In Knobil E., Neill JD. (Ed) *Physiology of Reproduction*. Raven. 613–658.
- Gautron L, Lafon P, Tramu G, Laye S. 2003. In vivo Activation of the Interleukin-6 Receptor/gp130 Signaling Pathway in Pituitary Corticotropes of lipopolysaccharide-treated Rats. *Neuroendocrinology*. 77:32–43.
- Hamburg R. 2005. *Ovulation Induction and Controlled Ovarian Stimulation – A Practical Guide*, 1 edition. Netherlands: CRC Press.
- Ho CY, Kim CF, Lueng KN, Fung KP, Tse TF, Chan H, Lau CBS. 2006. *Coriolus versicolor* Extract Induces Apoptosis in Leukemia Cell through Mitochondrial Pathway. *Oncology Report*. 16(3):609–16.
- Jian XZ, Huang LM, Zhou YF, Wan MM. 1999. Subchronic Toxicity Test of Polysaccharopeptide of Yun Zhi (PSP), International Symposium on Traditional Chinese Medicine and Cancer Development and Clinical Validation. *Advance Research in PSP*. 274–284.
- Kirby ED, Geraghty AC, Ubuka T, Bentley GE, Daniela Kaufer D. 2009. Stress Increases Putative Gonadotropin Inhibitory Hormone and Decreases Luteinizing Hormone in Male Rats. . *Proceeding of the National Academy of Science of USA*. 106(27):11324–11329.
- Loret de Mola JR, Goldfarb JM, Hecht BR, Baumgardner GP, Babbo CJ, Friedlander MA. 1998. Gonadotropins Induce the Release of Interleukin-1 beta, Interleukin-6 and Tumor Necrosis Factor-alpha from the Human Preovulatory Follicle. *American Journal of Reproduction Immunology*. 39:387–90.
- Murtini JT, Priyanto N, Siregar TH. 2010. Toksisitas Subkronik Alginat pada Histopatologi Hati, Ginjal dan Lambung Mencit. *Jurnal Bioteknologi Kelautan dan Perikanan*. 5:2.
- Noguchi K, Tanimura H, Yamaue H, Tsunoda T, Iwahashi M, Tani M, Mizobata S, Hotta T, Arii K, Tamai M. 1995. Polysaccharide Preparation PSK Augments the Proliferation and Cytotoxicity of Tumor-infiltrating Lymphocytes in vitro. *Anticancer Research*. 15: 255–258.
- Pratap K., Sameer FS. 2011. Luteinizing Hormone and Its Dilemma in Ovulation Induction. *Journal of Humaniology Reproduction Science*. 4(1): 2–7.
- Renner U, Pagotto U, Arzt E, Stalla GK. 1996. Autocrine and Paracrine Roles of Polypeptide Growth Factors, Cytokines and Vasogenic Substances in Normal and Tumorous Pituitary Function and Growth. *A Review of European Journal of Endocrinology*. 135:515–532.
- Sarkar DK, Chiappa SA, Fink G. 1976. Gonadotropin-releasing Hormone Surge in Prooestrous Rats. *Nature*. 264:461–463.
- Tamura K, Kawaguchi T, Hara T, Takatoshi S, Tohei A, Miyajima A, Seishi T, Kogo H. 2000. Interleukin-6 Decreases Estrogen Production and Messenger Ribonucleic Acid Expression Encoding Aromatase during in vitro Cyto-differentiation of Rat Granulosa Cell. *Molecular Cell Endocrinology*. 170:103–111.
- Tebar M, Ruiz A, Sanchez-Criado JE. 1998. Involvement of Estrogen and Follicle-Stimulating Hormone on Basal and Luteinizing Hormone (LH)-Releasing Hormone-Stimulated LH Secretion in RU-486-Induced 3-Day Estrous Cycle in the Rat. *Biology of Reproduction*. 58:615–619.
- Ulloa-Aguirre A, Timossi C, Barrios-de-Tomasi J, Maldonado A, Nayudu P. 2003. Impact of Carbohydrate Heterogeneity in Function of FSH: Studies Derived from in vitro and in vivo Models. *Biology of Reproduction*. 69: 379–389.
- Wahyuningsih SPA. 2006. *Pemanfaatan Ekstrak Jamur Coriolus versicolor sebagai Imunomodulator Respon Imun Non-spesifik pada Tikus Putih Akibat Infeksi M. tuberculosis*. Surabaya: Lembaga Penelitian Universitas Airlangga.
- Wahyuningsih SPA, Darmanto W, Wiqoyah N. 2009. *Bioaktivitas Polisakarida Krestin dari Ekstrak Jamur Coriolus versicolor sebagai Imunomodulator Respon Imun Akibat Infeksi M. tuberculosis*. Surabaya: Lembaga Penelitian Universitas Airlangga.
- Zhang JS, Han WW, Pan YJ. 2001. Studies on Chemical Structure of Polysaccharide from Fruit Body of *Coriolus versicolor*. *Acta Pharmaceutica Sinica*. 36:664–667.