

## REFERENCES

- Adsodun J.K., Atayaye M.O., Agbaye T.A., Osadiaye B.A., Mafe O.F. and Sotoretire, A.A. 2010. Phytoremediation potentials in sunflower (*Tithonia diversifolia* and *Heliantus annus*) for metals in soils contaminated with zinc and lead nitrates. *Water Air Soil Pollution*. 207:195-201.
- Andrews, J.M. 2008. BSAC standardized disc susceptibility testing method (version 7). *J Antimicrob Chemother*. 62(2). p. 256-278.
- Avato,P., Bucci,R., Tava,A., Vitali,C., Rosato,A., Bialy,Z., Jurzysta,M. 2006. Antimicrobial activity of Saponins from *Medicago* sp. : structure-activity relationship. *Phytother Res*.20(6).p.454.
- Balouiri,M., Sadiki,M., and Ibsouda, S.K. 2016. Method for in vitro evaluating antimicrobial activity : A review. *Journal of Pharmaceutical Analysis*.Vol 6 (2).p.71-79.
- Berrin,O., Kartal,M., Orhan,I. 2011. Cytotoxicity, Antiviral, and Antimicrobial Activities of Alkaloids, flavonoids and Phenolic Acids. *Journal of Pharmaceutical Biology*.49.p.396-402.
- Braun, L and Cohen,M. 2007. *Herbs and Natural Supplements : An Evidence-based Guide*. Elsevier. Churchill Livingstone Elsevier. P. 6-9.
- Cappuccino, J.G., dan Natalie, S. (2013). *Manual Laboratorium Mikrobiologi Edisi 8*. Jakarta: Buku Kedokteran EGC. Hal. 329-333.
- Chung,K,T., Stevens,S,E., Lin,W,F., Wei,C,I. 1993. Growth Inhibition of Selected food-borne Bacteria by Tannic Acid, Propyl gallate and Related Compounds. *Letters in Applied Microbiology*.17.p. 29-32.
- Chadwick,M., Trewin,H., Gawthrop,F and Wagstaff,C. 2013. Sesquiterpenoids Lactones : Benefits to Plants and People. *International Journal Molecule Science*.14(6).p.12780-12805.
- Clinical and Laboratory Standards Institute. 2013. Performance standards for antimicrobial disk susceptibility tests; approved standard M100-S23. Clinical and Laboratory Standards Institute, Wayne, PA.p.75.
- Cushnie,T,P., Cushnie,B., Lamb,A,J. 2014. Alkaloids: an overview of their antibacterial, antibiotic-enhancing and antivirulence activities. *Int J Antimicrobe Agents*.44(5).p.377.
- Daglia Maria.2012. Polyphenol as Antimicrobial Agents. *Current Opinion in Biotechnology*.23.p. 174-181.
- Dalimartha,S. 2000. *Atlas Tumbuhan Obat Indonesia*. Jakarta. Trubus Agriwidya. Hal.19.

- Fadhillah, H. 2016. Ekstrak Daun Kembang Bulan (*Tithonia diversifolia* (Hemsley) A.Gray) Sebagai Antibakteri Terhadap *Streptococcus mutans* dan *Streptococcus sanguinis*. [Skripsi]. Universitas Tulang Bawang. Bandar Lampung. Hal. 3-5.
- Foster,A.P. 2012. Staphylococcal skin disease in livestock. Vet Dermatol.e63(23),p. 342-351.
- Hanson, B. M., Dressler, A. E., Harper, A. L., Scheibel, R. P. Wardyn, S. E.,Roberts, L. K., Kroeger, J.S., Smith, T.C. 2011. Prevalence of Staphylococcus aureus and methicillin-resistant Staphylococcus aureus (MRSA) on retail meat in Iowa. Journal of Infection and Public Health, 4,p.169-174.
- Hena, J.S., Adamu,A,K., Iortsuun D,N., and Olonitola,O,S. 2010. Phytochemical Screening and Antimicrobial Effect of the Aqueous and Methanolic Extract of Roots of Balanites Aegyptiaca (Del.) on Some Bacteria Species. Sci World J, 5(2). P. 59-62.
- Hutapea, J. R., 2000, Inventaris Tanaman Obat Indonesia, Edisi I, Bhakti Husada, Jakarta. Hal. 19-20.
- Ian C., and Marilyn,R. 2001. Tetracycline antibiotic : Mode of action, application, molecular biology, and epidemiology of bacterial resistance. Microbiology and Molecular Biology Review.65(2),p.232-260.
- Istiqomah. 2013. Perbandingan Metode Ekstraksi Maserasi dan Sokletasi Terhadap Kadar Piperin Buah Cabe Jawa (*Piperis retrofracti fructus*).[Skripsi]. UIN Syarif Hidayatullah.Jakarta.Hal. 12-13.
- Jama, B., C.A. Palm, R.J. Buresh, A. Niang, C. Gachengo, G. Nziguheba, and B. Amadalo. 2000. Tithonia diversifolia as a green manure for soil fertility improvement in western Kenya. Journal of Agroforestry System. 49(2):201-221.
- Jamal, Y dan Agusta,A. 1999. Komponen Kimia Dan Uji Daya Antibakteri Ekstrak Daun Kembang Kirinyu (*Tithonia diversifolia*). Laboratorium Treub, Puslitbang Biologi-LIPI. Bogor. Hal.124.
- Jawetz, Melnick, and Adelberg's. 2008. Mikrobiologi Kedokteran. Salemba Medika. Jakarta. Hal.273-275.
- Kuhn,S., Slavetinsky,C,J., and Peschel,A. 2015. Synthesis and Function of Phospholipid in *Staphylococcus aureus*. Int Journal Med Microbiol .305(2),p.196-202.
- Liasu, M. and Ayandele, A. 2008. Antimicrobial Activity of Aqueous and Ethanolic Extracts from Tithonia diversifolia and Bryum Coronatum collected from Ogbomoso, Oyo State, Nigeria. Advances in Natural and Applied Sciences.2(1),p.31-34.

- Luber,P., Bartelt,E., Genschow,E., Wagner,J., and Hahn,H. 2003. Comparison of Broth Microdilution, E Test and Agar Dilution Methods for Antibiotic Susceptibility Testing of *Campylobacter jejuni* and *Campylobacter coli*. *Journal of Clinical Microbiology*.p. 1062-1068.
- Maatalah,M,B., Bouzidi,N,K., Bellahouel,S., Merah,B., Fortaz,Z., Soulimani,R., Saidi,S., Dourdour,A. 2012. Antimicrobial Activity of the Alkaloid and Saponin Extract of *Anabasis articulata*. *E3 Journal of Biotechnology and Pharmaceutical Research*.3(3).p.54-57.
- Mandigan,M. 2005. *Brock Biology of Microorganism*. Prentice Hall. London. p. 753.
- Dalynn Biologicals. 2014. McFarland Standard: Catalogue TM50-TM60.
- Ningsih,W., Firmansyah., dan Anggraini,S. 2016. Formulasi dan Uji Aktivitas Antibacterial Gel Pembersih Tangan Ekstrak Ethanol Daun Kembang Bulan. *Jurnal Ilmiah Farmasi*. 12(2). Hal. 79-85.
- Nuria, M. C., Faizatun, A., Sumantri., 2009, Uji A. Gray Antibakteri Ekstrak Etanol Daun Jarak Pagar (*Jatropha curcas L*) Terhadap Bakteri *Staphylococcus aureus* ATCC 25923, *Escherichia coli* ATCC 25922, Dan *Salmonella typhi* ATCC 1408, *J IIP*, 5 (2):26-37.
- Obafemi, C.A., Sulimon, T.O., Akinpelu, D.A. and Olugbade, T.A. 2006. Antimicrobial activity of extracts and germacranolide-type sesquiterpene lactone from *Tithonia diversifolia* leaf extract. *African Journal of Biotechnology*. 12 : 1254-1258.
- Odeyemi, A. T., 2014, Antibacterial Activities of Crude Extracts of *Tithonia diversifolia* Against Common Environmental Pathogenic Bacteria, *Inter J Scient Tech*, 20(4):1421-1426.
- Olabode, H.O.K., Eghafona, N.O. and Iyoha H. (2008). A retrospective (2004-2006): study of poultry diseases diagnosed at Benin, Edo State. *Nig. Vet. Journal*. 29(1) :76-80
- Orwa C, Mutua A , Kindt R , Jamnadass R, Simons A. 2009. *Agroforestry Database: a tree reference and selection guide version.4*.p.4-5.
- Palza,H. 2015. Antimicrobial Polymers with Metal Nanoparticles. *International Journal of Molecular Science*.16.p. 2099-2116.
- Peton and Leloir. 2014. *Staphylococcus aureus* in Veterinary Medicine. *Infect Genet Evol*. Ed 21. P.p 602-615.
- Pramono,E. 2002. Prospek dan Potensi Pengembangan Komoditas Agromedicine di Indonesia. *Prosiding Simposium Nasional II Tumbuhan Obat dan Aromatik APINMAP*. Pusat Penelitian Biologi-LIPI. Bogor. Hal. 31-37.

- Pravita,C,S. 2019. Antibiotic Susceptibility Pattern of *Staphylococcus aureus* isolated from milk of subclinal mastitis cases in several dairy farms Surabaya.[Skripsi]. Universitas Airlangga Surabaya. Jawa Timur. Hal. 26-28.
- Prayoga,E. 2013. Perbandingan Efek Ekstrak Daun Sirih Hijau (*Piper betle L.*) dengan Metode Disk Difusi dan Sumuran Terhadap Bakteri *Staphylococcus aureus*. [Skripsi]. Universitas Islam Negeri Syarif Hidayatullah. Jakarta. Hal.9-10.
- Raharjo,M., Koendhori,B,E., dan Setiawati,Y. 2017. Uji Aktivitas Antibakteri Ekstrak Ethanol Lidah Buaya (*Aloe vera*) terhadap Bakteri *Staphylococcus aureus*. Jurnal Kedokteran Syiah Kuala. Vol.17.Hal.65-70.
- Rejeki, D., Suharto., Addy,H,S. 2017. Antimicrobial Activity of *Tithonia diversifolia*, *Elephantopus scaber*, and *Kigelia Africana* Againts Plant Pathogens. Frontiers in Enviromental Microbiology. Science Publishing Group.3(4).p.56-61.
- Robert ,S. 2011. Exploratory Research in Social Sciences. Sage Publication Inc.p.8-14.
- Saini, S., Kaur, H., Verma, B., Ripudaman and Singh, S. K. (2009). *Kigelia africana* (Lam.) Benth. an overview. Natural Product Radiance 8 (2): 190-193.
- Sakwinska, O., Giddey, M., Moreillon, M., Morisset, D., Waldvogel, A., Moreillon, P.2011. *Staphylococcus aureus* host range and human-bovine host shift. Appl. Environ. Microbiol.77.p.5908–5915.
- Schwarz,S., Marilyn,R., Christiane,W., Pang,Y., and Lange.,C. 1998. Tetracycline resistance in *Staphylococcus spp.* From Domestic Animal. Veterinary Microbiology.63.p.217-227.
- Siregar, R. 2011 Uji Aktivitas Antibakteri Ekstrak Ethanol Daun Kembang Bulan (*Tithonia diversifolia* (Hemsley) A.Gray) Terhadap Bakteri *Staphylococcus aureus*, *Propionibacterium acnes*, dan *Pseudomonas aeruginosa*. [Skripsi]. Universitas Sumatera Utara. Sumatera. Hal.1-5.
- Syamsuhidayat dan Hutapea, J.R., 1991, Inventaris Tanaman Obat Indonesia, 305-306, Departemen Kesehatan Republik Indonesia, Badan Penelitian dan Pengembangan Kesehatan , Jakarta.
- Tona, L., Kanbu, K., Nigimbi, N., Cimanga, K., and Vietinck, A.J. 2008. Anti-amoebic and Phytochemical Screening of Some Congolese Medicinal Plants. Journal of Ethnopharmacology. 61 (1). p.57 – 65.
- Waluyo,L. 2004. Dasar-dasar Mikrobiologi. Universitas Muhammadiyah. Malang. Hal.18.

- Xie,Y., Yang,W., Tang,F., Chen,X., Ren,L. 2015. Antibacterial Activities of Flavonoids: structure-activity relationship and mechanism. *Churr Med Chem.*22(1).p.132.
- Zankari,E., Hasman,H., Cosentino,S., Vestergaard,M., Rasmussen,S., Lund,O., Aarestrup,F.M., Larsen,M,V. 2012. Identification of Acquired Antimicrobial Resistance Genes. *Journal of Antimicrobial Chemotherapy.*67(3).p. 2640-2644.