

DAFTAR PUSTAKA

- Abd Hamid, I. 2015. Use of reflective materials during phototherapy for newborn infants with unconjugated hyperbilirubinaemia (Protocol). 25-30.
- Agati, G., Fusi, F. & Pratesi, R. 1985. Configurational photoisomerization of bilirubin in vitro--II. A comparative study of phototherapy fluorescent lamps and lasers. *Photochem Photobiol*, 41, 381-92.
- Al-Alaiyan, S. 1996. Fiberoptic, conventional and combination phototherapy for treatment of nonhemolytic hyperbilirubinemia in neonates. *Ann Saudi Med*, 16, 633-6.
- Ambalavanan, N. 2000. Jaundice and hyperbilirubinemia in the newborn. *Dalam: Behrman R.E, Kliegman R.M & Jenson H.B (eds.) Nelson Textbook of pediatrics*. 16th ed. Philadelphia: Saunders, 511-28
- Ambalavanan, N. & Carlo, W. A. 2015. Jaundice and hyperbilirubinemia in the newborn. *Dalam: Behrman R.E, Kliegman R.M & Jenson H.B (eds.) Nelson Textbook of pediatrics*. 20th ed. Philadelphia: Saunders, 1175-8
- Aspberg, S., Dahlquist, G., Kahan, T. & Kallen, B. 2007. Is neonatal phototherapy associated with an increased risk for hospitalized childhood bronchial asthma? *Pediatr Allergy Immunol*, 18, 313-9.
- Aycicek, A., Kocyigit, A., Erel, O. & Senturk, H. 2008. Phototherapy causes DNA damage in peripheral mononuclear leukocytes in term infants. *J Pediatr (Rio J)*, 84, 141-6.

- Aydemir, O., Soysaldi, E., Kale, Y., Kavurt, S., Bas, A. Y. & Demirel, N. 2014. Body temperature changes of newborns under fluorescent versus LED phototherapy. *Indian J Pediatr*, 81, 751-4.
- Bergman, D. A., Cooley, J. R., Coombs, J. B., Goldberg, M. J., Homer, C. J., Nazarian, L. F. & Riemenschneider, T. A. 1994. Practice parameter: management of hyperbilirubinemia in the healthy term newborn. American Academy of Pediatrics. Provisional Committee for Quality Improvement and Subcommittee on Hyperbilirubinemia. *Pediatrics*, 94, 558-65.
- Bhutani, V. K., Gourley, G. R., Adler, S., Kreamer, B., Dalin, C. & Johnson, L. H. 2000. Noninvasive measurement of total serum bilirubin in a multiracial pre-discharge newborn population to assess the risk of severe hyperbilirubinemia. *Pediatrics*, 106, E17.
- Bhutani, V. K., Johnson, L. & Sivieri, E. M. 1999. Predictive ability of a pre-discharge hour-specific serum bilirubin for subsequent significant hyperbilirubinemia in healthy term and near-term newborns. *Pediatrics*, 103, 6-14.
- Bhutani, V. K., Johnson, L. H. & Keren, R. 2004. Diagnosis and management of hyperbilirubinemia in the term neonate: for a safer first week. *Pediatr Clin North Am*, 51, 843-61, vii.
- Bhutani, V. K. & Wong, R. J. 2013. Bilirubin Neurotoxicity in Preterm Infants: Risk and Prevention. *Journal of Clinical Neonatology*, 2, 61-69.
- C.D.C. 2002. *National center on birth defects and developmental disabilities: kernicterus* [Online]. Available: <http://www.cdc.gov/ncbddd/dd/kernicterus2.htm>. [Accessed June 24, 2018].

- Caldera, R., Maynier, M., Sender, A., Brossard, Y., Tortrat, D., Galiay, J. C. & Badoual, J. 1993. [The effect of human albumin in association with intensive phototherapy in the management of neonatal jaundice]. *Arch Fr Pediatr*, 50, 399-402.
- Clemons, R. M. 2000. Issues in newborn care. *Prim Care*, 27, 251-67.
- Cline, B. K., Vreman, H. J., Faber, K., Lou, H., Donaldson, K. M., Amuabunosi, E., Ofovwe, G., Bhutani, V. K., Olusanya, B. O. & Slusher, T. M. 2013. Phototherapy device effectiveness in Nigeria: irradiance assessment and potential for improvement. *J Trop Pediatr*, 59, 321-5.
- Cremer, R. J., Perryman, P. W. & Richards, D. H. 1958. Influence of light on the hyperbilirubinaemia of infants. *Lancet*, 1, 1094-7.
- Csoma, Z., Hencz, P., Orvos, H., Kemeny, L., Dobozy, A., Dosa-Racz, E., Erdei, Z., Bartusek, D. & Olah, J. 2007. Neonatal blue-light phototherapy could increase the risk of dysplastic nevus development. *Pediatrics*, 119, 1036-7; author reply 1037-8.
- Dahlquist, G. & Kallen, B. 2003. Indications that phototherapy is a risk factor for insulin-dependent diabetes. *Diabetes Care*, 26, 247-8.
- De Carvalho, M., De Carvalho, D., Trzmielina, S., Lopes, J. M. & Hansen, T. W. 1999. Intensified phototherapy using daylight fluorescent lamps. *Acta Paediatr*, 88, 768-71.
- Dennery, P. A., Seidman, D. S. & Stevenson, D. K. 2001. Neonatal hyperbilirubinemia. *N Engl J Med*, 344, 581-90.

- Dollberg, S., Atherton, H. D. & Hoath, S. B. 1995. Effect of different phototherapy lights on incubator characteristics and dynamics under three modes of servocontrol. *Am J Perinatol*, 12, 55-60.
- Ebbesen, F., Agati, G. & Pratesi, R. 2003. Phototherapy with turquoise versus blue light. *Arch Dis Child Fetal Neonatal Ed*, 88, F430-1.
- El-Abdin, M. Y. Z., El-Salam, M. A., Ibrhim, M. Y., Koraa, S. S. M. & Mahmoud, E. 2012. Phototherapy and DNA changes in full term neonates with hyperbilirubinemia. *Egyptian Journal of Medical Human Genetics*, 13, 29-35.
- Ennever, J. F. 1990. Blue light, green light, white light, more light: treatment of neonatal jaundice. *Clin Perinatol*, 17, 467-81.
- Ennever, J. F., Costarino, A. T., Polin, R. A. & Speck, W. T. 1987. Rapid clearance of a structural isomer of bilirubin during phototherapy. *J Clin Invest*, 79, 1674-8.
- Ennever, J. F., Mcdonagh, A. F. & Speck, W. T. 1983. Phototherapy for neonatal jaundice: optimal wavelengths of light. *J Pediatr*, 103, 295-9.
- Ente, G. & Klein, S. W. 1970. Hazards of phototherapy. *N Engl J Med*, 283, 544-5.
- Etika, R., Harianto, A., Indarso, F. & Damanik, S. M. 2004. Hyperbilirubinemia in Neonate. *Dalam: Permono, B., Kaspan, F., Soegijanto, S., Soejoso, D. A., Narendra, M. B. & Noer, S. (eds.) Kapita Selektta Ilmu Kesehatan Anak III: Informasi Perkembangan Ilmu Kesehatan Anak Terkini*. Surabaya: Laboratorium/SMF Ilmu Kesehatan Anak Fakultas Kedokteran Universitas Airlangga Surabaya.

- Farhat, A. S., Hafizi, L., Pourhoseini, M. T., Halimi, F., Mohamadzadeh, A. & Saeidi, R. 2016. Comparison of bilirubin level in term infants born by vaginal delivery and C/S. *Iranian Journal of Neonatology IJN*, 7, 45-49.
- Gale, R., Dranitzki, Z., Dollberg, S. & Stevenson, D. K. 1990. A randomized, controlled application of the Wallaby phototherapy system compared with standard phototherapy. *J Perinatol*, 10, 239-42.
- Gartner, L. M. 2001. Breastfeeding and jaundice. *J Perinatol*, 21 Suppl 1, S25-9; discussion S35-9.
- Gartner, L. M., Herrarias, C. T. & Sebring, R. H. 1998. Practice patterns in neonatal hyperbilirubinemia. *Pediatrics*, 101, 25-31.
- Gartner, L. M. & Herschel, M. 2001. Jaundice and breastfeeding. *Pediatr Clin North Am*, 48, 389-99.
- Gregory, M. L. P., Martin, C. R. & Cloherty, J. P. 2012. Neonatal Hyperbilirubinemia. *Dalam: Cloherty, J. P., Eichenwald, E. C., Hansen, A. R. & Stark, A. R. (eds.) Manual of Neonatal Care. 7th ed. Philadelphia: Lippincott Williams & Wilkins.*
- Hannemann, R. E., Dewitt, D. P., Hanley, E. J., Schreiner, R. L. & Bonderman, P. 1979. Determination of serum bilirubin by skin reflectance: effect of pigmentation. *Pediatr Res*, 13, 1326-9.
- Hannemann, R. E., Dewitt, D. P. & Wiechel, J. F. 1978. Neonatal serum bilirubin from skin reflectance. *Pediatr Res*, 12, 207-10.
- Hansen, T. W. 1997. Acute management of extreme neonatal jaundice--the potential benefits of intensified phototherapy and interruption of enterohepatic bilirubin circulation. *Acta Paediatr*, 86, 843-6.

- Hansen, T. W. & Tommarello, S. 1998. Effect of phenobarbital on bilirubin metabolism in rat brain. *Biol Neonate*, 73, 106-11.
- Harianto, A., Etika, R., Utomo, M. T., Angelika, D., Handayani, K. D. & Sampurno, M. T. A. 2014. Hiperbilirubinemia pada Neonatus. Dept/SMF Ilmu Kesehatan Anak FK Unair/RSU Dr. Soetomo Surabaya
- Holtrop, P. J. & Maisels, M. J. 1996. Hyperbilirubinemia. *Dalam: Spitzer, A. R. (ed.) Intensive Care of the Fetus and Neonate*. 1st ed. St Louis: Mosby.
- Hsia, D. Y., Allen, F. H., Jr., Gellis, S. S. & Diamond, L. K. 1952. Erythroblastosis fetalis. VIII. Studies of serum bilirubin in relation to Kernicterus. *N Engl J Med*, 247, 668-71.
- Hta, I. 2014. *Health Technology Assesment. Tata laksana ikterus neonatorum. HTA Indonesia*, Jakarta, Unit pengkajian teknologi kesehatan direktorat jenderal pelayanan medik departemen kesehatan RI.
- Imhoff, D. E. V. 2004. Management of hyperbilirubinemia in the newborn infant 35 or more weeks of gestation. *Pediatrics*, 114, 297-316.
- Indriyani S, Retayasa I.W., Surjono A & Suryantoro P 2009. Percentage birth weight loss and hyperbilirubinemia during the first week of life in term newborns. *Paediatr Indonesia*, 49, 149-54.
- Jackson, J. C. 1997. Adverse events associated with exchange transfusion in healthy and ill newborns. *Pediatrics*, 99, E7.
- Jährig K, Jährig D & Meisel P 1993. *Phototherapy: treating neonatal jaundice with visible light*, Munich, Germany, Quintessence Verlags-GmbH.
- Jansen, P. L. 1999. Diagnosis and management of Crigler-Najjar syndrome. *Eur J Pediatr*, 158 Suppl 2, S89-94.

- Johnson, L., Bhutani, V. K., Karp, K., Sivieri, E. M. & Shapiro, S. M. 2009. Clinical report from the pilot USA Kernicterus Registry (1992 to 2004). *J Perinatol*, 29 Suppl 1, S25-45.
- Kang, J. H. & Shankaran, S. 1995. Double phototherapy with high irradiance compared with single phototherapy in neonates with hyperbilirubinemia. *Am J Perinatol*, 12, 178-80.
- Kelly, M. J. 1999. General Care. *Dalam: Avery, G. B., Fletcher, M. A. & Macdonald, M. G. (eds.) Neonatology. Pathophysiology and Management of the Newborn*. Philadelphia: Lippincott Williams & Wilkins.
- Keren, R., Luan, X., Friedman, S., Saddlemire, S., Cnaan, A. & Bhutani, V. K. 2008. A comparison of alternative risk-assessment strategies for predicting significant neonatal hyperbilirubinemia in term and near-term infants. *Pediatrics*, 121, e170-9.
- Knudsen, A. & Ebbesen, F. 1997. Cephalocaudal progression of jaundice in newborns admitted to neonatal intensive care units. *Biol Neonate*, 71, 357-61.
- Kopelman, A. E., Brown, R. S. & Odell, G. B. 1972. The "bronze" baby syndrome: a complication of phototherapy. *J Pediatr*, 81, 466-72.
- Kosim, M., Soetandio, R. & Sakundarno 2008. The effect of phototherapy duration to decrease total serum bilirubin of hyperbilirubinemia. *arch Dis Child*, 93, 29-7.
- Kramer, L. I. 1969. Advancement of dermal icterus in the jaundiced newborn. *Am J Dis Child*, 118, 454-8.

- Lavin, A., Sung, C., Klivanov, A. M. & Langer, R. 1985. Enzymatic removal of bilirubin from blood: a potential treatment for neonatal jaundice. *Science*, 230, 543-5.
- Lightner, D. A., Linnane, W. P., 3rd & Ahlfors, C. E. 1984. Bilirubin photooxidation products in the urine of jaundiced neonates receiving phototherapy. *Pediatr Res*, 18, 696-700.
- Maayan-Metzger, A., Yosipovitch, G., Hadad, E. & Sirota, L. 2001. Transepidermal water loss and skin hydration in preterm infants during phototherapy. *Am J Perinatol*, 18, 393-6.
- Maisels, M. 2001a. Neonatal Jaundice and Kernicterus. *Pediatrics*, 108, 763-765.
- Maisels M 2007. Neonatal hiperbilirubinemia. *Dalam: Polin A & Yodes Mc* (eds.) *Workbook in practical neonatology*. 4 ed. Philadelphia: Saunders.
- Maisels M.J 2000. Phototherapy. *Dalam: Maisels M.J & Watchko J.F* (eds.) *Neonatal jaundice*. Amsterdam: Harwood Academic Publishers.
- Maisels, M. J. 2001b. Phototherapy--traditional and nontraditional. *J Perinatol*, 21 Suppl 1, S93-7; discussion S104-7.
- Maisels, M. J. & Kring, E. 2006a. Transcutaneous bilirubin levels in the first 96 hours in a normal newborn population of > or = 35 weeks' gestation. *Pediatrics*, 117, 1169-73.
- Maisels, M. J. & Kring, E. A. 2006b. Does intensive phototherapy produce hemolysis in newborns of 35 or more weeks gestation? *J Perinatol*, 26, 498-500.
- Maisels, M. J. & Mcdonagh, A. F. 2008. Phototherapy for neonatal jaundice. *N Engl J Med*, 358, 920-8.



- Maisels, M. J. & Newman, T. B. 1995. Kernicterus in otherwise healthy, breast-fed term newborns. *Pediatrics*, 96, 730-3.
- Mallon, E., Wojnarowska, F., Hope, P. & Elder, G. 1995. Neonatal bullous eruption as a result of transient porphyria in a premature infant with hemolytic disease of the newborn. *J Am Acad Dermatol*, 33, 333-6.
- McDonagh, A. F. 1990. Is bilirubin good for you? *Clin Perinatol*, 17, 359-69.
- McDonagh, A. F. & Lightner, D. A. 1988. Phototherapy and the photobiology of bilirubin. *Semin Liver Dis*, 8, 272-83.
- Melton, K. & Akinbi, H. T. 1999. Neonatal jaundice. Strategies to reduce bilirubin-induced complications. *Postgrad Med*, 106, 167-8, 171-4, 177-8.
- Moyer, V. A., Ahn, C. & Sneed, S. 2000. Accuracy of clinical judgment in neonatal jaundice. *Arch Pediatr Adolesc Med*, 154, 391-4.
- Mullon, C. J., Tosone, C. M. & Langer, R. 1989. Simulation of bilirubin detoxification in the newborn using an extracorporeal bilirubin oxidase reactor. *Pediatr Res*, 26, 452-7.
- Nag, N., Halder, S., Chaudhuri, R., Adhikary, S. & Mazumder, S. 2009. Role of bilirubin as antioxidant in neonatal jaundice and effect of ethanolic extract of sweet lime peel on experimentally induced jaundice in rat. *Indian J Biochem Biophys*, 46, 73-8.
- Newman, T. B. & Maisels, M. J. 1990. Does hyperbilirubinemia damage the brain of healthy full-term infants? *Clin Perinatol*, 17, 331-58.
- Newman, T. B. & Maisels, M. J. 1992. Evaluation and treatment of jaundice in the term newborn: a kinder, gentler approach. *Pediatrics*, 89, 809-18.

- Newman, T. B., Wickremasinghe, A. C., Walsh, E. M., Grimes, B. A., McCulloch, C. E. & Kuzniewicz, M. W. 2016. Retrospective Cohort Study of Phototherapy and Childhood Cancer in Northern California. *Pediatrics*, 137.
- Nurani, N. B., Kadi, F. A. & Rostini, T. 2015. Incidence of Neonatal Hyperbilirubinemia based on Their Characteristics at Dr. Hasan Sadikin General Hospital Bandung Indonesia. *Althea Med J*, 4, 431-4.
- Paller, A. S., Eramo, L. R., Farrell, E. E., Millard, D. D., Honig, P. J. & Cunningham, B. B. 1997. Purpuric phototherapy-induced eruption in transfused neonates: relation to transient porphyria. *Pediatrics*, 100, 360-4.
- Porter, M. L. & Dennis, B. L. 2002. Hyperbilirubinemia in the term newborn. *Am Fam Physician*, 65, 599-606.
- Pratita, W., Supriatmo, S. & Tjipta, G. D. 2013. Phototherapy for neonatal jaundice at distances of 20 cm vs 40 cm. *Pediatr Indones*, 53, 278-2.
- Ramasetu, J. 2002. Neonatal Hyperbilirubinemia. *Neonatal Intensive Care Workshop*. Jakarta: RSAB Harapan Kita Jakarta.
- Ramy, N., Ghany, E. A., Alsharany, W., Nada, A., Darwish, R. K., Rabie, W. A. & Aly, H. 2016. Jaundice, phototherapy and DNA damage in full-term neonates. *J Perinatol*, 36, 132-6.
- Rubaltelli, F. F., Gourley, G. R., Loskamp, N., Modi, N., Roth-Kleiner, M., Sender, A. & Vert, P. 2001. Transcutaneous bilirubin measurement: a multicenter evaluation of a new device. *Pediatrics*, 107, 1264-71.
- Rubaltelli, F. F., Jori, G. & Reddi, E. 1983. Bronze baby syndrome: a new porphyria-related disorder. *Pediatr Res*, 17, 327-30.

- Sampurna, M. T. A., Ratnasari, K. A., Saharso, D., Bos, A. F., Sauer, P. J. J., Dijk, P. H. & Hulzebos, C. V. 2019. Current phototherapy practice on Java, Indonesia. *BMC pediatrics*, 19, 188-188.
- Sarici, S. U., Alpay, F., Unay, B., Ozcan, O. & Gokcay, E. 2000. Double versus single phototherapy in term newborns with significant hyperbilirubinemia. *J Trop Pediatr*, 46, 36-9.
- Satrom, K., Slusher, T. & Satrom, J. 2014. Effectiveness of phototherapy units in Cameroon. *J Trop Pediatr*, 60, 264-6.
- Sedlak, T. W. & Snyder, S. H. 2004. Bilirubin benefits: cellular protection by a biliverdin reductase antioxidant cycle. *Pediatrics*, 113, 1776-82.
- Seidman, D. S., Moise, J., Ergaz, Z., Laor, A., Vreman, H. J., Stevenson, D. K. & Gale, R. 2000. A new blue light-emitting phototherapy device: a prospective randomized controlled study. *J Pediatr*, 136, 771-4.
- Seidman, D. S., Moise, J., Ergaz, Z., Laor, A., Vreman, H. J., Stevenson, D. K. & Gale, R. 2003. A prospective randomized controlled study of phototherapy using blue and blue-green light-emitting devices, and conventional halogen-quartz phototherapy. *J Perinatol*, 23, 123-7.
- Sgro, M., Campbell, D. & Shah, V. 2006. Incidence and causes of severe neonatal hyperbilirubinemia in Canada. *CMAJ: Canadian Medical Association Journal = Journal De L'association Medicale Canadienne*, 175, 587-590.
- Silva, I., Luco, M., Tapia, J. L., Perez, M. E., Salinas, J. A., Flores, J. & Villaroel, L. 2009. Single vs. double phototherapy in the treatment of full-term newborns with nonhemolytic hyperbilirubinemia. *J Pediatr (Rio J)*, 85, 455-8.

- Sisson, T. R. & Kendall, N. 1973. Avoidance of undesirable effects of blue light in phototherapy. *J Pediatr*, 82, 163-4.
- Sisson, T. R., Slaven, B. & Hamilton, P. B. 1976. Effect of broad and narrow spectrum fluorescent light on blood constituents. *Birth Defects Orig Artic Ser*, 12, 122-33.
- Slusher, T., Wong, R. J., Vreman, H. J. & Stevenson, D. 2012. Selectively Filtered Sunlight Phototherapy Is Safe and Efficacious for Treatment of Neonatal Jaundice In Nigeria. *2012 American Academy of Pediatrics National Conference and Exhibition*. New Orleans.
- Smitherman, H., Stark, A. R. & Bhutani, V. K. 2006. Early recognition of neonatal hyperbilirubinemia and its emergent management. *Semin Fetal Neonatal Med*, 11, 214-24.
- Stern, L., Khanna, N. N., Levy, G. & Yaffe, S. J. 1970. Effect of phenobarbital on hyperbilirubinemia and glucuronide formation in newborns. *Am J Dis Child*, 120, 26-31.
- Stoll Bj & Kliegman Rm 2006. Jaundice and hyperbilirubinemia in the newborn. *Dalam: Behrman Re, Kliegman Rm & Jenson Hb (eds.) Nelson textbook of pediatrics*. 17 ed. Philadelphia: Saunders.
- Sukadi A 2008. Hiperbilirubinemia. *Dalam: Kosim Ms, Yunanto A, Dewi R, Sarosa Gi & Usman A (eds.) Buku ajar neonatologi*. 1 ed. Jakarta: Badan Penerbit IDAI.
- Surmeli-Onay, O., Korkmaz, A., Yigit, S. & Yurdakok, M. 2013. Phototherapy rash in newborn infants: does it differ between conventional and light emitting diode phototherapy? *Pediatr Dermatol*, 30, 529-33.

- Tan, K. L. 1982. The pattern of bilirubin response to phototherapy for neonatal hyperbilirubinaemia. *Pediatr Res*, 16, 670-4.
- Tan, K. L. 1991. Phototherapy for neonatal jaundice. *Clin Perinatol*, 18, 423-39.
- Tan, K. L. 1994. Comparison of the efficacy of fiberoptic and conventional phototherapy for neonatal hyperbilirubinemia. *J Pediatr*, 125, 607-12.
- Tatli, M. M., Minnet, C., Kocyigit, A. & Karadag, A. 2008. Phototherapy increases DNA damage in lymphocytes of hyperbilirubinemic neonates. *Mutat Res*, 654, 93-5.
- Tikmani, S. S., Warraich, H. J., Abbasi, F., Rizvi, A., Darmstadt, G. L. & Zaidi, A. K. M. 2010. Incidence of neonatal hyperbilirubinemia: a population-based prospective study in Pakistan. *Tropical Medicine & International Health*, 15, 502-507.
- Tonz, O., Vogt, J., Filippini, L., Simmler, F., Wachsmuth, E. D. & Winterhalter, K. H. 1975. [Severe light dermatosis following photo therapy in a newborn infant with congenital erythropoietic urophyria]. *Helv Paediatr Acta*, 30, 47-56.
- Valaes, T., Kipouros, K., Petmezaki, S., Solman, M. & Doxiadis, S. A. 1980. Effectiveness and safety of prenatal phenobarbital for the prevention of neonatal jaundice. *Pediatr Res*, 14, 947-52.
- Valaes, T., Petmezaki, S., Henschke, C., Drummond, G. S. & Kappas, A. 1994. Control of jaundice in preterm newborns by an inhibitor of bilirubin production: studies with tin-mesoporphyrin. *Pediatrics*, 93, 1-11.
- Vreman, H. J., Wong, R. J. & Stevenson, D. K. 2004. Phototherapy: current methods and future directions. *Semin Perinatol*, 28, 326-33.

- Vreman, H. J., Wong, R. J., Stevenson, D. K., Route, R. K., Reader, S. D., Fejer, M. M., Gale, R. & Seidman, D. S. 1998. Light-emitting diodes: a novel light source for phototherapy. *Pediatr Res*, 44, 804-9.
- Watchko, J. F. & Lin, Z. 2010. Exploring the genetic architecture of neonatal hyperbilirubinemia. *Semin Fetal Neonatal Med*, 15, 169-75.
- Watchko, J. F. & Maisels, M. J. 2003. Jaundice in low birthweight infants: pathobiology and outcome. *Arch Dis Child Fetal Neonatal Ed*, 88, F455-8.
- Wickremasinghe, A. C., Kuzniewicz, M. W., Grimes, B. A., Mcculloch, C. E. & Newman, T. B. 2016. Neonatal Phototherapy and Infantile Cancer. *Pediatrics*, 137.
- Yasuda, S., Itoh, S., Isobe, K., Yonetani, M., Nakamura, H., Nakamura, M., Yamauchi, Y. & Yamanishi, A. 2003. New transcutaneous jaundice device with two optical paths. *J Perinat Med*, 31, 81-8.
- Yurdakok, M. 2015. Phototherapy in the newborn: what's new? *J Pediatr Neonat Individual Med*, 4, 1-26.