

**DAFTAR PUSTAKA**

- Acolet D, Modi N, Giannakoulopoulos X, Bond C, Weg W, dan Clow A, 1993. Changes in plasma cortisol and catecholamine concentrations in response to massage in preterm infants. *Arch Dis Child*; 68 (1): 29-31
- Al Saedi S, Dean H, Dent W, Cronin C, 1995. Reference ranges for serum cortisol and 17-hydroxyprogesterone levels in preterm infants. *The Journal of Pediatrics* ;126(6): 985-6
- American Psychiatric Association, 2013. *Diagnostic and Statistical Manual of Mental Disorders (DSM V)*. American Psychiatric Publishing. Edisi 5. PP 155-60.
- Anand, K.J, 1998. Clinical importance of pain and stress in preterm neonates. *Biol. Neonate*; 73:1-9.
- Anand KJ, 2001. Consensus statement for the prevention and management of pain in the newborn. *Arch Pediatr Adolesc Med.*;155(2):173-80.
- Asadollahi M, Jabraeili M, Mahallei M, Jafarabadi M, dan Ebrahimi S, 2016. Effects of Gentle Human Touch and Field Massage on Urine Cortisol Level in Premature Infants: A Randomized, Controlled Clinical Trial. *Journal of Caring Sciences*; 5(3): 187-94
- Ballard J, Khoury J, Wedig K, Wang L, Eilers-Walsman B, dan Lipp R, 1991. *J Pediatr.* ; 119(3):417-23
- Behrman RE dan Stith Butler A, 2007. Understanding premature birth and assuring healthy outcomes board on health sciences outcomes: preterm birth: causes, consequences, and prevention. In Institute of Medicine Committee, Washington DC: The National Academies Press.
- Bhutta AT, Cleves MA, Casey PH, Cradock MM, dan Anand KJ, 2002. Cognitive and behavioral outcomes of school-aged children who were born preterm: a meta-analysis. *JAMA.*;288(6):728-37
- Blass EM dan Watt LB, 1999. Suckling and sucrose induced analgesia in human newborns. *Pain* ; 83(3):611-23.
- Blencowe H, Cousens S, Oestergaard MZ, Chou D, dan Moller AB, 2012. National, regional, and worldwide estimates of preterm birth rates in the year 2010 with time trends since 1990 for selected countries: a systematic analysis and implications. *Lancet.* 379 : 2162-72
- Blencowe H, Cousens S, Oestergaard MZ, Chou D, dan Moller AB, 2013. Born Too Soon: The global epidemiology of 15 million preterm births. *Reproductive Health.* 10(1): 1-14.

- Brown G, 2009. NICU Noise and the Preterm Infant. *Neonatal Network* ;28(3): 165-73
- Cabral D, Antonini S, Custódio R, Martinelli C, dan Bruno C, 2013. Measurement of Salivary Cortisol as a Marker of Stress in Newborns in a Neonatal Intensive Care Unit. *Horm Res Paediatr* ;79:373–8.
- Calixto C, Martinez FE, Jorge SM, Moreira AC, dan Martinelli CE Jr, 2002. Correlation between plasma and salivary cortisol levels in preterm infants. *J. Pediatr*; 140:116–8.
- Castro M, Elias PC, Martinelli CE Jr, Antonini SR, Santiago L, dan Moreira AC, 2000. Salivary cortisol as a tool for physiological studies and diagnostic strategies. *Braz J Med Biol Res*;33(10):1171–5.
- Chakraborty M, McGreal EP, dan Kotecha S. 2010. Acute lung injury in preterm newborn infants: mechanisms and management. *Pediatr Respir Rev*. 11: 162-70.
- Chen LC, Wu YC, dan Hsieh WS dkk., 2013. The effect in-hospital developmental care on neonatal morbidity, growth and development of preterm Taiwanese infants: A randomized controlled trial. *Early Human Dev*. ;89:301-6.
- Cignacco E, Hamers J, Stoffel L, Lingen R, Gessler P, McDougall , Nelle M. 2007. The efficacy of non-pharmacological interventions in the management of procedural pain in preterm and term neonates. A systematic literature review. *European Journal of Pain* . 11: 139–52
- Cooper CL dan Dewe P, 2004. *Stress a brief history*. Oxford, UK: Blackwell publishing.
- Cubala W dan Landwiski J, 2006. Serotonergic system and limbic-hypothalamic-pituitary-adrenal axis (LHPA axis) in depression. *Psychiatry Polska*;40:415–30.
- Davis NM, Ford GW, Anderson PJ dan Doyle LW, 2007. Developmental coordination disorder at 8 years of age in a regional cohort of extremely-low-birthweight or very preterm infants. *Dev Med Child*. 49: 325-30.
- Dayan J, Creveuil C, Marks MN, Conroy S, Herlicoviez M, dan Dreyfus M, 2006. Prenatal Depression, Prenatal Anxiety, and Spontaneous Preterm Birth: A Prospective Cohort Study among Women with Early and Regular Care. *Psychosomatic Medicine*;6:938–46.
- Diego MA, Field T, dan Hernandez-Reif M, 2005. Vagal activity, gastric motility, and weight gain in massaged preterm neonates. *J Pediatr*;147(1):50-5.

- Diego MA, Field T, Hernandez-Reif M, Deeds O, Ascencio A dan Begert G, 2006. Preterm infant massage elicits consistent increases in vagal activity and gastric motility that are associated with greater weight gain. *Acta Pediatr.* 21: 1588–91.
- Diego M dan Field T, 2008. Moderate pressure massage elicits a parasympathetic nervous system response. *International Journal of Neuroscience* ; 119:630–38.
- Dieter J, Field T, Hernandez-Reif M, Emory EK, dan Redzepi M, 2003. Stable preterm infants gain more weight and sleep less after five days of massage therapy. *Journal of Pediatric Psychology*, 28(2), 403-11.
- Dubowitz LM, Dubowitz V, dan Goldberg C, 1970. Clinical assessment of gestational age in the newborn infant. *J Pediatr* ; 77(1):1–10.
- Engle WA, 2006. A recommendation for the definition of “late preterm” (near-term) and the birth weight–gestational age classification system. *Semin Perinatol* ; 30 : 2-7.
- Eriksson M, Lundeberg T, dan Uvnas-Moberg K, 1996. Studies on cutaneous blood flow in the mammary gland of lactating rats. *Acta Physiol Scand.* 158: 1-6.
- Ernawati D, 2014. Pijat Bayi Mempengaruhi Kadar Kortisol Dan Kuantitas Tidur Bayi Yang Mengalami Hospitalisasi Dengan Pendekatan Teori Comfort Kolcaba. *Jurnal Ilmiah Kesehatan* : 7(2): 138-49.
- Eshghi F, Iranmanesh S, Bahman Bijari B, Borhani F, Motamed Jahromi M. Effects of Yakson Therapeutic Touch on the Behavioral Response of Premature Infants. *J Babol Univ Med Sci.* 2015;17(10):15-21.
- Etika R, Partiwi, 2014. Peran kontak kulit ke kulit dalam keberhasilan menyusui. *Breastfeeding in sick babies. Satuan Tugas ASI Pengurus Pusat Ikatan Dokter Anak Indonesia*; 60-5.
- Etika R, 2015. Peran kontak kulit ke kulit dalam keberhasilan menyusui. In: *Breastfeeding sick babies.*
- Feldman R, Singer M dan Zagoory O. 2010. Touch attenuates infants' physiological reactivity to stress. *Developmental Science*;13(2):271–8
- Field T, Schanberg SM, dan Scafidi F dkk., 1986. Tactile/kinesthetic stimulation effects on preterm neonates. *Pediatrics*;77(5):654-8.
- Field T, 2004. Touch and massage in early child development. *United States of America: Johnson&johnson Pediatric Institute*: 1-253.

- Field T, Diego M, Hernandez-Reif M, Deeds O, Figuereido B dan Ascencio A, 2006. Moderate versus light pressure massage therapy leads to greater weight gain in preterm infants. *Infant Behav Dev.* 29: 574–8.
- Field T, Diego M, dan Hernandez-Reif M, 2007. Massage therapy research. *Developmental Review*; 27: 75–89.
- Field T dan Diego M, 2008. Moderate pressure massage elicits a parasympathetic nervous system response. *International Journal of Neuroscience* ;119:630–38.
- Field T, Diego M dan Hernandez-Reif M, 2010. Preterm infant massage therapy research: a review. *Infant Behav Dev.* 33: 115-24.
- Field T, 2012. Touch and massage in early child development. Miami:Touch Research Institutes University of Miami School of Medicine. p 17-33.
- Field T, Diego MA, dan Hernandez-Reif M, 2014. Preterm infant weight gain is increased by massage therapy and exercise via different underlying mechanisms. *Early Hum Dev*; 90:137-40.
- Forclaz M, 2017. Salivary and serum cortisol levels in newborn infants. *Arch Argent Pediatr.*;115(3):262-6.
- Francis SJ, Walker RF, Riad-Fahmy D, Hughes D, Murphy JF, dan Gray OP, 1987. Assessment of adrenocortical activity in term newborn infants using salivary cortisol determinations. *J Pediatr*;111(1):129-33.
- Gibson AT, 2007. Outcome following preterm birth. *Best Pract Res Clin Obstet Gynaecol.* 21(5):869-82.
- Goldenberg RL, Culhane JF, Iams JD, Romero R. 2008. Epidemiology and causes of preterm birth. *Lancet* ;371(9606):75-84
- Gomella TL, 2013. Intrauterine growth retardation. Dalam Gomella TL, Penyunting. *Neonatology*. New York: Lange Medical/Mc Graw Hill, Edisi 5. pp. 474-8.
- Gunnar MR, 1992. Reactivity of the hypothalamic-pituitary-adrenocortical system to stressors in normal infants and children. *Pediatrics* ;90(3 Pt 2):491-7.
- Gupta P, Bhatia V, 2008. Symposium on Steroid Therapy : Corticosteroid Physiology and Principles of Therapy. *Indian Journal of Pediatrics*; 75(10): 1039-44

- Glover V, Teixeira J, Gitau R, dan Fisk NM, 1999. Mechanisms by which maternal mood in pregnancy may affect the fetus. *Contemporary Reviews in Obstetrics and Gynecology* ;11:155–60.
- Gray L, Miller LW, Philipp BL, dan Blass EM, 2002. Breastfeeding is analgesic in healthy newborns. *Pediatrics*;109(4):590-593.
- Greenberg CS, 2002. A sugar-coated pacifier reduces procedural pain in newborns. *Pediatr Nurs*;28(3):271-7.
- Grauer TT, 1989. Environmental lighting, behavioral state and hormonal response in the newborn. *Scholar Inq Nurs Pract*; 3: 53 – 66.
- Grunau RE, 2013. Neonatal Pain in Very Preterm Infants: Long-Term Effects on Brain, Neurodevelopment and Pain Reactivity. *Rambam Maimonides Med J*
- Grunau RE, Haley DW, Whitfield MF, Weinberg J, Yu W, Thiessen P, 2007. Altered basal cortisol levels at 3, 6, 8 and 18 months in infants born at extremely low gestational age. *J. Pediatr.* ;150:151–6.
- Grunau RE, Holsti L, Peters J, 2006. Long-term consequences of pain in human neonates. *Seminars in Fetal & Neonatal Medicine* ; 11 : 268-75
- Grunau RE, Weinberg J, dan Whitfield MF, 2004. Neonatal procedural pain and preterm infant cortisol response to novelty at 8 months. *Pediatrics* ;114: e77–84.
- Guzzetta A, Baldini S, dan Bancale A dkk., 2009. Massage Accelerates Brain Development and the Maturation of Visual Function. *The Journal of Neuroscience* : 29(18):6042– 51.
- Harrison LL, Williams AK, Berbaum ML, Stem JT, dan Leeper J, 2000. Physiologic and behavioral effects of gentle human touch on preterm infants. *Research in Nursing & Health*; 23 (6): 435-46.
- Heckmann M, Wudy S, Haack D, Pohlandt F, 1999. Reference range for serum cortisol in well preterm infants. *Arch Dis Child Fetal Neonatal Ed.* 81: F171–4
- Hernandez-Reif M, Field T, Diego M, dan Largie S, 2001. Weight perception by newborns of depressed versus non depressed mothers. *Infant Behav Dev.* 24: 305-16.
- Hernandez-Reif M, Field T, Diego M, dan Largie S, 2003. Haptic habituation to temperature is slower in newborns of depressed mothers. *Infancy.* 4:47-63.

- Hernandez-Reif M, Diego M, Field T, 2007. Preterm infants show reduced stress behaviors and activity after 5 days of massage therapy. *Infant Behav Dev.* 30(4): 557-61.
- Hertenstein MJ, 2011. Tactile stimulation. dalam. Goldstein S, Naglieri JA editor. *Encyclopedia of Child Behavior and Development*. Edisi ke 1. Greencastle:Springer, pp 1-3.
- Hoffman S dan Hatch MC, 2000. Depressive symptomatology during pregnancy: evidence for an association with decreased fetal growth in pregnancies of lower social class women. *Health Psychology*;6:535–43.
- Holsti L, Weinberg J, Whitfield MF, dan Grunau RE, 2007. Relationships between adrenocorticotrophic hormone and cortisol are altered during clustered nursing care in preterm infants born at extremely low gestational age. *Early Hum. Dev.*; 83:341–8.
- Indyk, 2011. Disorders/differences of sex development (DSDs) for primary care: the approach to the infant with ambiguous genitalia. *Transl Pediatr.* ; 6(4):323-34
- Im H, Kim E, 2009. Effect of Yakson and Gentle Human Touch versus usual care on urine stress hormones and behaviors in preterm infants: A quasi-experimental study. *International Journal of Nursing Studies*;46:450-8
- Irwanto, 2017. Strategies of Intervention for Preterm Infant to Optimize Growth and Development. *Current Topic in Neonatal Care: Nutrition, Infection, Neonatal Emergency and Transport Services* : Surabaya, Indonesia, pp 25-46.
- Ivars K, Nelson N, Theodorsson A, Theodorsson E, Stro'm JO, dan Mo'relius E, 2017. Development of salivary cortisol circadian rhythm in preterm infants. *PLoS ONE* 12(8): e0182685.
- Jacob SE, Sokol J, dan Ohlsson A, 2002. The newborn individualized development care and assesment program is not supported by meta-analysis of the data. *J Pediatr.*;140: 699-706.
- Jain S, Kumar P, dan McMillan D, 2006. Prior leg massage decreases pain responses to heel stick in preterm babies. *Journal of Pediatrics and Child Health*; 42:505–8.
- Jirapaet K, 2015. Partisipasi perawat dan ibu dalam mengasuh bayi di Ruang NICU. *Breastfeeding in sick babies*. Pp 78-93.
- Jobe AH dan Ikegami M, 2001. Antenatal infection/inflammation and postnatal lung maturation and injury. *Respir Res.* 2(1):27–32.

- Jones NA, Field T, Fox NA, Davalos M, Lundy BL, dan Hart S, 1998. Newborns of mothers with depressive symptoms are physiologically less developed. *Infant Behavior & Development*;3:537-41.
- Klug I, Dressendorfer RA, Strasburger CJ, Kuhl GP, Reiter HL, Reich A, et al. 2000. Cortisol and 17-hydroxyprogesterone levels in saliva of healthy neonates. *Biol Neonate*. 78: 22-6.
- KMC India Network, 2004. Kangaroo mother care, clinical practice guidelines.
- Kramer M, Chamorro I, Green D, dan Knudtson F, 1975. Extra tactile stimulation of the premature infant. *Nurs Res*. 24:324-34.
- Kugelman A dan Colin AA. 2013. Late preterm infants : near term but still in a critical developmental time period. *Pediatrics*;132(4):741-51
- Kuhn CM, Schanberg SM, Field T, Symanski R, Zimmerman E, Scafidi F. 1991. Tactile-kinesthetic stimulation effects on sympathetic and adrenocortical function in preterm infants. *The Journal of Pediatrics*.119 (3): 434-40.
- Kulkarni A, Kaushik JS, Gupta P, Sharma H, dan Agrawal RK, 2010. Massage and touch therapy in neonates:the current evidence. *Indian Pediatr*. 47: 771-7.
- Lawn JE, Davidge R, dan Paul VK, dkk., 2013. Born too soon: Care for preterm baby. *Reproductive Health*;10(1):1-19.
- Lee H, 2005. The Effect of Infant Massage on Weight Gain, Physiological and Behavioral Responses in Premature Infants. *Journal of Korean Academy of Nursing*; 35(8):1451-60
- Levine S, Huchton DM, Wiener SG, dan Rosenfeld P, 1991. Time course of the effect of maternal deprivation on the hypothalamic-pituitary-adrenal axis in the infant rat. *Dev Psychobiol*;24(8):547-58.
- Levine S. 2005. Developmental determinants of sensitivity and resistance to stress. *Psychoneuroendocrinology*;30:939-46
- Liu Li, Oza S, Hogan D, Chu Y, Perin J, Zhu J, et al, 2016. Global, regional, and national causes of under-5 mortality in 2000-15: an updated systematic analysis with implications for the Sustainable Development Goals. *Lancet*;388:3027-35
- Long JC, Philip AG, Lucey JF. Excessive handling as a cause of hypoxemia. *Pediatrics* 1980; 65 (2): 203-7.
- Ludington-Hoe SM, Hosseini R, dan Torowicz DL, 2005. Skin-to-skin contact (Kangaroo Care) analgesia for preterm infant heel stick. *AACN Clin Issues*;16(3):373-87.

- Ludington-Hoe SM, 2013. Kangaroo Care as a Neonatal Therapy. *Newborn and Infant Nursing Reviews*. 13(2): 73-5
- Lupien S, McEwen, Gunnar M, dan Heim C, 2009. Effects of stress throughout the lifespan on the brain, behaviour and cognition. *Nature Review*. 10:434-45.
- Maikranz JM, Colombo J, Richman WA, dan Frick JE, 2000. Autonomic correlates of individual differences in sensitization and look duration during infancy. *Infant behav Dev*. 23:137-51.
- Marlow N, Hennessy EM, Bracewell MA dan Wolke D, 2007. Motor and executive function at 6 years of age after extremely preterm birth. *Pediatrics*. 120: 793–804.
- Marret S, Ancel PY dan Marpeau L dkk., 2007. Neonatal and 5-year outcomes after birth at 30–34 weeks of gestation. *Obstet Gynecol*. 110: 72–80.
- Marzuki SN, Tridjaja B, 2010. Disorders of sex development (DSD). Dalam Buku *Ajar Endokrinologi Anak*. Ikatan Dokter Anak Indonesia, Edisi 2. pp 328-38
- Maternal and Child Health Integrated Programme, 2012. Kangaroo mother care implementation guide.
- McClure V, 1989. *Infant Massage: A Handbook for Loving Parents*. New York: Bantam Books.
- McEwen BS, 2001. Neurobiology of interpreting and responding to stressful events: paradigmatic role of the hippocampus. In: McEwen BS (ed.) *Handbook of physiology, section 7: the endocrine system, Volume IV*, New York, NY, USA: Oxford University Press, Inc.
- McEwen BS dan Wingfield JC, 2003. The concept of allostasis in biology and biomedicine. *Horm Behav*;43(1):2-15.
- Miller, Fisk, Modi, dan Glover, 2005. Stress responses at birth: determinants of cord arterial cortisol and links with cortisol response in infancy. *BJOG: an International Journal of Obstetrics and Gynaecology* ;112:921-6.
- Mirnia K, Bostanabad A, Asadollahi M, Razzaghi M, 2016. Paternal Skin to Skin Care and its Effect on Cortisol Levels of the Infants. *Iran J Pediatr*;1-6
- Mitchell AJ, Yates CC, Williams DK, Chang JY, Hall RW, 2013. Does Daily Kangaroo Care Provide Sustained Pain and Stress Relief in Preterm Infants? *J Neonatal Perinatal Med*. 2013 ; 6(1): 45–52.
- Moberg K, 2013. Oxytocin effects in mothers and infants during breastfeeding. *Infant*. 9: 201-6.

- Moersintowati, Soetjiningsih, dan Irwanto dkk., 2013. Modul pelatihan : Teknik stimulasi pijat pada bayi cukup bulan (aterm) dan batita, teknik stimulasi pijat pada bayi kurang bulan (prematuro). UKK Tumbuh Kembang - Pediatri Sosial Ikatan Dokter Anak Indonesia. Johnson and Johnson:1-58.
- Modrcin-Talbott MA, Harrison LL, Groer MW, dan Younger MS, 2003. The behavioral effect of gentle human touch on preterm infants. *Nurs Sci Quart*; 16:60-7.
- Mollahadi M, Sarhangi F, Ebadi A, Tadrissi SD, 2011. Comparison blood cortisol level in infants with and without pain in neonatal intensive care unit: a preliminary study. *Iranian Journal of Critical Care Nursing*. 4(2): 103-8.
- Montirosso R, Tronick E, dan Borgatti R, 2018. Promoting Neuroprotective Care in Neonatal Intensive Care Units and Preterm Infant Development: Insights From the Neonatal Adequate Care for Quality of Life Study. *Child Development Perspectives*;0(0): 1-7
- Morelius E, 2006. Stress in infants and parents: studies of salivari cortisol, behaviour and psychometric measures. *Linköping University Medical Dissertations No. 943*. 1-99.
- Mulligan M, 2017. Understanding Preterm Infant Behavior in the NICU. Diakses dari <http://www.pediatrics.emory.edu/divisions/neonatology/dpc/nicubeh.html>. Pada tanggal 28 Agustus 2017.
- Nath A, Murthy G, Babu G, Renzo G, 2017. Effect of prenatal exposure to maternal cortisol and psychological distress on infant development in Bengaluru, southern India: a prospective cohort study. *BMC Psychiatry*;17:255
- Neu M, Pan Z, dan Workman R dkk., 2014. Benefits of massage therapy for infants with symptoms of gastroesophageal reflux disease. *J Biol Res Nurs*.; 16(4) : 387-97.
- Neumeister A, 2003. Tryptophan depletion, serotonin, and depression: Where do we stand? *Psychopharmacology*;37:99–115.
- Neumeister A, Young T, dan Stastny J, 2004. Implications of genetic research on the role of serotonin type 1A receptor and the serotonin transporter. *Psychopharmacology*;174:512–24.
- Niemi KA, 2017. Review of Randomized Controlled Trials of Massage in Preterm Infants. *Children*; 21(4):1-14

- Nordhov SM, Ronning JA, Ulvund SE, Dahl LB, Kaaresen PI, 2012. Early intervention improves behavioral outcomes for preterm infants: randomized controlled trial. *Pediatrics*. 129(1): 9-16.
- Okamura H, 2014. Noninvasive Surrogate Markers for Plasma Cortisol in Newborn Infants: Utility of Urine and Saliva Samples and Caution for Venipuncture Blood Samples. *J Clin Endocrinol Metab*. 99(10):E2020–4.
- Orton J, Spittle A, Doyle L, Anderson P, dan Boyd R, 2009. Do early intervention programmes improve cognitive and motor outcomes for preterm infants after discharge? A systematic review. *Dev Med Child Neurol*. ; 51(11):851-9.
- Pagni, Alyssa M, Kellar, Sophia, Rood dan Mary, 2017. Effects of Kangaroo Care on Procedural Pain in Preterm Infants: A Systematic Review. Honors Research Projects. 441: 1-39
- Pak, 2008. Commentary: Is There a “Normal” Range of Serum Cortisol Concentration for Preterm Infants?. *Pediatrics*, 122 (4) : 873-5
- Pepino dan Mezzacappa, 2015. Application of tactile/kinesthetic stimulation in preterm infants: a systematic review. *J Pediatr (Rio J)*, 91: 213-33.
- Prayudijanto A, Utomo MT, Irwanto, dan Suryawan A, 2006. Dampak pemijatan bayi prematur dan berat bayi lahir rendah terhadap tumbuh kembang. Johnson&johnson Research Award.
- Porges SW, Doussard-Roosevelt JA, Portales AL, dan Greenspan SI, 1996. Infant regulation of the vagal “brake” predicts child behavior problems: A psychobiological model of social behavior. *Development Psychobiology*;29:697–712.
- Rasmussen SA, Olney, Holmes LB, Lin AE, Keppler-Noreuil KM, Moore CA., 2003. Guidelines for case classification for the National Birth Defects Prevention Study. *Birth Defects Res A Clin Mol Teratol*. 67:193–201
- Richard E dan Butler A, 2007. *Preterm Birth: Causes, Consequences, and Prevention*. National Academies Press : 213-28.
- Riset Kesehatan Dasar (Riskesdas). Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan Republik Indonesia. Jakarta: Badan Litbangkes, Depkes RI; 2013. Diunduh 25 Juli 2017. Diakses dari [www.depkes.go.id/resources/download/general/](http://www.depkes.go.id/resources/download/general/)
- Sandman CA, Glynn L, Schetter CD, Wadhwa P, Garite T, Chicz-DeMet A, dan Hobel C, 2006. Elevated maternal cortisol early in pregnancy predicts third trimester levels of placental corticotropin releasing hormone (CRH): priming the placental clock. *Peptides*;27:1457–63.

- Santiago LB, Jorge SM, dan Moreira AC, 1996. Longitudinal evaluation of the development of salivary cortisol circadian rhythm in infancy. *Clin Endocrinol (Oxf)*;44(2):157-61.
- Scafidi FA, Field T, dan Schanberg SM, 1993. Factors that predict which preterm infants benefit most from massage therapy. *J Dev Behav Pediatr*;14(3):176-80.
- Schmidhauser J, Caflisch J dan Rousson V, dkk., 2006. Impaired motor performance and movement quality in very-low-birthweight children at 6 years of age. *Dev Med Child Neurol*. 48: 718-22.
- Serafica EM dan Cifra HL, 1999. The effect of massage on the level of serum stress hormone and serum immunoglobulins in critically ill infants and children. UP-PGH, Johnson&Hohnson Clinical Reprints.
- Shaikh K, Premji S, Khowaja K, Tough S, Kazi A, Khowaja S, 2013. The Relationship between Prenatal Stress, Depression, Cortisol and Preterm Birth: A Review. *SciRes*. 2(3) : 24-31
- Sheffield, 2012. Definition of Major Congenital Malformations of the Included Studies. Diakses dari : [https:// download.lww.com/wolterskluwer\\_vitalstream\\_com/PermaLink/AOG/A/AOG\\_126\\_5\\_2015\\_08\\_30\\_POLYZOS\\_15-1003\\_SDC1.pdf](https://download.lww.com/wolterskluwer_vitalstream_com/PermaLink/AOG/A/AOG_126_5_2015_08_30_POLYZOS_15-1003_SDC1.pdf). Pada tanggal 12 Agustus 2018.
- Sinclair M, 2005. Pediatric massage and hydrotherapy techniques. Dalam : Sinclair M. *Penyunting. Pediatric massage therapy*. Edisi 2. Philadelphia: Lippincot Williams&Wilkins, hal 57-62.
- South MM, Strauss RA, South AP, Boggess JF, dan Thorp JM, 2005. The use of non-nutritive sucking to decrease the physiologic pain response during neonatal circumcision: a randomized controlled trial. *Am J Obstet Gynecol* ;193(2):533-542.
- Spittle A, Orton J, Anderson PJ, Boyd R, dan Doyle LW, 2015. Early developmental intervention programmes provided post hospital discharge to prevent motor and cognitive impairment in preterm infants. *Cochrane Database Syst; Rev*. (11):CD005495.
- Stelini VCP, Mezzacappa, Maria RF, Marba STM, 2017. Methodology used for collecting saliva of preterm newborns to measure cortisol: Systematic review. *Current Pediatric Research*. 21. 425-34.
- Stevens B, Johnston C, dan Taddio A, dkk., 1999. Management of pain from heel lance with lidocaine-prilocaine (EMLA) cream: is it safe and efficacious in preterm infants? *J Dev Behav Pediatr*;20(4):216- 21.

- Stevens B, McGrath P, dan Gibbins S, dkk., 2003. Procedural pain in newborns at risk for neurologic impairment. *Pain*. 105(1-2):27-35.
- Symington A dan Pinelli J, 2006. Developmental care for promoting development and preventing morbidity in preterm infants. *Cochrane Database Syst Rev*. : CD001814.
- Taddio A, Katz J, Ilersich AL, dan Koren G, 1997. Effect of neonatal circumcision on pain response during subsequent routine vaccination. *Lancet* ;349(9052):599- 603.
- Turner R, 2005. Gerakan dasar pemijatan. Dalam : Turner R. Penyunting. *Pemijatan pada bayi*. Edisi 1. Batam: Karisma Publishing Group. Hal 16-9.
- UKK Tumbuh Kembang-Pediatri Sosial, IDAI, 2013. Modul pelatihan : Teknik stimulasi pijat pada bayi cukup bulan (aterm) dan batita, teknik stimulasi pijat pada bayi kurang bulan (prematuur). Indonesia: Johnson and johnson.:1-58.
- UNICEF. Low birthweight: country, regional and global estimates, 2004. Diakses dari [http://www.unicef.org/publications/index\\_24840.html](http://www.unicef.org/publications/index_24840.html) pada tanggal 28 Agustus 2017.
- Uno H, Lohmiller L, Thieme C, Kemnitz JW, Engle MJ, Roecker EB, dan Farrell PM, 1990. Brain damage induced by prenatal exposure to dexamethasone in fetal rhesus macaques. I. Hippocampus. *Brain Res. Dev. Brain Res.* ; 53:157–67.
- Uvnas-Moberg K, 1998. Oxytocin may mediate the benefits of positive social interaction and emotions. *Psychoneuroendocrinol*. 23: 819-35.
- Vallbo AB, Olausson H, dan Wessberg J, 1999. Unmyelinated afferents constitute a second system coding tactile stimuli of the human hairy skin. *J Neurophysiol*. 81:2753-63.
- Verklan MT, Walden M. 2014. Core curriculum for neonatal intensive care nursing. 5<sup>th</sup> ed. Amsterdam: Elsevier Health Sciences.
- Voss W, Neubauer AP dan Wachtendorf M, dkk., 2007. Neurodevelopmental outcome in extremely low birth weight infants: what is the minimum age for reliable developmental prognosis. *Acta Pediatr*. 96: 342-7.
- Wadhwa P, Entringer S, Buss C, dan Michael C, 2011. The Contribution of Maternal Stress to Preterm Birth: Issues and Considerations. *Clin Perinatol.* ; 38(3): 351–84.

- Wang Y dan Chang YJ, 2004. A preliminary study of bottom care effects on premature infants' heart rate and oxygen saturation. *The J Nurs Res.* ;12:161-7.
- Wang L, He JL, dan Zhang XH, 2013. The Efficacy of Massage on Preterm Infants: A Meta-Analysis. *Am J Perinatol.* ; 30: 731-8.
- Ward-Larson C, Horn RA, dan Gosnell F, 2004. The efficacy of facilitated tucking for relieving procedural pain of endotracheal suctioning in very low birthweight infants. *MCN Am J Matern Child Nurs*;29(3):151-6.
- Weaver IC, Cervoni N, dan Champagne FA, dkk., 2004. Epigenetic programming by maternal behavior. *Nature Neurosci.*; 7: 847-54.
- White RD, 2007. Recommended standards for the newborn ICU. *J Perinatol.* ; 27(Suppl2):S4-S19.
- White-Traut RC, Nelson MN, dan Silvestri JM, 2002. Effect of auditory, tactile, visual, and vestibular intervention on length of stay, alertness and feeding progression in preterm infants. *Dev Med Child Neurol.* 44:91-7.
- Whitfield MF dan Grunau RE, 2000. Behavior, pain perception, and the extremely low-birth weight survivor. *Clin Perinatol*;27(2):363-79.
- World Health Organization, 2003. Department of Reproductive Health and Research WHO, Geneva. Kangaroo mother care : A practical guide: 1-48.
- World Health Organization, 2013. Preterm birth. Diakses dari <http://www.who.int/mediacentre/factsheets/fs363/en/> pada tanggal 28 Agustus 2017.
- World Health Organization, 2015. Recommendations on Interventions to Improve Preterm Birth Outcomes. Diakses dari [http://apps.who.int/iris/bitstream/10665/183037/1/9789241508988\\_eng.pdf](http://apps.who.int/iris/bitstream/10665/183037/1/9789241508988_eng.pdf) pada tanggal 28 Agustus 2017.
- World Health Organization, 2018. Preterm Birth. Diakses dari <http://www.who.int/news-room/fact-sheets/detail/preterm-birth> pada tanggal 26 Mei 2017
- Yehuda R, Engel SM, Brand SR, Seckl J, Marcus SM, dan Berkowitz GS, 2005. Transgenerational effects of posttraumatic stress disorder in babies of mothers exposed to the World Trade Center attacks during pregnancy. *J Clin Endocrinol Metab*;90(7):4115-8.