

DAFTAR PUSTAKA

- Alim Y.R.R. 2018. Scanning Electron Microscope (SEM) Morfologi Anisakidae Pada Ikan Kerapu Dari Laut Pacitan. Fakultas Kedokteran Hewan. Universitas Airlangga.
- Aline M.D.S.S., K. Marcelo., N. Felizardo and C. Sergio. 2017. Nematode and cestode larvae of hygienic-sanitary importance in *Lopholatilus villarii* (Actinopterygii) in the State of Rio de Janeiro, Brazil. *B. Inst. Pisca.* 43(3): 358-398.
- Awik P. D. N., Hidayati D., Ressa P., Setiawan. E. 2007. Pola Distribusi Anisakis sp Pada Usus Halus Ikan Kakap Putih (*Lates Calcarifer*) yang Tertangkap di TPI Brondong, Lamongan. Prodi Biologi Institut Teknologi Sepuluh Nopember Surabaya, Lab. Zoologi. Alumni Prodi Biologi Institut Teknologi Sepuluh Nopember Surabaya.
- Beron V.B., Pedraza S.N., Raga J.A., Pertierra A.G., Crespo E.A., Alonso M.K., and Goodall R. N. 2001. Gastrointestinal helminths of Commerson's dolphins *Cephalorhynchus commersonii* from central Patagonia and Tierra del Fuego. *Disease of Aquatic Organisms* 47:201-208.
- BIG. 2013. Pentingnya Informasi Geospasial untuk Menata Laut Indonesia. <http://big.go.id/berita-surta/show/pentingnya-informasi-geospasial-untuk-menata-laut-indonesia>.
- BPS. 2017. Luas Daerah dan Jumlah Pulau Menurut Provinsi, 2002-2016. <https://www.bps.go.id/statictable/2014/09/05/1366/luas-daerah-dan-jumlah-pulau-menurut-provinsi-2002-2016.html>.
- Boje J., Riget F., Kjøie M. 1997. Helminth parasites as biological tags in population studies of Greenland halibut (*Reinhardtius hippoglossoides* (Walbaum)), in the north-west Atlantic. *ICES J Mar Sci* 54:886-895.
- Bush A.O., K.D Lafferty., J.M Lotz., A.W Shostak. 1997. Parasitology meets ecology on its own terms: Margolis et al. Revisited. *J Parasitol*, vol.83(4), pp.575-583.
- Brizzola S.M., and Tanzola, R.D. 1995. *Hysterothylacium rhamdiae* sp. n., (Ascaridoidea: Anisakidae) from a Neotropical Catfish, *Rhmdia sapo* (Pisces: Pimelodidae). *Memórias do Instituto Oswaldo Cruz*, 90(3), pp.349-352.
- CDC. 2015. Parasite – Anisakiasis. 1600 Clifton Rd. Atlanta, GA 30329-4027, USA. <http://www.cdc.gov/parasites/anisakiasis/biology.html>.

- CDC. 2018. One Health Basics. 1600 Clifton Rd. Atlanta, GA 30329-4027, USA. <https://www.cdc.gov/onehealth/basics/index.html>.
- Charters R.A., Lester R.J.G., Buckworth R.C., Newman S.J., Ovenden J.R., Broderick D., Kravchuk O., Ballagh A., Welch D.J. 2010. The stock structure of grey mackerel *Scomberomorus semifasciatus* in Australia as inferred from its parasite fauna. *Fisher Res* 101:94–99.
- Deardorff, T.L. and Overstreet, R.M., 1981. Larval *Hysterothylacium* (= *Thynnascaris*)(Nematoda: Anisakidae) from fishes and invertebrates in the Gulf of Mexico. *Proceedings of the Helminthological Society of Washington*, 48(2), pp.113-126.
- Dewi K., Palm H.W. 2013. Two new species of philometrid nematodes (Nematoda: Philometridae) in *Epinephelus coioides* (Hamilton, 1922) from the South Bali Sea, Indonesia. *Zootaxa* 3609: 49–59.
- FAO. 2016. The State of World Fisheries and Aquaculture 2016. Contributing to food security and nutrition for all. Rome. 200 pp.
- Galli P., Crosa G., Mariniello L., Ortis M., D'Amelio S. 2001. Water quality as a determinant of the composition of fish parasite communities. *Hydrobiologia* 452:173–179.
- Gibson D.I. 1972. Flounder parasites as biological tags. *J Fish Biol* 4:1–9.
- González L., 1998. The life cycle of *Hysterothylacium aduncum* (Nematoda: Anisakidae) in Chilean marine farms. *Aquaculture*, 162(3-4), pp.173-186.
- Grabda J. 1974. The dynamics of the nematode larvae, *Anisakis simplex* (Rud.) invasion in the south-western Baltic herring (*Clupea harengus* L.). *Acta Ichthyolog Piscator* 4:3–21.
- Hamilton F. 1822. An Account of the Fishes Found in the River Ganges and its Branches. Edinburgh : Archibald Constable 405 pp., pls 1-39.
- Heemstra P.C., and Randall J.E. 1993. *FAO Species Catalogue*. Vol. 16. Groupers of the world (family Serranidae, subfamily Epinephelinae). An annotated and illustrated catalogue of the grouper, rockcod, hind, coral grouper and lyretail species known to date. Rome: FAO. *FAO Fish. Synop.* 125(16):382 p.
- Herrington W.C., Bearnse H.M., Firth F.E. 1939. Observations on the life history, occurrence and distribution of the redfish parasite *Sphyrion lumpi*. *U.S Bur Fish Spec Rep No.* 5:1–18.

- Hodkinson I.D., and Jackson J.K. 2005. Terrestrial and aquatic invertebrates as bioindicators for environment monitoring, with particular reference to mountain ecosystems. *Environmental Management*, 35, 649–666.
- Hoediasmoro, Santoso D.S, Soehartiji H, dan Kristanto. 1985. *Petunjuk Praktis Mikroskopi Elektron*. Unit Laboratorium Mikroskop Elektron Universitas Airlangga. Airlangga University Press.
- Hurst R.J. 1984. Identification and description of larval *Anisakis simplex* and *Pseudoterranova decipiens* (Anisakidae:Nematoda) from New Zealand waters. *New Zealand J Marine and Freshwater Res* 18:177-186.
- Hutagalung R.A. 2010. *Ekologi Dasar*. Jakarta. Hlm. 13-15.
- Iglesias L., Valero A., Banitez R., Adroher F. J. 2001. In vitro cultivation of *Anisakis simplex*: pepsin increases survival and moulting from fourth larval to adult stage. *Parasitol* 123(Pt 3):285-91.
- Jennerjahn C., I Jänen., C Propp., S Adi., S.P Nugroho. 2013. Environmental impact of mud volcano inputs on the anthropogenically altered Porong River and Madura Strait coastal waters, Java, Indonesia. *Estuarine. Coastal and Shelf Science* vol.130, pp.152-160.
- Kabata Z., McFarlane G.A., Whitaker D.J. 1987. Trematoda of sablefish, *Anoplopoma fimbria* (Pallas, 1811), as possible biological tags for stock identification. *Can J Zool* 66:195–200.
- Kane, A.S., Salierno, J.D. and Brewer, S.K., 2005. Fish models in behavioral toxicology: automated techniques, updates and perspectives. *Methods in aquatic toxicology*, 2, pp.559-590.
- Kahn B. 2001. Komodo National Park Cetacean Survey; TNC, APEX Environment.
- Kepmen LH. 2004. Keputusan Menteri Negara Lingkungan Hidup Nomor 51 Tahun 2004 Tentang Baku Mutu Air Laut.
- Khan R.A., Thulin J. 1991. Influence of pollution on parasites of aquatic animals. *Adv Parasite* 30:201–239.
- Khan R.A, Tuck C. 1995. Parasites as biological indicators of stocks of Atlantic cod (*Gadus morhua*) off Newfoundland, Canada. *Can J Fish Aquat Sci* 52(suppl 1):195–201.

- Køie, M., 1993. Aspects of the life cycle and morphology of *Hysterothylacium aduncum* (Rudolphi, 1802)(Nematoda, Ascaridoidea, Anisakidae). *Canadian Journal of Zoology*, 71(7), pp.1289-1296.
- Køie M. 2001. Experimental infections of copepods and sticklebacks *Gasterosteus aculeatus* with small ensheathed and large third-stage larvae of *Anisakis simplex* (Nematoda, Ascaridoidea, Anisakidae). *Parasitol Res* 87:32-36.
- Klimpel S., Busch M.W., Kuhn T., Rohde A., Palm H.W. 2010. The *Anisakis simplex* complex off the South Shetland Islands (Antarctica): endemic populations versus introduction through migratory hosts. *Mar Ecol Prog Ser* 403:1–11.
- Klimpel S., and Palm H.W. 2011. *Anisakid Nematode (Ascaridoidea) Life Cycles and Distribution: Increasing Zoonotic Potential in the Time of Climate Change?*. *Progress in Parasitology*. Springer-Verlag Berlin Heidelberg.
- Kuhlmann W.F. 2006. *Preservation, Staining, and Mounting Parasite Speciment*. hal 8.
- Lafferty K.D. 1997. Environmental parasitology: what can parasites tell us about human impacts on the environment? *Parasitol Today* 13:251–255.
- Lakshmi, R.I. 1995. *Hysterothylacium punctati* sp. nov.(Nematoda: Anisakidae) from the stomach of the freshwater fish, *Channa punctatus* Bloch. *Geobios New Rep*, 14, pp.123-129.
- Landsberg J.H., Blakesley B.A., Reese R.O., McRae G., and Forstchen P.R. 1998. Parasites of fish as indicators of environmental stress. *Env Monit Assess* 51:211–232.
- Latama G. 2006. *Metazoan parasites from the narrow-barred Spanish mackerel, Scomberomorus commerson (Lacepede, 1800) around Sulawesi waters*. Dissertation, Bogor Agricultural University, Bogor (In Indonesian).
- Lena N. 2014. *Anisakiosis and Pseudoterranovosis*. National Wildlife Health Center. United States Geological Survey. Virginia. USA.
- Lester R.J.G. 1990. Reappraisal of the use of parasites for stock identification. *Aust J Mar Freshw Res* 41:855–864.
- Lester R.J.G., MacKenzie K. 2009. The use and abuse of parasites as stock markers for fish. *Fisher Res* 97:1–2.

- Lester R.J.G., Thompson C., Moss H., Barker S.C. 2001. Movement and stock structure of the narrowbarred Spanish mackerel as indicated by parasites. *J Fish Biol* 59:833–842.
- Luhe M. 1910. Parasitische Plattwuermer. II: Cestodes. Die S€usswasserfauna Deutschlands. Eine Exkursionsfauna, Jena, pp 1–153.
- MacKenzie K. 1983. Parasites as biological tags in fish population studies. *Adv Appl Biol* 7:251–331.
- MacKenzie K. 1985. The use of parasites as biological tags in population studies of herring (*Clupea harengus* L.) in the North Sea and to north and west of Scotland. *J Int Counc Explor Sea* 42:33–64.
- MacKenzie K. 1990. Cestode parasites as biological tags for mackerel (*Scomber scombrus* L.) in the northeast Atlantic. *J Int Counc Explor Sea* 46:155–166.
- MacKenzie K., Abaunza P. 1998. Parasites as biological tags for stock discrimination of marine fish: a guide to procedures and methods. *Fish Res* 38:45–56.
- MacKenzie K., Williams H.H., Williams B., McVicar A.H., and Siddall R.I. 1995. Parasites as indicators of water quality and the potential use of helminth transmission in marine pollution studies. *Adv Parasitol* 35:86–245.
- MacKenzie K., 1999. Parasites as pollution indicators in marine ecosystems: a proposed early warning system. *Mar Poll Bull*, vol.38, pp.955–959.
- MacKenzie K. 2002. Parasites as biological tags in fish population studies. An update. *Parasitology* 124:S153–S163.
- Mahmoud N.E., Alhindy M.K., & Fahmy M.M. .2015. Trypanorhynch Cestodes Infecting Mediterranean Sea Fishes, Egypt: *Callitetrarhynchus gracilis* Larvae (Pintner, 1931) as a Bio-indicator of Heavy Metals Pollution. *Oceanography: Open Access*, 1-6.
- Marcogliese D.J., Cone D.K. 1997. Parasite communities as indicators of ecosystem stress. *Parassitologia* 39:27–232.
- Marcogliese D.J. 2005. Parasites of the superorganism: Are they indicators of ecosystem health ? *Int J Parasitol* 35:705–716.
- Margolis L. 1982. Pacific salmon and their parasites. A century of study. *Bull Can Soc Zool* 13:7–11.

- McGeoch, M. A., Van Rensburg, B. J., & Botes, A. 2002. The verification and application of bioindicators: A case study of dung beetles in a savanna ecosystems. *Journal of Applied Ecology*, 39, 661–672.
- Melzner, F., Thomsen, J., Koeve, W., Oschlies, A., Gutowska, M.A., Bange, H.W., Hansen, H.P. and Körtzinger, A., 2013. Future ocean acidification will be amplified by hypoxia in coastal habitats. *Marine Biology*, 160(8), pp.1875-1888.
- Miyazaki I. 1991. *An Illustrated Book of Helminthic Zoonosis*. Tokyo: International Medical Foundation of Japan.
- Moser M. 1991. Parasites as biological tags. *Parasitol Tod* 7:182–185.
- Moser M, Hsieh J. 1992. Biological tags for stock separation in Pacific herring *Clupea harengus pallasii* in California. *J Parasitol* 78:54–60.
- Moravec, F., 1998. *Hysterothylacium nipponense* nom. n. (Nematoda: Anisakidae) for *H. japonicum* Moravec et Nagasawa, 1998 preoccupied by *Hysterothylacium japonicum* Rajyalakshmi, 1996. *Folia parasitologica*, 45(4), pp.328-328.
- Moravec, F. and Justine, J.L., 2014. Philometrids (Nematoda: Philometridae) in carangid and serranid fishes off New Caledonia, including three new species. *Parasite*, 21.
- Nakai T. 2002. Management of fishery Resources for Groupers (Serranidae) in Okinawa, Southern Japan. Departement of Global Agricultural Sciences, Graduate School of Agricultural and Life Sciences, the University of Tokyo, Bukyo, Tokyo, Japan; 113 – 8657.
- OIE. 2010. Aquatic Animal Health Code Thirteen Edition.
- Overstreet R.M. and Meyer G.W. 1981. Hemorrhagic lesions in stomach of rhesus monkey caused by a piscine ascaridoid nematode. *Journal of Parasitology* 67, 226–235.
- Overstreet R.M. 1997. Parasitological data as monitors of environmental health. *Parasitologia* 39:169–175.
- P3GL. 2016. *Dinamika Pesisir Jawa Timur*. Badan Penelitian dan Pengembangan Energi dan Sumber Daya Mineral. Kementerian Energi dan Sumber Daya Mineral. Republik Indonesia.
- Pascual S, Hochberg FG. 1996. Marine parasites as biological tags of cephalopods hosts. *Parasitol. Today* 12:324–327.

- Palm H.W., Overstreet R.M. 2000. *Otobothrium cysticum* (Cestoda: Trypanorhyncha) from the muscle of butterfishes (Stromateidae). *Parasitol Res* 86:41–53.
- Palm, H., Damriyasa, I. and Oka, I. 2008. Molecular genotyping of *Anisakis Dujardin, 1845* (Nematoda: Ascaridoidea: Anisakidae) larvae from marine fish of Balinese and Javanese waters, Indonesia. *Helminthologia*, 45(1), pp.3-12.
- Palm H.W., and Ruckert S. 2009. A new approach to visualize ecosystem health by using parasites. *Parasitol Res* 105:539–553.
- Palm H.W. 2011. Fish Parasites as Biological Indicators in a Changing World: Can We Monitor Environmental Impact and Climate Change ? *Aquakultur und Sea-Ranching*, Universitat Rostock, Germany, Chapter 12.
- Pears, R. J., Choat, J. H., Mapstone, B. D., & Begg, G. A. 2006. Demography of a large grouper, *Epinephelus fuscoguttatus*, from Australia's Great Barrier Reef: implications for fishery management. *Marine Ecology Progress Series*, 307, 259-272.
- Pereira, F. B., and Luque, J. L. 2017. An integrated phylogenetic analysis on ascaridoid nematodes (Anisakidae, Raphidascarididae), including further description and intraspecific variations of *Raphidascaris (Sprentascaris) lanfrediae* in freshwater fishes from Brazil. *Parasitology International*. 66(1): 898-904.
- Peraturan Kementrian Kelautan dan Perikanan Republik Indonesia. 2016. *Tata Cara Rehabilitasi Wilayah Pesisir dan Pulau-Pulau Kecil*.
- Permatasari, F.D., Hastutiek, P. and Suwanti, L.T. 2017. Kerusakan Usus pada Mencit (*Mus musculus*) yang Diinokulasi Larva 3 (L3) *Anisakis* spp. *Jurnal Sain Veteriner*, 35(1), pp.57-62.
- Petersen F., Palm H.W., Moller H., Cuzi M.A. 1993. Flesh parasites of fish from central Philippine waters. *Dis Aquat Org* 15:81–86.
- Pratama P., Nunuk D.R.L., Nenny H, Setiawan K, Lucia T.S, Muhammad Y, & Hartanto M.R. 2018. Comparative Morphology and Infection Rates of Anisakidae Larvae On Grouper Fish (*Epinephelus* sp.) Sold At Surabaya Pabean Fish Market. *The Second Veterinary Medicine International Conference*.
- Raharjo H.M., Koesdarto S, Soemarsono Q.C.K.N., Permatasari F.D., Wastomi Z.N., and Sari N.S.A. 2018. Anisakidae as a Bioindicator Candidate in

- Response of Environmental Damage. 1st International Conference Postgraduate School Universitas Airlangga. Advances in Social Science, Education and Humanities Research (ASSEHR), volume 98.
- Ruckert S., Hagen W., Yuniar A.T., and Palm H.W. 2009. Metazoan parasites of fishes and their potential use as biological indicators in the Segara Anakan Lagoon, Indonesia. *Reg Environ Change* 9:315–328.
- Sakanari J. A., and McKerrow J. H. 1989. Anisakiasis. San Francisco California: Departemen of Pathology University of California.
- Science Learning Hub. 2015. Bioindicators. The University of Waikato, New Zealand.
- Shulman SS. 1957. Material on the parasitofauna of lampreys from the basins of the Baltic and the White Seas. *Izvestiya gosud nauchnovatel'skogo issled Inst Ozern Techn rybnogo khozyajstva* 42:287–303, Translated from the Russian by the Israel program for Scientific Tanslations, No. 105, 1961.
- Skinner R.H. 1982. The interrelation of water quality, gill parasites, and gill pathology of some fishes from South Biscayne Bay, Florida. *Fisher Bull*, vol.80, pp.269–280.
- Soede P. 2002. The Solor and Alor Islands Expedition Results; TNC, WWF, David And Lucille Packard Foundation.
- Stromnes E., and Andersen K. 2003. Growth of whaleworm (*Anisakis simplex*, Nematodes, Ascaridoidea, Anisakidae) third-stage larvae in paratenic fish hosts. *Parasitol Res* 89: 335-341.
- Sumarsono Q.C.K.N., Kusnoto., dan Ernawati R. 2016. Profil Morfologi Tipe *Anisakis* Spp. pada Ikan Tongkol (*Euthynnus* sp.) di TPI Kranji Lamongan dengan Menggunakan Metode Scanning Electron Microscope (SEM). Fakultas Kedokteran Hewan. Universitas Airlangga.
- Taheri M, A., Ghadam M., Ebrahimzadeh M H., Soltani M., Shohreh P., Rahmati., Holasoo H., Mobedi I., and Banitalebi A. 2016. New record of larval *Hysterothylacium* sp.(Nematoda: Raphidascarididae) in pick handle barracuda (*Sphyraena jello*) from the Persian Gulf, Iran. *Iranian Journal of Aquatic Animal Health*, 2(1), pp.66-72.
- Tingey D.T. 1989. "Bio indicators in Air Pollution Research – Applications and Constraints". *Biologic Markers of Air-Pollution Stress and Damage in Forests*. Washington, DC: National Academies Press: 73–80. ISBN 978-0-309-07833-7.

- Tran D.D. 2017. Goldspotted Rockcod, *Epinephelus coioides* FiMSeA / <http://ffish.asia>.
- Trojan P. 1984. Ecosystem Homeostasis. Institute of Ecology of the Polish Academy Sciences. Polish Scientific Publishers, Warsaw. ISBN 90-6193-622-5.
- Uga S., Ono K., Kataoka N., and Hasan H. 1996. Seroepidemiology of five major zoonotic parasite infections in inhabitants of Sidoarjo, East Java, Indonesia. Southeast Asian journal of tropical medicine and public health, 27, pp.556-561.
- Vidal-Martínez V.M., Pech D., Sures B., Purucker S.T., and Poulin R. 2010. Can parasites really reveal environmental impact ? Trends Parasitol 26:44–51.
- Williams H.H., MacKenzie K., McCarthy A.M. 1992. Parasites as biological indicators of the population biology, migrations, diet, and phylogenetics of fish. Rev Fish Biol Fish 2:144–176.
- Williams H.H., and MacKenzie K. 2003. Marine parasites as pollution indicators: an update. Parasitology 126:S27–S41.
- Woo P. T. K., 2006. Fish disease and disorders, Volume 1: Protozoan and metazoan infections 2nd Ed. CABI International. Cambridge, USA.
- Yagi K., Nagasawa K., Ishikura H., Nagagawa A., Sato N., Kikuchi K. & Ishikura K. 1996. Female worm *Hysterothylacium aduncum* excreted from human: a case report. Journal of Parasitology 45, 12–23.
- Yamane, T. 1973. Statistics: An introductory analysis.
- Yeomans W.E., Chubb J.C., and Sweeting R.A. 1997. Use of protozoan communities for pollution monitoring. Parassitologia 39:201–212.
- Yunus M., Srianto P. and Legowo D., 2017. Analysis of The Cause of Cetacean “Short-Finned Pilot Whales (*Globicephala Macrorhynchus*)” Strandings on Probolinggo Coast, East Java Province, Indonesia. Case Study and Case Report, 7(3), pp.76-82.