

DAFTAR PUSTAKA

- Agustini, T. W., Y. S. Darmanto and D. P. K. Putri. 2008. *Evaluation on Utilization of Small Marine Fish to Produce surimi Using Different Cryoprotective Agent to Increase The Quality of Surimi*. Journal of Coastal Development. Fisheries Departement. Faculty of Fisheries and Marine Science. Diponegoro University. 11 (3) : 131-140
- Alvarez, M. D., C. Fernandez and W. Canet. 2010. Oscillatory Rheological Properties of Fresh and Frozen Thawed Mashed Potatoes as Modified by Different Cryoprotectants. Food Bioprocess Technology. 2010 ; (3) :55-70.
- Arakawa, T. and S. N. Timasheff. 1982. Stabilization of Protein Structure by Sugars. Biochemistry 21 : 6545–52.
- Balai Budidaya Air Tawar. 2012. Petunjuk Teknis Budidaya Ikan Patin. Balai Budidaya Air Tawar. Produksi. Jakarta.
- Benjakul, S., W. Visessanguan., S. Riebroy., S. Ishizaki and M. Tanaka. 2005. Gel Forming Properties of Surimi Produced From *Bigeye snapper*, *Priacanthus tayenus* and *Priacanthus macracanthus*, Stored in Ice. Jurnal Science. Food Agriculture. 2002 ; 82 (13) : 1442-1451.
- Chaijan, M., W. Panpipat and S. Benjakul. 2010. Physicochemical Andgelling Properties of Short-Bodied Mackerel (*Rastrelligerbrachysoma*) Protein Isolate Prepared Using Alkaline-Acided Process. Food Bioproduct Process. 88: 174–180.
- Choi, Y. J. and J. W. Park. 2002. Acid Aided Protein Recovery from Enzyme Rich Pacific Whiting. Jurnal Food Science 67 : 2962–2967
- Connell, J. J. (1975). The role of formaldehyde as a protein crosslinking agent acting during the frozen storage of cod. Journal of the Science of Food and Agriculture. 26: 1925–1929
- Cortes, J., R. Pachero., G. Garcia., M. E. Lugo., 2001. Functional Characterization of Aprotein Concentrate From Bristly Sardine Made Under Acidicconditions. Jurnal Aquatic Food Product Technology. 10 : 5–23.
- Djarjih, A. S. 2001 Budidaya Ikan Patin. Kanisius. Yogyakarta.
- Foh, M. B. K., X. Wenshui., I. Amadou and Q. Jiang. 2012. Food Bioprocess Technology. 5:2192-2200.
- Fu, X. J., K. Hayat., Z. H. Li.,Q. L. Lin., S. Y. Xu and S. P. Wang. 2012. Effect of Microwave Heating on The Low Salt Gel from Silver Carp

- (*Hypophthalmichthys molitrix*) Surimi. *Food Hydrocolloids*. 27 (2) : 301-308.
- Gehring, C. K., J. C. Gigliotti., J. S. Moritz., J. C. Tou and J. Jaczynski. 2011. Functional and Nutritional Characteristics of Proteins and Lipids Recovered by Isoelectric Processing of Fish by-Products and Low Value Fish a Review. *Food Chemistry*, 124 (2) : 422-431.
- Gao, Y., Oh, J.H., Karadeniz, F., Lee, S.G., Kim, H.K., Kim, S.J., Jung, J.M., Cheon, J.H. and Kong, C.S., 2016. Gel and Texture Properties of Fish Meat Gel Prepared with *Pagrus major* in Comparison to Different Grades of Alaska Pollock. Hal. 955-962.
- Hall, G. M. and N. H. Ahmad. 1992. Surimi and Mince Product. Di dalam Hall G. M. (editor). *Fish Processing Technology*. New York : VCH Publisher, Inc.
- Hernowo. 2001. *Pembenihan Patin*. Penebar Swadaya. Jakarta.
- He, S., C. Franco and F. Zhang. (2013). Functions, applications and production of protein hydrolysates from fish processing co-products (FPCP). *Food Research International*. 50(1): 289-297.
- Herrera, J. R. and I. M. Mackie. 2004. Cryoprotection of Frozen Stored Actomyosin of Farmed Rainbow Trout (*Oncorhynchus mykiss*) by Some Sugars and Polyols. *Food Chemistry*. 84 : 91-97.
- Hudson, B. J. F. 1992. *Biochemistry of Foods Proteins*. Elsevier Applied Science. London. Hal 49.
- Hultin, H. O. and S. D. Kelleher. 2002. Advanced Protein Technologies Inc Protein Composition and Process for Isolating a Protein Composition From a Muscle Source US Patent 6 : 451-975
- Jia, D., J. You., Y. Hu., R. Liu and S. B. Xiong. 2015. Effect of CaCl₂ on Denaturation and Agregation of Silver Carp Myosin During Setting. *Food Chemistri*. 185 : 212-218.
- Jiang, J. Y. L. Xiong and J. Chen. 2010. pH Shifting Alters Solubility Characteristics and Thermal Stability of Soy Protein Isolate and its Globulin Fractions in Different pH, Salt Concentration, and Temperature Conditions. *Jurnal Agriculture Food Chemical*. 58 : 8035- 8042.
- Jin, S. K., I. S. Kim., S. J. Kim., K. J. Jeong., Y. J. Choi and S. J. Hur. 2007. Effects of Muscle Type and Washing Times on Physico-Chemical Characteristics and Qualities of Surimi. *J. Food Eng*. 81 : 618-623.
- Jonsson, A., S. Sigurgisladottir., H. Hafsteinsson., K. Kristbergsson. 2001. Textural Properties of Raw Atlantic Salmon (*Salmo salar*) Fillets

- Measured by Different Methods in Comparison to Expressible Moisture. *Aquaculture Nutrition* 81:81-89.
- Kementrian Kelautan dan Perikanan (KKP). 2015. Kelautan dan Perikanan dalam Angka 2015. Jakarta : Pusat Data Statistik dan Informasi Kementrian Kelautan dan Perikanan (KKP).
- Kim, Y. S., J. W. Park and Y. J. Choi. 2003. New Approaches for the Effective Recovery of Fish Proteins and Their Physicochemical Characteristics. *Fish Sci* 69 : 1231–1239
- Khairuman dan D. Sudenda. 2002. Budidaya Ikan Patin Secara Intensif. PT Penebar Swadaya, Jakarta.
- Kristinson, H. and N. Demir. 2003. Functional Fish Protein Ingredients from Fish Species of Warm and Temperate Waters: Comparison of Acid and Alkali Aided Processing
- Kristinson, H. and N. Demir. 2003. Functional Fish Protein Ingredients From Fish Species of Warm and Temperate Waters Comparison of Acid- and Alkali-Aided Processing Conventional Surimi Processing. In: Betchel, P.J. (Ed.). *Advances in Seafood Byproducts. 2002 Conference Proceedings*. Alaska Sea Grant College Program University of Alaska, Hal: 277–295.
- Conventional Surimi Processing. In *Advances in Seafood Byproducts Conference Proceedings* (P. J. Bechtel, ed.). Alaska Sea Grant College Program University of Alaska, Anchorage, AK. pp : 277–295
- Kristinson, H. G. and B. A. Rasco. 2000. Biochemical and Functional Properties of Atlantic Salmon (*Salmo salar*) Muscle Proteins Hydrolyzed With Various Alkaline Proteases. *Jurnal Agriculture Food Chemistry* 48 : 657–66.
- Kristinson, H.G. and H. O. Hultin. 2003. Changes in Conformation and Subunit Assembly of Cod Myosin at Low and High pH and After Subsequent Refolding. *Jurnal Agriculture. Food Chemistry*. 51 (24):7187–7196.
- Kuwahara, K. and K. Konno. 2010. Suppression of Thermal Denaturation of Myosin and Salt Induced Denaturation of Actin by Sodium Citrate in Carp (*Cyprinus carpio*). *Food Chemical*. 122 : 997-1002.
- Lee, C. M. 1984. Surimi Process Technology. *Food Technology* 38(11) : 69–80.
- Lee, C. M., M. C. Wu. and M. Okada. 1992. Ingredient and Formulation Technology for Surimi Based Product. Di Dalam Lanier TC, Lee CM (editor). *Surimi Technology*. New York: Marcell Dekker.

- Lin, T. M. and J. W. Park. 1996. Protein Solubility in Pacific Whiting Affected by Proteolysis During Storage. *J Food Sci* 61 (3) : 536-539.
- Matsumoto, J. J. and Noguchi, S. F. 1991. Cryostabilization of Protein in Surimi. Di Dalam Lanier T. C and Lee, C. M, Editor: *Surimi Technology*. Marcel Dekker Incorporation. New York
- McManus, W. R. 1978. Alkali Effects on Agricultural Wastes and Their Cell Wall Fraction. *Australian Jurnal Experimental Agriculture Animal Husbandry*. Vol. 18: 231-242.
- Moayedi., Omana., Chan., Xu and Betti. 2010. Alkali Aided Protein Ekstraktion of Chicken Dark Meat Composition and Stability to Lipid Oxidation of The Recovered Protein. *Poultry Science Association Inc*. Vol. 89: 766-775
- Niwa, E. 1992. *Chemistry of Surimi Gelation Di Dalam: Lanier TC, Lee CM (editor). Surimi Technology*. New York: Marcell Dekker, inc.
- Nolsoe, H. and I. Undeland. 2009. The Acid and Alkaline Solubilization Process for the Isolation of Muscle Proteins: State of the Art. *Food Bioprocess Technology* 2 : 1–27
- Nopianti, R., N. Huda and N. Ismail. 2011. A Review on The Loss of The Functional Properties of Proteins During Frozen Storage and The Improvement of Gel Forming Properties of Surimi. *American Jurnal of Food Technology*. 6 (1):19-30
- Okonta, A. A. and J. K. Ekelemu. 2005. A Preliminary Study of Micro Organisms Associated With Fish Spoilage in Asaba, Southern Nigeria. *Proceedings of the 20th Annual Conference of the Fisheries Society of Nigeria (FISON)*. 14th-18th November. Port Harcourt. 2005 : 557-560.
- Panpipat, W. and M. Chaijan. 2016. *Turk Jurnal Fish Aquatic Science*. 16 041-050.
- Park J. W. and M. T. Morrissey. 2000. *Manufacturing of Surimi from Light Muscle Fish*. di Dalam : Park J. W (Editor). *Surimi dan Surimi Food*. New York : Marcell Decker Inc.
- Park, J. D., J. D. Jung., J. S. Kim., D. M. Cho., S. M. Cho and Y. J. Choi. 2003. Surimi Processing using Acid and Alkali Solubilization of Fish Muscle Protein. *Jurnal Korean Social Food Science Nutrition* 32(3):400–405
- Perez-Mateos, M. and T. Lanier. 2006. Comparison of Atlanticmenhaden Gels from Suimi Processed by Acid or Alkaline Solubilization. *Food Chemistry*. 101: 1223–1229.
- Raharjo, N. 2014. Pengaruh Lama Penyimpanan Pada Suhu Beku dan Metode Thawing Tekstur Ikan Bandeng Pra dan Pasca Penebaran. Thesis. Fakultas Teknologi Pertanian. Unika Soegijapranata.

- Sahin, S. and S. G. Sumnu. (2006). Physical properties of foods. New York: Springer Science & Business Media, LLC.
- Sarwokusuma, Fransisca M.Y. 2013. Pengaruh Metode Thawing Terhadap Keadaan Protein, Lemak, Kadar Air dan pH Daging Halus Ikan Patin (*Pangasius Hypophthalmus*) Selama Penyimpanan Beku. Thesis. Fakultas Teknologi Pertanian. Unika Soegijapranata.
- Sharma, S., S. Gupta., M. Kumar., P. K. Maurya., R. Kumar and R. K. Majumdar. 2018. Potential of Carrot Concentrated Protein as a Natural Cryoprotectant in Fish Surimi during Frozen Storage. *Journal of Pharmacognosy and Phytochemistry*. 7 (3) : 917-923.
- Santoso, J., A. W. N. Yasin and Santoso. 2008. Perubahan Karakteristik Surimi Ikan Cucut dan Pari Akibat Pengaruh Pengkomposisian dan Penyimpanan Dingin Daging. *Jurnal Teknologi dan Industri Pangan*. 19 (1): 57-66.
- Santoso, J. 2009, Perubahan Karakter Surimi Selama Penyimpanan Beku. *Food Review Indonesia*. Vol. 8: 36-40.
- Shimizu and Yukada. 1985. Biological and Functional Properties of Material Fish In Proceeding of The International Symposium on Engineered Seafood Including Surimi. R.E. Marthin (ED). Collette R.L and National Fisheries Institute, Seattle. Washington DC.
- Shimizu, Y., Toyohra, H. and Lanier, T. C. 1992. Surimi Production from Fatty and Dark Flashed Fish Species. Di dalam Lanier, T. C and Lee, C. M. *Surimi Technology*. Marcel Dekker Incorporation. New York. p:181-207.
- Subagia, Y. 2009. Fortifikasi Ikan Patin pada Snack Ekstrusi. Fakultas Perikanan dan Ilmu Kelautan. Institut Pertanian Bogor.
- Sun, X. D. and R. A. Holley. 2011. Factor Influencing Gel Formation by Myofibril Proteins in Muscle Foods. *Comprehensive Review in Food Science and Food Safety*. 10 (1) 33 e 51.
- Suryaningrum, T. D., D. Ikasari and Syamdidi. 2009. Penambahan Bahan Pembentukan Gel dalam Pembuatan Surimi dari Ikan Patin (*Pangasius hypophthalmus*). *Jurnal Pasca Panen dan Bioteknologi Kelautan dan Perikanan* Vol.4 No.1.
- Surasani, V. K. R. 2018. Acid and Alkaline Solubilization (pH Shift) Process: a Better Approach for the Utilization of Fish Processing Waste and by Products. *Environmental Science and Pollution Research*. Hal 1-19.
- Susanto, H. dan K. Amri. 2002. *Budidaya Ikan Patin*. Penebar Swadaya. Jakarta.

- Suzuki, T. 1981. Fish and Krill Protein in Processing Technology. Applied Science Publishing. London. Hal-260.
- Sonjit, K., Y. Ruttanapornwareesakul., K. Hara and Y. Nozaki. 2005. The Cryoprotectant Effect of Shrimp Chitin and Shrimp Chitin Hydrolysate on Denaturation and Unfrozen Water Of Lizard Surimi During Frozen Storage. *Jurnal Functional Foods*. 28: 345-355.
- Soraya, I. A. 2010. Fortifikasi Tepung Ikan Patin (*Pangasius hypophthalmus*) Pada Pembuatan Cone Es Krim. Skripsi. Institut Pertanian Bogor.
- Taskaya, L., Y. C. Chen and J. Jaczynski. 2009. Functional Properties of Proteins Recovered from Silver Carp (*Hypophthalmichthys molirix*) by Isoelectric Solubilization Precipitation. *LWT – Food Science. Technology*. 42(6), 1082–1089.
- Tahergorabi, R., K. E. Matak and J. Jaczynski. 2015. Fish protein Isolate: Development of Functional Foods With Nutraceutical Ingredients. *Jurnal Functional Foods* 18:746–756
- Thawornchinsombut, S. and J. W. Park. 2007. Effect of NaCl on Gelation Characteristics of Acid and Alkalitreated Pacific Whiting Fish Protein Isolates. *Journal of Food Biochemistry* 31: 427–455.
- Tian, Y., W. Wang., C. Yuan., L. Zhang and J. Liu. 2017. Nutritional and Digestive Properties of Protein Isolates Extracted from the Muscle of the Common Carp Using pH Shift Processing. *Journal of Food Processing and Preservation*, 41(1).
- Uju. 2006. Pengaruh Penyimpanan Beku Surimi Terhadap Mutu Bakso Ikan Jangilus (*Isthioporus sp.*). *Buletin Teknologi Hasil Perikanan*. 9(2).
- Uju., F. Maryana and J. Santoso. 2007. Pemanfaatan *Refined Carrageenan* Sebagai *Cryoprotectant* Pada Penyimpanan Beku Surimi Ikan Nila. *Buletin Teknologi Hasil Perikanan*. 10(2): 48-59.
- Wahyuni M. 1992. Sifat Kimia dan Fungsional Ikan Hiu Lanyam (*Charcarinus limbatus*) Serta Penggunaannya dalam Pembuatan Sosis. Program Pasca Sarjana IPB. Bogor
- Yongsawatdigul, J. and J. W. Park. 2004. Effects of Alkali and Acid Solubilization on Gelation Characteristics of Rockfish Muscle Proteins. *Jurnal Food Science*. 69(7), 499–505.
- Zayas, J. F. 1997. *Funcionality of Proteins in Food*. Springer Verlag. Berlin. Hal-358.