

Daftar Pustaka

- Abbas, A. K. & Lichtman, A. H. 2004. Basic Immunology 2nd Edition. Filadelfia: Saunders.
- Abbas, A. K., Lichtman, A. H. & Pober, J. S. 1994. Cellular and Molecular Immunology. Philadelphia, PA: W.B. Saunders, Co.
- Adinoff, M. D. et al. 1998. Disturbances of the Stress Response The Role of the HPA Axis During Alcohol Withdrawal and Abstinence. 22 (1): 67-72.
- Aggarwala, J., Sharma, S., Sarocchi, Jain, A., Sarkar, A. 2016. Effect of Aerobic Exercise on Blood Glucose Levels and Lipid Profile in Diabetes Mellitus Type 2 Subjects. Al Ameen J Med, 9(1): 65-69.
- Ali, K.H., Arman, J., Salar, A., et al. 2014. The Effect on one session intense anaerobic exercise (bruce test) on serum level of IL-6 and IL-33 in volybalist athletes. Annals of Biological Research Scholars Research Library. 5(2): 99-104.
- Almatsier, Sunita. 2004. Penuntun Diet. PT.Gramedia Pustaka Utama, Jakarta.
- Al-Khalili, Lubna dkk. 2006. Signaling Specificity of Interleukin-6 Action on Glucose and Lipid Metabolism in Skeletal Muscle. *Molecular Endocrinology*, 20 (12): 3364–3375.
- American Psychological Association. 2006. Resource Book for the Design of Animal Exercise Protocols. Resource Book for the Design of Animal Exercise Protocols, (February):53–6.
- Anai, M., Shojima, N., Katagiri, H., et al. 2005. A Novel Protein Kinase B (PKB)/AKT-Binding Protein Enhances PKB Kinase Activity And Regulates DNA Synthesis. The Journal Of Biological Chemistry, 280(18): 18525–18535.
- Apriana, W. (2015). Hubungan Aktivitas Fisik dengan Kualitas Tidur Remaja di Yogyakarta. Skripsi, tidak diterbitkan, Universitas Gadjah Mada, Yogyakarta.
- Ashley, N.T., Weil, Z.M., Nelson, R.J. 2012. Inflammation: Mechanisms, Costs, and Natural Variation. Annual Review of Ecology, Evolution, and Systematics, 43:385-406.
- Astuti, Yuni, Lisa La Rosina Dewi. 2004. Pengaruh Ekstrak Buah Merah (Pandanus conoideus L) Terhadap Kadar Glukosa Darah. Fakultas Kedokteran: Universitas Muhammadiyah Yogyakarta.
- Bellone, S. dkk. 2005. High Serum Levels of Interleukin-6 in Endometrial Carcinoma are Associated With Uterine Serous Papillary Histology, a Highly Aggressive and Chemotherapy-Resistant Variant of Endometrial Cancer. Pub. Med. Gov, 98 910; 92-98.
- Bender, D. A., Mayes, P.A. 2012. Metabolism of glycogen. Dalam : Murray, RK, Bender, DA, penyunting. Haper's Illustrated Biochemistry. Edisi ke-29. United States of America: The McGraw-Hill Companies.
- Blodgett et al. 2007. Structural Basis of Glut 1 inhibitory by cytoplasmic ATP. J Gen Physiol, 130(2).
- Bogdan C, Paik J, Vodovotz Y, Nathan C. 1992. Contrasting mechanisms for suppression of macrophage cytokine release by transforming growth factor-beta and interleukin-10. *J Biol Chem*, 267: 23301-23308.

- Bompa, T.O. 1999. Theory and Methodology of Training Fifth edition. United State of America: Human Kinetics.
- Bouchard, C et al. 2007. Physical Activity and Health. United States: Human Kinetics.
- Brooks GA, White P. 1978. Determination of metabolic and heart rate response of rats to treadmill exercise. *Journal of Applied Physiology*.
- Bruunsgaard, H., Galbo, H., Halkjaer-Kristensen, J., Johansen, T.L., MacLean, D.A., Pedersen, B.K. 1997. Exercise-Induced Increase in Serum Interleukin-6 in Humans is Related to Muscle Damage. *Journal of Physiology The Copenhagen Muscle Research Centre, Departments of Infectious Diseases and Rheumatology, Rigshospitalet, Copenhagen and Department of Medical Physiology, The Panum Institute, Copenhagen, Denmark.* 499 (3): 833-841.
- Burd NA, West DW, Moore DR, Atherton PJ, Staples AW, Prior T, et al. 2011. Enhanced amino acid sensitivity of myofibrillar protein synthesis persists for up to 24 h after resistance exercise in young men. *J Nutr*, 141: 568-573.
- Carl, J., Kenneth, E., Gregory, M. 1985. Physical Activity, Exercise, and Physical Fitness: Definitions and Distinctions for Health-Related Research. *Public Health Reports*. 100 (2): 126-130.
- Cineman, D. 2000. Special Feature for the Olympics: Effects of Exercise on the Immune System. *Immunology and Cell Biology* (2000) 78, 496–501; doi:10.1111/j.1440-1711.2000.t01-5-.x
- Dickerson, S. S., and Kemeny, M. E. 2004. Acute Stressors and Cortisol Responses: Theoretical Integration and Synthesis of Laboratory Research. *Physiological Bulletin*, 130 (3): 355-391.
- Chanda, M. L. dan Levitin, D. J. 2013. The Neurochemistry of Music. *Trends in Cognitive Sciences*, 17 (4): 179-194.
- Chrousos, P. George, *dkk*. 1993. Syndromes of Glucocorticoid Resistance. *NIH Conference*, 119 (11): 1113 – 1124.
- Davani, B. 2003. Increased Glucocorticoid Sensitivity in Pancreatic β -Cells: Effects on Glucose Metabolism and Insulin Release. Thesis. Karolinska Institute. Stockholm. Sweden.
- Debrulle, C., Lucyckx, M., Ballester, L., Brunet, C., Odou, P., Dine, T., Gressier, B., Cazin, M., Cazin, J.C. 1999. Serum Opioid Activity After physical Exercise in Rat. *Journal of Physiological Research*, 48: 129-133.
- Dinarello, C. A. 2000. The role of the interleukin-1-receptor antagonist in blocking inflammation mediated by interleukin-1. *N Engl J Med*. 343: 732-734.
- Diniz *et al.*, 2019. Exercise-induced AMPK activation and IL-6 muscle production are disturbed in adiponectin knockout mice. *Cytokine* 119 (2019) 71-80.
- Fahlman MM, Engels HJ. 2005. Mucosal IgA and URTI in American college football players: a year longitudinal study. *Med Sci Sports Exerc* 37: 374-380, .2005
- Febbraio, M. & Pedersen, B. 2002. Muscle-derived Interleukin-6: Mechanisms for Activation and Possible Biological Roles. *The FASEB Journal*. 3: 1335-1347.

- Federer WT. 1977. *Experimental Design Theory And Application*. Third Edition. New Delhi Bombay Calcuta: Oxford and IBH Publishing Co.
- Fischer, C. P. 2006. Interleukin-6 in Acute Exercise and Training: What Is The Biological Relevance. *Exercise Immunol Rev*, 12: 6-33. *Fitness: Definitions and Distinctions for Health-Related Research*. Public Health Reports. 100 (2): 126-130.
- Frosig, C., Richter, E.A. 2009. Improved Insulin Sensitivity After Exercise: Focus on Insulin Signaling. *Obesity*, 17:S15-S20.
- Gabay, C. 2006. Interleukin-6 and Chronic Inflammation. Division of Rheumatology, University Hospital of Geneva, and Department of Pathology and Immunology, University of Geneva School of Medicine, Geneva, Switzerland. *Biomed Central Ltd*. 8 (2): 1-6.
- Gabay, C., Smith, M.F., Eidlen, D., and Arend, W.P. 1997. Interleukin 1 receptor antagonist (IL-1Ra) is an acute-phase protein. *J Clin Invest*. 99: 2930-2940.
- Ghazalian, F., Rad, F.F., Ebrahim, K., Mobarakeh, J.I. 2014. Effect of Acute High Intensity Exercise in Hypoxic Conditions on Plasma IL6, IL-1ra in Male Wistar Rat. *International Journal of Sport Studies*, 4(7):818-822.
- Graham, M.I., Janecek, J.I., Kittredge, J.A., dkk. 2011. The Streptozotocin Induced Diabetic Nude Mouse Model: Differences between Animals from Different Sources. *The American Association for Laboratory Animal Science*, 61(4): 356-360.
- Guillet C, Boirie Y, Walrand S. 2004. An integrative approach to in vivo protein synthesis measurement: from whole tissue to specific proteins. *Curr Opin Clin Nutr Metab Care*, 7:531-538.
- Guilliams, T. & Edwards, L. 2010. Chronic Stress and The HPA Axis. *The Standard Poin Institute*, 9 (2) :1-12.
- Guyton, A.C. dan Hall, J.E. 2011. *Textbook of Medical Physiology*. 11th Ed. Philadelphia, Pennsylvania: Elsevier Saunders.
- Hackney, C. A. 2006. Exercise As Stress-or To The Human Neuroen-docrine System. *Medicina*, 42 (10):788-797.
- Handoko, A., Purwanto, B., Mustika, A., 2017. Pengaruh Aktivitas Eksentrik terhadap Kadar Glucose Transporter Tipe 4 pada Otot Gastrocnemius Mencit Diabetes Melitus yang Diinduksi Streptozotocin. *Journal of Agromedicine and Medical Sciences*, 3(3): 39-43.
- Harahap, A. S., Herman, RR.B., Yerizel, E. 2015. Gambaran Glukosa Darah Setelah Latihan Fisik pada Tikus Wistar Diabetes Melitus yang Diinduksi Aloksan. *Jurnal Kesehatan Andalas*, 4(1): 23-29.
- Harsono. 1988. *Coaching dan Aspek Psikologi Dalam Coaching*. Jakarta, CV.Kesuma.
- Heinrich, P.C., Behrmann, I., Haan, S., Hermanns, H.M., Uller-Newen, G.M., Schaper, F. 2003. Review Article, Principles of Interleukin (IL)-6 Type Cytokine Signaling and It's Regulation. *Biochem J*. Germany: Institut for Biochemie, RWTH Aachen, Universitätsklinikum, Pauwelsstrasse 30, D 52074 Aachen. 374: 1-20.
- Huang, C. J., Zourdos, M. C., and Ormsbee, M. J. 2013. Influence of Physical Activity and Nutrition on Obesity-Related Immune Function. *The Scientific World Journal*. 2013: 1-12.

- Hwang H, Kim S, Lim J, et al. 2005. Hypoglycemic effect of crude exopolysaccharides produced by a medicinal mushroom *Phellinus baumii* in streptozotocin-induced diabetic rats. *Life Sci*, 76:3069–3080.
- IDF. 2015. Idf Diabetes Atlas Sixth Edition. Diakses pada tanggal 20 Februari 2019 dari http://www.idf.org/sites/default/files/Atlas-poster-2015_EN.pdf.
- Ikram, N., Hassan, K., Tufail S. 2004. Review Article: Cytokines. *International Journal of Pathology*. Interleukin. *Life Science*. Journal Physical Education Department of Zhengzhou University, Zhengzhou; Zhengzhou Orthopedics Hospital, Zhengzhou, Henan China, (Online), 4 (3): 82-86.
- Ivander, A.S., Damajanti, H.C.P., Sylvia, R.M. 2015. Profil Tumor Necrosis Factor (Tnf-) Berdasarkan Indeks Massa Tubuh (Imt) Pada Mahasiswa Fakultas Kedokteran Unsrat Angkatan 2014. *Jurnal E-Biomedik (Ebm)*, 3(2): 640-643.
- John A. S. 2009. Type 2 Diabetes and Exercise, US Department of Health and Human Services [homepage on the internet]. 2009 [cited 2019 Juni 19]. Available from: <http://diabetes.webmd.com/guide/exercise-guidelines>.
- Kent, M. 1994. *The Oxford Dictionary of Sport Science and Medicine*. New York: Oxford University Press.
- Khorami, S.A.H. et al. 2015. PI3K/AKT pathway in modulating glucose homeostasis and its alteration in Diabetes. *Annals Of Medical And Biomedical Sciences*. 2015; 1(2):46-55.
- Kilgore, Lon. 2010. Adaptation fot Fitness. *Cross Fit Jurnal*. (Online), (<http://journal.crossfit.com>).
- Kim, D. H., Movahedi, A., Huswah, K., Shokini Abd. 2013. The Effects of Treadmill Exercise on Expression of UPC-2 Brown Adipose Tissue and TNF- of Soleus Muscle in Obese Zucker Rats. *J Exerc Nutr Biochem*, 17 (4): 199-207.
- Kim., J.S., Lee Y.H., Kim, J.C., Ko, Y.H., Yoon C.S., Yi, H.K. 2014. Effect Of Exercise Training Of Different Intensities On Anti-Inflammatory Reaction In Streptozotocin-Induced Diabetic Rats. *Biology of Sport*, 31(1): 73-79.
- Kirwan, J.P., Sacks, J., Nieuwoudt, S. 2017. The Essential Role of Exercise in The Managment of Type 2 Diabetes. *Cleveland and Clinic Journal od Medicine*, 84(1): S15-S21.
- Kishimoto, T. 2010. IL-6 From It's Discovery to Clinical Application. *Int Immunol*, 22: 347-352.
- Knudsen, Jacob G., Gudiksen A, Bertholdt L, Overby P, Villesen I, Schwartz CL, Pilegaard H. 2017. Skeletal muscle IL-6 regulates muscle substrate utilization and adipose tissue metabolism during recovery from an acute bout of exercise. *PLOS One*. Levels Among Older Adults. *Biological Research For Nursing*. 9 (3): 186-194.
- Koch, A. J. 2010. Immune Response to Exercise. *Brazilian Journal of Biomotricity*, 4 (2): 92-103.
- Lutoslawska, Grazina. 2012. Interleukin-6 as an Adipokine and Myokine: The Regulatory Role of Cytokine in Adipose Tissue and Skeletal Muscle Metabolism. *Human Movement*, 13 (4): 372-379.
- Mackenzie, R.W. & Elliott, B.T. 2014. Akt/PKB activation and insulin signaling: A novel insulin signaling pathway in the treatment of type 2 diabetes.

- Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy 2014(7): 55–64.
- Matindas, W.R., Supit, S., Engka J.N.A. 2013. Pengaruh Latihan Fisik Akut terhadap Kadar Gula Darah Pada Mahasiswa Fakultas Kedokteran Universitas Sam Ratulangi Manado. *Jurnal Biomedik (JBM)*, 5(1): s89-92.
- McCarter RJ, Hempe JM, Gomez R and Chalew SA. 2004. "Biological variation in HbA1c predicts risk of retinopathy and nephropathy in type 1 diabetes," *Diabetes Care*, 2004; 27 (6): 1259–1264.
- Melinda, M. M. 2004. Nutrition and Physical Activity: Fueling the Active Individual. *President's Council on Physical Fitness and Sports Research Digest*, 5 (2): 1-8.
- Miles, M.P., Pearson, S.D., Andring, J.M., Kidd, J.R., Volpe, S.L. 2007. Effect of Carbohydrate Intake During Recovery From Eccentric Exercise on Interleukin-6 and Muscle-Damage Markers. *International Journal of Sport Nutrition and Exercise Metabolism*. Human Kinetics inc. 17: 507-520.
- Misnadiarly. 2006. Diabetes milletus: gangren, ulcer, infeksi. mengenal gejala, menanggulangi, dan mencegah komplikasi. Jakarta: Pustaka Populer Obor.
- Moore DR, Tang JE, Burd NA, Rericich T, Tarnopolsky MA, Phillips SM. 2009. Differential stimulation of myofibrillar and sarcoplasmic protein synthesis with protein ingestion at rest and after resistance exercise. *J Physio*, 587: 897-904.
- Morettini, Micaela, Maria Concetta Palumbo, Massimo Sacchetti, Filippo Castiglione, Claudia Mazzà. 2017. A system model of the effects of exercise on plasma Interleukin-6 dynamics in healthy individuals: Role of skeletal muscle and adipose tissue. *PLOS One*, July.
- Muhilal. 1991. Teori Radikal Bebas dalam Gizi dan Kedokteran. *Cermin Dunia Kedokteran* 73:9-11.
- Nadini, K., Banundari, R., Andrew, J. 2016. Pengaruh Pemberian Zn Terhadap Kadar Glukosa Darah dan Kadar Superoksida Dismutase Pada tikus Wistar Yang Diinduksi STZ. *Jurnal Kesehatan*, 1(1): 61-70.
- Nayanatara, A. K., Nagaraja, H. S., dan Anupama, B. 2005. The Effect of Repeated Swimming Stress on Organ Weights and Lipid Peroxidation in Rats. *Thai Journal of Physiological Sciences*, 18 (1): 3-9.
- Nieman. 2012. Clinical implications of exercise immunology. *Journal of Sport and Health Science*: doi-10.1016/j. jshs.2012.04.004.
- Novita IA. 2012. Status Kegemukan, Pola Makan, Tingkat Aktivitas Fisik Dan Penyakit Degeneratif Dosen Dan Karyawan Universitas Negeri Yogyakarta. *MEDIKORA*, 5.
- Nugroho BA. 2004. Pengaruh Diet Ekstrak Rumpu Laut (*Euchema* sp) Terhadap Penurunan Kadar Glukosa Darah Tikus Putih (*Ratus Nurvegicus*) yang diinduksi Aloksan. Skripsi. Fakultas Kedokteran Universitas Diponegoro:Semarang.
- Nurmawati, Tahtit. 2017. Studi Respon Fisiologi dan Kadar Gula Darah Pada Tikus Putih yang Terpapar STZ. *Jurnal Ners dan Kebidanan*, 4(3): 244-247.
- Odedra et al. 1982. Muscle protein synthesis in streptozotocin-diabetic rat. *Biochem J*.202, 363-368.

- Ostrowski, Kenneth, Thomas Rohde, Sven Asp, Peter Schjerling, Bente Klarlund Pedersen. 2001. Chemokines are elevated in plasma after strenuous exercise in humans. *Eur J Appl Physiol* 84:244–245.
- Pattamaprapanont, P., Muanprasat, C., Soodvilal, C.S., Chatsudthipong, V. 2016. Effect of Exercise Training on Signaling of Interleukin-6 in Skeletal Muscles of Type 2 Diabetic Rats. *The Review of Diabetic Studies*, 13(2 3): 197-206.
- Pedersen, B. K. 2000. Exercise and cytokines. *Immunology and Cell Biology* 78, 532–535.
- Pedersen, B. K. dan Febbraio, M. 2005. Muscle-Derived Interleukin-6—A Possible Link Between Skeletal Muscle, Adipose Tissue, Liver, and Brain. *Elsevier Inc*, 19 (2005) 371–376.
- Pedersen, B., Steensberg, A., Schjerling, P. 2001. Muscle-derived Interleukin-6: Possible Biological Effects. *Journal of Physiology*. 536 (2): 329–337.
- PERKENI. 2011. Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia. Jakarta: PB PERKENI.
- Petersen, A.M.W. & Pedersen, B.K. 2006. The Role of IL-6 in Mediating The Anti Inflammatory Effects of Exercise. *Journal of Physiology and Pharmacology*, 57 (10): 43-51.
- Plomgaard P, Bouzakri K, Krogh-Madsen R, Mittendorfer B, Zierath JR, Pedersen BK. 2005. Tumor necrosis factor-alpha induces skeletal muscle insulin resistance in healthy human subjects via inhibition of Akt substrate 160 phosphorylation. *Diabetes*, 54: 2939-2945.
- Poortmans, J.R.A. Carpentier, L.O. Pereira-Lancha and A. Lancha Jr. 2012. Protein turnover, amino acid requirements and recommendations for athletes and active populations. *Braz J Med Biol Res*, 45(10): 875-890.
- Pratiwi, W.N. 2018. Pengaruh Senam Persadia 1 Terhadap Kadar IL-6 Dan Kolesterol Total Darah Pada Ibu Pkk Lidah Wetan Surabaya (Tesis). Universitas Airlangga Surabaya.
- Purwanto, Bambang. 2013. Protokol Pemeriksaan Protein Karbonil Jaringan Hewan Coba Tikus dan Mencit. *Animal Modeling Research Book Jilid 3*. Dept Faal_IAIFI Surabaya.
- Purwanto, Bambang. 2014. Mekanisme Kerja Curcumin Dalam Mencegah Kerusakan Otot Rangka Mencit Yang Melakukan Aktivitas Eksentrik Sesaat. UNAIR: Disertasi.
- Purwanto et al. 2017. GLUT-1 Is a promising Target For ATP Depletion on Diabetic Energy Deficiency Syndrome. *Folia Medica Indonesiana*, 253(3): 177-179.
- Rahmawati, S. & Rifqiyati, N. 2014. Efektivitas Ekstrak Kulit Batang, Akar, Dan Daun Sirsak (*Annona Muricata L*) Terhadap Kadar Glukosa Darah. *J. Kaunia*, X(2): 81-91.
- Ratnasari, E. 2012. Hubungan kadar glukosa darah terhadap hypertriglyceridemia pada penderita diabetes mellitus. Dalam: *Prosiding Seminar Nasional Kimia Unesa*. hal 978–79.
- Reitelseder S, Agergaard J, Doessing S, Helmark IC, Lund P, Kristensen NB, et al. 2011 Whey and casein labeled with L-[1-13C]leucine and muscle protein synthesis: effect of resistance exercise and protein ingestion. *Am J Physiol Endocrinol Metab*, 300: E231-E242.

- Rimmele, U., Seiler, R., Marti, B., Wirtz, P., Ehlert, U., Heinrichs, M., 2009. The Level Of Physi-cal Activity Affects Adrenal And Cardiovascular Reactivity To Psyhosoi-al Stres. *Psychoneu-roendocrinology*, 34:190-198.
- Rondonuwu, R.G., Rompas, S., Bataha, Y. 2016. Hubungan Antara Perilaku Olahraga Dengan Kadar Gula Darah Penderita Diabetes Mellitus Di Wilayah Kerja Puskesmas Wolaang Kecamatan Langowan Timur. *Ejournal Keperawatan (E-Kp)*, 4(1): 1-7.
- Ross R. 2003. Does exercise without weight loss improve insulin sensitivity?. *Diabetes Care*. 26(3):944–5.
- Ruderman N. & Prentki M. 2004. AMP kinase and malonyl-CoA: Targets For Therapy Of The Metabolic Syndrome. *Nat Rev Drug Discov* 3:340 –351.
- Runiana, Eka Denik Indah Fuspita. 2009. Distribusi Sel Insulin Pankreas Pada Tikus Hiperglikemia yang Diberi Diet Tempe. [Skripsi]. Fakultas Kedokteran Hewan: IPB.
- Saputra, N.T., Suartha, I.N., Dharmayudha, A.A.G.O. Agen Diabetagonik Streptozotocin untuk Membuat Tikus Putih Jantan Diabetes Mellitus. *Buletin Veteriner Udayana*, 10(2): 116-121.
- Scheller, J. dkk. 2011. The Pro- and Anti-Inflammatory Properties of The Cytokine Interleukin-6. *Biochimica et Biophysica Acta*, 878-888.
- Schnedl, W.J., S. Ferber, J.H. Johnson, and C.B. Newgard. 1994. Strepzotocin transport and cytotoxicity. Specific enhancement in GLUT2-expressing cells. *Diabetes*. 43(11):1326-1333.
- Sunaryo, H., Siska, Dwitiyanti, Helmi. 2013. Aktivitas Ekstrak Jahe Gajah dengan Zinc terhadap Kadar Glukosa Darah Mencit yang Diinduksi STZ dan Pakan Hiperkolesterol. *Jurnal Lemlit UHAMKA*.
- Sugiharto. 2012. Fisioneurohormonal Pada Stresor Olahraga. *Jurnal Sains Psikologi*. 2 (2): 54-66.
- Szkudski, T. 2001. The Mechanism of Alloxan and STZ Action in B Cells of The Rat Pncreas. *Physiol Res*, 50:536-546.
- Verkhoshansky, Natalia. 2012. General Adaptation Syndrome and its Applivation in Sport Training. *Special Strength Training Methodology*. 1–79.
- Wahyuni, P.T & Syauby, A. 2015. Pengaruh Pemberian Pisang Kepok Terhadap Kadar Glukosa Darah Puasa Pada Tikus Putih Sparague Dawley Era Sindrom Metabolik. *Journal of Nutrition College*, 4(2): 547-556.
- Sherwood, L. 2010. *Human Physiology: From Cells to Systems*. Canada: Brooks/Cole, Cengage Learning.
- Silva, C.D., Oliveira, F., Macedo, D.V. 2011. Review article: Physical exercise, inflammatory process and adaptive condition: an overview. *Rev Bras Cineantropom Desempenho Hum* 13(4):320–328.
- Sim, M., Dawson, B., Landers, G., et al. 2013. Effect of Exercise Modality and Intensity on Postexercise Interleukin-6 and Hepcidin Levels. *International Journal of Sport Nutrition and Exercise Metabolism*, 23: 178 -186.
- Sinaga, R.N. 2016. Diabetes Mellitus Dan Olahraga. 15(2): 21-29.
- Soegondo, S. 2007. *Diabetes*. Fakultas Kedokteran Universitas Indonesia, Jakarta.
- Starkweather, A. R. 2007. The Effects of Exercise on Perceived Stress and IL-6 Levels Among Older Adults. *Biological Research For Nursing*. 9 (3): 186 194.

- Stites, D. P. & Terr, A. 1991. Basic and clinical immunology 7th ed. Connecticut : Appleton & Lange.
- Sugiharto. 2009. Physiological Effects of Music during Exercise Secretion of Hormones Cortisol and Endorphins. *Folia Medica Indonesiana. Department of Sport Sciences Malang State University School of Education Sciences*. 45 (2): 121-129.
- Sugiharto. 2012. Fisoneurohormonal Pada Stresor Olahraga. *Jurnal Sains Psikologi*. 2 (2): 54-66.
- Sukadiyanto. 2002. Pengantar Toeri dan Metodologi Melatih Fisik. Yogyakarta: FIK Universitas Negeri Yogyakarta.
- suppression of macrophage cytokine release by transforming growth factor-beta and interleukin-10. *J Biol Chem*, 267: 23301-23308.
- Sustrani L. 2006. Diabetes. Jakarta: Gramedia.
- Szkudelski, T 2001, The Mechanism Of Alloxan And Streptozotocin Action In Cells Of The Rat Pancreas, *Physiology Research*, Hal. 536-54. American Diabetes Association 2010, Clinical Practice Recommendations. *Diabetes Care*. <http://care.diabetesjournals.org>. Diakses tanggal 20 Maret 2019.
- Tanaka T., Narazaki M., Masuda K., Kishimoto T. 2013. Interleukin-6: pathogenesis and treatment of autoimmune inflammatory diseases. *Inflammation and Regeneration*, 33 (1): 54-65.
- Thent, Z.C., Das S., Henry, L.J. 2013. Exercise and Type 2 Diabetes Mellitus *PLOS ONE*, 8(1): 1-7.
- Thomas, J. L. 2013. Helpful or Harmful? Potential Effects of Exercise on Select Inflammatory Conditions. *The Physician and Sport Medicine*, 41 (4): 93-100.
- Thomas, J. R et al. 2005. Research Methods in Physical Activity. United States of America: Human Kinetics.
- Thornton, M.L. & Andersen, L. 2006. *Psychoneuroimmunology Examined: The Role Of Subjective Stress. Stress and Immunity Cancer Projects. Cell Science Reviews*, 2 (4): 1742-8130.
- Tomiya et al. 2014. Myofibers express IL-6 after eccentric exercise. *The American Journal of Sports Medicine*, 32(2): 503-508.
- Treebak JT, Frosig C, Pehmoller C, Chen S, Maarbjerg SJ, Brandt N, et al. 2009. Potential role of TBC1D4 enhanced post-exercise insulin action in human skeletal muscle. *Diabetologia*, 52(5):891-900.
- Utomo, H., A. Hanafiah, L.H. Oen, F.D. Suyatna, dan N. Asikin. 1991. Radikal Bebas, peroxide lipid dan penyakit jantung koroner. *Medika* 5:373-379.
- Vasquez, I.N., Veledo, S.F., Alvaro, C.D., Lorenzo, M. 2008. Dual Role of Interleukin-6 in Regulating Insulin Sensitivity in Murine Skeletal Muscle. *Diabetes*, 57: 3211-3221.
- Walsh, et al. 2011. Immune Functions and Exercise. *Exercise Immunology Review*: 7 (-): 6-63.
- Wang, Z. and H. Gleichmann. 1998. GLUT2 in pancreatic islets: crucial target molecule in diabetes induced with multiple low doses of streptozotocin in mice. *Diabetes* 47(1):50-56.
- West DW, Burd NA, Coffey VG, Baker SK, Burke LM, Hawley JA, et al. Rapid aminoacidemia enhances myofibrillar protein synthesis and anabolic

- intramuscular signaling responses after resistance exercise. *Am J Clin Nutr*, 94: 795- 803.
- WHO. 2013. Diabetes. Available in www.who.int.
- Wilson, G.L. and Doux, S.P.L. 1989. The role of chemical in the etiology of diabetes mellitus. *J. Toxicol. Pathol.* 17:357-3 62.
- World Helath Organization. (2016). "Physical Activity". Diambil dariq http://www.who.int/topics/physical_activity/en/, pada 6 april 2019 pukul 06.00.
- Yazdani, Behrooz dkk. 2013. Determine Changes of Plasma Glucose of Trained and Untrained Male Rats After Eight Week Endurance Exercise. *European Journal of Experimental Biology*, 2013, 3 (3): 267-272.
- Zainuddin, M. 2014. Metodologi Penelitian Kefarmasian dan Kesehatan Edisi 2. Airlangga University Press: Surabaya.
- Zhang dkk,. 2007. The Effects Of Different Exercise Training Mode On Interleukin.Life Science. *Journal. Physical Education Department of Zhengzhou University, Zhengzhou; Zhengzhou Orthopedics Hospital, Zhengzhou, Henan China*, (Online), 4 (3): 82-86.
- Zhao, Y., Hu., X., Liu, Y. 2017. ROS Signaling Under Metabolic Stress: Cross Talk Between AMPK and AKT Pathway. *Molecular Cancer*, (2017) 16:79: 1-17.