February - 2016

ISSN 1876-6196



Procedia Chemistry

Molecular and Cellular Life Sciences: Infectious Diseases, Biochemistry and Structural Biology 2015 Conference

Editors:

Toshiharu Hase Genji Kurisu Maria Inge Lusida Bauke W. Dijkstra Nicholas Dixon

Available online at www.sciencedirect.com

ScienceDirect

CONTENTS

1	Preface	1-2
2	Structure and Catalytic Mechanism of 3-Ketosteroid Dehydrogenases	3-11
	Bauke W. Dijkstra, Niels van Oosterwijk, Ali Rohman	
3	Extracellular Enzymes Produced by <i>Vibrio alginolyticus</i> Isolated from Environments and Diseased Aquatic Animals	12-17
	Supansa Bunpa, Natthawan Sermwittayawong, Varaporn Vuddhakul	
4	Recombinant LipL32 Protein for Leptospirosis Detection in Indonesia	18-25
	Sumarningsih, Simson Tarigan, Susanti, Kusmiyati	
5	Enhancing Stability and Purity of Crude Chitinase of <i>Achatina fulica</i> by Crystallization	26-30
	Afaf Baktir , Nira Ambar Arum, Suyanto, Bambang Suprijanto	
6	Application of Cassava Peel and Waste as Raw Materials for Xylooligosaccharide Production using Endoxylanase from <i>Bacillus subtilis</i> of Soil Termite Abdomen	31-38
	Anak Agung Istri Ratnadewi, Agung Budi Santoso, Erma Sulistyaningsih and Wuryanti Handayani	
7	Mutation Analysis of the p <i>Ka</i> Modulator Residue in β-D-xylosidase from <i>Geobacillus thermoleovorans</i> IT-08: Activity Adaptation to Alkaline and High-Temperature Conditions	39-48
	Lanny Hartanti, Ali Rohman, Ami Suwandi, Bauke W. Dijkstra, Zeily Nurahman, Ni Nyoman Tri Puspaningsih	
8	Autolytic Isolation of Chitin from White Shrimp (<i>Penaues vannamei</i>) Waste	49-52
	Achmad Sjaifullah, Agung Budi Santoso	
9	Effects of Fermentation and Storage on Bioactive Activities in Milks and Yoghurts	53-62
	Irma Sarita Rahmawati, Worapot Suntornsuk	
10	Scanning Electron Microscope Analysis of Rice Straw Degradation by a Treatment with α -L-arabinofuranosidase	63-68
	Anita Kurniati, Handoko Darmokoesoemo, Ni Nyoman Tri Puspaningsih	
11	Secretion of <i>Geobacillus thermoleovorans</i> IT-08 α-L-Arabinofuranosidase (AbfA) in <i>Saccharomyces cerevisiae</i> by Fusion with HM-1 Signal Peptide	69-74

Page

	I Nengah Wirajana, Tetsuya Kimura, Kazuo Sakka, Eddy Bagus Wasito, Soekry Erfan Kusuma, and Ni Nyoman Tri Puspaningsih	
12	Hydrolysis of Corncob Xylan using β-xylosidase GbtXyl43B from <i>Geobacillus thermoleovorans</i> IT-08 Containing Carbohydrate Binding Module (CBM)	75-81
	Ni Nyoman Purwania, Handoko Darmokoesoemo, Ni Nyoman Tri Puspaningsih	
13	Biochemical Potential of α-L-Arabinofuranosidase as Anti-Tuberculosis Candidate	82-89
	One Asmarani, Much Zaenal Fanani and Ni Nyoman Tri Puspaningsih	
14	Shortening of Amino Acids from C-terminal of PZase as Basis of Pyrazinamide Resistance in P14 Isolate of <i>Mycobacterium tuberculosis</i> Strain	90-95
	Purkana, Redianti Galuh Novarizka, Rizka Aziz Ayuningsih, Presty Nurdiana and Wiwin Retnowati	
15	Elimination of SCMV (<i>Sugarcane Mozaik Virus</i>) and Rapid Propagation of Virus-free Sugarcane (<i>Saccharum officinarum</i> L.) Using Somatic Embryogenesis	96-102
	Parawita Dewanti, Laily Ilman Widuri, Choirul Ainiyati, Purnama Okviandari, Maisaro and Bambang Sugiharto	
16	Antimicrobial Activities and In silico Analysis of Methoxy Amino Chalcone Derivatives	103-111
	Hery Suwito, Ni'matuzahroh, Alfinda Novi Kristanti, Salwa Hayati, Selva Rosyta Dewi, Ilma Amalina, Ni Nyoman Tri Puspaningsih	
17	Potential Application of Oleylamine-Encapsulated AgInS2-ZnS Quantum Dots for Cancer Cell Labeling	112-121
	Mochamad Zakki Fahmi, Jia-Yaw Chang	
18	Macrophage Activity and Capacity Following Oral Administration of Cocoa Extract to Mice	122-126
	Ariza Budi Tunjung Saria, Teguh Wahyudi, Misnawi, Diana Chusna Mufida, I Wayan Suardita	
19	The Role and Efficiency of Ammonium Sulphate Precipitation in Purification Process of Papain Crude Extract	127-131
	Maria Goretti M. Purwanto	
20	Isolation and Antibacterial Activity Test of Lauric Acid from Crude Coconut Oil (<i>Cocos nucifera</i> L.)	132-140

Febri Odel Nitbani, Jumina, Dwi Siswanta, Eti Nurwening Solikhah

21	Effect of Butyric Acid on p53 Expression and Apoptosis in Colon Epithelial Cells in Mice after Treated with 9,10-dimethyl-1,2- benz(a)anthracene	141-146
	Cherry Siregar, Eddy Bagus Wasito, I Ketut Sudiana	
22	Deep Eutectic Solvent (DES) as a Pretreatment for Oil Palm Empty Fruit Bunch (OPEFB) in Sugar Production	147-154
	Nur Atikah Md Nora, Wan Aida Wan Mustaphaa, Osman Hassana	
23	Pretreatment of Oil Palm Empty Fruit Fiber (OPEFB) with Aquaeous Ammonia for High Production of Sugar	155-161
	Nursyafiqah Zulkiple, Mohamad Yusuf Maskat, Osman Hassan	
24	Antibacterial Activity of Pyrogallol, a Polyphenol Compound Against <i>Vibrio parahaemolyticus</i> Isolated from The Central Region of Thailand	162-168
	Tran Huu Tinh, Taiyeebah Nuidate, Varaporn Vuddhakul, Channarong Rodkhum	
25	AntiHepatitis C Virus Activity of <i>Alectryon serratus</i> Leaves Extract	169-173
	Lidya Tumewu, Evhy Apryani, Mei Ria Santi, Tutik Sri Wahyuni, Adita Ayu Permanasari, Myrna Adianti, Chie Aoki, Aty Widyawaruyanti, Achmad Fuad Hafid, Maria Inge Lusida, Soetjipto, Hak Hotta	
26	Toxicity Test n-Hexane : Ethyl Acetate (3:7) Fraction of Sudamala (<i>Artemisia vulgaris L.</i>)	174-178
	Ira Arundina, Theresia Indah Budhy S., Intan Nirwana, Retno Indrawati, Muhammad Luthfi	
27	Activities of <i>Ficus fistulosa</i> Leave Extract and Fractions Against Hepatitis C Virus	179-184
	Achmad Fuad Hafid, Adita Ayu Permanasari, Lidya Tumewu, Myrna Adianti, Chie Aoki, Aty Widyawaruyanti, Soetjipto, Maria Inge Lusida, Hak Hotta	
28	Characterization of Tryptophanase from Vibrio cholerae O1	185-189
	Taiyeebah Nuidate, Natta Tansila, Kanda Panthong, Varaporn Vuddhakul	
29	Curcuminoid Prevents Protein Oxidation but not Lipid Peroxidation in Exercise Induced Muscle Damage Mouse	190-193

Bambang Purwanto, Harjanto, I Ketut Sudiana

30	The Correlation between Pulmonary Function Tests and The Salivary MMP-9 Activity among Chronic Obstructive Pulmonary Disease (COPD) Patients	194-198
	Mulyadi, Sunnati, Mulkan Azhary	
31	Multiple Intracranial Tuberculomas: Diagnosis Difficulties in a Clinical Case	199-204
	Evita Mayasari, Sufid	
32	Study of Tree-Sparrow (<i>Passer montanus</i>) as Natural Spreader of H5N1 Virus	201-212
	Emmanuel Djoko Poetranto, Anna Lystia Poetranto, Aldise Mareta Nastri, Adhitya Yoppy Ro Candra, Edith Frederika Puruhito, Laksmi Wulandari, Resti Yudhawati, Landia Setiawati, Retno Asih Setyoningrum, Yusuke Takahara, Hak Hotta, Yasuko Mori, Kazufumi Shimizu	
33	The Effect of Spirulina as Feed Additive to Myocardial Necrosis and Leukocyte of Chicken with Avian Influenza (H5N1) Virus Infection	213-217
	Widya Paramita Lokapirnasari, Andreas Berny Yulianto, Djoko Legowo, Agustono	
34	Potency of Attenuated <i>Eimeria tenella</i> in Protective Immunity Induction on Homologous and Heterologous Challenges	218-224
	Muchammad Yunus, Endang Suprihati	
35	Sequence Analysis of the Gene Region Encoding ESAT-6, Ag85B, and Ag85 C Proteins from Clinical Isolates of <i>Mycobacterium</i> <i>tuberculosis</i>	225-230
	Ni Made Mertaniasih, Didik Handijatno, Agnes Dwi Sis Perwitasari, Desak Nyoman Surya Suameitria Dewi, Much Zaenal Fanani, Ika Qurrotul Afifah	
36	Detection of <i>Mycobacterium leprae</i> In Formalin-Fixed Paraffin- Embedded Sample By Fite-Faraco Staining and Polymerase Chain Reaction	231-236
	Willy Sandhika, Dinar Adriaty, Indropo Agusni	
37	Immunogenicity and Specificity of Anti recombinant Protein Fim-C- Salmonella typhimurium Antibody as a Model to Develop Typhoid Vaccine	237-245
	Muktiningsih Nurjayadia, Dea Apriyani, Umar Hasan, Imam Santoso, Fera Kurniadewi, Irma Ratna Kartika, Kurnia Agustini, Fernita Puspasari, Dessy Natalia, Wibowo Mangunwardoyo	





Available online at www.sciencedirect.com





Procedia Chemistry 18 (2016) 213 - 217

Molecular and Cellular Life Sciences: Infectious Diseases, Biochemistry and Structural Biology 2015 Conference, MCLS 2015

The Effect of Spirulina as Feed Additive to Myocardial Necrosis and Leukocyte of Chicken with Avian Influenza (H5N1) Virus Infection

Widya Paramita Lokapirnasari^a*, Andreas Berny Yulianto^b, Djoko Legowo^c, Agustono^d

^aDepartment of Animal Husbandry, Faculty of Veterinary Medicine, Airlangga University, Jl. Mulyorejo, Surabaya 60115, Indonesia ^bFaculty of Veterinary Medicine, Wijaya Kusuma Surabaya University, Jl.Dukuh Kupang XVI/1, Surabaya 60225, Indonesia ^cDepartment of Pathology Veteriner, Faculty of Veterinary Medicine, Airlangga University, Jl. Mulyorejo, Surabaya 60115, Indonesia ^dDepartment of Fish Healthy Management and Aquaculture, Faculty of Fisheries and Marine, Airlangga University, Jl. Mulyorejo, Surabaya 60115, Indonesia

Abstract

doi:10.1016/j.proche.2016.01.033

The aim of this research was to examine the effect of *Spirulina sp.* as feed additive to myocardial necrosis and leukocytes which were infected by Avian Influenza H5N1 virus. This research comprised three level treatment of Spirulina 0%, 10%, 20% of the fresh water algae as a liquid supplement, each of which consisted of seven replicates given to 7 day to 32 day old broiler chicken. Artificial infection of Avian Influenza virus H5N1 by entering the respiratory tract (nose drops) using a dose of 0.1 ml inoculum. Blood samples were collected from brachialis vein 0.5-1 ml to calculate leukocyte cell. Heart tissue of chicken were taken to histopathologic and immunohistochemistry examination. The results showed that there was no significant difference (p>0.05) in myocardial necrosis and significant difference (p<0.05) in leukocyte in the treatment of *Spirulina sp*. The result indicates that *Spirulina sp*.can be used as feed additive to increase immunity in broiler chicken.

© 2016 The Authors. Published by Elsevier B.V. This is an open access article under the CC BY-NC-ND license (http://creativecommons.org/licenses/by-nc-nd/4.0/).

Peer-review under responsibility of the organizing committee of the Molecular and Cellular Life Sciences: Infectious Diseases, Biochemistry and Structural Biology 2015 (MCLS 2015)

Keywords: feed additive; Spirulina sp; Avian Influenza H5N1 virus; chicken; myocardial necrosis; leukocyte

* Corresponding author. Tel.: +62 031 5353241; +62 85731469579 *E-mail address:* wp_lokapirnasari@yahoo.com

Nomenclature

EID	embryo infectious dose
EDTA	ethylenediaminetetraacetic acid
HPAI	high pathogenecity avian influenza
TL1A	TNF-like ligand 1A
1	

Introduction

The primary focus of determining nutrient requirements in poultry production is to improve performance characteristics such as growth and yield. However, nutritional factors are important in improving disease resistance and health. *Spirulina platensis* is a well-known commercial cyanobacterium used as dietary and feed supplementation. It has high contents of proteins, other substances such as polyunsaturated fatty acids (PUFA), vitamins, phycocyanin, β -carotene and chlorophyll pigments that have been used as food and drink, cosmetic and pharmaceutical colorants ^{1, 2, 3}, and minerals. It has been shown to activate the mononuclear phagocytic system of chickens. The mechanism for macrophage function modulation in response to most of these nutrients is not well defined. However, it is clear that dietary components can have a significant influence on the ability of the host to mount an effective immune response⁴.

In microalgae, the micronutrient or trace element such as Cu, Mn, Zn, Co, is important in enzymatic reactions and the biosynthesis of many compounds⁵. It is also incorporated into the cells in a range of 0.001 to 0.25 μ g mg⁻¹ dry weight⁶. In bacteria B, it is an essential part of signal molecules required for quorum sensing^{7,8}.

The produced biomass of *Spirulina* sp can be used as animal feed, energy production, fertilizers or to produce fine chemistry products such as pigments, polysaccharides, carotenes, sterols, vitamins, polly-unsaturated fatty acids and lipids^{9,10}. It is thus necessary to examine the use of different levels of *Spirulina* sp on chicken which Avian Influenza H5N1 virus infected to necrosis myocard and leukocyte.

2. Methods

Twenty one broiler chickens were divided into three treatments of *Spirulina* sp, i.e: $P_0:0\%$ *Spirulina* sp, $P_1:10\%$ *Spirulina* sp, $P_2:20\%$ *Spirulina* sp of the fresh water algae, each of which consisted of seven replicates, in drinking water. The treatment of Spirulina was given to broiler from the age of 7 days old to 32 days old. Artificial infection of Avian Influenza virus H5N1 (A/Ck/Indonesia/BL/03 from isolate collection of Adi Prijo Rahardjo M.Si., DVM) was given to 26 day old chicken by entering the respiratory tract (nose drops) using a dose of 0.1 inoculum containing 10^7 EID50. Inoculated chicken were observed for 6 days after inoculation, during which the clinical signs were recorded. Blood samples were collected from brachialis vein for as much as 0.5 - 1 ml in tube containing EDTA (1 mg/tube) to calculate leukocyte cell. Dead chickens in this research were necropsied for the determination and heart tissues of chicken were collected for histopathologic and immunohistochemistry examination. Heart tissues were fixed by submersion in 10% neutral buffered formalin, routinely processed, and embedded in paraffin. Sections were made at 7 μ m and were stained with hematoxylin and eosin (HE) and a duplicate 7 μ m section was conducted immunohistochemically with primer antibody (anti H5N1).

3. Results and discussion

Based on the results of the variance analysis, the addition of *Spirulina* sp showed a significant difference (p<0.05) in the total number of leukocytes between treatments. The Duncan's multiple range test showed that treatment which produced the highest amount of leukocyte was obtained at P₂ treatment (*Spirulina* sp 20%), which was not different from the treatment P₁ (*Spirulina* sp 10%). The treatment which produced the lowest number of leukocytes was obtained at the P₀ treatment (*Spirulina* sp 0%), which was not different from the P₁ treatment (*Spirulina* sp 10%) (Table 1 and Fig 1).

Table 1. Average and standart deviation of leukocyte (10³/mm³)

Treatment	Average and standart deviation
Spirulina sp 0% (P ₀)	20.51 ^a ± 1.73
Spirulina sp 10% (P1)	$21.75^{ab} \pm 0.85$
Spirulina sp 20% (P ₂)	$22.50^{b} \pm 1.29$

Note: numbers with ^{a,b} are significantly different between treatments (p<0.05).

Spirulina platensis containing calcium-Spirulan, an intracellular polysaccharide, inhibits the replication of several viruses *in vitro* by inhibiting the penetration of the virus into the different host cells used^{11,12}, activates the production of nitric oxide, and immunostimulates the production of cytokines in macrophages¹³. On the other hand, inhibition of leukocyte migration seems to be related to the anti-inflammatory activity of the polysaccharides¹⁴. As leukocyte movement to the site of injury contributes to additional cytokine release and production of nitric oxide, therapeutics has to be effective against this over-inflammation.




Fig. 1. Broiler leukocyte with Spirulina sp treatment. See main text for further information.

The normal range leukocyte of cock is 19.8×10^3 /mm³. In this research, the treatments of *Spirulina* sp 10% (P₁) and 20% (P₂) could increase leukocyte compared to control treatment without *Spirulina* sp (P₀). The result of this research showed that *Spirulina* sp could increase leukocyte associated with an immunological function. Lymphocytes are involved in a variety of immunological functions, such as immunoglobulin production and modulation of immune defence¹⁵. The remaining 20% of the leukocytes represents a combination of eosinophils, which play a role in the inflammation process. Low lymphocyte counts (which the authors of these studies attribute to elevated glucocorticoids) reliably predict the risk of mortality associated with a range of ailments, such as coronary artery disease, heart failure or myocardial infarction. High H : L ratios have been associated in birds with susceptibility to infection, slow growth rates¹⁶.

Based on the results of the variance analysis on myocardial necrosis, the addition of *Spirulina* sp did not show significant difference (p>0.05) among the treatments of P_0 , P_1 and P_2 (Table 2).

Table 2. Average and standard devi	ation of myocardial necrosis
------------------------------------	------------------------------

Treatment	Average of myocard necrosis (%)
Spirulina sp 0% (P ₀)	$65.35^{a} \pm 3.55$
Spirulina sp 10% (P1)	$67.73^{a} \pm 3.48$
Spirulina sp 20% (P ₂)	$68.22^{a} \pm 4.40$

Note: numbers with ^{a,b} are significantly different between treatments (p<0.05).

In the examination of cardiac muscle histophatologic, many lesions were found. Myocardium underwent multifocal necrosis characterized by the number of empty space within the remains of myosit cells. Indeed, it is one thing that often occurs in the cardiac by High Pathogenecity Avian influenza (HPAI) H5N1 infection^{17,18,19}. The necrosis of cardiac cells considerably affect the ability of the heart to pump blood throughout the body. Cardiac failure will reduce blood pressure so that in the level of the arterioles, blood which carries oxygen and nutrients for the tissues of the body organs would be reduced. The cell will be without oxygen and nutrients will not be able to produce the ATP for the organs. Many essential organs will undergo malfunctions. The blood supply to the heart through the coronaria artery will decline and this cause necrosis in the cardiac muscle and causes cardiac failure²⁰. The brain, which is the main organ to coordinate all the organs of the body, would lost a lot of its cells because ischemia that will eventually worsen cardiac failure under the coordination.

Myocardial necrosis of broiler found in all levels of *Spirulina* sp treatment does not show significant difference. In treatment of 20 % *Spirulina* sp, necrosis does not lead to mortality. It might be caused by the fact that the rates of TNF-*like ligand* 1A (TL1A) in chicken on 20 % *Spirulina* sp treatment were lower than those in the other treatments. As a result, the hypovolemic shock was not as severe as that in the other treatment which experienced heavier cytokine storm. Mortality found in treatments of 0% *Spirulina* sp (P₀) and 10 % *Spirulina* sp (P₁) can be due to impaired blood supply, because shock and a disorder in myocardial system can reduce blood pressure throughout the body. The blood supply can decline or even stop and would eventually destruct the other essential organs. Anoxia experienced by the brain will cause mortality in a short time. In this research, anoxia can be observed on wattle and comb of chicken that experienced cyanosis. If it is related to mortality level, a dose of *Spirulina* sp 20% showed 0% mortality (Fig. 2) so that the dose can decrease mortality caused by Avian Influenza H5N1 virus.




Fig. 2. Chicken mortality by Spirulina sp treatment. See main text for further information.

4. Conclusion

The results showed that there was no effect in myocardial necrosis but leukocytes could be increased with the treatment of *Spirulina sp*. This result indicates that *Spirulina sp*.could be used as feed additive to increase immunity in broiler chicken.

References

- Panyakampol J, Cheevadhanarak S, Sutheeworapong S, Chaijaruwanich J, Senachak J, Siangdung W, Jeamton W, Tanticharoen M, and Paithoonrangsarid K. Physiological and Transcriptional Responses to High Temperature in Arthrospira (Spirulina) platensis C1. Plant Cell Physiol. 2014.
- 2. Ciferri O, Tiboni O. The biochemistry and industrial potential of *Spirulina. Ann. Rev. Microbiol.* 1985; **39**:503-526.
- Ronda RR, Lele SS. Culture conditions stimulating high ylinolenic acid accumulation by Spirulina platensis. Braz J Microbiol. 2008; 39: 693-697.
- 4. Qureshi MA. Avian macrophage and Immune Response : an overview Poultry Sci. 2003;82:691-698.
- Vonshak A. Spirulina: Growth, physiology and biochemistry. In: VONSHAK, A, ed.Spirulina platensis (Arthrospira): Physiology, cellbiology and biotechnology. London. Taylor and Francis. 1997:264-268.

- 6. Grobbelaar J. Algal nutrition-mineral nutrition. In: Richmond A. ed. Handbook of micro algal culture: Biotechnology and Applied Psychology, Blackwell Science. 2004:97-115.
- Goldbach HE and Wimmer MA. Boron in plants and animals: Is there a role beyond cell-wall structure? J Plant Nutr Soil Sc. 2007; 170: 1: 39-48.
- Oxa P, Bastías E, Uribe, E. Selection of Arthrospira platensis strains with productivity in brackish water with high boron levels for commercial production in the Lluta Valley. Electron J Biotechn, 2012; 15:5.
- 9. Lodi A. Nitrate and Phosphate renoval by Spirulina platensis. J Ind Microbiol Biot. 2003; 30:11: 656-660.
- Mezzomo N, Saggiorato AG, Siebert R, Tatsch PO, Lago MC, Hemkemeier, M, Costa JAV, Bertolin TE, Colla LM. Cultivation of microalgae Spirulina platensis (Arthrospira platensis) from biological treatment of swine wastewater. Ciênc. Tecnol. Aliment., Campinas, 2010; 30(1): 173-178.
- 11. Hayashi T, Hayashi K, Maeda M, Kojima I. Calcium spirulan, an inhibitor of enveloped virus replication, from a blue-green alga Spirulina platensis. J. Nat. Prod.1996;59:83-87.
- 12. Hayashi K, Hayashi T, Kojima I. A natural sulphated polysaccharide, calcium spirulan, isolated from *Spirulina platensis: In vitro* and *ex vivo* evaluation of anti-*herpes simplex* virus and anti-*human immunodeficiency* virus. *AIDS Res. Human Retrovir*. 1996;12:1463–1471.
- Bae SY, Yim JH, Lee HK, Pyo S. Activation of murine peritoneal macrophages by sulphated exopolysaccharide from marine microalga *Gyrodinium impudicum* (strain KG03): Involvement of the NF-kappa B and JNK pathway. *Int. Immunopharmacol.* 2006;6:473– 484.
- Matsui SM, Muizzudin N, Arad SM, Marenus K. Sulfated polysaccharides from red microalgae anti-inflammatory properties in vitro and in vivo. Appl. Biochem. Biotechnol. 2003;104:13–22.
- Campbell TW. Clinical pathology. *Reptile Medicine and Surgery*(ed. DR Mader), W.B. Saunders Company, Philadelphia, PA.1996. p.248– 257.
- Davis AK, Maney DL, Maerz JC. The Use of Leukocyte Profiles to measure Stress in Vertebrate : a review for ecologists. *Funct Ecol.* 2008, 22:760–772.
- Perkins LEL and Swayne DE. Pathobiology of A/Chicken/Hong Kong/220/97 (H5N1) Avian Influenza Virus in Seven Gallinaceous Species Southeast Poultry Research Laboratory, USDA, ARS, Athens, GA. Vet Pathol.2001; 38:149–164.
- Pálmai N, Erdélyi K, Bálint A, Márton L, Dán A, Deim Z, Ursu K, Löndt BZ, Brown IH, Glávits R. Pathobiology of highly pathogenic avian influenza virus (H5N1) infection in mute swans (*Cygnus olor*). Avian Pathol. 2007; 36(3), 245-249.
- Abou-Rawash HS, Abd EL-Hamed HA, Abd-Ellatieff SM, Elsamanoudy. Recent Outbreaks of Highly Pathogenic Avian Influenza Virus in Chickens and Ducks in Egypt: Pathological Study. International Journal of Medical and Biological Sciences 2012. 6.
- 20. McGavin MD, Zachary JF. Pathologic Basis of Veterinary Disease 4th Ed. Mosby Elsevier. 2007.



SJR Journal Rank	& Country Horatio (Satire 1,1,	
Home	Journal Search	
Journal Rankings	Search query	
Journal Search	in Journal Title ▼ Search	
Country Rankings	Exact phrase	
Country Search	Procedia Chemistry	
Compare	Country: Netherlands	
Map Generator	Subject Area: Chemical Engineering Chemistry	
Help	Subject Category: Chemical Engineering (miscellaneous) Chemistry (miscellaneous)	
About Us	Publisher: Elsevier BV. Publication type: Conferences and Proceedings. ISSN: 18766196	
	Coverage: 2009-2011	
Show this information in your own website	H Index: 13	
	Charts Data	
Procedia Chemistry		
Indicator 2007-2014 Value	SJR indicator vs. Cites per Doc (2y)	
SJR 0.49	2,0	
Cites 0	1,8 0.5	
per doc	1,6	
Total cites 37	1,4 0,4	
www.scimagojr.com Ø Display journal title	1,0 0,3	
Just copy the code below and	0,8	
paste within your html page: <a <="" href="http://www.scimagojr.com" td=""><td>0,6</td>	0,6	
	0,4	
Related product	0,2	
	1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014	
	The SJR indicator measures the scientific influence of the average article in a journal, it	
SCIMAGO	expresses how central to the global scientific discussion an average article of the journal is. Cites per Doc. (2y) measures the scientific impact of an average article published in the	
INSTITUTIONS	journal, it is computed using the same formula that journal impact factor $^{ m m}$ (Thomson Reuters).	
RANKINGS Citation vs. Self-Citation		
N acimana	350	
@scimago	300	
	250 -	
SJR is developed by:		

2003

2004

2005

2006

2007

2008

2009

2010

2011

2012 2013 2014





200 -150 -

100 -

50 -

1999

2000

Total Cites

2001


2002

Self Cites


How to cite this website?


Evolution of the total number of citations and journal's self-citations received by a journal's published documents during the three previous years.

Cites per Document vs. External Cites per Document




Evolution of the number of total cites per document and external cites per document (i.e. journal self-citations removed) received by a journal's published documents during the three previous years.





Evolution of Citations per Document to a journal's published documents during the two, three and four previous years. The two years line is equivalent to journal impact factor $^{\rm TM}$ (Thomson Reuters) metric.




International Collaboration

International Collaboration accounts for the articles that have been produced by researchers


Procedia Chemistry

from several countries. The chart shows the ratio of a journal's documents signed by researchers from more than one country.





Not every article in a journal is considered primary research and therefore "citable", this chart shows the ratio of a journal's articles including substantial research (research articles, conference papers and reviews) in three year windows.



Journal's Cited vs. Uncited Documents

Scimago Lab, Copyright 2007-2016. Data Source: Scopus®



Home	Journal Search
Journal Rankings	Search query
Journal Search	in Journal Title V Search
Country Rankings	Exact phrase
Country Search	Procedia Chemistry
Compare	Country: Netherlands
Map Generator	Subject Area: Chemical Engineering Chemistry
Help	Subject Category: Chemical Engineering (miscellaneous) Chemistry (miscellaneous)
About Us	Publisher: Elsevier BV. Publication type: Conferences and Proceedings. ISSN: 18766196
	Coverage: 2009-2011
Show this information in your own website	H Index: 13
	Charts Data
Procedia Chemistry	
Indicator 2007-2014 Value	SJR indicator vs. Cites per Doc (2y)
SJR 0.49	
Cites	
Total cites ••• • • • 37	
www.scimagojr.com Solution Display journal title	
Just copy the code below and paste within your html page:	

The SJR indicator measures the scientific influence of the average article in a journal, it expresses how central to the global scientific discussion an average article of the journal is. Cites per Doc. (2y) measures the scientific impact of an average article published in the journal, it is computed using the same formula that journal impact factor ™ (Thomson Reuters).

Citation vs. Self-Citation

SJR is developed by:

@scimago

SCIMAGO

INSTITUTIONS RANKINGS





How to cite this website?

Procedia Chemistry

Evolution of the total number of citations and journal's self-citations received by a journal's published documents during the three previous years.

Cites per Document vs. External Cites per Document

Evolution of the number of total cites per document and external cites per document (i.e. journal self-citations removed) received by a journal's published documents during the three previous years.

Cites per Document in 2, 3 and 4 years windows

Evolution of Citations per Document to a journal's published documents during the two, three and four previous years. The two years line is equivalent to journal impact factor $^{\rm TM}$ (Thomson Reuters) metric.

International Collaboration

International Collaboration accounts for the articles that have been produced by researchers

Procedia Chemistry

from several countries. The chart shows the ratio of a journal's documents signed by researchers from more than one country.

Journal's Citable vs. Non Citable Documents

Not every article in a journal is considered primary research and therefore "citable", this chart shows the ratio of a journal's articles including substantial research (research articles, conference papers and reviews) in three year windows.

Journal's Cited vs. Uncited Documents

Ratio of a journal's items, grouped in three years windows, that have been cited at least once vs. those not cited during the following year.

Scimago Lab, Copyright 2007-2016. Data Source: Scopus®