



International Seminar on Molecular Biology in Veterinary Medicine



Host by:
Faculty of Veterinary Medicine
Universitas Airlangga

2 November 2016
Tandjung Adiwinata room, 2nd floor.
Faculty of Veterinary Medicine-Universitas Airlangga
Surabaya - Indonesia

International Seminar on Molecular Biology in Veterinary Medicine

Penulis :

**Faculty of Veterinary Medicine
Universitas Airlangga**

Diterbitkan Oleh :



PT REVKA PETRA MEDIA
Anggota IKAPI No.157/JTI/2014
Jl. Pucang Anom Timur no.5 Surabaya
Telp. 031-5051711 ; Fax. 031-5016848
e-mail: revkapetra.media@yahoo.com

ISBN : 978-602-7043-81-7

Dicetak oleh PT REVKA PETRA MEDIA

Undang-Undang Nomor 19 Tahun 2002
Tentang Hak Cipta :

Hak cipta dilindungi undang-undang. Dilarang memperbanyak atau memindahkan sebagian atau seluruh isi buku ini ke dalam bentuk apapun, secara elektronis maupun mekanis, termasuk fotokopi, merekam, atau dengan teknik perekaman lainnya, tanpa izin tertulis dari penerbit, Undang-undang Nomor 19 Tahun 2002 tentang Hak Cipta, Bab XII Ketentuan Pidana, Pasal 72, AYAT (1), (2) DAN (6)

CONTENTS:

The Role of Stem Cell and Comparative Medicine

Fedik Abdul Rantam, Ferdiansyah, Purwati, Dwikora Novembri Utomo. Universitas Airlangga, Indonesia 1-3

CRISPR/Cas9 The New Age of Gene Surgery. Basic, Biochemistry, Applications and Ethical consideration.

Wolfgang Nellen, Science bridge, Kessel University, Kassel, Germany 4-6

Boron Neutron Capture Therapy in Taiwan

Yung Chang Lin, College of Veterinary Medicine, National Chung Hsing University, Taiwan 7

A Challenge to The Diagnosis Feline Infectious Peritonitis Disease.

Bambang Sekerti Lukiswanto, clinical veterinary department, Universitas Airlangga, Indonesia 8-13

Epigenetic Analysis on Animal Reproduction.

Fatchiyah, Department of biology, Faculty of Science, Universitas Brawijaya. Indonesia 14-17

The Effect of Alkaloid *Achyranthes Aspera Linn.* on Apoptosome on Mitochondria of Mice Breast Cancer was Conduction by Benzopyurine

Dewa Ketut Meles, Wurlina, Sunarni Zakaria. Universitas Airlangga. Indonesia . 18-20

Bacterial Isolation and Molecular Identification of *Avibacterium paragallinarum* of Chickens Derived from Kupang Regency NTT Province.

Elisabet Tangkonda, Antin Y.N. Widi, A.E.T.H Wahyuni, Charles Rangga Tabbu, Indonesia 21-23

Application Effects of Decellularization and Antigen Removal (AR) on Sheep Heart to Acute In Vivo Biocompatibility Test Based The Illustration of New Tissue and Interleukin-10 (IL-10) Expression in Subcutaneous Tissue of Mice Balb/C

Bangun Dwi Yulian, Fajar Shodiq Permata, Indah Amalia Amri, Ajeng Aeka N., Djoko Winarso, Sri Murwani. Universitas Brawijaya. Indonesia 24-26

The Antidiabetic Potential of Grinting Grass (*Cynodon dactylon*) in Increasing The Quantity of Langerhans' Pancreatic Islet Cells and Beta Cells' Pdx1 Expression of Diabetic Mice.

Martia Rani Tacharina, Hani Plumeriastuti. Universitas Airlangga. Indonesia: 27-29

Use of Combination Decellularization and Antigen Removal (AR) at sheep Myocardium Tissue to Expression of Interleukin-6 (IL-6) and Total of Mast Cells in Subcutaneous Tissue of Mice Balb/C as In Vivo Acute Biocompatibility Test.

Amelda Kurnia Esty Vera, Fajar Shodiq Permata, Indah Amalia Amri, Ajeng Aeka N., Sri Murwani. Universitas Brawijaya. Indonesia 30-32

Hepatoprotector Activity Sapogenin Extract of Sambiloto (*Andrographis Paniculata*) on ALT and AST Level and Histopathological Change of Hepatosit Cells Inducted by Paracetamol

Sunarni Zakaria, Dewa Ketut Meles, Wurlina. Universitas Airlangga. Indonesia.33-34

Molecular Epidemiology of Newcastle Disease in Wild Waterfowl in North Queensland, Australia.

Maria Aega Gelolodo. Universitas Nusa Cendana. Kupang. Indonesia. 36-38

Effect of The Antigen Removal Technique on Myocardial Acellular Tissue Based on Interleukin-1 Beta (IL-1 β) Expression and The Number of Inflammatory Cell in Subcutaneous Tissue of Mice on Acute Immune Response Biocompatibility Test.

Fiktor Mahardika, Fajar Shodiq Permata, Indah Amalia Amri, Ajeng Aeka Nurmaningdyah, Aulanni'am Aulanni'am. Universitas Brawijaya. Indonesia..... 39-41

Ultimate Tensile Stress, Histological Characters and Bone Morphogenetic Protein-2 (BMP-2) Expression of Decellularized Bone Xenograft Derived Caprine Based on Various Time of Sodium Dodecyl Sulphate (SDS) Immersion.

Fajar S. Permata, Analis W. Wardhana, Dyah A.O.A. Pratama, Herlina Pratiwi, Agung P.W. Mahendra. Universitas Brawijaya. Indonesia..... 42-44

Expression of Tumor Necrosis Factor-Alpha (TNF- α) and The Skin Histopathology Overview Mice on Acute Immune Response Biocompatibility Test to Ovine Heart Wall Post-Treatment of Decellularization and Antigen Removal (AR) Techniques.

Sonya Budiarto, Fajar Shodiq Permata, Indah Amalia Amri, Ajeng Aeka Nurmaningdyah, Dyah Ayu O.A. Pratama, Agung Pramana W. Mahendra. Universitas Brawijaya. Indonesia..... 45-47

Optical Density Measurements in New Zealand White Rabbits Immunized With Multivalent Dengue Vaccines.

Lita Rachma Yustinasari, Fedik Abdul Rantam, Rahayu Ernawati, Agus Widodo. Universitas Airlangga. Indonesia 48-50

CD8 as The Marker of Cellular Immune Response

Nunuk Dyah Retno Lastuti, Fedik Abdul Rantam, Dony Chrismanto, Annisa Karimah Soetjipto. Universitas Airlangga. Indonesia..... 51-53

Cellulases Activity Produced by *Actinobacillus* sp. Bacteria on Several Alternative Media.

Muhammad Anam Al-Arif, Mirni Lamid. Universitas Airlangga. Indonesia..... 54-56

The Influence of The Administration of Amoxicillin and Tetracycline on Feature of Urine on Local Cats (*Felis Cattus*)

Dian Ayu Kartika Sari, Andreas Berny Yulianto. Universitas Wijaya Kusuma Surabaya, Indonesia..... 57-58

Characteristic *Bacillus licheniformis* as Xylanolytic Bacteria Candidate.

Tri Nurhajati, Koesnoto Soepranionondo, Widya Paramita Lokapirnasari. Universitas Airlangga. Indonesia..... 59-61

***Lactococcus lactis* Lactic Acid Bacteria from Intestine Beef Cattle as a Candidate Probiotics.**

Widya Paramita Lokapirnasari, Adriana Monica Sahidu, Tri Nurhajati, Koesnoto Soepranionondo, Andreas Berny Yulianto 62-64

Phylogenetic Analysis and Prediction of Epitope Immunogen Gene Encoding Fusion Protein Newcastle Disease Virus of Blitar.

Amelia Hendriana Wijayanti, Fedik Abdul Rantam, Jola Rahmahani. Universitas Airlangga, Indonesia..... 65-67

The Apoptotic Effect of Alkaloid *Achyranthes aspera* Linn. on Myeloma Cells.

Dewa Ketut Meles, Wurlina, Sunarni Zakaria. Universitas Airlangga. Indonesia . 68-70

Treatment of Estradiol Benzoate Improve The Synchrony of Prostaglandin F_{2α} Induced Oestrus in Dairy Cows

Mas'ud Hariadi, Universitas Airlangga. Indonesia..... 71-73

Xenotransplant Human Adipose Derived Mesenchymal Stem Cells Improved Glucose Homeostasis in Diabetic Rats.

Nusdianto Triakoso, Eryk Hendrianto, Helen Susilowati, M. Zainal Arifin, Fedik Abdul Rantam. Universitas Airlangga, Indonesia..... 74-76

Identification Of *Streptomyces* sp. Soil Isolate Sidoarjo Lapindo Mud Based On Gene 16S rRNA.

Rochmah Kurnijasanti, Sri Agus Sudjarwo, Tutik Juniastuti, Martia Rani Tacharina. Universitas Airlangga Indonesia 77-79

Isolation and Identification of 16S rRNA Gene *Streptomyces* sp. Soil Isolate Semeru Mountain.
Tutik Juniaستuti, Sri Agus Sudjarwo, Rochmah Kurnijasanti, Kusnoto. Universitas
Airlangga. Indonesia 80-85

Cytochrome b as The Identification Of Target Genetic Relationship Between Three Types Of Dogs in Yogyakarta and Surabaya
Albiruni Haryo, Universitas Brawijaya. Indonesia 86-87

APPLICATION OF FROZEN DRY EQUINE CHORIONIC GONADOTROPIN (eCG) PRODUCTION FROM LOCAL HORSE FOR INCREASING BALI CATTLE PREGNANCY RATE

Herry Agoes Hermadi, and RTS Adikara 88-95

***Lactococcus lactis* Lactic Acid Bacteria from Intestine Beef Cattle as a Candidate Probiotics**

Widya Paramita Lokapirnasari^{1*}, Adriana Monica Sahidu², Tri Nurhajati¹, Koesnoto Soepranianondo¹, A.Berny Yulianto³

¹ Department of Animal Husbandry, Faculty of Veterinary Medicine, Airlangga University, Indonesia

² Faculty of Fisheries and Marine, Airlangga University, Indonesia

³Faculty of Veterinary Medicine, WijayaKusuma Surabaya University, Indonesia

* Corresponding author, Email: widyaparamitalokapirnasari@gmail.com

Abstract

Probiotics is one feeds additive that can be used to increase production of animal husbandry and to reduce the use of antibiotic growth promoter (AGP). This research aims to identify isolates of lactic acid bacteria from intestine beef cattle that can be used as a candidate probiotics. Survival test on acidity was performed with some modification survival test on bile salts, antagonistic test on enteric pathogen was performed with agar diffusion method with modification in the pouring of pathogenic bacteria. The research showed that *Lactococcus lactis* showed viability in pH 2 as much as 6.9×10^7 CFU/ml and isolate viability on bile salts 3.9×10^7 CFU/ml. Antagonist test on *Staphylococcus aureus* showed inhibition diameter as much as 3.0 mm and in antagonist test on *Escherichia coli* as much as 3.5 mm. Based on the result of the research showed that *Lactococcus lactis* derived from intestine beef cattle has tolerant on acidity, bile salt and antagonistic on enteric pathogen *E.coli* dan *S.aureus* so it has potency as candidate probiotic.

Key words : *Lactococcus lactis*, lactic acid bacteria, beef cattle intestine.

Introduction

The benefits of probiotics in farm industry include the ability to eliminate bacteria pathogen through production organic acids, bacteriosin and the other antimicrobial. Lactic acid bacteria also has a role stimulate immunity against pathogen agent or prevent infection[1]. The isolates that useful as probiotics having certain conditionals , among others of its resistance to bile salt and an acid so isolates microbes is able to reach the digestive tract part of the intestines in the condition still a live . Isolate as probiotics must have the ability to adherence and colonization on the part of the mucosal intestine. Lactic acid bacteria (LAB) is a group gram positive bacteria, non spores , rod shaped or coccus, As the major metabolic end products during fermentation of carbohydrates namely produces lactic acid. This research aims to identify isolates of lactic acid bacteria from intestine beef cattle that can be used as a candidate probiotics.

Materials and Methods

MRSB/de Man Rogosa and Sharp Broth (Oxoid), nutrient agar (NA, Oxoid) and nutrient broth (NB, Oxoid), NaCl 0,85% steril , HCl, oxgall (Oxoid), petridish, micropipet, ose, autoclave, incubator, laminair air flow, blue tip, ependorf, bunsen, erlenmeyer, beaker glass.

Survival test on acidity was performed with modification on centrifugation condition and pH media, Survival Test on Bile Salts, Antagonistic test on enteric pathogen (*S.aureus* and *E.coli*) was performed with agar diffusion method with modification in the pouring of pathogenic bacteria.

Result and Discussion

Isolates lactic acid bacteria obtained from the intestine of beef cattle at slaughterhouse Surabaya , have the following characteristics: coccoid shaped cells, Gram positive and negative motility. Lactic acid bacteria are the group microorganisms able to convert carbohydrates to lactic acid. The bacteria is also suppressed bacteria pathogen include Streptococcus pneumoniae or Streptococcus pyogenes. *Lactococcus lactis* (*L.lactis*) is nonpathogenic bacteria, Gram positive bacteria known to have a correlation close to the genus Streptococcus. In nature, *L.lactis* there are in plants or surface of the animal body and the digestive tract animals. The bacteria is in dormant conditions on the surface of plants and will grow in the digestive tract after the plant consumed by ruminant. The use of *L.lactis* is very important in industry, it is based on energy metabolism, where especially for the production of large quantities lactic acid (homolactic fermentation) and produce fermentation product besides lactic acid (mixed acids fermentation). Besides this *L.lactis* also has a role to stress resistance, autolysis, and mucosal immunostimulation [2]. *Lactococcus lactis* is facultative heterofermentatif lactic acid bacteria, barrier strong against bacteria pathogen including *E. coli* , through the reduction of pH of lactic acid and acetic acid production[3].

Table 1. Survival Test on *Lactococcus lactis* on acidity, bile salts and antagonistic test on enteric pathogen.

	Viability of <i>L.lactis</i>
survival test on acidity pH 2	6.9×10^7 CFU/ml
Bile salt tolerance (0.3%)	3.9×10^7 CFU/ml
<i>Escherichia coli</i> Antagonistic	3.5 mm
<i>Staphylococcus aureus</i> Antagonistic	3 mm

Lactococcus lactis is a Gram-positive bacterium widely used in the dairy industry [4]. *Lactococcus lactis* is predominantly associated with dairy fermentations, originated from a plant niche. *L. lactis* strains was isolated from various nondairy niches (grass, vegetables, and bovine rumen) [5]. This is in line with the result from isolation and identification lactic acid bacteria derived of beef intestine from slaughterhouse Surabaya. This research is similar identified *Lactococcus lactis*.

Conclusion

Based on the result of the research showed that *Lactococcus lactis* derived from indigenous intestine beef cattle has tolerant characteristic on acidity, bile acid and antagonistic on enteric pathogen *Escherichia coli* dan *Staphylococcus aureus* so it has potency as probiotic candidate.

Acknowledgements

The authors would like to thank the Rector, Chairman of Institute of Research and Community Service, the Directorate General of Higher Education that have funded the Excellent Research Universities (PUTP) 2016.

Reference

- Bouchard, D., Even, S. and Le Loir, Y., 2015. Lactic Acid Bacteria in Animal Production and Health. *Biotechnology of Lactic Acid Bacteria: Novel Applications*, p.10.
- Velly, H., Renault, P., Abraham, A. L., Loux, V., Delacroix-Buchet, A., Fonseca, F., & Bouix, M. (2014). Genome sequence of the lactic acid bacterium *Lactococcus lactis* subsp. *lactis* TOMSC161, isolated from a nonscalded curd pressed cheese. *Genome announcements*, 2(6), e01121-14.
- Annuk, H., J. Shchepetova, T. Kullisaar, E. Songisepp, M. Zilmer, and M. Mikelsaar. 2003. Characterization of intestinal lactobacilli as putative probiotic candidates. *J. Appl. Microbiol.* 94:403–412.
- Kot, W., Neve, H., Vogensen, F. K., Heller, K. J., Sørensen, S. J., & Hansen, L. H. (2014). Complete genome sequences of four novel *Lactococcus lactis* phages distantly related to the rare 1706 phage species. *Genome announcements*, 2(4), e00265-14.
- Salminen S, A.Ouwehand, Y Beno and YK Lee. 1999. Probiotic: How should they be defined? Trends in Food Science and Technology
- Cavanagh, D., Casey, A., Altermann, E., Cotter, P. D., Fitzgerald, G. F., & McAuliffe, O. 2015. Evaluation of *Lactococcus lactis* Isolates from Nondairy Sources with Potential Dairy Applications Reveals Extensive Phenotype-Genotype Disparity and Implications for a Revised Species. *Applied and Environmental Microbiology*, 81(12), 3961-3972.