

DAFTAR PUSTAKA

- Choi, Y. J. and J. W. Park. 2002. Acid Aided Protein Recovery from Enzyme Rich Pacific Whiting. *J Food Sci* 67 : 2962–2967.
- Direktorat Jenderal Perikanan Tangkap. 2011. Peta Keragaan Perikanan Tangkap di Wilayah Pengelolaan Perikanan Republik Indonesia (WPP-RI). Kementerian Kelautan dan Perikanan Indonesia. Jakarta.
- Febriyanti, D., R. S. Pujiati., dan Khoiron. 2015. *Total Plate Count* dan *Staphylococcus aureus* pada Ikan Asin Manyung (*Arius thallassinus*) di TPI Puger Kabupaten Jember.
- Feng, Y and Hultin H.O. 2001. Effect of pH on the Rheological and Structural Properties of Gels of Water-Washed Chicken-Breast Muscle at Physiological Ionic Strength. *J Agric Food Chem* 49:3921–35.
- Foh, Mohamed Beva Kelfala., Xia, Wenshui., Issoufou, Amadou., and Qixing Jiang. 2012. Influence of pH Shift on Functional Properties of Protein Isolated of Tilapia (*Oreochromis niloticus*) Muscles and of Soy Protein Isolate. *Food Bioprocess Technol.* 5:2192-2200
- Gehring, C. K., J. C. Gigliotti., J. S. Moritz., J. C. Tou, and J. Jaczynski. 2011. Functional and Nutritional Characteristics of Proteins and Lipids Recovered by Isoelectric Processing of Fish by-Products and Low Value Fish a Review. *Food Chemistry*, 124 (2) : 422-431.
- Hudson, B. J. F. 1992. *Biochemistry of Foods Proteins*. Elsevier Applied Science. London. Hal 49.
- Jonsson, A., S. Sigurgisladottir., H. Hafsteinsson., K. Kristbergsson. 2001. Textural Properties of Raw Atlantic Salmon (*Salmo salar*) Fillets Measured by Different Methods in Comparison to Expressible Moisture. *Aquaculture Nutrition* 81:81-89.
- Kobayashi, Y. and J. W. Park. 2017. Biochemical and Physical Characterizations of Fish Protein Isolate and Surimi Prepared from Fresh and Frozen Whole Fish. *LWT-Food Science and Technology*, 77 : 200-207.
- Kristinsson, H.G., T. C. Lanier., S. M. Halldorsdottir., M. Geirsdottir. and J.W. Park. 2013. Fish Protein Isolate by pH Shift. Surimi and Surimi Seafood.169-192.

- Kristinsson, H.G and H. O. Hultin. 2003. Changes in Conformation and Subunit Assembly of Cod Myosin at Low and High pH and After Subsequent Refolding. *Jurnal Agriculture. Food Chemistry*. 51 (24):7187–7196.
- Lelana, I.Y. and H. Amir. 2002. Kemampuan Pembentukan Gel Surimi Manyung (*Arius spp.*) Pada Berbagai Kondisi Pemanasan dan Pencucian. *Jurnal Perikanan Universitas Gadjah Mada*, 4(2).1-8.
- Leygonie, C., Britz, T. J., and Hoffman, L. C. 2012. Impact of freezing and thawing on the quality of meat: Review. *Meat Science*. 91(2): 93-98.
- Marbun, A.Y., A. Ghofar., and A. Solichin., 2018. Analisis Morfometri, Jenis Dan Sebaran Tangkapan Ikan Manyung Di Pelabuhan Perikanan Nusantara Pekalongan (Morphometric Analysis, Species and Catch Distribution of Manyung Fish in Pekalongan Domestic Fishing Port Pekalongan). *Management of Aquatic Resources Journal*, 6(4).470-479.
- Murtodho. 2005. Isolasi dan Analisa Profil Peptida dari Ekstrak Ikan Asin Jambal Roti. Skripsi-IPB. Bogor.
- Nurhuda, H. S., dan E. Rochima. 2017. Penambahan Tepung Karaginan terhadap Tingkat Kesukaan Bakso Ikan Manyung. *Jurnal Perikanan Kelautan*, 8(1).
- Nolsoe, H. and I. Undeland. 2009. The Acid and Alkaline Solubilization Process for the Isolation of Muscle Proteins: State of the Art. *Food Bioprocess Technol* 2 : 1–27.
- Ngapo, T. M., Babare, I. H., Reynolds, J., and Mawson, R. F. 1999. Freezing and Thawing Rate Effects on Drip Loss From Samples of Pork. *Meat Science*, 53:149–158.
- Okazaki, E. and I. Kimura. 2014. Frozen Surimi and Surimi-Based Products. *Seafood Processing Technology, Quality and Safety*, 209-235.
- Okonta, A. A. and J. K. Ekelemu. 2005. A Preliminary Study of Micro Organisms Associated With Fish Spoilage in Asaba, Southern Nigeria. *Proceedings of the 20th Annual Conference of the Fisheries Society of Nigeria (FISON)*. 14th-18th November. Port Harcourt. 2005 : 557-560.
- Oktasari, T., Suparmi dan R. Karnila. 2015. Pembuatan Isolat Protein Ikan Gurami (*Osphronemus Gouramy*) Dengan Metode pH Berbeda. *Jurnal Fakultas Perikanan dan Ilmu Kelautan, Universitas Riau* 5(2), 1-9.
- Panpipat, W., and M. Chaijan. 2016. Biochemical and Physicochemical Characteristics of Protein Isolates from Bigeye Snapper (*Priacanthus*

- Tayenus*) Head by-Product Using pH shift Method. Turkish Journal of Fisheries and Aquatic Sciences, 16, 41-50.
- Pramono, H., D, Y Pujiastuti., A, M Sahidu. 2017. Biochemical and Physicochemical Analysis of Fish Protein Isolate Recovered from Red Snapper (*Lutjanus* sp) by-Product Using Isoelectric Solubilization/Precipitation Method. IOP Conf. Series : Earth and Environmental Series 137.
- Park, J. D., J. D. Jung., J. S. Kim., D. M. Cho., S. M. Cho and Y. J. Choi. 2003. Surimi Processing Using Acid and Alkali Solubilization of Fish Muscle Protein. J Korean Soc Food Sci Nutr 32(3):400–405.
- Rawdkuen, S., Sai-Ut, S., Khamsorn, S., Chaijan, M., and Benjakul, S. 2009. Biochemical and Gelling Properties of Tilapia Surimi and Protein Recovered Using an Acid-Alkaline Process. *Food Chemistry*, 112, 112-119.
- Sahin, S. and S. G. Sumnu. (2006). Physical properties of foods. New York: Springer Science & Business Media, LLC.
- Sun, X. D and R. A. Holley. 2011. Factor Influencing Gel Formation by Myofibril Proteins in Muscle Foods. *Comprehensive Review in Food. Science and Food Safety*. 10(1):33-51.
- Suwetja, I. K. 2007. Biokimia Hasil Perikanan. Jilid III. Rigormortis, TMAO, dan ATP. Fakultas Perikanan dan Ilmu Kelautan. Universitas Sam Ratulangi Manado.
- Tahergorabi, R., K. E. Matak and J. Jaczynski. 2015. Fish Protein Isolate: Development of Functional Foods with Nutraceutical Ingredients. *J Functional Foods* 18:746–756.
- Thawornchinsombut, S. and J. W. Park. 2007. Effect of NaCl on Gelation Characteristics of Acid and Alkalitreated Pacific Whiting Fish Protein Isolates. *Journal of Food Biochemistry* 31: 427–455.
- Xiong, Y. L., X. Lou., C. Wang., W. G. Moody., and R. J. Harmon. 2000. Protein Extraction from Chicken Myofibrils Irrigated with Various Polyphosphate and NaCl Solutions. *Journal of Food Science*, 65(1) : 96-100.
- Yongsawatdigul, J. and Park, J.W., 2004, Effects of alkali and acid solubilization on gelation characteristics of rockfish muscle proteins. *Journal of Food Science*, 69: 499–505.