

## DAFTAR PUSTAKA

- Alam, S. N. 2016. Safety in the Shrimp Supply Chain. Regulating Safety of Tradition and Ethnic Foods. Academic Press. Amerika Serikat. hal 99-123.
- Alasalvar, C., F. Shahidi, K. Miyashita, and U. Wanasundara. 2010. Handbook of Seafood, Quality, Safety, and Health Application. Wiley-Blackwell. New Jersey, Amerika Serikat. hal. 395-396, 451, 457.
- Ambati, R. R., S. M. Phang, S. Ravi, and R. G. Aswathanarayana. 2014. Astaxanthin : sources, extraction, stability, biological activities and its commercial applications—a review. Marine drugs, 12 (1) :128-152.
- Anderson, L. K. 1975. Extraction of carotenoid pigment from shrimp processing waste. Paten Amerika Serikat No. 3906112. hal. 1-5.
- Andr asson, N., A. Evgrafov, and M. Patriksson. 2005. An Introduction to Optimization : Foundations and Fundamental Algorithms. University of Technology Press. Swedia. 205 hal.
- Archer, M. and D. Russel. 2008. Crustacea Processing Waste Management. Seafish. [www.seafish.org/media/Publications/SR593.pdf](http://www.seafish.org/media/Publications/SR593.pdf). 14 Februari 2018 akses. hal. 11-16.
- Atkins, P. and J. de Paula. 2011. Physical chemistry for the life sciences. Oxford University Press. Inggris. hal. 95-96.
- Badan Pusat Statistik Indonesia. 2017. Shrimp Exports Based Major Destination Countries. Badan Pusat Statistik Indonesia. <http://www.bps.go.id/index.php/linkTabelStatis/1015>. 30 Oktober 2017 akses.2 hal.
- Baş, D. and I. H. Boyacı. 2007. Modelling and optimization I : Usability of response surface methodology. Journal of Food Engineering, 78 : 836 – 845.
- Berger, K. G., and N. A. Idris. 2005. Formulation of zero-trans acid shortenings and margarines and other food fats with products of the oil palm. Journal of the American Oil Chemists' Society, 82(11) : 775-782.
- Bezerra, M. A., R. E. Santelli, E. P. Oliveira, L. S. Villar, and L. A. Escaleira. 2008. Response surface methodology (RSM) as a tool for optimization analytical chemistry. Talanta, 76 : 965-977.

- Bhosale, P. and P. S. Bernstein. 2005. Microbial xanthophylls. *Applied Microbiology and Biotechnology*, 68 (4) : 445-455.
- Briggs, M. 2006. Cultured Aquatic Species Information Programme : *Penaeus vannamei*. FAO (Fisheries and Aquaculture Department). [http://www.fao.org/fishery/culturedspecies/Penaeus\\_vannamei/en](http://www.fao.org/fishery/culturedspecies/Penaeus_vannamei/en).14 Februari 2018 akses. 14 hal.
- Britton, G. and J. R. Hellawell. 2008. Carotenoids. Chapter 6 : Carotenoid-Protein Interactions. Birkhäuser Basel. Swiss. 20 hal.
- Britton, G., S. Liaaen-Jensen, and H. Pfander. 2008. Carotenoids, vol. 4 : natural functions (Vol. 4). Springer Science and Business Media. Jerman.
- Brusca, R. C. and G. J. Brusca. 2003. Invertebrates. L. Sinauer Associates, Inc. Amerika Serikat. 936 hal.
- Cahú, T. B., S. D. Santos, A. Mendes, C. R. Córdula, S. F. Chavante, L. B. Carvalho Jr, and R. S. Bezerra. 2012. Recovery of protein, chitin, carotenoids and glycosaminoglycans from Pacific white shrimp (*Litopenaeus vannamei*) processing waste. *Process Biochemistry*, 47 (4) : 570-577.
- Chen, H. M. and S. P. Meyers. 1982. Extraction of astaxanthin pigment from crawfish waste using a soy oil process. *Journal of Food Science*, 47 (3) : 892-896.
- Chen, H. M. and S. P. Meyers. 1984. A rapid quantitative determination of astaxanthin pigment concentrate in oil extraction. *Journal of the American Oil Chemists' Society*, 61 : 1045-1047.
- Edge, R., D. J. McGarvey, and T. G. Truscott. 1997. The carotenoids as anti-oxidants—a review. *Journal of Photochemistry and Photobiology B : Biology*, 41 (3) : 189-200.
- Fassett, R. G. and J. S. Coombes. 2011. Astaxanthin : a potential therapeutic agent in cardiovascular disease. *Marine drugs*, 9 (3) : 447-465.
- Fernandes, T. M., J. A. da Silva, A. H. A. da Silva, J. M. O. Cavalheiro, and M. L. da Conceição. 2013. Flour production from shrimp by-products and sensory evaluation of flour-based products. *Pesquisa Agropecuária Brasileira*, 48 (8) : 962-967.
- Foster, R., C. S. Williamson, and J. Lunn. 2009. Briefing paper : Culinary oils and their health effects. *Nutrition Bulletin*, 34 (1) : 4-47.

- Garrett, R. H. and C. M. Grisham. 2010. Biochemistry. 4<sup>th</sup> Edition. Brooks/Cole Cengage Learning. Amerika Serikat. hal. 219.
- Handayani, A. D. 2007. Ekstraksi karotenoid dari limbah kulit udang. Skripsi. Universitas Katolik Widya Mandala.Surabaya. 76 hal.
- Handayani, A. D., N. Indraswati, and S. Ismadji. 2008. Extraction of astaxanthin from giant tiger (*Penaeus monodon*) shrimp waste using palm oil : studies of extraction kinetics and thermodynamic. Biosource technology, 99 (10) : 4414-4419.
- Intergrated Taxonomic Information System. 1998. *Litopenaeus vannamei* (Boone, 1931). Intergrated Taxonomic Information System.[http://www.itis.gov/servlet/SingleRpt/SingleRpt?search\\_topic=TSN&search\\_value=551682#null](http://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=551682#null). 14 Februari 2018 akses. 1 hal.
- Kementrian Kelautan dan Perikanan Indonesia. 2008. Data Analysis of Marine and Fisheries 2007. Kementrian Kelautan dan Perikanan Indonesia. Jakarta, Indonesia. hal. 27.
- Latscha, T. 1989. The role of astaxanthin in shrimp pigmentation. Advances in Tropical Aquaculture, Workshop at Tahiti, French Polynesia. hal. 319-325.
- Lim, K. C., F. M. Yusoff, M. Shariff, and M. S. Kamarudin. 2017. Astaxanthin as feed supplement in aquatic animals. Reviews in Aquaculture, 10 (3) : 738-773.
- Lucas, J. S. and P. C. Southgate. 2012. Aquaculture : Farming Aquatic Animals and Plants. John Wiley & Sons. Amerika Serikat. hal. 479.
- Mäkelä, M. 2017. Experimental design and response surface methodology in energy applications : a tutorial review. Energy Conversion and Management. 151 : 630-640.
- Maoka, T. 2011. Carotenoids in marine animals. Marine Drugs, 9 (2) : 278-293.
- Matsuno, T. 2001. Aquatic animal carotenoids. Fisheries Science, 67 (5) : 771-783.
- Mba, O. I., M. J. Dumont, and M. Ngadi. 2015. Palm oil : Processing, characterization, and utilization in the food industry - A review. Food Bioscience, 10 : 26-41.
- Mojarrad, J. S., M. Nemati, H. Valizadeh, M. Ansarin, and S. Bourbour. 2007. Preparation of glucosamine from exoskeleton of shrimp and predicting production yield by response surface methodology. Journal of Agricultural and Food Chemistry, 55 (6) : 2246-2250.

- Myers, R. H., D. C. Montgomery, and C. M. Anderson-Cook. 2016. Response surface methodology : process and product optimization using designed experiments. John Wiley & Sons. Amerika Serikat. hal. 413.
- Ngamwonglumlert, L., D. Sakamon, and N.Chiewchan. 2015. Natural colorants : extraction yield enhancement via utilization of appropriate pretreatment and extraction methods. *Critical Reviews in Food Science and Nutrition*, 57 (15) : 3243-3259.
- Ngan, C. L., M. Basri, F. F. Lye, H. R. Masoumi, M. Tripathy, R. A. Karjiban, and E. Abdul-Malek. 2014. Comparison of Box-Behnken and Central composite designs in optimization of fullerene loaded palm-based nano-emulsions for cosmeceutical application. *Industrial Crops and Products*, 59 : 309-307.
- Nurmiah, S., R. Syarief, S. Sukarno, R. Peranginangin, dan B. Nurmata. 2013. Aplikasi response surface methodology pada optimalisasi kondisi proses pengolahan alkali treated cottonii (ATC). *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*, 8 (1) : 9-22.
- Okada, S., S. A. Nur-E-Borhan, and K. Yamaguchi. 1994. Carotenoid composition in the exoskeleton of commercial black tiger prawns. *Fisheries Science*, 60 (2) : 213-215.
- Pacheco, P., S. Gnych, A. Dermawan, H. Komarudin, and B. Okarda. 2017. The plam oil global value chain : Implications for economic growth and social and environmental sustainability. Working Paper 220. Center for International Forestry Research. Bogor. 55 hal.
- Pasaribu, N. 2004. Minyak buah kelapa sawit. e-Universitas Sumatera Utara *Repository*. Medan. hal 1-4.
- Prakash, D. and C. Gupta. 2014. Carotenoids : Chemistry and Health Benefits. *Pytochemicals of Nutraceutical Importance*. CAB International. Inggris. hal. 187.
- Sachindra, N. M. 2003. Studies on some crustaceans of tropical waters with special reference to pigments. Disertasi. University of Mysore. India. hal. 23, 62-66, 88-96, 147-150, dan 199-200
- Sachindra, N. M. and N. S. Mahendrakar. 2010. Stability of carotenoids recovered from shrimp waste and their use as colorant in fish sausage. *Journal of Food Science and Technology*, 47 (1) : 77-83.
- Sachindra, N. M., N. Bhaskar, G. S. Siddegowda, A. D. Sathisha, and P. V. Suresh. 2007. Recovery of carotenoids from ensilaged shrimp waste. *Bioresource technology*, 98(8) : 1642-1646.

- Sachindra, N. M., N. Bhaskar, and N. S. Mahendrakar. 2005. Process optimization for extraction of carotenoids from shrimp waste with vegetable oils. *Biosource Technology*, 96 (10) : 1195-1200.
- Sachindra, N. M., N. Bhaskar, and N. S. Mahendrakar. 2006. Recovery of carotenoids from shrimp waste in organic solvents. *Waste Management*, 26 (10) : 1092-1098.
- Shahidi, F. and J. A. Brown. 1998. Carotenoid pigments in seafoods and aquaculture. *Critical Reviews in Food Science*, 38 (1) : 1-67.
- Shahidi, F. and J. Synowiecki. 1991. Isolation and characterization of nutrients and value added products from snow crab (*Chionoectes apilio*) and shrimp (*Pandalus borealis*) processing discards. *Journal of Agriculture Food Chemistry*, 39 : 1527-1523.
- Sindhu, S. and P. M. Sherief. 2011. Extraction, characterization, antioxidant, and anti-inflammatory properties of carotenoid from the shell waste of arabian red shrimp *Aristeus alcocki* Ramadan 1938. *The Open Conference Proceedings Journal*. 2 (1) : 95-103.
- Stat-Ease Inc. 2019. Design Expert version 11 for Windows. Stat-Ease Inc. Amerika Serikat. <https://shop.statease.com/dx11.html>. 19 Mei 2019 akses. 2 hal.
- Suwanda, M. S. 2015. *Desain Eksperimen untuk Penelitian Ilmiah*. Cetakan kedua. Penerbit Alfabeta. Bandung. 354 hal.
- Thermo Fisher Scientific Inc. 2008. Extinction coefficients. Thermo Fisher Scientific Inc. Amerika Serikat. 4 hal.
- Trung, T. S. and P. T. D. Phuong. 2012. Bioactive compounds from by-products of shrimp processing industry in Vietnam. *Journal of Food and Drug Analysis*, 20 (1) : 194-197.
- Tume, R. K., A. L. Sikes, S. Tabrett, and D. M. Smith. 2009. Effect of background colour on the distribution of astaxanthin in black tiger prawn (*Penaeus monodon*) : Effective method for improvement of cooked colour. *Aquaculture*, 296 (1-2) : 129-135.
- Valderrama, D. and J. L. Anderson. 2011. Shrimp production review. *Global Outlook for Aquaculture Leadership*. Global Aquaculture Alliance. 50 hal.