

**DAFTAR PUSTAKA**

- Alasalvar C, K.D.A Taylor and F. Shahidi. 2005. Comparison of Volatiles of Cultured and Wild Seabream (*Sparus aurata*) during storage in Ice By Dynamic Headspace Analysis/Gaschromatography-Mass Spectrometry. *J. of Agri. and Food Chem*, 53: 2616-2622.
- Alasalvar C, P. Quantick and J. Grigor. 1997. Aroma compounds of fresh and Stored Mackerel (*Scomber scombrus*). In: Shahidi F and Cadwallader KR, editors. *Flavor and Lipid Chemistry of Seafoods*. USA, Washington DC : ACS Publications, pp. 39-54.
- Amin MNG, D. Hidayati dan C. Indarto. 2012. Optimasi Variabel Proses Terhadap Produksi Etanol Dari Biji Sorghum (*Sorghum bicolor L.*). *J. Tek. Pertanian* 13(3) : 213-220.
- Anggraeni CD. 2018. Optimasi Ekstraksi Protein Larut Air dari Mikroalga *Spirulina platensis*. Skripsi. Fakultas Perikanan dan Kelautan. Universitas Airlangga. Surabaya.
- AOAC. 2005. *Official Methods of Analysis*. Benjamin Franklin Station. Washington.
- Arshad ZIM, A. Amid, F. Yusof, J. Jaswir and S.P. Loke. 2014. Bromelain : An Overview of Industrial Application and Purification Strategies. *Appl. Microbiol Biotechnol*, 98 : 7283-7297.
- Atmadja WS, A. Kadi, Sulistijo dan Rachmaniar. 1996. *Pengenalan Jenis-Jenis Rumput Laut Indonesia*. Jakarta : Pustlitbang Oseanologi-LIPI.
- Bak KH, M.A Petersen, R. Lametsch, E.T Hansen, and J. Ruiz-Carrascal. 2018. Development of Volatile Compounds during Hydrolysis of Porcine Hemoglobin with Papain. *Molecules* 23 (357) : 1-9.
- Baltes W and C. Song. 1994. New Aroma Compounds in Wheat Bread, in *Thermally Generated Flavors: Maillard, Microwave, and Extrusion Processes*, edited by T.H. Parliment, M.J. Morello, and R.J. McGorin, ACS Symposium Series 543, American Chemical Society, Washington D.C, pp. 192-205.
- Bhattacharyya BK. 2008. Bromelain : An Overview. *Natural Product Radiance*, 7(4) : 359-363.
- Bucci LR and L. Unlu. 2000. Protein and Amino Acid Supplements In Exercise and Sport. In : I. Wolinsky dan J.A. Driskell (Eds.). 2000. *Energy-Yielding*

Macronutrients and Energy Metabolism In Sports Nutrition. FL: CRC Press, pp. 191-212.

Capriano F, V.M Moretti, F. Bellagambaa, G.M Turchinib, M.L Busettoa, I. Giania, M.A Paleari and M. Pazzaglia. 2008. Fatty Acid Composition and Volatile Compounds of Caviar From Farmed White Sturgeon (*Acipenser transmontanus*). *Anal Chim Acta*, 617:139-147.

Cui, H.; Jia, C.; Hayat, K.; Yu, J.; Deng, S.; Karangwa, E.; Duhoranimana, E.; Xia, S.; Zhang, X. Controlled formation of flavor compounds by preparation and application of Maillard reaction intermediate (MRI) derived from xylose and phenylalanine. *RSC Adv.* 7 : 45442–45451.

Cha YJ, H.H Baek and T.C.Y Hsieh. 1992. Volatile Components in Flavour Concentrates From Crayfish Processing Waste. *J. of the Sci. of food and agri*, 58: 239-248.

Cha YJ, K.R. Cadwallader and H.H. Baek. 1993. Volatile Flavor Components in Snow Crab Cooker Effluent and Effluent Concentrate. *J. Food Sci*, 58 : 525-530.

Chalamaiah M, B.D Kumar, R. Hemalatha and T. Jyothirmayi. 2012. Fish Protein Hydrolysates: Proximate Composition, Amino Acid Composition, Antioxidant Activities and Applications: A Review. *Food Chem*, 135(4) : 3020–3038.

Chung HY, I.K.S Yung, W.C.J Ma and J. Kim. 2002. Analysis of Volatile Components in Frozen and Dried Scallops (*Patinopecten yessoensis*) by Gas Chromatography/Mass Spectrometry. *Food Research Int*, 35: 43-53.

Dean AM and D.T. Voss. 1999. Design and Analysis of Experiments. New York : Springer.

Dhandhukia PC and V.R. Thakkar. 2008. Response surface methodology to Optimize The Nutritional Parameters For Enhanced Production of Jasmonic Acid by *Lasiodiplodia theobromae*. *J. Appl. Microbiol*, 105-112.

Diaz O, A. M. Gouldsworthy and J. Leaver. 1996. Identification of Peptides Released From Casein Micelles by Limited Trypsinolysis. *J. of Agri. and Food Chem*, 44 : 2517-2522.

Fahmi A, S. Morimura, H.C. Guo, T. Shigematsu, K. Kida and Y. Uemura. 2004. Production of Angiotensin I Converting Enzyme Inhibitory Peptides From Sea Bream Scale. *Proc. Biochem*, 39(10) : 1195-1200.

- Flath RA, H. Sugisawa and R. Teranishi. 1981. Problems in Flavor Research, in Flavor Research. Recent Advances, edited by R. Teranishi, R.A. Flath, and H. Sugisawa, Marcel Dekker, Inc., New York, pp. 1-10.
- Girard B and T. Durance. 2000. Headspace Volatile of Sockeye and Pink Salmon As Affected by Retort Process. *J Food Sci*, 65 : 34-39
- Grosch W. 1982. Lipid Degradation Products and Flavor. Part A. Introduction. In I. D. Morton, & A. J. MacLeod (Eds.), *Developments in food science*, New York : Elsevier Science Publishing, pp. 325-398.
- Guillen M and M. Errecalde. 2002. Volatile Components of Raw and Smoked Black Bream (*Brama raii*) and rainbow trout (*Onchorhynchus mykiss*) Studied by Means of Solid Phase Microextraction and Gas Chromatography/Mass Spectrometry. *J. of the Science of Food and Agri*, 82 : 945-952.
- Guillen MD, M.C Errecalde, J. Salmeron and C. Casas. 2006. Headspace Volatile Components of smoked swordfish (*Xiphias gladius*) and cod (*Gadus morhua*) Detected by Means of Solid Phase microextraction and Gas Chromatography–Mass Spectrometry. *Food Chem*, 94 : 151-156.
- Guo X, S. Tian and D.M Small. 2010. Generation of Meat-like Flavourings From Enzymatic Hydrolysates of Proteins From Brassica sp. *Food Chem*, 119 : 167-172.
- Haard, N.F. 2001. In: Sikorski, Z.E. (Ed.), *Enzymatic Modification Proteins in Food Systems. Chemical and Functional Properties of Food Proteins*. CRC Press, Boca Raton, pp. 155-190.
- He S, C. Franco and W. Zhang. 2013. Functions, Applications and Production of Protein Hydrolysates From Fish Processing Co-Products (FPCP). *Food Resc Int*, 50 : 289-297.
- Hong DD, H.M. Hien and P.N. Son. 2007. Seaweeds From Vietnam Used For Functional Food, Medicine and Biofertilizer. *J. Appl Phycol*, 19 : 817-826.
- Huang W, Z. Li, H. Niu, D. Li and J. Zhang. 2008. Optimization of Operating Parameters For Supercritical Carbon Dioxide Extraction of Lycopene by Response Surface Methodology. *J. Food Eng*, 89 : 298-302.
- Izzo HV and Chi-Tang Ho. 1992. Peptide-Specific Maillard Reaction Products: A New Pathway For Flavor Chemistry. *Trends in Food Sci. & Tech*, 3 : 253-257.
- Josephson DB and R.C Lindsay. 1986. Enzymatic Generation of Volatile Aroma Compounds From Fresh Fish. In T. H. Parliament & R. Croteau (Eds.),

- Biogenesis of aromas , Washington, DC: American Chemical Society, pp. 201–219.
- Kanu PJ, J.B Kanu, E.H Sandy, J.B.A Kandeh, P.M.P Mornya and Z. Huiming. 2009. Optimization of Enzymatic Hydrolysis of Defatted Sesame Flour by Different Proteases and Their Effect on The Functional Properties of The Resulting Protein Hydrolysate. *Am. J. Food Technol*, 4(6) : 226-240.
- Klein J and M. Verlaque. 2008. The *Caulerpa Racemosa* Invasion: A Critical Review. *Marine Pollution Bulletin*, 56 : 205-225.
- Korhonen H and A. Pihlanto. 2006. Bioactive peptides: Production and Functionality. *International Dairy Journal*, 16 : 945-960.
- Kristinsson HG and B.A. Rasco. 2000. Fish Protein Hydrolysates: Production, Biochemical and Functional Properties. *Critical Reviews in Food Sci and Nut*, 40 : 43-81.
- Kromfang I, U. Chikhunthod, P. Karpilanondh and B. Thumthanaruk. 2015. Identification of Volatile Compounds in Jellyfish Protein Hydrolysate. *Int J Appl Sci Technol*, 8(2) : 153-161.
- Laohakunjit N, O. Selamassakul and O. Kerdchoechuen. 2014. Seafood-like Flavour Obtained From The Enzymatic Hydrolysis of The Protein By-Products of Seaweed (*Gracilaria* sp.). *Food Chem*, 158 : 162-170.
- Lawson J. 2017. Design and Analysis of Experiments with R. FL : Taylor & Francis Group, LLC, pp 383-446.
- Lehninger AL. 1993. Dasar Biokimia I. Maggy Thenawidjaja, penerjemah. Jakarta: Erlangga.
- Leksrisompong PP, R.E Miracle and M. Drake. 2010 Characterization of Flavor of Whey Protein Hydrolysates. *J. Agri. Food Chem*, 58 : 6318-6327.
- Liceaga AM and F. Hall. 2018. Nutritional, Functional and Bioactive Protein Hydrolysates. USA : Elsevier, Inc, pp. 1-9.
- Linder M and R.G Ackman. 2002. Volatile Compounds Recovered by Solid-Phase Microextraction From Fresh Adductor Muscle and total lipids of Sea Scallop (*Placopecten magellanicus*) From Georges Bank (Nova Scotia). *J. of Food Sci*, 67: 2032-2037.
- Liu JK, S.M Zhao and S.B. Xiong. 2009. Influence of Recooking On Volatile and Non-Volatile Compounds Found in Silver Carp (*Hypophthalmichthys molitrix*). *Fish Sci*, 75: 1067-1075.

- Ma'ruf WF, R. Ibrahim, E. N. Dewi, E. Susanto dan U. Amalia. 2013. Profil Rumput Laut *Caulerpa racemosa* dan *Gracilaria verrucosa* Sebagai Edible Food. *J. Saintek Perikanan* 9(1) : 68-74.
- Maria TSLN dan N. Narenda. 2018. Volatile Components in Seaweeds. *Examines Mar Biol Oceanogr.* 2(2) : 1-7.
- McCarthy AL, Y.C. O'Callaghan and N.M. O'Brien. 2013. Protein Hydrolysates From Agricultural Crops Bioactivity and Potential For Functional Food Development. *Agriculture*, 3 : 112-130.
- Mendis E, N. Rajapakse and S. Kim. 2004. Antioxidant Properties of A Radicalscaevenging Peptide Purified From Enzymatically Prepared Fish Skin Gelatine Hydrolysate. *J. of Agri and Food Chem*, 53(3) : 581-587.
- Montgomery DC. 2005. *Design and Analysis of Experiments*, Sixth Edition. USA : John Wiley & Sons, Inc, pp 405-458.
- Morita K, K. Kubota and T. Aishima. 2003. Comparison of Aroma Characteristics of 16 Fish Species by Sensory Evaluation and Gas Chromatographic Analysis. *J of the Sci of Food and Agri*, 83: 289-297.
- Murray RK, D.K Granner and V.W Rodwell. 2006. *Harper's Illustrated Biochemistry*, 27<sup>th</sup> Ed, pp 65-77.
- Myers RH, D.C. Montgomery and C.M. Anderson-Cook. 2009. *Response Surface Methodology : Process and Product Optimization Using Designed Experiments*, Third Edition. Canada: John Wiley & Sons, Inc, pp 406-407.
- Maria T S L N and N. Narain. Volatile Components in Seaweeds. *Examines Mar Biol Oceanogr.* 2(2) : 1-7.
- Nagodawithana TW, L. Nelles and N.B. Trivedi. 2010. Chapter 11 : Protein Hydrolysates as Hypoallergenic, Flavors and Palatants For Companion Animals. In : Pasupuleti VK dan A.L. Demain (Eds.). 2010. *Protein Hydrolysates in Biotechnology*. New York : Springer Science+Business Media B.V, pp 191-207.
- Nasri M. 2016. Protein Hydrolysates and Biopeptides: Production, Biological Activities, and Applications in Foods and Health Benefits. A Review. Dalam Toldra F (Ed.). 2017. *Advances in Food and Nutrition Research*, Volume 81. New York : Elsevier, Inc, pp 109-159.
- Nasri, R, M. Jridi, I. Lassoued, I. Jemil and R. Ben Slama-Ben Salem. 2014. The Influence of The Extent of Enzymatic Hydrolysis On Antioxidative Properties and ACE-inhibitory activities of Protein Hydrolysates From

- Goby (*Zosterisessor ophiocephalus*) Muscle. *Appl. Biochem and Biotech*, 173 : 1121-1134.
- Nawar WW, S.J Bradley, S.S Lomanno, C.C Richardson and R.C. Whiteman. 1988. Volatiles from Frying Fats: A Comparative Study, in *Lipids as A Source of Flavor*, edited by M.K. Supran, American Chemical Society, Washington, D.C, pp. 42-55.
- Noman AY, W.Q. Xu, Al-Bukhaiti, M.A. Sherif, H.A. Abdelmoneim, H.R. Abubakar and W. Xia. 2018. Influence of Enzymatic Hydrolysis Condition on The Degree of Hydrolysis and Functional Properties of Protein Hydrolysate Obtained From Chinese Sturgeon (*Acipenser sinensis*) By Using Papain Enzyme. *Proc. Biochem*, 67 : 19-28.
- Nurhayati A, E. Salamah, Cholifah, dan R. Nugraha. 2014. Optimasi Proses Pembuatan Hidrolisat Jeroan Ikan Kakap Putih. *JPHPI* 17(1) : 42-52.
- Nursten H. 2005. *The chemistry of Nonenzymic Browning, The Maillard Reaction*, Royal Society Of Chemistry, Cambridge, pp. 5-26.
- Ohloff G, I. Flament and W. Pickenhagen. 1985. Flavor Chemistry. *Food Rev Int* 1:99-148.
- Ölmez H and M.Y. Akbas. 2009. Optimization of Ozone Treatment of Fresh-Cut Green Leaf Lettuce. *J. Food Eng*, 90 : 487-494.
- Ovissipour M, Safari R, Motamedzadegan A, and Shabanpour B. 2009. Chemical and Biochemical Hidrolysis of Persian Sturgeon (*Acipenser persicus*) Visceral Protein. *J. Food and Bioprocess Tech* 5: 460-465.
- Paseephol T, D. Small and F. Sherkat. 2007. Process Optimization For Fractionating Jerusalem Artichoke Fructans With Ethanol Using Response Surface Methodology. *Food Chem*, 104 : 73-80.
- Pereira L. 2011. Chapter 2 : A Review of The Nutrient Composition of Selected Edible Seaweeds. Dalam Pomin VH (Ed.). 2011. *Seaweed*. New York : Nova Science Publishers, Inc, pp 15-47.
- Perez AG, C. Sanz, R. Oli'as, J.J Ri'os and J.M Oli'as. 1996. Evolution of strawberry alcohol acyltransferase activity during fruit development and storage. *J Agric Food Chem*, 44 : 3286-3290.
- Pratama RI, I. Rostini and E. Rochima. 2018. Amino acid profile and Volatile Flavour Compounds of Raw and Steamed Patin Catfish (*Pangasius hypophthalmus*) and Narrow Barred Spanish Mackerel (*Scomberomorus commerson*). *IOP Conference Series: Earth and Environmental Science*, 116 : 1-17.

- Pratama RI, I. Rostini dan M.Y Awaluddin. 2013. Komposisi Kandungan Senyawa Flavor Ikan Mas (*Cyprinus carpio*) Segar dan Hasil Pengukusannya. *J. Akuatika*, 4(1): 55-67.
- Pratama RI, Rostini I, Rochima E. 2018. Profil Asam Amino, Asam Lemak dan Komponen Volatile Ikan Gurame Segar (*Osphronemus gouramy*) dan Kukus. *J Peng. Hasil Perikanan Ind*, 21(2): 218-231.
- Rao MB, M. Aparna, Tanksale, S. Mohini, Ghatge and V.V. Deshpande. 1998. Molecular and Biotechnological Aspects of Microbial Proteases. *Microbiology And Molecular Biology Reviews*, 62(3) : 597-635.
- Rawdkuen S, N. Rodzi, S. Pinijsuwan. 2018. Characterization of Sacha Inchi Protein Hydrolysates Produced by Crude Papain and Calotropis Proteases. *LWT - Food Sci and Tech*, 98 : 18-24.
- Rico D, A.B. Martín-Diana, C. Barry-Ryan, J.M. Frías, G.T.M. Henehan and J.M. Barat. 2008. Optimization of Steamer Jet-Injection To Extend The Shelflife of Fresh-Cut Lettuce. *Postharvest Biol. Technol*, 48 : 431-442.
- Roj E, A. Dobrzyńska-Inger, A. Debczak, D. Kostrzewa and K. Stepnik. 2015. Chapter 6 : Algae Extract Production Methods and Process Optimization. Dalam Kim S-K dan Chojnacka (Ed.). 2015. *Marine Algae Extracts: Processes, Products, and Applications*, First Edition. Jerman : Wiley-VCH Verlag GmbH & Co. KGaA, pp 101-120.
- Saadi S, N. Saari, F. Anwar, A.A Hamid and H. Mohd Ghazali. 2015. Recent Advances In Food Biopeptides: Production, Biological Functionalities and Therapeutic Applications. *Biotech Adv*, 33 : 80-116.
- Sakakibara H, J. Ide, T. Yanai, I. Yajima and K. Hayashi. 1990. Volatile Flavor Compounds of Some Kinds of Dried and Smoked Fish. *Agricultural and Biol Chem*, 54 : 9-16.
- Sanmartin E, J.C. Arboleya, M. Villamiel and J. Moreno. 2009. Recent Advances In The Recovery and Improvement of Functional Proteins From Fish Processing By-Products: Use of Protein Glycation As An Alternative Method. *Comp Rev in Food Sci and Food Safty*, 8(4) : 332-344.
- Sarkar S, M. Ahmed, N.H.M. Rubel Mozumder and A. Saeid. 2017. Isolation and Characterization of Bromelain Enzyme From Pineapple and Its Utilization As Anti-Browning Agent. *Process Eng. J*, 52-58.
- Sathivel S, S. Smiley, W. Prinyawiwatkul and P.J. Bechtel. 2005. Functional and Nutritional Properties of Red Salmon (*Oncorhynchus nerka*) Enzymatic Hydrolysates. *J. of Food Sci*, 70(6) : 401-406.

- Seo HW, Jung EY, Go GW, Kim GD, Joo S-T and Yang H-S. 2015. Optimization of Hydrolysis Conditions For Bovine Plasma Protein Using Response Surface Methodology. *Food Chem*, 185 : 106-111.
- Severin S and W.S. Xia. 2006. Enzymatic Hydrolysis of Whey Proteins by Two Different Proteases and Their Effect On The Functional Properties of Resulting Protein Hydrolysates. *J. Food Biochem*, 77-97.
- Shahidi F, T. Aishima, H.A Abou-gharbia, M. Youssef and A. Adel Y. Shehata. 1997. Effect of Processing On Flavor Precursor Amino Acids and Volatiles of Sesame Paste (tehina). *JAOCS*, 74(6) : 667-678.
- Shahidi F, X.Q Han and J. Synowiecki. 1995. Production and Characteristics of Protein Hydrolysates From Capelin (*Mallotus villosus*). *Food Chem*, 53(3), 285-293.
- Shalit M, N. Katzir, Y. Tadmor, O. Larkov, Y. Burger, F. Schalechet, E. Lastochkin, U. Ravid, O. Amar and M. Edelstein. 2001. AcetylCoA: Alcohol Acetyl Transferase activity and Aroma Formation In Ripening Melon Fruits. *J Agric Food Chem*, 49: 794-799.
- Sharma HKR, R. Srivastava and S. Shukla. 2014. Isolation, Purification and Quantitative Analysis of Cysteine Protease, Bromelain From ananas comosus (Pineapple). *Int J Pharm Bio Sci*, 5(1): 429-437.
- Sonklin C, N. Laohakunjit and O. Kerdchoechuen. 2011. Physicochemical and Flavor Characteristics of Flavoring Agent from Mungbean Protein Hydrolyzed by Bromelain. *J. of Agri and Food Chem*, 59 : 8475-8483.
- Tan X, L. Qi, F. Fan, Z. Guo, Z. Wang, W. Song and M. Du. 2018. Analysis of Volatile Compounds and Nutritional Properties of Enzymatic Hydrolysate of Protein From Cod Bone. *Food Chem*, 264 : 350-357.
- Tao NP, R. Wu, P.G Zhou, S.Q Gu and W. Wu. 2014. Characterization of Odor-Active Compounds In Cooked Meat of Farmed Obscure Puffer (*Takifugu obscurus*) Using Gas Chromatography-Mass Spectrometry-Olfactometry. *J of Food and Drug Anl*, 22 : 431-438.
- Trevisan AJ, A.L.D De, G.R Sampaio, R.A Soares and D.H Markowicz Bastos. 2016. Influence of Home Cooking Conditions On Maillard Reaction Products In Beef, *Food Chem*, 196 : 161-169.
- Van der Ven C, H. Gruppen, D.B.A. de Bont and A.G.J. Voragen. 2002. Optimization of The Angiotensin Converting Enzyme Inhibition by Whey Protein Hydrolysates Using Response Surface Methodology. *Int Dairy Journal*, 12 : 813-820.



- Varlet V, C. Prost and T. Serot. 2007. Volatile Aldehydes In Smoked Fish: Analysis Methods, Occurrence And Mechanisms Of Formation. *Food Chem*, 105 : 1536–1556.
- Wang H, Y. Liu, S. Wei and Z. Yan. 2012. Application of Response Surface Methodology To Optimise Supercritical Carbon Dioxide Extraction of Essential Oil From *Cyperus rotundus* Linn. *Food Chem*, 132 : 582-587.
- Waterborg JH. 2002. The Lowry Method For Protein Quantitation. In : Walker JM (Ed.). 2002. *The Protein Protocols Handbook*. New York : Springer, pp 7-9.
- Whitehurst RJ and M.V Oort. 2010. *Enzymes In Food Technology*. Chicester (UK): John Wiley & Sons, Ltd.
- Wu M, H. Ding, S. Wang and S. Xu. 2006. Optimizing Conditions For The Purification of Linoleic Acid from Sunflower Oil by Urea Complex Fractionation. *J Am Oil Chem Soc*, 85 : 677-684.
- Yu HZ and S.S Chen. 2010. Identification of Characteristic Aroma-Active Compounds In Steamed Mangrove Crab (*Scylla serrata*). *Food Res Int*, 43 : 2081-2086.