

DAFTAR PUSTAKA

- Aberoumand, A., 2012. Comparative study between different methods of collagen extraction from fish and its properties. World Applied Sciences Journal.16(3):315.
- Apriantoro, E.W. 2007. Isolasi dan Karakterisasi Kolagen dari Kulit Ikan Kerapu Lumpur (*Epinephelus tauvina*) Sebagai Bahan Baku Farmasi. Skripsi. Fakultas MIPA, Univeritas Indonesia, 115 hal.
- Ahmad, M., and S. Benjakul, 2010. Extraction and characterisation of pepsin-solubilised collagen from the skin of unicorn leatherjacket (*Aluterus monoceros*). Food Chemistry, 120(3), 824.
- Ali, A.M.M., S. Benjakul,. Prodpran, T., Kishimura, H., 2017. Extraction and Characterisation of Collagen from the Skin of Golden Carp (*Probarbus Jullieni*), a Processing By-Product. Waste and Biomass Valorization . Waste and biomass valorization, 9(5), 783.
- Badan Standardisasi Nasional. 2014. Kolagen kasar dari sisik ikan-Syarat mutu dan pengolahan: SNI 8076-2014. Jakarta (ID): Badan Standardisasi Nasional
- Bareil, R. 2010. Collagen-Based Biomaterials for Tissue Engineering Applications. Materials, 3(3), 1880.
- Boran, G., Mulvaney, S.J., and Regenstein, J.M. 2010. Rheological properties of gelatin from silver carp skin compared to commercially available gelatins from different sources. Journal of Food Science, 75(8), 569.
- Chen, Z., J. Yang Wu, B., Tawil, B., 2014. A Novel Three-Dimensional Wound Healing Model. J. Dev. Biol. 2, 202.
- Chi, C.F., Wang, B., Li, Z.-R., Luo, H.-Y., Ding, G.-F., 2013. Characterization of acid-soluble collagens from the cartilages of scalloped hammerhead (*Sphyraena lewini*), red stingray (*Dasyatis akajei*), and skate (*Raja porosa*). Food Science Biotechnology. 22, 914.
- Coester, H., B. J.Von., and K.L Kreuter. 2000. Gelatin nanoparticles by two step desolvation a new preparation method, surface modifications and cell uptake. Journal Microencapsul. 17, 190.

- Darmanto, Y. S., Tri W. A., Fronthea, S., and Al Bulushi I. 2014. The Effect of Fish Bone Collagens in Improving Food Quality. International Food Research Journal. 21 (3):893.
- Gauza-Włodarczyk, M., L. Kubisz., and D. Włodarczyk. 2017. Amino acid composition in determination of collagen origin and assessment of pHysical factors effects. International Journal of Biological Macromolecules, 104, 983.
- Gómez-Guillén, M. C., B. Giménez., M. E. López-Caballero., and M. P. Montero.2011. Functional and bioactive properties of collagen and gelatin from alternative sources: A review. Food Hydrocolloids, 25(8), 1825.
- Hartati, I. dan Kurniasari. 2010. Kajian Produksi Kolagen dari Hasil samping Sisik Ikan Secara Ekstraksi Enzimatis. Jurusan Teknik Kimia Fakultas Teknik Universitas Wahid Hasyim Semarang, 34.
- Hayashi, Y., T. Ikeda., S. Yamada., Z. Koyama., and K. Yanagiguchi. 2014. The Application of Fish Collagen to Dental and Hard Tissue Regenerative Medicine, in: Kim, S.-K. (Ed.), Seafood Processing By-Products: Trends and Applications. Springer New York, New York, NY, pp. 459.
- Hema, G.S., K. Shyni., S. Mathew., R. Anandan., G. Ninan., and Lkshmanan., 2013. A simple method for isolation of fish skin collagen- biochemical characterization of skin collagen extracted from albacore tuna (*Thunnus Alalunga*), dog shark (*Scoliodon sorrakowah*), and rohu (*Labeo rohita*). Annal of Biological Research. 4(1): 275.
- Herng, W, K., and Huey-Jine Chai. 2007. Collagen of Fish Scale and Method of Making Thereof. Jurnal Ilmiah Internasional. Keelung City.
- Huang, Y., l. Niu., X. Zhou., C. Yuan., Y. Bai., K.Lai., and F.Yang. 2013. Characterization of tilapia (*Oreochromis niloticus*) skin collagen extracted with alkaline and different acid pretreatments. Food Hydrocolloids 33: 337.
- Jacoeb, A. M., Nurjanah dan A. Saraswati. 2013. Kandungan Asam Lemak dan Kolesterol Kakap Merah (*Lutjanus bohar*) setelah Pengukusan. Jurnal Pengolahan HAsil Perikanan, 16 (2): 174.
- Jaswir, I., H.A. Monsur., and H.M. Salleh. 2011. Nano-structural analysis of fish collagen extracts for new process development. African Journal of Biotechnology. 10(81): 18854.

- Jongjareonrak, A., S. Benjakul, W. Visessanguan, T. Nagai, and M. Tanaka, 2005. Isolation and characterisation of acid and pepsin-solubilised collagens from the skin of Brownstripe red snapper (*Lutjanus vitta*). Food Chem. 93, 480.
- Kasim, S. 2013. Pengaruh Variasi Jenis Pelarut Asam pada Ekstraksi Kolagen dari Ikan Pari (*Himantura gerrardi*) dan Ikan Tuna (*Thunnus sp*). Majalah Farmasi dan Farmakologi. 17 (2) : 36.
- Kittiphattanabawon, P., S. Benjakul, W. Visessanguan, T. Nagai, and M. Tanaka, 2005. Characterisation of acid-soluble collagen from skin and bone of bigeye snapper (*Priacanthus tayenus*). Food Chem. 89:370.
- Kkanot,S.J.T., Bailey, A.J. 1998. Quantitative analysis of collagen and elastin crosslinks using a single-column system. Journal of Chromatography 582: 53.
- Kołodziejska, I., E. Skierka, M. Sadowska, W. Kołodziejski, and C. Niecikowska, 2008. Effect of extracting time and temperature on yield of gelatin from different fish offal. Food Chemistry, 107(2), 704.
- Kong, J., Yu, S. 2007. Fourier transform infrared spectroscopic analysis of protein secondary structures. Acta Biochimica et Biophysica Sinica39(8):569.
- Krishnan, B. P. G. 2014. Gambaran Kejadian Hipertiroid Pada Anak Di Rumah Sakit Umum Pusat Haji Adam Malik (RSUPHAM) Medan Tahun 2008 Hingga 2012. Universitas Sumatera Utara. Medan. 10 hal.
- Kurniawan, D.R. 2016. Formulasi sediaan gel pelembab kulit berbasis kolagen kulit ikan parang-parang (*Chirocentrus dorab*) [skripsi]. Bogor : Institut Pertanian Bogor.
- Ling, W. Z., Z. Li, C. Zhang, and D. Zhang. 2018. The characterization of acid and pepsin soluble collagen from ovine bones (Ujumuqin sheep). Journal of Integrative Agriculture, 17(3):710.
- Liu, D., L. Liang, J.M. Regenstein, and P.Zhou. 2012. Extraction and characterisation of pepsin-solubilised collagen from fins, scales, skins, bones and swim bladders of bighead carp (*Hypophthalmichthys nobilis*). Journal Food Chemistry, 133:1446..
- Mahboob, S. 2014. Isolation and characterization of collagen from fish waste material- skin, scales and fins of Catla catla and Cirrhinus mrigala. Journal

- of Food Science and Technology, 52(7):4299.
- Matmaroh, K., S. Benjakul, T. Prodpran, A. B. Encarnacion, and H. Kishimura. 2011. Characteristics of acid soluble collagen and pepsin soluble collagen from scale of spotted golden goatfish (*Parupeneus heptacanthus*). Food Chemistry, 129(3):1181.
- Mohtar, N. F., C. O. Perera, and S. Y. Quek. 2011. Utilisation of gelatine from NZ hoki (*Macruronus novaezealandiae*) fish skins. International Food Research Journal, 18(3): 1114.
- Morri and Gonsalves, R. 2012. Collagen. Diaskes dari <https://chempolymerproject.wikispaces.com/.../Collagen+-+B>. Diakses 9 Oktober 2018.
- Murniyati, R. Peranginangin, . H.N. Tazwir, Nurhayati, dan F.R. Dewi. 2012. Penelitian pemanfaatan Hasil samping hasil perikanan pada Produk Pangan dan Non Pangan. Laporan Teknis Penelitian pengolahan Produk. Balai Besar Penelitian dan Pengembangan Pengolahan Produk dan Bioteknologi Kelautan dan Perikanan.
- Muyonga, J.H., C.G.B,Cole, and K. G. Duodu.2004. Characterisation of acid soluble collagen from skins of young and adult Nile perch (*Lates niloticus*). Food Chem. 85: 86.
- Nagai, T., M. Izumi, and M. Ishii. 2004. Fish scale collagen. Preparation and partial characterization. Food Science. Technology. 39: 240.
- Nagai, T., and N.Suzuki. 2000. Isolation of collagen from fish waste material - Skin, bone and fins. Food Chem. 68:281.
- Nikoo, M., Xu, X., S. Benjakul, Xu, G., RamiresSuarez, J.C., Ehsani, A, Kasankala, L.M., Duan, X., and Abass, S. 2011. Characterization of gelatin from the skin of farmed amur sturgeon *Acipenser schrenckii*. International Aquatic Research. 3(2): 139.
- Nurhayati, N., dan R. Peranginangin. 2009. Prospek Pemanfaatan Hasil Samping Perikanan sebagai Sumber Kolagen. Squalen Bull. Mar. Fish. Postharvest Biotechnol, 3(4):19.
- Nurhayati, T., dan Murniyati. 2013. Ekstraksi dan karakterisasi kolagen larut asam dari kulit ikan nila (*Oreochromis niloticus*). Jurnal Pasca panen dan Bioteknologi Kelautan dan Perikanan. 8(1): 88.

- Ogawa, M., R.J. Portier., M.W. Moody., J. Bell., M.A. Schexnayder., and J.N. Losso. 2004. Biochemical properties of bone and scale collagens isolated from the subtropical fish black drum (*Pogonias cromis*) and sheepshead seabream (*Archosargus probatocephalus*). *Food Chemistry*. 88: 493.
- Pal, G.K., and P. V. Suresh. 2016. Sustainable valorisation of seafood by-products: Recovery of collagen and development of collagen-based novel functional food ingredients. *Innovation Food Science Technology*. 37, 212.
- Peranginangin, R., R. Kusumawati., E. W. Apriantoro. 2009. Isolasi dan Karakterisasi Kolagen dari Kulit Ikan Kerapu Lumpur (Epinephelus tauvina). Laporan Teknis. Balai Besar Penelitian Pengolahan Produk dan Bioteknologi Kelautan dan Perikanan. Jakarta.
- Potaros, T., Raksakulthai, N., Runglerdkreangkrai, J., Worawattanamateekul, W. 2009. Characteristics of collagen from nile tilapia (*Oreochromis niloticus*) skin isolated by two different methods. *Kasetsart J.* 43(3): 590
- Pradeep, H. D. 2016. Age, Growth and Mortality of *Lutjanus vitta* (Quoy & Gaimard, 1824) off Madras Coast along South-East Coast of India. *International Journal of Fisheries and Aquatic Studies*, 4 (5): 187.
- Pramod, G., K. Nakamura., T. J. Pitcher., and L. Delagran. 2014. Estimates of illegal and unreported fish in seafood imports to the USA. *Marine Policy*, 48: 102.
- Putra, A. N., L. Sahubawa., dan N. Ekantari. 2013. Ekstraksi dan Karakterisasi Kolagen dari Kulit Ikan Nila Hitam (*Oreochromis niloticus*). *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*, 8(2): 180.
- Qiu, Y., A. Mekkat., Yu, H., S. Yigit., S. Hamaia., R.W. Farndale., B. Brodsky. 2018. Collagen Gly missense mutations: Effect of residue identity on collagen structure and integrin binding. *Journal of Structural Biology*, 203(3): 259.
- Rahmawati, H., dan Y. Pranoto. 2017. Rendemen Dan Komposisi Proksimat Gelatin Kulit Ikan Belut Dan Lele Pada Keadaan Segar Dan Kering (Yield And Proximate Of Gelatin Extracted From Fresh And Dry Swamp Ell And Catfish Skin). *Fish Science*, 2(4):119.
- Ramdhani F., G., dan Aida, A. 2016. Pengambilan Kolagen Pada Sisik Ikan Dari Limbah Pabrik Fillet Ikan Menggunakan Metode Ekstraksi Asam. *Fakultas*

- Teknik Industri. Institut Teknologi Sepuluh Nopember. Surabaya. 11 Hal.
- Rome, B. M. and S. J. Newman. 2010. North Coast Fish Identification Guide. Department of Fisheries. Australia. pp. 35.
- Sadly M, dan Awaluddin, 2017. Ekstraksi Dan Karakterisasi Kolagen Larut Asam dari Kulit Ikan Nila (*Oreochromis niloticus*). Jurnal Kelautan dan Perikanan. 8:85.
- Santoso, D. 2016. Potensi Lestari dan Status Pemanfaatan Ikan Kakap Merah dan Ikan Kerapu di Selat Alas Provinsi Nusa Tenggara Barat. Jurnal Biologi Tropik, 16 (1): 17.
- Saraswati, A. 2013. Efek Pengukusan Terhadap Kandungan Asam Lemak dan Kolesterol Kakap Merah (*Lutjanus bohar*). f. Departemen Teknologi Hasil Perairan. Fakultas Perikanan dan Ilmu Kelautan, Institut Pertanian Bogor. Bogor. 53 hal.
- Singh, P., S. Benjakul, S. Maqsood., and H. Kishimura. 2011. Isolation And Characterisation Of Collagen Extracted From The Skin Of Striped Catfish (*Pangasianodon hypophthalmus*). Food Chemistry, 124(1): 99.
- Simanjuntak, B. 2013. Pengolahan Kolagen Kulit Ikan Nila Merah. Balai Besar Penelitian Pengembangan Pengolahan Produk dan Bioteknologi Kelautan dan Perikanan. Jakarta.
- Sinthusa, S. S., S. Benjakul, and H. Kishimura. 2013. Comparative stdy on molecular characteristics of acid soluble collagens from skin and swim bladder of seabass (*Lates calcarifer*). Journal Food Chemistry, 138:2439.
- Songchotikunpan, P., J. Tattiyakul and P. SupapHol. 2008. Extraction and electrospinning of gelatin from fish skin. International Journal of Biological Macromolecules. 42: 255.
- Statistika Kelautan dan Perikanan. 2008. Statistik perikanan tangkap Indonesia. Jakarta: Kementerian Kelautan dan Perikanan.
- Stephanie, T.W. A., Yulianty, R., Fitriyanti J., Sami1., Ramli, N. 2016. Isolasi Kolagen dari Kulit dan Tulang Ikan Cakalang (*Katsuwonus pelamis*). Journal of Pharmaceutical and Medicinal Sciences 2016, 1(1):30.

- Thuy, L. T. M., E. Okazaki, dan K. Osako. 2014. Isolation and cHaracterization of Acid Soluble Collagen from the Scale of Marine Fisher from Japan and Vietnam. Food Chemistry 149:pp..270.
- Tabarestani, S., Y. Maghsooudlou, A. Motamedzadegan, S.A.R. Mahoonak, H. Rostamzad. 2012. Study on some properties of acid-soluble collagens isolated from fish skin and bones of rainbow trout (*Onchorhynchus mykiss*). International Food Research Journal. 19: 255 .
- Trilaksani, W., Nurilmala, I. M. Setiawati. 2012. Ekstraksi Gelatin Kulit Ikan Kakap Merah (Lutjanus Sp.) dengan Proses Perlakuan Asam. Jurnal Pengolahan Hasil Perikanan Indonesia, 15(3): 245.
- Wang, A., Zhang, F., Li Z, He S, Shao L. 2011. Preparation and characterisation of collagen from freshwater fish scales. Food and Nutrition. 141.
- Wu, Q.-Q., Li, T., Wang, B., Ding, G.-F., 2015. Preparation and characterization of acid and pepsin-soluble collagens from scales of croceine and redlip croakers. Food Science Biotechnol. 24:2010.
- Yorgancioglu, A. and Bayramoglu. 2013. Production of cosmetic purpose collagen containing antimicrobial emulsion with certain essential oils. Industrial Crops and Products, 44: 379.
- Yousefi, M., F. Ariffin, N. Huda. 2017. An alternative source of type I collagen based on by-product with higher thermal stability. Food Hydrocoll. 63, 380.
- Zhou, P. and J.M. Regenstein. 2005. Effects of alkaline and acid pra perlakuans on Alaska Pollock skin gelatin extraction. *J. of Food Science*, 70(6):394.
- Zhu, D., Ortega, C.F., Motamedi, R., Szewciw, L., Vernerey, F., Barthelat, F., 2012. Structure and mechanical performance of a “modern” fish scale. Adv. Eng. Mater. 14, 7.