

**DAFTAR PUSTAKA**

- Adigun, R. and Bhimji, S. (2018) ‘Tuberculosis’. Available at : <https://www.ncbi.nlm.nih.gov/books/NBK441916/>. (Accesed on 3 May 2018).
- Alisjahbana B, Sahiratmadja E, Nelwan EJ, Purwa AM, Ahmad Y, Ottenhoff THM, et al. (2007) ‘The effect of type 2 diabetes mellitus on the presentation and treatment response of pulmonary tuberculosis’. *Clin Infect Dis.*; 45:428-35
- Alsagaff, H., Mukty, A. (2006) ‘Dasar-dasar Ilmu Penyakit Paru. Surabaya’. Surabaya: Airlangga University Press.
- Andrade, B. B. *et al.* (2014) ‘Heightened plasma levels of heme oxygenase-1 and tissue inhibitor of metalloproteinase-4 as well as elevated peripheral neutrophil counts are associated with TB-diabetes comorbidity’, *Chest*, 145(6), pp. 1244–1254. doi: 10.1378/chest.13-1799.
- Arce-Mendoza, A. *et al.* (2008) ‘Expression of CD64, CD206, and RAGE in Adherent Cells of Diabetic Patients Infected with Mycobacterium tuberculosis’, *Archives of Medical Research*, 39(3), pp. 306–311. doi: 10.1016/j.arcmed.2007.11.013.
- Astuti, C. (2014) ‘Hubungan Perilaku Keluarga..., Cindi Astuti, Fakultas Ilmu Kesehatan UMP, 2017’, 3(September), pp. 1–10.
- Baker, M. A. *et al.* (2011) ‘The impact of diabetes on tuberculosis treatment outcomes: A systematic review’, *Jurnal BMC Medicine*. doi: 10.1186/1741-7015-9-81.
- Bukhary, Z. A. (2008) ‘Rediscovering the Association Between Tuberculosis and Diabetes Mellitus: A Perspective’, *Journal of Taibah University Medical Sciences*. Elsevier, 3(1), pp. 1–6. doi: 10.1016/S1658-3612(08)70038-6.
- Castaño, A. and Maurer, M. S. (2015) ‘HHS Public Access’, 20(2), pp. 163–178. doi: 10.1007/s10741-014-9462-7.Natural.
- Cavanaugh, J. *et al.* (2015) ‘Effect of diabetes on tuberculosis presentation and outcomes in Kiribati’, *Tropical Medicine and International Health*, 20(5), pp. 643–649. doi: 10.1111/tmi.12468.
- Cooper, A. M. (1993) ‘Disseminated tuberculosis in interferon gamma gene-disrupted mice’, *Journal of Experimental Medicine*, 178(6), pp. 2243–2247. doi: 10.1084/jem.178.6.2243.
- Cooper, A. M. (2009) ‘Cell mediated immune responses in Tuberculosis’, *Annu Rev Immunol*, 27, pp. 393–422. doi: 10.1146/annurev.immunol.021908.132703.Cell.
- Depkes (2018) ‘Tuberkulosis’.
- Dooley, K. E. *et al.* (2009) ‘Impact of diabetes mellitus on treatment outcomes of patients with active tuberculosis’, *Am J Trop Med Hyg*, 80(4), pp. 634–639. doi: 80/4/634 [pii].
- Dooley, K. E. and Chaisson, R. E. (2010) ‘Tuberculosis and diabetes mellitus:

- convergence of two epidemics', 9(12), pp. 737–746. doi: 10.1016/S1473-3099(09)70282-8.Tuberculosis.
- Dotulong, J. F. J., Sapulete, M. R. and Kandou, G. D. (no date) 'Hubungan faktor risiko umur, jenis kelamin dan kepadatan hunian dengan kejadian penyakit tb paru di desa wori kecamatan wori', pp. 57–65.
- Fachri, M. *et al.* (2018) 'Comparison of acid fast bacilli (AFB) smear for Mycobacterium tuberculosis on adult pulmonary tuberculosis (TB) patients with type 2 diabetes mellitus (DM) and without type 2 DM', *Respiratory Medicine Case Reports*. Elsevier, 23(December 2017), pp. 158–162. doi: 10.1016/j.rmcr.2018.02.008.
- Faurholt-jepsen, D. *et al.* (2011) 'Diabetes Is a Risk Factor for Pulmonary Tuberculosis : A Case-Control Study from Mwanza , Tanzania', 6(8), pp. 4–8. doi: 10.1371/journal.pone.0024215.
- Garra, A. O. *et al.* (2013) *The Immune Response in Tuberculosis*. doi: 10.1146/annurev-immunol-032712-095939.
- global* (2018).
- Gupta, A. *et al.* (2012) 'Mycobacterium tuberculosis: Immune evasion, latency and reactivation', *Immunobiology*. Elsevier GmbH., 217(3), pp. 363–374. doi: 10.1016/j.imbio.2011.07.008.
- Hancock, R. E. W. and Sahl, H. G. (2006) 'Antimicrobial and host-defense peptides as new anti-infective therapeutic strategies', *Nature Biotechnology*, 24(12), pp. 1551–1557. doi: 10.1038/nbt1267.
- Izzati, S., Basyar, M. and Nazar, J. (2013) 'Artikel Penelitian Faktor Risiko yang Berhubungan dengan Kejadian Tuberkulosis Paru di Wilayah Kerja Puskesmas Andalas Tahun 2013', 4(1), pp. 262–268.
- Kemenkes (2018) 'Tuberkulosis ( TB )', 2017, 1(april), p. 2018. Available at: [www.kemkes.go.id](http://www.kemkes.go.id).
- Kementerian Kesehatan Republik Indonesia Ditjen PP dan PL (2014) 'Bpn\_P-Tb\_2014.Pdf', *Pedoman Nasional Pengendalian Tuberkulosis*, p. 38. Available at: [http://www.tbindonesia.or.id/opendir/Buku/bpn\\_p-tb\\_2014.pdf](http://www.tbindonesia.or.id/opendir/Buku/bpn_p-tb_2014.pdf).
- Khader, S. A. *et al.* (2006) 'Interleukin 12p40 is required for dendritic cell migration and T cell priming after *Mycobacterium tuberculosis* infection', *The Journal of Experimental Medicine*, 203(7), pp. 1805–1815. doi: 10.1084/jem.20052545.
- Kumar, N. P. *et al.* (2013) 'Type 2 diabetes mellitus coincident with pulmonary tuberculosis is associated with heightened systemic type 1, type 17, and other proinflammatory cytokines', *Annals of the American Thoracic Society*, 10(5), pp. 441–449. doi: 10.1513/AnnalsATS.201305-112OC.
- Kumar, N. P. *et al.* (2015) 'Profiling leucocyte subsets in tuberculosis-diabetes comorbidity', *Immunology*, 146(2), pp. 243–250. doi: 10.1111/imm.12496.
- Kumar, N. P. *et al.* (2016) 'Effect of standard tuberculosis treatment on naive, memory and regulatory T cell homeostasis in tuberculosis-diabetes comorbidity'. doi: 10.1111/imm.12632.

- Kumar Nathella, P. and Babu, S. (2017) 'Influence of diabetes mellitus on immunity to human tuberculosis', *Immunology*, 152(1), pp. 13–24. doi: 10.1111/imm.12762.
- Kurniati, I. (2008) 'Angka Konversi Penderita Tuberkulosis Paru yang Diobati dengan Obat Antituberkulosis ( OAT ) Paket Kategori Satu di BP4 Garut The Conversion Number of Lung Tuberculosis Patient Treated with Anti Tuberculosis Drugs Category One in BP4 Garut', 42(1), pp. 32–36.
- Lachmandas, E. *et al.* (2015) 'The effect of hyperglycaemia on in vitro cytokine production and macrophage infection with mycobacterium tuberculosis', *PLoS ONE*, 10(2), pp. 1–13. doi: 10.1371/journal.pone.0117941.
- Lowe, D. M. *et al.* (2012) 'Neutrophils in tuberculosis: Friend or foe?', *Trends in Immunology*. Elsevier Ltd, 33(1), pp. 14–25. doi: 10.1016/j.it.2011.10.003.
- Mi, F. *et al.* (2013) 'Diabetes mellitus and tuberculosis: Pattern of tuberculosis, two-month smear conversion and treatment outcomes in Guangzhou, China', *Tropical Medicine and International Health*, 18(11), pp. 1379–1385. doi: 10.1111/tmi.12198.
- Moretta, L. and Moretta, A. (2004) 'Unravelling natural killer cell function: Triggering and inhibitory human NK receptors', *EMBO Journal*, 23(2), pp. 255–259. doi: 10.1038/sj.emboj.7600019.
- Raposo-García, S. *et al.* (2017) 'Immunological response to Mycobacterium tuberculosis infection in blood from type 2 diabetes patients', *Immunology Letters*. Elsevier B.V., 186, pp. 41–45. doi: 10.1016/j.imlet.2017.03.017.
- Reis-Santos, B. *et al.* (2013) 'Socio-Demographic and Clinical Differences in Subjects with Tuberculosis with and without Diabetes Mellitus in Brazil - A Multivariate Analysis', *PLoS ONE*, 8(4), pp. 1–6. doi: 10.1371/journal.pone.0062604.
- Rivas-Santiago, B., Serrano, C. J. and Enciso-Moreno, J. A. (2009) 'Susceptibility to infectious diseases based on antimicrobial peptide production', *Infection and Immunity*, 77(11), pp. 4690–4695. doi: 10.1128/IAI.01515-08.
- Rodríguez-Rodríguez, S., Ruy-Díaz-Reynoso, S. J. A. and Vázquez-López, R. (2015) 'Tuberculosis concomitant with diabetes', *Revista Médica Del Hospital General De México*. Sociedad Médica del Hospital General de México, 78(4), pp. 183–187. doi: 10.1016/j.hgmx.2015.06.004.
- Samuel S. Stewa, Perla J. Martinez, Larry S. Schlesinger, and B. I. R. (2013) 'Differential expression of monocyte surface markers among TB patients with diabetes co-morbidity', *Tuberculosis (Edinb)*, 93(0): S78-S82). doi: 10.1016/S1472-9792(13)70015-5.Differential.
- Seder, R. A., Darrah, P. A. and Roederer, M. (2008) 'T-cell quality in memory and protection: Implications for vaccine design', *Nature Reviews Immunology*, 8(4), pp. 247–258. doi: 10.1038/nri2274.
- Shariff, N. M. and Safian, N. (2015) 'Diabetes mellitus and its influence on sputum smear positivity at the 2nd month of treatment among pulmonary tuberculosis patients in Kuala Lumpur, Malaysia: A case control study', *International*

- Journal of Mycobacteriology*. Asian African Society for Mycobacteriology, 4(4), pp. 323–329. doi: 10.1016/j.ijmyco.2015.09.003.
- Shital, P. and Narwade, S. (2014) ‘Tuberculosis With Diabetes Mellitus: Does Delayed Sputum Conversion Always Needs MDR Evaluation?’, *Chest*, 146(4), p. 918A. doi: 10.1378/chest.1991545.
- Silva, J. P., Appelberg, R. and Gama, F. M. (2016) ‘Antimicrobial peptides as novel anti-tuberculosis therapeutics’, *Biotechnology Advances*. Elsevier Inc., 34(5), pp. 924–940. doi: 10.1016/j.biotechadv.2016.05.007.
- Singla, R. *et al.* (2006) ‘Influence of diabetes on manifestations and treatment outcome of pulmonary TB patients’, *International Journal of Tuberculosis and Lung Disease*, 10(1), pp. 74–79.
- Smith, I. (2003) ‘Mycobacterium tuberculosis Pathogenesis and Molecular Determinants of Virulence’, 16(3), pp. 463–496. doi: 10.1128/CMR.16.3.463.
- Sun, Q. I. N. *et al.* (2012) ‘Significance of the frequency of CD4 + CD25 + CD127 - T-cells in patients with pulmonary tuberculosis and diabetes mellitus’, 2012(January). doi: 10.1111/j.1440-1843.2012.02184.x.
- Vankayalapati, R. and Barnes, P. F. (2009) ‘Innate and adaptive immune responses to human Mycobacterium tuberculosis infection’, *Tuberculosis*. Elsevier Ltd, 89(SUPPL.1), pp. S77–S80. doi: 10.1016/S1472-9792(09)70018-6.
- Viswanathan, V. *et al.* (2014) ‘Effect of diabetes on treatment outcome of smear-positive pulmonary tuberculosis - A report from South India’, *Journal of Diabetes and its Complications*. Elsevier B.V., 28(2), pp. 162–165. doi: 10.1016/j.jdiacomp.2013.12.003.
- Walsh, M. C. *et al.* (2011) ‘The sensitivity of interferon-gamma release assays is not compromised in tuberculosis patients with diabetes.’, *The international journal of tuberculosis and lung disease : the official journal of the International Union against Tuberculosis and Lung Disease*, 15(2), pp. 179–84, i–iii. doi: 10.1016/j.biotechadv.2011.08.021.Secreted.
- Wijayanto, A. (no date) ‘Faktor yang berhubungan dengan terjadinya tuberkulosis paru pada pasien diabetes melitus tipe 2 di RSUP Persahabatan = Factors affected the developing pulmonary tuberculosis in tipe 2 diabetes mellitus patients at persahabatan hospital / Agung Wijayanto’, 8, pp. 1–2.