

*Research Journal of Pharmaceutical,
Biological and Chemical Sciences*

(An International Research Online Journal)

ISSN:0975-8585




 Search

[Home](#)
[Scope](#)
[Editorial Board](#)
[Author's Guidelines](#)
[Submit Manuscript](#)
[Archives](#)
[Contact Us](#)

Invitation for Innovative Research Papers, Reviews, Mini Reviews and Short Communication

Editorial Board

Editor-in-Chief

Dr. Sridevi M
India

Associated Editor

Dr.K.Lakshmi Narayana
India

Managing Editor

Prof. Gopkumar P
India

Editorial Advisory Board Members

Dr. Osama Mohammad Mostafa
Darwesh
Egypt

Prof. Jeanetta du Plessis,
South Africa

Prof. Dr. Qinghua Xia,
China

Dr.U. Michael Uwumagbe,
Nigeria

Prof. Dr. Suleyman Aydin,
Turkey

Dr. Nabil Mohie Abdel-Hamid,
Egypt

Dr. Aravind B,
India

Mrs. Sridevi G,
India

Dr.Amrutha Radhakrishnan,
India

Dr. Vandana B. Patel,
India

Dr. Shashikanth Pattan,
India

Dr. Sayeeda Sultana,
India

Prof.Dr.Cemil Ibis,
Turkey

Mr.J.S.Patil,
India

Prof.Dr.Liviu Mitu,
Romania

Dr.Zambare Vasu deo P,
USA

Dr.(Mrs). Sanjita Das,
India

Dr.Laila Abou-Zeid,
Egypt

Dr.Chakraborty G.S,
India

Dr. Kundlik Girhepunje,
India

Dr. Bhaskar Muzumder,
India

Prof.Dr. Ch.V.R.Murthy,
India

Dr. Subhash C. Mandal,
India

Dr.Prabhakar Reddy Veerareddy,
India

Dr. Mahesh Kumar Gupta,
India

Prof. Dr. Suvakanta Dash,
India

Dr. C.S. Shastry,
India

Dr. Derle DV,
India.

Prof. Dr. Raghavendra Kulkarni,
India

Dr. Saikat Dewanjee,
India

Dr. Shailesh T. Prajapati,
India

Dr.G.S.Gadaginamath,
India

Dr.Tanay Kesharwani,
USA

Dr.Pengyun Zeng,
USA

Dr.Yatin Shukla,
USA

Dr.Raviraj Kulkarni,
India

Dr. D.K.Sharma,
India

Mr.D.Nagasamy Venkatesh,
India

Dr.Amit G Nerkar,
India

Dr. Ajay Singh,
India

Prof. (Dr) Abdalla Shalaby,
Egypt

Dr. Ashok R Chandak,
India

Prof (Dr). Bhupen Chandra Behera,
India

Dr.Hiren Mehta, India,
India

Dr.Sitaram Bhavaraju,
Maryland

Dr.SP Singh,
Japan

Mr.Ritu mehra Gilhotra,
India

Mr.Devang S Patel,
India

Dr.Mr.Jayapal,
India

Prof.Dr.Ragip Adiguzel,
Turkey

Dr.C.Gopinath,
India

Dr.Arugadoss Devakumar,
USA

Dr.Tarek Saied Fathalla Bellal,
Egypt

Mr.T.Srinivasa Rao,
India

**Dr.M.Aruna Devi,
India**

**Dr. Anthony Palmieri III,
USA**

[Home](#) | [Scope](#) | [Editorial Board](#) | [Author's Guidelines](#) | [Submit Manuscript](#) | [Archives](#) | [Contact Us](#)

Copyrights - 2010 RJPBCS. All rights reserved.

Powered by - [Futurzsoft.com](#)


 Search

Home Scope Editorial Board Author's Guidelines Submit Manuscript **Archives** Contact Us










Invitation for Innovative Research Papers, Reviews, Mini Reviews and Short Communication

Current Issue

RES J PHARM BIOL CHEM SCI

Volume 8, Issue 1, 2017 (January - February)







1. **Thermochemistry of Heteroatomic Compounds: The Calculation of C-H and C-C Bonds Strength of Hydrocarbons in Gaseous and Condensed States.**
Vitaly Ovchinnikov*, Alexey Kulakov , Irina Grigorieva, and Ludmila Lapteva.  **Download PDF**
2. **Solubility Diagram Determination of Ibuprofen-PVP Solid Dispersions Obtained by Milling.**
Marouene Bejaoui*, Haykel Galai, Abdessalem Ben Haj Amara, and Hafsia Ben Rhaïem.  **Download PDF**
3. **Attitudes of Medical Students towards English Language Learning In Yemen.**
Abdul Ghafour Ahmad Anajar*.  **Download PDF**
4. **Efficacy of Acupuncture and Vitamin C in Burning Mouth Syndrome: A Pilot Study.**
Zavoreo Iris, Sikora Miroslav, Vucicevic Boras Vanja*, Terlevic Dabic Diana, and Andabak Rogulj Ana.  **Download PDF**
5. **Pathvisio++: An Interactive Web Server for Analyzing Metabolic Pathways.**
Udayakumar Mani*, Krishna Nishand M, Raghu Ram G, and Sai Mukund Ramakrishnan.  **Download PDF**
6. **Allergens and Molecular Diagnosis.**
Vidya S Vuruputoor, Sanjuncta Adak, and Chitra Kalaichelvan*.  **Download PDF**
7. **Pomegranate ameliorates the inflammatory status and oxidative stress in carbon tetrachloride-induced hepatotoxicity in rats.**
Mona A. Mohamed*.  **Download PDF**
8. **Health Sector Evolution Plan and propagating natural childbirth in Iran.**
Mina Riahi, Yasamin Molavi Taleghani, Marjan Vejdani, Hamid Salehiniya*, and Abdolmajid Fadae.  **Download PDF**
9. **Evaluation of the biological activity of plant extracts of Algerian Solanum elaeagnifolium.**
Karima Mellouk*, Nidhal Soualeh, Smail Meziani, Michel Linder, Boudjama Boughrara, Rachid Soulimani, and Belgacem Legseir.
 **Download PDF**
10. **The Antihyperpigmentation Activity Test In Vitro And The Gel Formulation's Development From Ethanol Extract Of Pine Bark As A New Natural Product.**
Fifi Harmely*, Witta Widiyari, Chris Deviarny and Salman Umar.  **Download PDF**
11. **In-Vitro Antioxidant and Acetylcholinesterase Inhibitory Activities of Tradescantia zebrina.**
Cheah SY, Magdalene CY, Eldwin Lim CZ, Wong MH, Amir S, Daniel S, Liow YC, Ketnipha S, Karenjit K, Gabriel GA, and Chin JH*.
 **Download PDF**
12. **Predicting the amount of chemical dosage in Effluent Treatment Plant Using Artificial Neural Network.**
Dhivya S*, Ganapathy V, and Monica Catherine S.  **Download PDF**


















13. **Complex Research of Quality and Safety of Canned Food from Rabbit Meat.**
Iztelieva RA*, Baibolova LK, Alberto S, and Rskeldiev BA.  **Download PDF**
14. **Interns perception of Oral and Maxillofacial Surgery.**
Dhruvi Parikh*, Kalyani Bhate, and Sushmita Mitra.  **Download PDF**
15. **Characterization and stabilization of immobilized pea (Pismus sativum) invertase and invert sugar production.**
Sanaa T El-Sayed*, El-Sayed M El- Sayed, Shimaa S Hanafy, Mohammed IY Elmallah.  **Download PDF**
16. **Raga Identification Using Datamining Techniques.**
Santhi B*, and Sushmetha N.  **Download PDF**
17. **Cross Sectional Evaluation of Interleukin-4 and Collagen Type-1 in Knee Osteoarthritis.**
Marlina*, Miftahul Jannah, Andini Khairunnisa, Maya Anggrelna Zalmi, Hirowati Ali, Rizki Rahmadian, Rustini, and Fithriani Armin.
 **Download PDF**
18. **Software Inspection and its Alternatives: A Survey.**
Manikadnan N*, Senthilkumaran U, and Senthilkumar M.  **Download PDF**
19. **No Efficacy of Photodynamic Therapy with Toluidine Blue in Oral Lichen Planus.**
Muhaxheri G*, Vucicevic Boras V, Gabric D, Terlevic Dabic D, and Jurisic Kvesic A.  **Download PDF**
20. **Leptin and Resistin Induce Oxidative Stress in Patients with Chronic PlaquePsoriatic**
Ahmed M. Al-Mokhtar, Abdulsamie H. Alta'ee*, and Mohammed K. Al-Hattab  **Download PDF**
21. **VFD Based Speed Control of Three Phase Induction Motor Application for Paper Manufacturing Industry.**
K. Kannan Kaliappan, Kathirvel R, and Shanthakumar P.  **Download PDF**
22. **Production and characterization of β -galactosidase from isolated lactic acid bacteria.**
Hayam Fathy M, Osama A. Ibrahim*, Olfat S. Barakat, Mahmoud A. El-Hofi, Gamal A. Ibrahim, and Hassanein A. Hassanein.
 **Download PDF**
23. **Synthesis Characterization and Antimicrobial Analyses of Iron (III) Complexes of 1-(imino-4-antipyrinyl)-8-aminonaphthalene.**
Anila BN*, Muraleedharan Nair MK, and Sylas VP.  **Download PDF**
24. **An Application of Clonal Selection Algorithm in Gene Selection for Cancer Classification using Microarray Data**
Gunavathi C*, Premalatha K, and Sivasubramanian K.  **Download PDF**
25. **Preparation Polysulfide Polymer containing 1, 3, 4-thiadiazole unit and Study of Its Optical Properties.**
Ali Jassim Al-Zuhairi*, Aymen Abdul Rasool Jawad, Ammar Abdulkareem Azzam, Abdulazeez O. Mousa, and Shaymaa Hussein Nawfal.
 **Download PDF**
26. **Association between number and type of tooth loss on Oral Health Related Quality of life in 35-44 year olds in southeastern Iran.**
Marzieh Karimi Afshar1, Behzad Bahramnejad2, Molook Torabi Paizi3*, Narges Khanjani4, and Mehrnaz Karimi Afshar5.
 **Download PDF**
27. **A Survey of The Low Power Design Techniques at The Circuit Level.**
Anusha N1*, and Sasilatha T2.  **Download PDF**
28. **Development of Watermelon agar medium and Muskmelon agar medium.**
Vuyyuru Viswanadh Reddy*, Bhadra Murthy Vemulapati, R Srinivasulu K, Siva Reddy Golamari.  **Download PDF**
29. **Study for The Assessment of Compliance and Medication Knowledge of Patients with Asthma.**
Meenu Vijayan*, Roshni PR, Krishna Gopinath K, and Greeshma John.  **Download PDF**
30. **Flow Cytometric Analysis of Cell Cycle and apoptosis-regulating proteins in Tissue of Biomphalaria alexandrina Snails.**
Samah Ibrahim Ghoname, Rabab Salem Hamad*, and Shadia Mohamed El- Dafrawy.  **Download PDF**
31. **The Effect of Drying Temperature to Chemical Components of Surian Herbal Tea Leaves (Toona sureni,(Blume) Merr.).**
Sahadi Didi Ismanto*,Tuty Anggraini, Aisman, and Betri Wahyu.  **Download PDF**
32. **An Efficient General Decentralized Clustering using Gossip Based Communication**
Janani P*, Shanthakumar P  **Download PDF**

33. **Stability of Cassava-Based Angkak Pigment in Different Extreme Conditions.**
Alfi Asben, and Deivy Andhika Permata*.  **Download PDF**
34. **Effect of different doses of melanin in the blood protein changes in rats under alkaline esophageal burns.**
Chornenka NM*, Raetska Ya. B, Savchuk OM, Kompanets IV, Beregova TV, Ostapchenko LI.  **Download PDF**
35. **Development of the technology of combined meat product using biomass from the spleen of horses**
Sholpan Baytukenova, Mukhtarbek Kakimov, Saule Baytukenova, Kairat Bekbayev, Zhayik Tokhtarov*, and Aidyn Igenbayev.
 **Download PDF**
36. **Wireless Technology in Bus Alert System - A Fortune for Visually Challenged Populace.**
Swaminathan S, Srinivasan A*, Ramasamy K and Narasimhan D.  **Download PDF**
37. **Germination and Seedling Characteristics of Moringa Oleifera (Lam.) from Different Sites in Egypt.**
Shaltout KH, Ali HI, Ahmed Mobarak, BarakaDM, and Aly SH*.  **Download PDF**
38. **Role of photonic crystals in Red Palm Weevil, Rhynchophorus ferrugineus Olivier coloration.**
Mohamed Ragaei, and Al-kazafy H Sabry*.  **Download PDF**
39. **A Theoretical Study on the Vibrational and UV/VIS Spectra for the some 1, 3, 4-oxadiazole Derivatives by Using DFT Approach.**
Assan Faez, and Shatha Fadil Al-Saidi*.  **Download PDF**
40. **Fusion of CT-PET Lungs Tumour images using Dual Tree Complex Wavelet Transform.**
Naveenadevi R*, Nirmala S, and Ganesh Babu TR.  **Download PDF**
41. **Machine Vision Based Automatic Segmentation and Yield Counting Of Fruits By Color And Shape Features**
Gayathri Devi T*, and Neelamegam P.  **Download PDF**
42. **Telemedicine- A catalyst to health promotion.**
Amudha R*, Cresenta Shakila Motha L , Alamelu R, Nalini R, and Srinivasan A.  **Download PDF**
43. **The Potential Of Oviposition Of Paederus Fuscipes With The Treatment Of Calotropis procera Leaf Powder.**
Harpreet Singh, and Sudhakar Gupta*.  **Download PDF**
44. **Study of the density of Rapeseed, Lio and Nigella oils before and after heating.**
A Kafih*, A Elhourch, O Dahass, O K Kabbaj, A Zrineh, A Ghanimi, A Bouziani, J Labrag, M El Joumani, L El Moussaoui, I Hassanain, R Rochdi2, S Belekbir, F Hlimi, and M Alaoui El Belghiti.  **Download PDF**
45. **Influence of Processing and fermentation on chemical composition, total phenolic and phytic acid of some cereals and legumes**
Ibrahim M Hamed* and Mona M Hussein.  **Download PDF**
46. **Assessment of Serum Malondialdehyde (MDA) and Urinary 8-hydroxydeoxyguanosine (8-OHdG) in Egyptian Children with Type I Diabetes Mellitus and Factors affecting.**
Abeer M Nour El Din Abd El Baky*, Nagwa Abdallah Ismail, Maha MA Abo-Hashesh, Manal E Kandil1, Inas A Rasheed, Eman H Thabet and Dalia El-Lebedy  **Download PDF**
47. **Comparative evaluation of antimicrobial properties of three different extracts of Achyranthes aspera Linn and chlorhexidine against salivary microflora.**
Snehal V Shep*, Rahul R Deshpande, Vishwas Patil, Fawaz Siddiqui, Anjali Ruikar, and CDShendkar.  **Download PDF**
48. **Mathematical Models for Financial Time Series Problems - A Review.**
Seethalakshmi R*, Vijayabanu C, Saavithri V, and Kannan K.  **Download PDF**
49. **Comparison of the effects of topical corneal inhibitory agents on TTL and PON1 in rats.**
Adem Soydan, Hayrullah Yazar*, Ayhan Cetinkaya, Elcin Hakan Terzi, Fatih Ulas, and Umit Dogan.  **Download PDF**
50. **Novel strategy for driving homogeneity principles in So A using Association Rule Mining Technique.**
Appas Ali M*, and Sugumar R.  **Download PDF**
51. **Studying the Bimetallic Catalyst Effects on the Synthesis of Multi-Walled Carbon Nanotubes via CVD Method.**
Eman Mwafy A*, Dawy M, Abouelsayed A, Elsabbagh I A, and Elfass M M.  **Download PDF**
52. **Electrical resistivity of vegetable oils: olive, argan, nigella, prickly pear, palm, colza, linseed, almond and castor.**
Hassanain, A. Bouziani*, A. Kafih, S. El Aggadi, S. Bougarrani, A. El Hourch, O. Dahass, M. Serghini Idrissi, O.K. Kabbaj, A. Zrineh, A. Ghanimi, F. Hlimi, and M. Alaoui El Belghiti.  **Download PDF**





















53. **A Survey on the role of k-means Clustering Algorithm in Privacy Preserving Data Mining.**
Keerthika K, Manikandan G*, Harish V, and Nooka Saikumar.  **Download PDF**
54. **Estimation of Bit Error Rate of an Optical OFDM System.**
Swaminathan S*, and Raajan NR.  **Download PDF**
55. **Preparation, Characterization and In-vivo Evaluation of Span 60-Lornoxicam Niosomes.**
Mohamed Shafik El-Ridy, Soad Aly Yehia, Amira Mohamed Mohsen*, Sally A. El-Awdan and Asmaa Badawy Darwish
 **Download PDF**
56. **Automated microscopic medical image analysis for human spermatozoa identification: A Survey.**
L Prabakaran*, M Muthukumaran, A Sivapathi, S Gopalakrishnan and A Raghunathan.  **Download PDF**
57. **A Comparative Study of the Effect of Training in the two Groups of Peers and Health care experts on Quality of Life among the adolescent girls living in rural areas of Qazvin, Iran.**
Zahra Hosseinkhani, Hashem Alijani, Reza Pakzad, Iraj Pakzad, and Maryam Zamanian*.  **Download PDF**
58. **A Census of Ethnomedicinal Plants Used In Bankura District, West Bengal.**
Sayani Biswas*, and Ambarish Mukherjee.  **Download PDF**
59. **Bioassay of tannin rich fraction and identification of compounds using UV-Vis, FTIR and RP-HPLC.**
Rajeswari Anburaj* and Vinoth Jothiprakasham.  **Download PDF**
60. **Identification of Attacker and Tracking Mobile User Based On GPS Location in Disruption Tolerant Networks.**
Raviteja S, Kavitha Esther Rajakumari, Prudhvi Krishna TR*.  **Download PDF**
61. **Effect of Aerobic Exercise Program on Immunosenscence in Young Elderly.**
Nesreen Zahran*, Nagwa Badr, Bassant Hamdy, and Hoda Fahiem.  **Download PDF**
62. **GLAD-PCR assay of selected R(5mC)GY sites in URB1 and CEPBD genes in human genome.**
Alexandr G Akishev, Murat A Abdurashitov*, Viktoriya L Sitko, Nina A Netesova, Irina F Radaeva, Elena A Nechaeva, and Sergey Kh Degtyarev  **Download PDF**
63. **Synthesis of new quinoline derivatives from methylene Meldrum's acid and screening the biological properties.**
Hanan F Mohssen, Naji M Ali*, and Hanaa A Ali.  **Download PDF**
64. **Comparison of Sol-Gel And Hydrothermal Synthesis Of Zinc Ferrite (ZnFe₂O₄) Nanoparticles.**
Syukri Arief*, Rahmayeni, and Zulhadjri.  **Download PDF**
65. **Energy Audit: A Case Study on Buildings**
C Venkatasubramanian*, and MK Divyapakash.  **Download PDF**
66. **Rare Case of Cortical Nephrocalcinosis In Post Pulmonary Tuberculosis.**
Neeharika Chintala*, Siddanth Ojha, Kanakaraj K, and Prabakaran M.  **Download PDF**
67. **A Survey on Applicability of Evolutionary Algorithms in Data Science.**
Sai Sujana T*, and Madhu Sudan Rao N.  **Download PDF**
68. **A Literature Review of Website Quality of Pharmaceutical Companies.**
P Vijay Shankar*, and ST Surulivel.  **Download PDF**
69. **The Impact of Fetuin-A Level on Patients with Acute Myocardial Infarction.**
Haydar H Al-Shalah*, Oday Al-Salihi, Dina Ayed Mohammed  **Download PDF**
70. **Prevalence of Nosocomial Infection at a Razi teaching Hospital, during 2010-2015.**
Sahar Geravandi, Seyed Mohammad Alavi, Farkhondeh Jamshidi, Farid Yousefi, Sasan Moogahi, Niloofar Mohamadrezai Esfarjani, Ahmad Reza Yari, Mohammad Mahboubi, Masoud Torabpour, Sina Dobaradaran, Saeed Shirali, and Mohammad Javad Mohammadi*
 **Download PDF**
71. **Review on Energy Aware Clustering Based Routing Protocols in Wireless Sensor Networks.**
Yogapriya M*, and Kavitha T.  **Download PDF**
72. **A Comparison of The Effects of Maleimide Derivative and Its Combination With Phorbol-12-Myristate-13-Acetate on Neoplastic Monoblast Cells U-937.**
Iryna V Byelinska*, Liudmyla V Garmanchuk, Lyudmyla I Ostapchenko, mytro V Shelest, Natalya M Khranovska, Yulian M Volovenko,




















- and Volodymyr K Rybalchenko.  [Download PDF](#)
73. **Optimization Of Process Parameters On Removal Of Azo Dye (Congo Red) By Various Fenton & Photo Fenton Process.**
Sathish S*, Ponduru Sai Akshay, and Shivam Mishra.  [Download PDF](#)
74. **Personalized Context-Aware Mobile Recommendation SystemBased on Hybrid Filtering Approach.**
Sivaramakrishnan N*,Subramaniaswamy V,Muralidharan K,Dharmarajan V, and Praveenkumar G.  [Download PDF](#)
75. **Synchronous Occurrence of Malignant Mixed Mulleriantumor In the Uterus And Ovary: A Case Report.**
Chaitra C, Swati Sharma*, Manna Valiathan, and Muralidhar V Pai.  [Download PDF](#)
76. **A Survey on Internet of Things (IOT) Technologies, Architecture, Protocols, And Application.**
G Balamurugan*, and B Baranidharan.  [Download PDF](#)
77. **A Study of Various Fuzzy C Means Clustering Techniques for Segmentation.**
Suganya SD*, Rajasekhar Reddy M, and Vaithiyathan V.  [Download PDF](#)
78. **A Study on Various Techniques of Image Dehazing.**
Sasireka E*, Karthikeyan B, and Vaithiyathan V.  [Download PDF](#)
79. **Integrated Control against Root Rot and Wilt Diseases of Cantaloupe under Plastic Houses Conditions**
Abdel-Kader MM*, El-Mougny NS, Shaheen AM, and Rizk FA.  [Download PDF](#)
80. **Synthesis of New Silver Analgesic Drug.**
Omar B Ibrahim,Eman M Elsewedy, Mohamed Y El-Sayed, Abdel Majid A. Adam and Moamen S Refat*.  [Download PDF](#)
81. **Synthesis of New Thorium Clioquinol Drug.**
Omar B Ibrahim,Eman M Elsewedy, Mohamed Y El-Sayed, Abdel Majid A. Adam and Moamen S Refat*  [Download PDF](#)
82. **Synthesis of New Cadmium(II) Antipyretic Drug.**
Moh`d Mamoun Al Majthoub,Eman M Elsewedy, Mohamed Y El-sayed, Abdel Majid A. Adam and Moamen S Refat*.
 [Download PDF](#)
83. **Synthesis of New Zirconium(IV) ParacetamolDrug.**
Moh`d Mamoun Al Majthoub,Eman M Elsewedy, Mohamed Y El-Sayed, Abdel Majid A. Adam and Moamen S Refat*.
 [Download PDF](#)
84. **Synthesis of New Cobalt(II) Captopril as HypertensiveDrug.**
Moh`d Mamoun Al Majthoub,Eman M Elsewedy, Mohamed Y El-Sayed, Abdel Majid A. Adam and Moamen S Refat.
 [Download PDF](#)
85. **Effects Of Sodium Carbonate Concentration And Temperature On The Yield And Quality Characteristics Of Alginate Extracted From Sargassum Sp.**
Syaharuddin Kasim*, Asnah Marzuki, and Sumarheni Sudir.  [Download PDF](#)
86. **Big Data Analytics In Social Media Using Data Mining Techniques: A Survey.**
V Allii Rani*, and S Pradeepa.  [Download PDF](#)
87. **Pattern Recognition Using PCA algorithms.**
G Uma Maheswari*, EP Ephzibah, and V Mareeswari.  [Download PDF](#)
88. **Exploiting Movie reviews using Unigram feature Propagation in micro blogging.**
Christy A and Meera Gandhi G*.  [Download PDF](#)
89. **Characterization and inhibition by natural agents of multidrug resistant bacteria isolated from wounds.**
Abdul-Raouf Al-Mohammadi*.  [Download PDF](#)
90. **Antidepressant-Like Effect of Amaranth Oil Pre-Treatment In Experimental Myocardial Infarction.**
N Preobrazhenskaya*, T Berezhnova, V Zolodov, and N Fateeva  [Download PDF](#)
91. **A Survey on Different Floorplanning Techniques.**
Abinaya S* and Saravanan S.  [Download PDF](#)
92. **Review on Various Classification of Cryptographic Attack and The Countermeasures.**
Elavarasi V*, and Saravanan S.  [Download PDF](#)

93. **A Review on Enhancing Cache Power Strategies.**
Jerline J*, and Vijay Sai R.  **Download PDF**
94. **A Survey on Reduction of Logic Operators in FIR Filter.**
Sathiya Priya S*, and Saravanan R.  **Download PDF**
95. **A survey on router in bufferless NoC.**
Sivaranjani U*,andMuralidharan D.  **Download PDF**
96. **A Survey Onlow Power With High Performance Hybrid Full Adder.**
Thenmozhi V*, Dr Muthaiah R  **Download PDF**
97. **A Survey Paper on Time-To-Digital Converter (TDC).**
Mahima R*, and Muralidharan D.  **Download PDF**
98. **Scan-chain free functional testing for secured hardware systems.**
Ananth Hari R*, and R Muthaiah.  **Download PDF**
99. **FIR filter design for 2-1 Sigma-Delta Modulator using Simulink Model.**
U Jagan Mohan*, and R Muthaiah.  **Download PDF**
100. **A Survey on Fruit Fly Optimization Algorithm and Its Improvements.**
K Kiruthigha*, and KS Ravichandran.  **Download PDF**
101. **Variation in the Levels of Steroidal Sapogenins within the Mature Fruit of Balanitesaegyptiaca and among Kernels of Balanites Fruit Accessions Collected from Different Geographical Localities in Sudan.**
Nour A. Osman-Bashir, and Salah A.A. Elhoussein*  **Download PDF**
102. **A Survey on Brain Tumor Segmentation.**
B Chitra*, and KS Ravichandran.  **Download PDF**
103. **Antimicrobial Activity Studies on Seed Fibers of Wrightia tinctoria (Roxb.) R.Br.**
Keerthi Priya Yadala, T S Gopenath, R Bharath Kumar, and Asha S*.  **Download PDF**
104. **Phylogenetic of Rhacophoridae (Amphibia: Anura) from Sumatra based on Cytochrome-b gene.**
Neqita Deliana Benita, Dewi Imelda Roesma, and Djong Hon Tjong*.  **Download PDF**
105. **Preparation, thermal, antimicrobial efficiency and spectroscopic characterizations of Ce(III), Gd(III), Nd(III), Tb(III) and Er(III) eosin yellow complexes.**
Akram M El-Didamony,Mohamed Y El-Sayed, Hammad Fetooh, Eman SE Abd El-Maksoud and Moamen S Refat*
 **Download PDF**
106. **Role of CD56 In Diagnosing Small Cell Lung Carcinoma on A Limited Tissue Sample with Marked Crush Artifacts - A Case Report.**
D Krishna Dev, Swati Sharma*, Ranjini Kudva, and Manna Valiathan.  **Download PDF**
107. **Survey on Energy Efficiency Protocolsin Wireless Body Area Networks (WBANs).**
Ali Abdulla, Swathi Singh, Toni Christo, and Ananda Kumar S.  **Download PDF**
108. **A Survey On E-Learning Based Mobile Cloud Computing.**
Bidisha Pyne*, Swarnendu Kundu, and Ananda Kumar S.  **Download PDF**
109. **Forest Fire Detection: A Survey.**
X Stella Infanta*, and B Santhi.  **Download PDF**
110. **Wavelet Based Hybrid Compression and Color Clustering Segmentation Algorithm on CT/PET Images for Telemedicine Applications.**
Pramod S*, and Ashish Payal  **Download PDF**
111. **Simulation Of Non Deterministic Cellular Automata By Boolean Circuits.**
Nisha VM*, and Sajidha SA.  **Download PDF**
112. **Caralluma lasiantha: A review on it's vital role in Indian Traditional Medicine.**
Sireesha Malladi, Venkata Nadh Ratnakaram*, Suresh Babu K, and Pullaiah T.  **Download PDF**
113. **Modeling of the electrical resistivity of vegetable oils:Palm and Prickly pear oil.**
M Serghini Idrissi, O K Kabbaj, A Bouziani*,S Bougarrani, I Hassanain, K Ellouzi, A Kafih, A Elhourch, L El Moussaoui, S Belekbir, F

- Hlimi, L Hammari, M Belgharza, and M Alaoui El Belghiti.  [Download PDF](#)
114. **Develop Prescription Food Compositions Intended for Individual Meals.**
Vladimir Vsevolodovich Sadovoy*, Irina Alexandrovna Trubina, Tatiana Viktorovna Shchedrina, and Elena Alexandrovna Scorbina.
 [Download PDF](#)
115. **Assessment of the Opinion of Iranian Dentistry Students, about Training Method and Equipment in the Dental Prosthodontics Department.**
Sina Safari, Molook Torabi Parizi*, Hadi Nader Zadeh, and Marjan Kheirmand Parizi.  [Download PDF](#)
116. **Opto-electronic properties and molecular design for photovoltaic applications of new materials based on 1-aza-azulene.**
T Sahdane*, A Laghrabli, R Benallal, H Bougharraf, B Azize, and B Kabouchi.  [Download PDF](#)
117. **Risk of Sharps and Needle Stick Injuries among health care workers in a Teaching Hospital, southwest of Iran.**
Sahar Geravandi, Farid Yousefi, Seyed Mohammad Alavi, Sasan Moogahi, Mohammad Mahboubi, Zohreh Dehkordi, Bayram Hashemzadeh, Ahmad Reza Yari, Yusef Omidi Khaniabadi, Masoud Torabpour, Mohammad Javad Mohammadih*
 [Download PDF](#)
118. **Nano-Dispersed Fe₃O₄ Liquid Crystal Compound Image Enhancement using Advanced Histogram Equalization Technique.**
J Sivasri, B T P Madhav, M C Rao, and R K N R Manepalli*.  [Download PDF](#)
119. **Mixed ligand complexes of Copper(II), Nickel(II) and Zinc(II) with salicylaldehyde tyrosine Schiff base and dimethylaminopyridine/dimethylaminopyridine and Phenanthroline - Synthesis, Spectral characterization and Biological Studies.**
G Brindha, and R Vijayanthimala*  [Download PDF](#)
120. **Classification of Thyroid Disease Using ACO-MST Techniques.**
Poornima M, Sumathi A, and Meganathan S*.  [Download PDF](#)
121. **A Survey On The Applications Of K-Nearest Neighbour Algorithm And Its Variants.**
S Preethi*, and PLK Priyadarsini.  [Download PDF](#)
122. **Improving Functional and Sensory Properties of Brown Sugar With Addition of Nutmeg Powder.**
Neswati*  [Download PDF](#)
123. **Experimental and Statistical Studies on the Adsorption of Lead in Aqueous Solution using Activated Carbon from Bauhinia Purpurea Leaves.**
H Joga Rao*, P King, and Y Prasanna Kumar  [Download PDF](#)
124. **The impact of the specialized products on the resistance of animals to the X-ray irradiation.**
KA Saparov*, Z Yessimsitova, BA Abdullayeva, IM Zharkova, SA Mankibaeva, and B? Tynybekov.  [Download PDF](#)
125. **Over-The-Counter Vs Prescription Medications-A Case Analysis On Customer Perceptions.**
J Sethuraman*, C Vijayabanu, and V Srinivasakumar.  [Download PDF](#)
126. **Development of Phytosome – Black Tea Extract Complex By Different Methods And Study Of Cholesterol's Effect On Entrapment Efficiency.**
Angreni Ayuastuti*, Anisha Noviani Agustin, and Siti Rahmani Fauziyyah.  [Download PDF](#)
127. **Mechanical Properties and Micro Structure of Kenaf-Hair Hybrid/Epoxy Composites.**
Siva R*, Gokul K, Vigneshwaran K, Mahamed Naveed Khan Patan, and Purusothaman M.  [Download PDF](#)
128. **Uncatalyzed Oxidation of Anti Tuberculosis drug, Pyrazinamide by Cu(III) Complex in Aqueous Alkaline Media: A Kinetic Approach.**
Umarfarooq R Bagwan, Abdulazizkhan L Harihar*, Shekappa D Lamani, Irfan N Shaikhand Amit B Teradale.  [Download PDF](#)
129. **Synthesis and Characterization of Citrate Capped Au Nanoparticle Dispersion in Liquid Crystalline Compounds.**
R K N R Manepalli*, M Tejaswi, M C Rao, G Giridhar, B T P Madhav, and V G K M Pisipti  [Download PDF](#)
130. **Uterine Prolapse in a Jersey-Red Sindhi Cross Cow.**
N Kasturi*, M Selvaraju and S Sendilvelan  [Download PDF](#)
131. **Osteoporosis and its implications in dentistry.**
Ketaki Kamath*, and Dhanraj Ganapathy.  [Download PDF](#)
132. **Synthesis, Characterization and TGA Studies of Co (II), Ni (II) and Zn (II) Complexes of 3-(2-(4-hydroxy-3-methoxy benzylidene) hydrazinyl)-2H-benzo[b] [1, 4] oxazin-2-one Schiff Base.**



















- Kavitha N, and Anantha Lakshmi PV***.  [Download PDF](#)
133. **Heart Rate Variability in Athletes Specializing in Middle-Distance Running during Mesocycle.**
Olha Roda*, Svitlana Kalytka, Anatoliy Tsos, Olga Andriichuk, Olena Ishchuk, Oksana Shvets  [Download PDF](#)
134. **Effect of low frequency electromagnetic treatment on raw meat.**
Anton Alekseevich Nesterenko*, Andrey Georgievich Koshchaev, Nadezhda Viktorovna Kenijz, Damir Saferbievich Shhalahov, and Kristina Rudol'fovna Vilts.  [Download PDF](#)
135. **Development of device for electromagnetic treatment of raw meat and starter cultures.**
Anton Alekseevich Nesterenko*, Andrey Georgievich Koshchaev, Nadezhda Viktorovna Kenijz, Damir Saferbievich Shhalahov, and Kristina Rudol'fovna Vilts  [Download PDF](#)
136. **Reproductive and fattening quality of pigs various genotypes.**
Vladimir Anikeevich Pogodaev*, Anatoly Nimeevich Arilov, Anatoly Foadovich Shevhuzhev, Alexandr Pavlovich Marynich, and Rashid Hasanbievich Kochkarov  [Download PDF](#)
137. **Complex assessment of meat efficiency and quality of meat rabbit breed "Chinchilla"**
Natal'ja Jur'evna Sarbatova*, Vladimir Jur'evich Frolov, Tatyana Aleksandrovna Ruleva, Olga Vladimirovna Sycheva, and Ruslan Saferbegovich Omarov.  [Download PDF](#)
138. **Subcutaneous Filariasis mimicking Myositis: A Case Report.**
Rashmi Khemani, Swati Sharma*, and Manna Valiathan  [Download PDF](#)
139. **Torsion of the ovary with incidental finding of Teratoma: A Case Report**
Ekta Jajodia, Swati Sharma*, and Manna Valiathan.  [Download PDF](#)
140. **Formulation and Evaluation of Sustained Release Dosage Form of Metformin Hydrochloride using A Combined Hydrophobic and Hydrophilic Matrix**
Sundara Moorthy K*, and Sampathkumar KP.  [Download PDF](#)
141. **Analysis and Relative Extraction Optimization of Betulinic Acid Using RP-HPLC From Various Parts of Ziziphus Jujuba L.**
Dhirendra Kumar, and Kashyap Kumar Dubey*  [Download PDF](#)
142. **Overall assessment of drinking water security that reaching the consumers.**
Tunakova YA*, Novikova SV and Gabdrakhmanova GN.  [Download PDF](#)
143. **Formulation and Development of Oro-Dispersible Tablets of Metoclopramide Hydrochloride Using Different Taste Masking Agents.**
Rakhee K Kotecha*, Anil V Chandewar, and Anand S Surana.  [Download PDF](#)
144. **Addition Of Weissella Paramesenteroides As Probiotic In Liquid Soap From Abdominal Fat Cattle.**
Sri Melia, Afriani Sandra, Arif Trisman, Hendri Purwanto, and Endang Purwati*.  [Download PDF](#)
145. **Detection and eradication of major microbial contaminants during callus culture of Sugarcane (Saccharum officinarumL.)genotype Co 86032.**
Virdhaval M Nalavade*, Mokshadaa R Naidu, Ravindra R Kale, Avinash S Thorat and K Harinath Babu  [Download PDF](#)
146. **Insilico docking studies for investigating the anticancer properties of plant based compounds against cervical cancer.**
Aishwarya Deshpande, Keerthi Kesavan, and Jayanthi Sivaraman*  [Download PDF](#)
147. **Entamoeba histolytica Infection in Infancy as a Cause of Diarrhea in Baghdad Private Laboratories**
Dhilal Mahdi Al-Muathen*  [Download PDF](#)
148. **First note on the phenology for the Diptera, Trichoptera, Odonates, Heteroptera and Hydracariens of three sources in the Middle Atlas (Morocco).**
Imane Nechad*, El Hassan El Harchli, Imane Hinch, and Fatima Fadil.  [Download PDF](#)
149. **fALSdb – Mutation Browser for SOD1 Mutations causing Amyotrophic Lateral Sclerosis (ALS).**
Udayakumar M*, Senthilkumar R, BharathramU, and Shrivatsan AD.  [Download PDF](#)
150. **Lornoxicam Sustained Release Tablets: Formulation, In-Vitro Evaluation and Comparison with Marketed Lofecam SR.**
Sangeetamohanty*, Abhisek Pal, Sudam Chandra SCI.  [Download PDF](#)
151. **Risk Alleviation Of Pesticides In Agriculture: From History To Analytical Techniques.**
Jojiya Grace George, and Aneesh TP*.  [Download PDF](#)

152. **The Technology of Obtaining High-Quality Seeds of Sugar Beet.**
Kukharev ON , Polikanov AV , Semov IN*.  **Download PDF**
153. **Application of Factorization machines predicting user behaviour for book Recommender Systems.**
Preeti Namdeo*, Rupinder Kaur Sandh, and M Venkatesan.  **Download PDF**
154. **Performance Analysis of High Efficient CAM Using Parity Bit and Gated Circuits.**
M Manimaraboopathy*,G A Sathish Kumar,and M Anto Bennet.  **Download PDF**
155. **Contribution To The Macromycetes Of West Bengal, India: 1-7.**
Krishnendu Acharya* , Soumitra Paloi, Prakash Pradhan, Arun Kumar Dutta, Nilanjan Chakraborty, and Anirban Roy.
 **Download PDF**
156. **Study the Effect of Eruca Sativa Leaves Extract on Serum Total protein, Sodium & Potassium Ions in Male Rats.**
Iman H alrikabi*.  **Download PDF**
157. **Remote Sensing Image and Data Mining in Agriculture.**
Neelanjan Bhattacharyya*, Anthanna Sandeep, and Venkatesan M.  **Download PDF**
158. **Identification of Bacteria Causing Subclinical Cow Mastitis: Comparative 16S DNA Sequence Analysis and Biotyping Using MALDI-TOF MS.**
Assia GUENDOUIZE*, Ahmed DJEGHADER , Yasmine OUCHERIAH, andMohamed Abdelhafid HAMIDECHI.  **Download PDF**
159. **Prevalence of Urinary Tract Infection and Associated Microorganisms in Iran; A meta- Analysis Study**
Lida Bimanand, Iraj Pakzad*, Kouresh Sayehmiri, Masoud Yasemi, Fatemeh Sayehmiri, Hadi Peyman, Reza Azizian, Reza Pakzad, and Saeid Safiri.  **Download PDF**
160. **Pancrease-Protective Effects of Arabic Gum on Diabetic Type2 Streptozotocin-Induced inAlbino Mice**
Doaa Mohamed El-Nagar*.  **Download PDF**
161. **Erythromycin production in batch and fed batch bioreactor using agro-industrial wastes.**
Ismail G Said, Mohamed A M Farid, Azza M Noor El Deen, Hoda M A Shata and Nayera A M Abdelwahed*.  **Download PDF**
162. **Method Validation of High Performance Liquid Chromatography for Determination of Mycolic Acids Profile of Mycobacterium Tuberculosis**
Asri Darmawati*, Isnaeni, and Muhamad Zainuddin  **Download PDF**
163. **Security Modelling in Cloud.**
Thanusha, Ashwini Kolhe,and Venkatesan M.  **Download PDF**
164. **Prevalence of Helicobacter pylori infection in. patients with chronic dyspepsia among rural population A prospective study.**
Vedamanickam R, Sakthi Dasan S, Vinoth Kumar R,Ananya J, and Nagendram Dinakaran.  **Download PDF**
165. **Production of mycotoxin and antimicrobial agent by Penicillium sp.and there effect on the growth of some pathogenic bacteria**
Nibras Yahya AlSallami*.  **Download PDF**
166. **Ecology and taxonomic revision of family Fibulariidae (Echinoidea: Echinodermata) inhabiting seagrass bed at the vicinity of Hurghada, Red Sea, Egypt.**
Ahmed M Hellal, Walaa M Shaban*, and Salah E Abdel Gaid.  **Download PDF**
- 167.
168. **Features of Chemical Kinetics of Concrete Fillers Production from Industrial Waste**
Daribayev Zhumanali Yerkinbekuli*, Suleimenova Maria Shaiahmetkyzy, andDaribayeva Natalia Gennadijevna.  **Download PDF**
169. **The Effect of Chitosan Concentration on the Characteristics of Sago (Metroxylonsp) Starch Bio-plastics.**
Tuty Angraini*, Ulfimarjan, Fauzan Azima, and Rina Yenrina.  **Download PDF**
170. **Fake Site Area Using Imperceptible Captcha.**
Ponmalar G*, and Joshila Grace LK.  **Download PDF**
171. **Cementation of lead from mono-metallic nitrate solution using a modest-agitated reactor.**
Heba A. El- Gawad*, I.A. Kattab, A. N. Mahdy, H. Moselhy, O. A. Ibrahim  **Download PDF**
172. **Automated analysis of Histopathology images for cancer diagnosis – A review**
Gopalakrishnan T*, Rajeesh J, Palanikumar S, and Narasimhan K  **Download PDF**


173. **Pharmaceutical Services in Pharmacies and Customer Satisfaction: A Cross Sectional Study in the Banjarbaru Area.**
Nani Kartinah*, Shofia Annisa, and Thaita Aria Yuniarti.  [Download PDF](#)
174. **Molecular Detection for Virulence Factors of Coagulase Negative Staphylococci Isolated from Patients with Urinary Tract Infection.**
Mohammed Sabri Abdul-Razzaq*, Jawad Kadhim Al-Khafaji, and Sarah Hashim Al-Helli.  [Download PDF](#)
175. **Inhibition Of Platelet Aggregation By Anthocyanins Purified From Roselle (Hibiscus Sabdariffa L.) Callus.**
Hermann Zagadou ABEDA*, Gilles N'dri KONKON, Lydie Marie Dominique ADOU, Dramane KONE, and Tanoh Hilaire KOUAKOU.
 [Download PDF](#)
176. **Utilization of Fruit Peel Extracts of Persea americana, Cyphomandra betacea, Mangifera odorata and Archidendron pauciflorum as Antidiabetic in Experimental Rats.**
Jenny Ria Sihombing, Christian Agus Bona Satria Sidabutar, Edy Fachrial, Almahdy, Zulkarnain Chaidir, and Abdi Dharma*
 [Download PDF](#)
177. **Morphofunctional Condition of Bones and Hippocampus of White Rats at Experimental Intoxication with Aluminium Chloride.**
Areshidze DA*, Timchenko LD, Rzhepakovsky IV, Kozlova MA, Syomin IA, andKuznetsova IA.  [Download PDF](#)
178. **Anti-Fibrotic Effect of Michelia Champaca L. Against Carbon Tetrachloride Induced Liver Injury in Rats**
Ananthi T*, Anuradha R and Mallika Jainu J.  [Download PDF](#)
179. **GH and DGAT1gene polymorphism effect on beef production traits of Hereford and Limousine bull calves**
Sedykh T A*, Gladyr E A, Gizatullin R S Gusev I V, Dolmatova I Yu, andKalashnikova L A  [Download PDF](#)
180. **Position Aided Cluster Based Routing for Extending Manet Lifetime.**
Kavitha T*, and Muthaiah R.  [Download PDF](#)
181. **Adsorption of Hexavalent Chromium in Industrial Water Using Pithecellobium Dulce Bark.**
Muthulakshmi A*, and Baskaran R.  [Download PDF](#)
182. **Effect of some herbal extracts on the health status of cultured Oreochromis niloticus.**
Marzouk M SM, Abdel Aziz MA, Soliman WS, Abbas HH, Mona SZ, Awad E, and Sahr BA ?  [Download PDF](#)
183. **Effectiveness of A Field Rotation Link In The Technology Of Spring Wheat Cultivation.**
Bogomazov SV, Ilchenko PA, Tkachuk OA*, Pavlikova EV, Tikhonov NN, and Sharunov OA.  [Download PDF](#)
184. **Evaluation of Transport Accessibility as a Basis to Improve the Life Quality of Mobility Impaired Groups of People.**
Sergey Alexandrovich Ertman*, Juliya Alexandrovna Ertman, Ilya Alexandrovich Anisimov, and Vera Anatolyevna Svistunova
 [Download PDF](#)
185. **Detection of Micro RNA-499 In Acute Myocardial Infarction, Significance Of A New Marker.**
Aliaa Shalaby, Alshaymaa Ahmed Ibrahim*, Hany Elghobary, and Ghada Youssef.  [Download PDF](#)
186. **Preparation Of An Inclusion Complex System OfEthyl P-Methoxycinnamate - Hydroxypropyl-β-Cyclodextrin: Characterization and Solubility Evaluation.**
Juni Ekowati*, Retno Widowati, and Dewi Isadiartuti.  [Download PDF](#)
187. **The Impact of Serum Manganese, Molybdenum and Selenium Levels on Pathogenesis of Preeclampsia.**
Nadia Mudher Al-Hilli*, Haydar Hashim Al-Shalah, and Mohammed Abbas Hasan.  [Download PDF](#)
188. **Study on Catalytic Bio-Digestion of Sugarcane Bagasse Fiber.**
Yeshashwini T, and Debjyoti Sahu*.  [Download PDF](#)
189. **Changes in Blood Pressure during Extracorporeal Shock Wave Lithotripsy (ESWL) on Nephrolithiasis Patients in H. Adam Malik Hospital, Medan, Indonesia.**
***Zulkifli Rangkuti, Edy Fachrial, Ramlan Nasution, and Syah Mirsya Warli.**  [Download PDF](#)
190. **Evaluation of Transport Accessibility as a Basis to Improve the Life Quality of Mobility Impaired Groups of People.**
Sergey Alexandrovich Ertman*, Juliya Alexandrovna Ertman, Ilya Alexandrovich Anisimov, and Vera Anatolyevna Svistunova
 [Download PDF](#)
191. **Comparison the effect of two methods, patient controlled analgesia and non-steroidal anti-inflammatory drugs after elective cesarean: A Patient Education Program.**
NeginRezavand, Roya Raeisi, Ali Reza Ghorbani, and MajidAhmadi*.  [Download PDF](#)

192. **Gel Dosimetry By Medical Imaging Modalities And Future Of Molecular Imaging**
Hossein Masoumi*  [Download PDF](#)
193. **Some Principal Issues of Molecular Techniques in Health Research: Facilitators and Barriers, Advantages and Disadvantages.**
Masoomeh Bakhshayesh*, Anahita Moaveni, S. Amir Yazdanparast, and Gelareh Vahabzadeh.  [Download PDF](#)
194. **Survey of Image Segmentation Algorithm for Medical Images: Challenges and Methodologies.**
Chinmayi P, Prabukumar M, and Agilandeewari L*.  [Download PDF](#)
195. **Epidemiological and Diagnostic Study for the causes Swimmer's itch in AL-Najaf AL-Ashraf Governorate.**
Jassim Hameed Rahma*, and AI-KuzaaySafaa Rahim Khadoom.  [Download PDF](#)
196. **Morphometrics and morphological comparative study of three natural populations of Zizyphus Lotus.**
Rais C, Lazraq A, Houhou M, Elhanafi L, Fennane A, El Ghadraoui L, Mansouri I, and Louahlia S *  [Download PDF](#)
197. **Plasmid curing pattern of nosocomial pathogens of intensive care units (ICU) in Zagazig University Hospital**
Soheir Saad Abd El-Salam*, Mohammed Farouk Ghaly, Ahmed Anwar Shahen, Mahmoud Mostafa Amer, and Sanaa Atef Abdelkader.
 [Download PDF](#)
198. **Improvements Availability Phosphorus (P) On Acid Soil Through Utilization Of Phosphorus (P) Solubilizing Microbial And Organic Matter.**
Muh. Jayadi*, Burhanudin Rasyid, Asmita Ahmad, Rina Mariana, and Ahdin Gassa.  [Download PDF](#)
199. **The antidiabetic effect of Moringa oleifera leaves extract on some biochemical paramers of diabetic rats induced alteration in cytoskeletal desmin of cardiomyocytes.**
Nabila I. El-Desouki*, Mohamed A. Basyony, Mona M. Hegazy, and Mohamed S. El-Aama  [Download PDF](#)
200. **IR Spectroscopic Study of Substances Containing Iodine Adduct.**
Denis Barinov V, Kuralay Bekesheva B*, Gulbaram Ustenova ?, Assel Kurmanalieva R, Assem Kalykova S, and Alexandr Ilin I.
 [Download PDF](#)
201. **Influence of Microencapsulation Technology on The Morphological and Biopharmaceutical Characteristics of Phenibut Microcapsules.**
Yuliya Polkovnikova*, Alexey Slivkin, Kseniya Koryanova, and Ekaterina Tretyakova.  [Download PDF](#)
202. **Role of diazepam on stress- related changes in rat liver cytoskeletal Intermediate filaments and CD34 expression.**
Nabila I El-Desouki*, Gabry MS, Nagi HM, and Idrris H Mohamed  [Download PDF](#)
203. **Platelet aggregation under the influence of some dithiocarbamate derivatives of 9, 10-anthracenedione**
Halenova TI*, Nikolaeva IV, Stasevych MV*, Zvorych VI, Lunin VV, Novikov VP, and Savchuk OM  [Download PDF](#)
204. **Experimental Investigation of Passive Cooling using Solar Reflective Paint (SRP) coating.**
Gopalakrishnan R*, Seralathan S, Hariram V, Mohammed Raffiq A, and Mohan T  [Download PDF](#)
205. **Antiviral Activity of Marine Sponges Homaxinella tanitai and Microxina Subtilis against Hepatitis C Virus.**
Suciati*, Irsyad Abdillah, Muhammad Ihsan Uddin, Achmad Fauzi, Myrna Adianti, and Achmad Fuad.  [Download PDF](#)
206. **The Effect of Combination of Methacrylic Acid Copolymer L Type and S Type On the Physical and Chemical Polymer Properties**
Sugiyartono, Widji Soeratri, and Muhammad Zainuddin  [Download PDF](#)
207. **Multi Variable Speed Control of Induction Motor Using Z-Source Inverter.**
Ravi Kumar DNS, and Hema Devi J.  [Download PDF](#)
208. **Intelligent Power Management for Residential Buildings Using Sensor Networks and Zigbee Pro.**
Ravi Kumar DNS, and Hema Devi J.  [Download PDF](#)
209. **Drivers Safety For Alerts On Pot Holes and Humps on Road a Cloud Based Approach.**
Ravi Kumar DNS, and Hema Devi J.  [Download PDF](#)
210. **Partial Synthesis of Farrerol As Antibronchitis Agent from Mattecucinol Isolated from The Fern Chingia sakayensis Using Hydrobromic Acid Reagent.**
Suyatno Sutoyo*, Nurul Hidayati, Erika Widiarini, and Anandya Wahyuningtyas.  [Download PDF](#)
211. **Citrate Capped Silver Nanoparticles Based Liquid Crystals-Spectroscopic Characterization.**
Sivaram K, Tejaswi M, Rao MC, and Manepalli RKNR*  [Download PDF](#)

212. **Review on Characterization of Poly Butyl Succinate Based Biodegradable Composites**
Mohit Arora, Akshay Ahuja, and M. Ramachandran.  [Download PDF](#)
213. **Study on Palliative Care Services in A Tertiary Care Hospital**
Naveen Kumar, Swapna BV*, and Prithvi Rao HT.  [Download PDF](#)
214. **Enhanced tannase production by Kluyveromyces marxianus NRRL Y-8281 under solid state fermentation of olive oil cake.**
Shadia A Fathy, Mona M Rashad, Magda K Ezz, Amira T Mohammed, and Abeer E Mahmoud*.  [Download PDF](#)
215. **Synergistic effect of copper and organic acids on growth of E. coli and Salmonella sp. from fresh fruits and vegetables.**
Balagopal Amrutha, Kothandapani Sundar, and Prathap Kumar Halady Shetty*.  [Download PDF](#)
216. **Validation of High-Performance Liquid Chromatography Method for Simultaneous Determination of Vitamin C and Folic Acid in Multivitamin Tablet.**
Febri Annuryanti*, Tiara Vista Ramadhani, and Riesta Primaharinastiti.  [Download PDF](#)
217. **Development of Technology for Multicomponent Brine.**
Abzhanova Sholpan A*, Baibolova Lyazzat K, Matibaeva Ainur I, Zhetpisbaeva Bagila Sh, Rskeldiev Berdan A, and Mukhtarkhanova Rauan B  [Download PDF](#)
218. **Studies on the effect of olive mill waste on pre-harvest and plant fungal diseases.**
Nadia G El-Gamal, Sherien MM Atalla*, and Aliaa R El-Shamy  [Download PDF](#)
219. **Assessment of Nurses' Documentation in Surgical Wards at Baghdad Governmental Hospitals**
Fatma Makee Mahmood*.  [Download PDF](#)
220. **Association of TNF- α genotype with Rheumatoid Arthritis patients in Iraq.**
Mona Al-Terehi, Nabil Mohamed Jawad, Abu Amar Zaidan, Israa H. Mohcen, Haider K. Zaidan, and Ali H. Al-Saadi.
 [Download PDF](#)
221. **Analysis of single or combination of factors causing carpal tunnel syndrome.**
Sangameswaran TK, Syed Safina SS, Raveendran SR*, and Radhika M.  [Download PDF](#)
222. **Clinical Signs and Panoramic Radiographs as a Diagnostic Tool for Eruption Disturbance of Permanent Maxillary Canines.**
Gabriela Kjurchieva Chuchkova*, Lidija Kanurkova, Cvetanka Bajraktarova Mishevskva, Snezana Pesevska, Vesna Jankulovska,
Aleksandar Grcev, Evdokija Jankulovska  [Download PDF](#)
223. **Toxicity of Citronella Grass Essential Oil (Cymbopogon nardus (L.) Rendle) to Female and Nymph German Cockroaches (Blattella germanica (L.))**
Robby Jannatan, Resti Rahayu*, Henny Herwina, and Nasril Nasir.  [Download PDF](#)
224. **Pharmaceutical Microbiology and Biotechnology Cultural Conditions Affect the Growth of Endophytic Fungi Aspergillus fumigatus and Improve Its Total and Bioactive Metabolite Production.**
Puji Astuti*, Dyah Aryantini, Willy Tirza Eden, and Wahyono.  [Download PDF](#)
225. **Heavy Metals in Freshwater Ecosystem of the Kenon Lake (Transbaikal Territory, Russia).**
Gazhit Ts. Tsybekmitova, Alexey P. Kuklin, Natalya A. Tashlykova*, Ekaterina Yu. Afonina, Balzhit B. Bazarova, Mydygma Ts. Itigilova,
Eugenia P. Gorlacheva, Petr V. Matafonov, and Alexey V. Afonin.  [Download PDF](#)
226. **Hydrobiological evaluation of the sources of the Fès-Taza corridor region: source Atrous and source Louali (Morocco)**
Hinchi I, Nechad I, Fadil M, and Fadil F.  [Download PDF](#)
- 227.
228. **Study of The Adsorption of a Cationic Dye (Methylgreen) on Zinc Oxide in Aqueous Medium. Validity of Some Isotherm Models in This Process.**
Bousnoubra I*, Djebbar K, and Sehili T.  [Download PDF](#)
229. **Law enforcement practice in the field of regulation rent for the land.**
Olga Vladimirovna Akhrameeva*, Oksana Viktorovna Zhdanova, Irina Fyodorovna Dedukhina, Nadezhda Viktorovna Miroshnichenko,
and Dmitry Sergeevich Tokmakov.  [Download PDF](#)
230. **Modeling the main trends development regional labor market in conditions of globalization economic processes**
Olga Harlampieva Kaznacheeva*, Yana Vitalieva Vorokhobina, Olga Nikolaevna Nikulina, Marina Viktorovna Popova, and Eduard Evgenevich Tikhonov  [Download PDF](#)
231. **Effect of feeding the sheep at different ages on morphometric indices of duodenum**
Vladimir Ivanovich Trukhachev*, Vladislav Anatolyevich Porublyov, Nikolai Viktorovich Agarkov, and Tamara Ismeljyevna

- Botasheva.**  **Download PDF**
232. **Modeling sustainable balanced development the regions in the single economic space of the state.**
Olga Ivanovna Shatalova*, PolinaVladimirovnaShmygaleva, OlgaValer'evnaBruzhukova, ElenaAnatol'evnaVelichenkoand
EvgenyVladimirovichShekhovtsov.  **Download PDF**
233. **Economic and statistical evaluation of the level of sustainable development of rural areas.**
Victor Ivanovich Lebedev*, Inna Victorovna Lebedeva, Stanislav Aleksandrovich Molchanenko, Svetlana Aleksandrovna Molchanenko,
and Alexander Vasilyevich Shuvaev  **Download PDF**
234. **Adaptive system of parameter settings of self-moving harvesters – threshers' operational procedures.**
Yuriy Aleksandrovich Tsarev*, Evgeny Ivanovich Trubilin, Evgeny Vladimirovich Truflyak, and Elena Yuryevna Adamchukova.
 **Download PDF**
235. **Method Development for Correction the Immunological Status of Newborn Animals.**
Vladimir Ivanovich Trukhachev*, Anatoly Fedorovich Dmitriev, Valentin Sergeevich Skripkin, Alexander Viktorovich Agarkov, and
Nikolay Viktorovich Agarkov.  **Download PDF**
236. **Dynamics of cellulolytic microorganisms on the virgin soil and arable black soils of the central Ciscaucasia.**
Valery Sergeevich Tskhovrebov*, Vera Ivanovna Faizova, Anastasia Mikhailovna Nikiforova, Lyudmila Mikhailovna Onischenko, and
Andrey Anatolievich Novikov.  **Download PDF**
237. **Workforce planning distribution of the region's results.**
Irina Vladimirovna Zaitseva*, Anna Nicolaevna Ermakova, Dmitry Valeryevich Shlaev, Evgeny Aleksandrovich Shevchenko, and
Sergey Ivanovich Lugovskoy.  **Download PDF**
238. **Spatial Information Based Fuzzy Clustering Algorithm for Image Segmentation.**
Deepthi P Hudedagaddi, and BK Tripathy*.  **Download PDF**
239. **Description of Seroma Production in Modified Radical Mastectomy with Skin Flaps Fixation Patients in H.Adam Malik Hospital, Medan, Indonesia.**
Muhammad Ridha*, Suyatno, and Emir Taris Pasaribu.  **Download PDF**
240. **Thrombolytic Activity of Fibrinolytic Enzyme from Black Soybean Tempeh (Glycine Soja Sieb. Et Zucc) Fermented by Rhizopus Oligosporus FNCC 6010.**
Achmad Toto Poernomo*, and Isnaeni, Purwanto.  **Download PDF**
241. **An Expectation-Based Privacy-Conserving Friend Reference Scheme for Online Public Networks.**
Aswini T1, Anugraka I*, and L Lakshmanan.  **Download PDF**
242. **Mutations in the WNT10A Gene in Patients with Tooth Agenesis.**
Darko Pop Acev *, Gabriela Kjurchieva Chuchkova, and Lidija Kanurkova.  **Download PDF**
243. **Kinetics and mechanism of the oxidation of p-xylene using permanganate in aqueous acetic medium.**
P Rajendran, P Bashpa, and K Bijudas*.  **Download PDF**
244. **Antibacterial Activity of Butanol Extract from Cell Free Fermentation Broth of Streptomyces spp.Isolated from Vegetable Plantation Soil.**
Isnaeni*, Mega FERDINA WARSITO, Noor ERMA NASUTION, Ni Made MERTHANIASIH, Achmad TOTO POERNOMO, Diana FAIRUZ, and
Astrid HANIFAH.  **Download PDF**
245. **Antioxidant and anti-tubercular activity of some 3-substituted-1,3-dihydro-2H-indole-2-one derivatives.**
Vivek Singh Bhadauria, Sujeet Kumar, Arpit Katiyar, Debajyoti Das, and Subhas S Karki*.  **Download PDF**
246. **Cytomorphological Changes of Gepatorenalny System of Rabbits at The Combined Poisoning with Xenobiotics.**
Marina M. Salnikova*, Elena G. Gubeeva, Vadim R. Saitov, Konstantin Kh. Papunidi, Ilnur R. Kadikov, Farukh A. Sunagatullin, and
Sergey Yu. Smolentsev  **Download PDF**
247. **Methodical aspects of determining the trajectories of global determinants of local markets crop production.**
Natalia Vadimovna Snegireva, and Polina Vladimirovna Shmygaleva.  **Download PDF**
248. **Krukenberg Tumor – An Enigmatic Entity – Case Report with Emphasis on The Role Of Frozen Section.**
Pooja Jain, Swati Sharma*, and Manna Valiathan.  **Download PDF**
249. **Do Cholesterol Lowering Drugs Affect Electrolyte Balance In - Hypertensive Patients?.**
Gaurav Sharma B, Akshay nandavar, Maben EVS, Kotian MS, and Ganaraja B*.  **Download PDF**

250. **Synthesis, Characterization, Surface active properties, Biological Activity of ethoxylated dodecyl-benzenesulfonamide.**
MA Migahed, Salah M El-kousy, Reham F Tayel, and EG Zaki*.  **Download PDF**
251. **Technologic qualities of sugar beet root crops in foliage application of melafen and trace elements.**
Vladimir Ilyich Kostin, Vitaly Alexandrovich Isaychev, Vladimir Alexandrovich Oshkin, Evgeny Evgenievich Syapukov
 **Download PDF**
252. **Influence of melafen on redox enzymes in sprouting sugar beet**
VladimirIlyich Kostin, Vladimir Alexandrovich Oshkin  **Download PDF**
253. **Biopreparations In the Spring Wheat Fertilization System.**
? Kh Kulikova*, S N Nikitin, and ? L Toigildin.  **Download PDF**
254. **Comparative study of dexmedetomidine, butorphanol and tramadol for post-spinal anesthesia shivering**
Keerthi P, and Shaila S Kamath*.  **Download PDF**
255. **Oral health changes during orthodontic treatment.**
Zabokova-Bilbilova Efka*, Julijana Stevanandjija, Georgiev Zlatko, and Sotirovska-Ivkovska Ana.  **Download PDF**
256. **Morphological characteristics of neural population of a hippocampus of Wistar rats in norm.**
DA Areshidze*, MA Kozlova, IA Syomin, IA Kuznetsova, and JP Molokanova.  **Download PDF**
257. **Comparison of Nutritional Behaviors of Women with and Without PMS Working in Hospitals in Hamedan in 2015.**
Maryam Ataollahi, Marzieh Otogara,Seyedeh Zahra Masoumi*, and Ghodratollah Roshanaei.  **Download PDF**
258. **A Robust and Reversible Watermarking (RRW) Technique Based on a Time-Stamp in Relational Data.**
Sibyl Ann Jacob*, Vaishnoodevi Ramdas, and Mohana Prasad K.  **Download PDF**
259. **Effective Web Log Mining using Combination of K-NN Algorithm and Apriori Algorithm.**
Mohammad Rafey*, Mani Kant,and Mohana Prasad K.  **Download PDF**
260. **Cloud SAAS: Integration of IAAS & SAAS for Effective Cloud Management System with Resource Sharing Among Cloud.**
Sachin Bashyan*, Saurav Raj, and Mohana Prasad K.  **Download PDF**
261. **An Efficient Privacy-Preserving Ranked Keyword Search Method over Encrypted Cloud Data.**
Sai Pavan Kumar P, Yaswanth Sai P*, and Mercy Paul Selvan.  **Download PDF**
262. **Embedded travel aiding system for visually challenged people.**
Sriram AL*  **Download PDF**
263. **A novel security system for sensitive documents using RFID and Back propagation arti?cial neural networks.**
Sriram AL*.  **Download PDF**
264. **A Survey On On-Board Data Processing A Suggested Powerful Solution For On-Board And Multispectral Data Processing Using Efficient Fast Processing Architecture.**
Sriram AL*, and Hariharan K.  **Download PDF**
265. **Antibiotics regulations in Dental Practice.**
S Niveda Subash*, and Subash Sharma.  **Download PDF**
266. **Exploration of modify genes expression in wheat via the enhancement of Bacillus Subtilis.**
Abo Doma A, Shoaib RM,and Mohamed Hamdy Amar*.  **Download PDF**
267. **Enhanced QOS Enabled Multipath Routing (EQAMR) For MANETs Inspired by Swarm Intelligence.**
I Alagiri*, and V Madhuviswanatham.  **Download PDF**
268. **The Contribution of Biostatistics Knowledge of Psammophile Mountains of Tlemcen (Western Algeria)**
Stambouli-Meziane Hassiba*, Hassani Faïcal, and Bouazza Mohamed.  **Download PDF**
269. **Dental Image Segmentation Using Fast Marching Method for 2D to 3D Registration**
Megalan Leo L*, and Kalpalatha Reddy T.  **Download PDF**
270. **Antimicrobial Activity of Silver Nano Particles Biosynthesized by Lactobacillus Mixtures.**
Haider Salih Jaffat*, Nawfal Hussein Aldujaili, and Athraa J.Abdul Hassan.  **Download PDF**

271. **Probabilistic detection and temporal segmentation of cichlid fish tumour using watershed and modified threshold technique**
Stephen John T, Sivasundarapandian S, and Deborah paripuram T.  [Download PDF](#)
272. **Algae Disintegration in Raw Water at Semberong Barat Dam Johor Malaysia Using Sonification Wave.**
Roslan Omar*, Zaharah Ibrahim, Zailan Zahid, Elias Ismaila, Ikmal Hisham, Shahzatul Irwan Omar, Siddiq Mustafar.
 [Download PDF](#)
273. **Mothers' Participation in Improving Girls' Knowledge of Reproductive Health.**
Farzaneh Soltani, Zeinab Fattahi, Seyedeh Zahra Masoumi*, and Ghodratollah Roshanaei.  [Download PDF](#)
274. **Beneficial effect of wheatgrass juice on some biochemical parameters in Type 2 diabetic subjects with reduced lymphocytes count.**
Marie-Christine R Shakib*, Shreef GN Gabriel, and Gamal N Gabriel.  [Download PDF](#)
275. **Insulator Tip Detachment as an Unprecedented Complication during Arthroscopic Surgery**
Mohd Ikraam Ibrahim*  [Download PDF](#)
276. **Antenatal ?areduringMultiple Pregnancies.**
NikitinaIN, KondratiukVK, KalashnikNV,IkonopiscevaNA,andBabarTV  [Download PDF](#)
277. **Isopodiosis in Some Fishes From Egyptian Qaroun Lake: Prevalence, Identification, Pathology and In Vitro Trials to get rid of it.**
Shaheen AA, Abd EL Latif AM*, Elmadawy RSand Noor Eldeen AI  [Download PDF](#)
278. **Phenological study of the crustaceans and molluscs from three major sources of the Middle Atlas (Morocco).**
Imane Nechad*, El Hassan El Harchli, Farah Gaamoussi and Fatima Fadil  [Download PDF](#)
279. **Ability of Bacillus Amyloliquefaciens Isolated from Corn on mycotoxins degradation**
A Noah Badr*, M M Youssef, A F Logrieco, and H A Amra.  [Download PDF](#)
280. **Mycoflora in contaminated soil of automobile workshops and their abilities for biodegradation of used motor oil.**
Mohamed Fadi Awad*.  [Download PDF](#)
281. **TGFB 1, PTGS 2 Genes Expression during Dynamics of Wound Healing and with the Treatment of Melanin**
AS Dranitsina*, OV Taburets, KO Dvorshchenko, DM Grebinyk, TV Beregova and LI Ostapchenko  [Download PDF](#)
282. **Non-Conventional Municipal Wastewater Treatment System Suitable for Egyptian Villages and Small Communities.**
Hala M El-kamah, Hala S Doma* and Saber A El-Shafai.  [Download PDF](#)
283. **Justification of Medicated Chewing Gum Composition for Weight Control and Overweight Fighting**
Ruban O?, ??sliy Ju S*, and Kutsenko S?.  [Download PDF](#)
284. **Chinese tea Pu- erh.**
Michail Eliseev/ Olga Alekseeva Lidia Emelianova*, and Olga Kosareva Tamara Kuzechkina.  [Download PDF](#)
285. **Radiographic Evaluation of the Anterior Loop of the Mental Nerve: Comparison between Orthopantomograph and Cone-Beam C T – A pilot study.**
Prashanti Eachempati, Sumanth Kumbargere Nagraj, Daniel Choong Wen Chien, Chong Cheng Lin, Htoo Htoo Kyaw Soe, andKiran Kumar KS*.  [Download PDF](#)
286. **Analysis of Drug Utilization Pattern in Elderly in An Outpatient Department Using Who Indicators: A Cross Sectional Study.**
Supriya Pradhan*, Abinash Panda, and Snigdha Rani Panigrahy.  [Download PDF](#)
287. **The influence of the experimental lactate – acidosis on hemostasis and a structure of endothelium.**
Elena VadimovnaAlfonsova*.  [Download PDF](#)
288. **Population Studies ofHedysarumtheinumKrasnob. At the Ivanovsky Mountain Range of The Kazakh Altai Mountains.**
AlevtinaNikolaevna Danilova*, Yuri AndreevichKotukhov, Olga Alexandrovna Anufrieva, and SerikArgynbekovichKubentayev.
 [Download PDF](#)
289. **Effects of early verses late percutaneous dilatational tracheostomy on mechanically ventilated ICU patients.**
Sandeep Yadav1, Ghanshyam Yadav2*, Alok Kumar Bharti3, Amit Shrivastav1, and R.K. Verma4.  [Download PDF](#)
290. **The application of a novel biomaterial based on the secreted products of human mesenchymal stem cells and collagen for spermatogenesis restoration in the model of experimental cryptorchidism.**
Kamalov A.A, Kirpatovsky V.I, Ohobotov D.A, EfimenkoA.Yu*, Makarevich P.I, Sagaradze G.D, Makarevich O.A, Nimiritsky P.P, Basalova N.A, Kamalov D.M, Osidak E.O, Domogatsky S.P, AkopyanZh.A, Tkachuk V.A.  [Download PDF](#)

Research Journal of Pharmaceutical, Biological and Chemical Sciences

Thrombolytic Activity of Fibrinolytic Enzyme from Black Soybean Tempeh (*Glycine Soja Sieb. Et Zucc*) Fermented by *Rhizopus Oligosporus* FNCC 6010.

Achmad Toto Poernomo*, and **Isnaeni**, Purwanto.

Pharmaceutical Chemistry Department, Faculty of Pharmacy Airlangga University, Dharmawangsa dalam, Surabaya, Indonesia, 60286

ABSTRACT

Tempeh is a famous Indonesian traditional fermented food. It is made by various soy and legumes as raw materials. In this research, black soybean (*Glycine soja sieb. et zucc*) is used as a substrate for fermentation process by fibrinolytic enzyme producing *Rhizopus oligosporus* FNCC 6010. Optimization of the fermentation process was performed by temperature and inoculums concentration. The tempeh fibrinolytic enzyme (TpFE) was extracted from the tempeh by water and centrifuged to separate supernatant from solid materials. Ammonium sulfate was used for partially the TpFE purification. The enzyme activity was tested by fibrin plate. It was found that the TpFE activity from the supernatant is 2,745 U/ml with a protein concentration of 10.358 mg/ml and specific activity is 0.265 U/mg. Furthermore, increasing concentrations of ammonium sulfate for partial purification was affected the TpFE activity. The higher concentration of ammonium sulfate is the lower the enzyme activity. The maximum activity of fibrinolytic was obtained at a temperature of 45 °C. The highest activity of the fibrinolytic enzymes (22,851 U/mL) was achieved at pH 5,5. Addition of Ca⁺⁺, Co⁺⁺ and Mn⁺⁺ in the fermentation media lead to increase the TpFE activity, 23.653 U / mL, 22.262 U / mL and 21.566 U / mL respectively. Trombolitic activity in vitro clot lysis results in a decrease to 97.6%

Keywords: Black soybean tempeh, *Rhizopus oligosporus*, Thrombolytic activity, fibrinolytic enzyme

*Corresponding author

INTRODUCTION

The fibrinolytic enzymes of microbial origin that are able to dissolve endogenous thrombi in vivo were reported. Mechanism action of the fibrinolytic enzymes as thrombolytic was also studied special focus on the structure and character of the enzymes. Streptokinase, for example, is produced by *β*-hemolytic streptococci and exerts its enzyme action indirectly by activating plasminogen. On the other hand, staphylokinase is produced by *Staphylococcus aureus* by stoichiometric complexation with plasmin (ogen) that activates other plasminogen molecules. Serrapeptase is a different fibrinolytic enzyme produced by entero bacterium *Serratia* sp. E-15 with multiple functions including fibrin degradation. In addition, nattokinase is one of the fibrinolytic enzymes, produced by *Bacillus natto*, derived from fermented food [1]. On the other hand, the available thrombolytic agents are very expensive and cause side reactions effects such as increasing the risk of unwanted bleeding internally in the intestine channel when used orally.

Thrombolysis therapy with thrombolytic agents, such as alteplase, anistreplase, streptokinase, urokinase and tissue plasminogen activator (t-PA) is often used to degrade the clot formed in vascular disease. Therefore, the agent thrombolytic still continues to be developed to obtain a therapeutic agent with a lower risk of side effects as well as a relatively affordable cost [2]. Research on isolation and screening activity of fibrinolytic enzymes from many microorganisms as agents of thrombolysis has been reported. Fibrinolytic activity on various fermented foods from Korea (Chungkookjang and Doen-jang, Jeot-gal); Japan (natto) has been studied. Tempeh soybeans fermented by *Fusarium* sp has also been studied to produce proteolytic enzymes that have fibrinolytic activity [1]. Tempeh is Indonesian traditional food that is processed through fermentation technology by using soybean and *Rhizopus* spp. [3]. The soybean tempeh fermented by *Rhizopus* spp. could be able to produce proteolytic enzymes that are potential as fibrinolytic agent [4]. Most of the tempeh made with basic ingredients of soy, but can also be made from a wide variety of beans such as black soybean (*Glycine soja* sieb.et zucc), koro bean (*Mucuna pruriens*), red bean (*Phaseolus radiatus*), and tunggak bean (*Vigna unguiculata*). Peng et al. (2003) [5] have managed to do a purification of fibrinolytic enzymes of *Bacillus amyloliquefaciens* DC-4 from dochi, the traditional food of Chinese origin made of soy. In addition, purification of fibrinolytic enzyme nattokinase from *Bacillus subtilis* TKU007 has been carried out by [6]. In his research, nattokinase obtained through purification with a 3-stage procedure that precipitation with ammonium sulfate. This research, the thrombolytic activity of TpFE extract from black soybean (*Glycine soja* sieb. et zucc) fermented by *Rhizopus oligosporus* FNCC 6010 has been investigated. The performed a partial purification and characterization of the influence of pH, temperature, and metal activator has been performed. In addition to testing the thrombolytic activity using clots lysis.

MATERIAL AND METHODS

Materials

Fibrin, thrombin, fibrinogen and plasmin (all from human plasma), nattokinase, and tyrosine (Sigma-Aldrich, St. Louis, MO, USA). Sephadex 50 (Pharmacia, Uppsala, Sweden). All other chemicals and reagents used are analytical grade.

Microorganism and maintenance of culture

Rhizopus oligosporus FNCC 6010 was derived from Microbiology Laboratory, PAU Pangan Gizi Gadjah Mada University and grown on potato dextrose agar slants at 30°C for 3-5 days and stored at 4°C. The stock culture was revived on fresh agar slants medium for the whole experiment.

Collection of legume for tempeh production

The black soybean (*Glycine soja* sieb. et zucc) was obtained from Indonesian Legumes and Tuber Crops Research Institute in Malang, East Java, used as raw material for tempeh production.

Preparation of tempeh [7]

Producing tempeh from black Soybean (*Glycine Soja* Sieb . Et Zucc) fermented by the *Rhizopus oligosporus* FNCC 6010 spores obtained a compact mass texture and homogenous structure as well as taste, smell and distinctively flavored tempeh. Yellowish white, but white color evenly on the surface is due to the presence of mycelium growing on the surface of the seed legume after 44 hours incubation (Figure 1). The tempeh texture can be determined by identification of dense surface mycelia. If the mycelia were lush, it indicates that the texture of tempeh has a compact, and vice versa. *Rhizopus oligosporus* FNCC 6010 is obligate aerobes, so the availability of oxygen absolutely is rate determinate factor for the fermentation process. Incubation for the tempeh preparation was carried out at Laminar flow cabinet to minimize contamination during the experiment. The specification of the tempeh produced was appropriate to national food standard.

Qualitative screening for proteolytic enzyme production

About 20,0 mg of tempeh extract was plated onto protein agar plates containing skim milk powder 100 mg, peptone 5g and agar 20g per liter at pH 5.0, incubated at 37°C for 24 h. A clear zone of skim hydrolysis has appeared from protease producing samples. The diameter of the clear zone was observed and measured.

Qualitative screening of fibrinolytic enzyme [8]

In a 90 mm petri dish, 5 mL of 0.5% w/v fibrinogen from bovine plasma in 50 mM Tris-HCl buffer (pH 7.8) mixed with 5 ml of 2% (w/v) agarose and 0,1 ml of thrombin (100 NIH U/ml). Petri dish is allowed to stand for 30 minutes at room temperature to form a layer of white clouded fibrin clots. Half of the petri dish is heated at 85°C for 30 minutes to deactivate plasminogen (plasminogen petri dish free fibrin obtained) and the remaining is considered rich fibrin plasminogen. Furthermore, 10 µl of each crude enzyme extract was dropped carefully on surface media. The petri dish was incubated at 37°C and then observed every 6 hours for 18 hours. The fibrinolytic activity was observed as observed by measuring the clear transparent zone. The clear transparent zone indicate degradation of fibrin and its diameter is proportional to the TpFE potency. All experiments were performed three times.

Effect of pH

Optimization of medium pH was performed by maintaining the pH using various buffer solutions such as glisin-HCl (pH 2.0-3,5), acetic 0,05 M (pH 3,5-5,5), phosphate 0,05 M (pH 5,5-8,5), and glisin-NaOH 0,05 M (pH 8,5 - 12,0). Each media was inoculated by culture and grown for 24 hours at optimum temperature. The culture was filtered and the filtrate was centrifuged at 10,000 rpm for 10 min and supernatant was assayed for the fibrinolytic enzyme activity.

Effect of temperature

The optimization of temperature, the activity of the fibrinolytic enzyme was observed at various temperatures (37- 80°C) in 0.05 M phosphate buffer solution pH 7.0.

Effect of inoculum volume

The volume of inoculum used to optimise the enzymes production was arranged at 0.5, 1.0, 1.5, 2.0 mL. The black soybean was depped in water for 16 hours, incubation was done at 30°C for 36 hours.

Effect of metal ion [9]

The effect of metal ion was performed by incubating 100 µL enzyme solution added by 100 µL metal ion solution until the final concentration of 1 and 5 mM at room temperature for one hour. The enzyme activity was assayed quantitatively. The metal ion used were KCl, NaCl, CaCl₂, CuCl₂, CoCl₂, MgCl₂, MnCl₂, ZnCl₂ and FeCl₃.

Extraction of TpFE enzyme

About 150 grams dried tempeh (by adding liquid nitrogen) were cut in the shape of cubes, put in a mixer with filters and add 250 mL of buffer phosphate 0.05 M pH 7,0 solution. The homogenate was destroyed and poured into the tube, centrifuged at 4°C, 9000 rpm for 10 minutes. The supernatant was separated and lyophilized to gain powder. The powder dissolved in 20 mL of pH 7.0 phosphate buffer solution.

Purification of TpFE by ammonium sulfate fractionation

Fractionation of 0 % - 30 %. Supernatant obtained from crude extract was concentrated by adding ammonium sulfate with varying degrees of saturation. The mixture was stirred on an ice bath up to dissolved, added by 3,28 g of ammonium sulfate, centrifuged 6000 rpm at 4°C in centrifuge refrigerator for 10 min. The supernatant was taken for treatment of ammonium sulfate. Fractionation of 30 % - 50 %. The first precipitate dissolved with phosphate buffer pH 7.8 solution and continued by dialysis (cut off 12 kd) process. Fractionation of 30% - 40 %. The supernatant of 0 – 30% was stirred on an ice bath up to dissolved, added by 1,22 gram of ammonium sulfate. Fractionation of 40%-50%, 50%-60% and 60% - 80% were conducted with the same way as described above and added of ammonium sulfate 1,24, 3,26 and 3,50 g respectively.

Process of dialysis with cellophane tube

Firstly, the cellophane tubes were prepared for each precipitate, and cut into 15 cm and washed by soaking in water at 80 °C for 3 hours. Furthermore, the end of the cellophane was tied with a binder. Secondly, a solution of 0.05 M phosphate buffer pH 7.0 prepared in Beaker glass. Each of the precipitates of fraction 0-30%, 30-40%, 40-50%, 50-60% and 60-80% was dissolved into 10 mL of 0.05 M phosphate buffer pH 7.0 and then each solution was put into a cellophane tube and tied the other end to form a bag. Each cellophane bag containing the enzyme solution soaked into Beaker glass containing phosphate buffer, stirred with a stirrer for 12 hours in a 4 °C ice bath. Replacement of phosphate buffer solution was performed every 4 hours. Activity test was carried out on each of enzyme solution obtained from dialysis process.

Fibrinolytic enzyme activity assay:

The activity of TpFE was assayed by measuring the α -amino nitrogen liberated. A mixture consisting of 50 μ L enzymes, 500 μ L of 100 mM Tris-HCl buffer solution at pH 4.5, 100 μ L of 3% fibrin substrate and coupled to 1 ml of distilled water was incubated at 37 °C for 1 hour, and then stopped by the addition of 200 μ L of 20% trichloroacetic acid (v/v). After centrifugation, 0.5 ml of the supernatant was added to 1 ml of ninhydrin reagent (0.5 ml of 1% ninhydrin in 0.5 M citrate buffer, pH 5.5, 0.2 ml of the buffer, and 1.2 ml of glycerol) and boiled for 10 minutes. Four ml of distilled water was added to each sample and measured the absorbance at 570 nm and the increase in free amino groups was determined. Tyrosine is used as a standard. One unit of proteolytic activity was defined as 1 μ mol of the α -amino acids released per minute under the standard of testing conditions.

Thrombolytic activity assay (Blood Clot Lysis)

The clot lytic effect of the fibrinolytic enzyme was studied with an artificial clot in vitro. The blood was collected from healthy mice with written informed consents. The artificial blood clot was made by spontaneous coagulation in the centrifuge vials. Then, different doses (100, 200, and 300 units) of the fibrinolytic enzyme were added. Nattokinase (250 units) was used as the positive control; buffered saline solution was used as the negative control. These were incubated at room temperature for 25, 50 and 75 min analyzed. After incubation, fluid obtained was removed and tubes were again weighed to observe the difference in weight after clot disruption. The difference obtained in weight taken before and after clot lysis was expressed as a percentage of clot lysis. The test was repeated five times.

RESULTS AND DISCUSSION

Preparation of *Rhizopus oligosporus* FNCC 6010 inoculums

Rhizopus oligosporus taken from stock culture was transferred to fresh potato dextrose slant agar media, incubated for 72 hours at 30°C. Regeneration of cells successfully produced white and can be turned into a blackish color/dark, and when viewed from the surface of the fibers such as cotton. The *Rhizopus oligosporus* spore was collected by added 10 mL saline solution and the transmittant of the culture suspension measurement was performed to obtain reproducible condition. Number of cells used for fermentation processes was 10^7 CFU/mL

Preparation of tempeh

Producing tempeh from black Soybean (*Glycine Soja* Sieb . Et Zucc) fermented by the spores of *Rhizopus oligosporus* FNCC 6010 obtained a compact mass texture and homogenous structure as well as taste, smell and distinctive flavored tempeh. Yellowish white, but white color evenly on the surface is due to the presence of mycelium growing on the surface of the seed legume after 44 hours incubation (Figure 1). The tempeh texture can be determined by identification of dense surface mycelia. If the mycelia was lush, it indicates that the texture of tempeh has a compact. *Rhizopus oligosporus* FNCC 6010 is obligate aerobes, the availability of oxygen absolutely is rate determinate factor for the fermentation process. Incubation for the tempeh preparation was carried out at Laminar flow cabinet to minimize contamination during the experiment. The specification of the tempeh produced was appropriate to national food standard (Table 1).



Figure 1: Black Soybean (*Glycine Soja* Sieb.Et Zucc) tempeh produced from *Rhizopus oligosporus* FNCC 6010 fermented at room temperature for 44 hours.

Table 1: Tempe test results are compared with the Indonesian National Standard (SNI)

No	Criteria	Result	Requirements (SNI) (SNI)
1	Organoleptis		
1.1	Smell	Normal	Normal, specific
1.2	Color	Normal	Normal
1.3	Flavor	Normal	Normal
2	Moisture content (w/w)	55,38±1,7	Max 65 %
3	Ash content (w/w)	1,40±0,1 %	Max 1.5 %
4	Fat content	2,99±0,13	Min 10 %
5	Protein content (N x 6.25)	27,3±1,6 %	Min 16 %
6	Fiber content(w/w)	2.29±0.4 %	Max 2.5 %
7	Metal contaminant		
7.1	Cadmium (Cd)	Not	Max 0.2 mg/kg
7.2	Lead (Pb)	Not	Max 0.25 mg/kg
7.3	Tin (Sn)	Not	Max 40 mg/kg
7.4	Mercuri (Hg)	Not	Max 0.03 mg/kg

8	Arsenic (As)	Not	Max 0.25 mg/kg
9	Microbial contamination		
9.1	Coliform	Negative	Max 10 apm/g
9.2	<i>Salmonella</i> sp	Negative	Negative/25 g

Qualitative screening for proteolytic enzyme activity

It was found that the tempeh extract produced clear zone sizes that were proportional to *Rhizopus oligosporus* growth size, while some colonies, even if their colony sizes were relatively small, they have exceptionally big clear zones around them (Figure 2). To equalize this, a parameter called relative halo size was determined by the following equation:

$$\text{Relative clear zone} = \frac{d \text{ clear zone} - d \text{ colony}}{d \text{ colony}} \times 100$$

In which d clear zone is diameter formed around the colony (mm), while d colony is the diameter of the colony (mm).




Figure 2: Proteolytic activity of *Rhizopus oligosporus* FNCC 6010 spores on skim milk agar plates (a) and proteolytic activity of a slice of the tempeh fermented by *Rhizopus oligosporus* FNCC 6010 (b)

Qualitative screening for fibrinolytic enzymes activity

Fibrin plate test conducted on agarose-fibrin media containing fibrinogen mixed with thrombin and metilen blue. It was found that the mixture of fibrinogen and thrombin formed cloudy white color on agarose media. Turbid white blobs are called fibrin. Samples (5 uL) containing fibrinolytic enzyme caused fibrin in the plate degraded to form clear zones. Observations were made after 3 hours treatment. The radius of a clear zone will be enlarged after more than 3 hours. Within 3 hours of the screening test indicate that the black soybean tempeh (*Glycine Soja* Sieb. et Zucc) produced hydrolyzed regions diameter was larger compared to other legumes. Preliminary qualitative screening showed that the *Rhizopus oligosporus* FNCC 6010 exhibited proteolytic activity as well as the tempeh produced by the fungi (Figure 3). The ability of proteolytic enzymes production was differ depending on the media used. The media will also cause a variety of legumes degraded by *Rhizopus oligosporus* producing different proteolytic enzyme activity. Screening of bacteria and fungi that produce fibrinolytic enzyme reported by [10] have successfully produced ninety-four fibrinolytic enzyme - producing bacterial colonies using soybean substrate. Likewise, Kumaran et al. 2011 has screened the enzyme on *Ganoderma lucidum*.




Figure 3: Profile of fibrinolytic enzyme activity and total protein in the precipitate (pellet) on a variety of percent saturation of ammonium sulfate with phosphate buffer pH 7.

Enzyme extraction and partial purification

Enzyme divided into intracellular and extracellular enzymes. This will give the effect of extraction and purification methods. Enzyme extraction process can be done by homogenization, centrifugation, filtration, or their combination. The first stage of extraction is the addition of phosphate buffer pH 7.2 and homogenized by destroying at 4 °C so that it becomes a suspension. Separation of supernatant and pellets was done by filtration. Furthermore, centrifuged at low temperatures 4 °C with a speed of 9,000 rpm for 10 minutes. Centrifugation carried out at low temperatures with the aim of maintaining the enzyme remains active. Then the pellet was extracted again. The resulting supernatant was added buffer solution, allowed to stand for 48 hours to obtain the cell-free supernatant of crude extract fibrinolytic enzymes. Enzymes have been extracted in the supernatant still form an aqueous solution with a low enzymatic activity and still contains many impurities. From the experimental obtained the crude extract of fibrinolytic enzyme activity of 0,030 U / mL and the specific activity of 0.025 U / mg. Thus, the concentration needs to be done through the use of ammonium sulfate precipitation of crude extract to the saturation of the enzyme with different concentrations ranging from the lowest saturation concentration of 0-30, 30-40, 40-50, 50-60, and 60-80 %. Precipitation with ammonium sulfate was based on salting out mechanism, so there is competition between ammonium sulfate ions with ion binding protein in water. The higher concentration of ammonium sulfate, the greater density of ionic ammonium sulfate is compared to the protein. The result showed that water molecules are bound to the greater salt. Decreased water molecules in hydrophobic amino acid residues caused attractive forces between molecules of protein increase when compared to the attractive forces between the protein molecules with water molecules so that the protein will precipitate. During the salting-out process, salt concentration must be kept so as not decrease in the solution, so that no precipitation occurs simultaneously between purified proteins and undesired proteins. In this study, ammonium sulfate precipitation aims to separate between the fibrinolytic enzyme with another enzyme partially purified from the crude enzyme, thus fibrinolytic enzymes have higher activity than the crude extract.

The fibrinolytic enzyme activity was greater in precipitate compared to the supernatant (Fig. 3 and Fig. 4). The addition of ammonium sulfate of 0-30% saturation obtained the fibrinolytic enzyme activity in the supernatant 2,745 U/ml with a protein concentration of 10.358 mg /ml and a specific activity of 0.265 U/mg. Increasing concentrations of ammonium sulfate lead to decrease the enzyme activity in the supernatant, 0.905 U/ml with a protein concentration 4.719 mg/ml (Fig. 4) and the specific activity of 0.191 U/mg at a concentration of 80% saturation.




Figure 4: Profile of fibrinolytic enzyme activity and total protein in the supernatant on a variety of percent saturation of ammonium sulfate with phosphate buffer pH 7

The fibrinolytic enzyme activity decreased in the supernatant indicates that the protein including fibrinolytic enzyme was precipitated by the addition of ammonium sulfate. The increasing saturation of 80% makes the fibrinolytic enzyme activity increased up to a maximum of 157.454 U / ml with a protein concentration has been precipitated 20.258 mg/ml (Fig. 3) and the specific activity of 7,772 U/mg.




Figure 5: Profile of fibrinolytic enzyme activity influenced by temperature with phosphate buffer pH 7.




Figure 6: Profile of fibrinolytic enzyme activity influenced by pH. glycine-HCl buffer (pH 3.0 to 3.5), 0.05 M acetate buffer (pH 3.5-5.5), 0.05 M phosphate buffer (pH 5.5 to 8.5), and glycine-NaOH buffer 0.05 M (pH 8.5 to 12.0).




Figure 7: Profile of fibrinolytic enzyme activity in a variety of metal ions KCl, NaCl, CaCl₂, CuCl₂, CoCl₂, MgCl₂, MnCl₂, ZnCl₂ and FeCl₃ concentrations of 0.05 mM respectively.

Effect of temperature

Temperature variation is used to determine the optimum temperature is a fibrinolytic enzyme in the range of 30 ° C to 80 ° C. To reduce the possibility of interference residual peptides formed during the degradation of the substrate protein (fibrin) then after enzymatic reaction of acetic acid is added trichloroacetic acid. The precipitate was separated by centrifugation 9000 rpm 4°C. Increasing the temperature of the chemical reaction rate will be faster.in Figure 7, the maximum activity is achieved at a temperature of 45° C with phosphate buffer pH 5.5 for 10 minutes. The enzyme activity reached 13,707 U / ml. The increase in activity of the enzyme is due to the kinetic energy resulting vibrational motion, translation and rotation of the enzyme and the substrate so that the enzyme substrate interaction becomes larger and faster. At temperatures above 50° C (above the optimum temperature), fibrinolytic enzyme activity was gradually be decreased due to protein denaturation. Enzymes are protein molecules that can be denatured at high temperatures as well. The catalytic activity gradually increased as the temperature rises to the limit and the higher temperatures resulting in increased damage to the enzyme. As research on the enzyme activity of fermented solid fibrinolytic SSF (solid state fermentation) of the fungus *Rhizopus chinensis* 12, *Pleurotus eryngii* and *Pleurotus sajor - caju* . Fibrinolytic enzyme activity decreased after the temperature of 50°C [12][13], [14].

Fibrinolytic enzymes from *Bacillus firmus* NA - 1 isolated from Natto , a traditional Japanese fermented food [15] and from *Bacillus* sp strain CK 11-4 isolated from Chungkook -jang , a traditional food of Korea [16], has been reported to be relatively stable at a temperature of 40 ° C. While the fibrinolytic enzyme isolated from *Bacillus subtilis* LD - 8547 is reported to have activity between 35° C and 65° C with optimum activity at a temperature of 50°C . The fibrinolytic enzyme is very stable at a temperature of 45°C after 60 min incubation and showed 82 % and 11 % residual activity respectively at a temperature of 60°C and 70°C after 60 minutes,but at 75°C for 10 minutes, fibrinolytic enzyme activity is lost. Performed on the lyophilized enzyme and stored at 4° C, its activity did not change after 2 months and after freezing then performed dissolution, fibrinolytic activity remained stable [10].

Effect of pH

Most of the enzyme showed optimal activity at pH between 5 and 9. Changes in the structure of the enzyme will affect the rate of reaction. The relationship between the activity of the enzyme with a concentration of hydrogen ion showed that the equilibrium between the denaturation of enzymes at high or low pH and its effect on the condition of the enzyme charge, the substrate, or both. At the time a certain medium pH changed, will result in changes in enzyme form. Not only on the enzyme, the pH level can also change the nature of the charge and form of the substrate. If only there was a slight change in its pH change

the structure of enzymes and its substrate to reversible (irretrievable). But significant changes that would make the pH level and in denaturing, its substrate to an enzyme so that it can perform its function normally in the enzyme will be changed. The enzyme has an amino group and a carboxyl group. Both of these groups are affected by the strength of the hydrogen ions that will result in the catalytic and enzymatic changes of conformation. These changes will be indicated when enzyme activity was treated at the pH range is between 3 to 12.

The research was carried out the determination of the optimum pH of the fibrinolytic enzyme to partial purification results. These characteristics are needed because, the enzyme has many functional groups that can be ionized so that it changes the pH will change the conformation of the enzyme, the binding of the substrate and the catalytic power of the functional groups on the active enzyme. Changes that may occur is the maximum rate of the enzyme, changes in the stability of the enzyme. It looks that have the highest activity of fibrinolytic enzymes to achieve optimal at pH 5, is 22,851 U/mL and at pH 5.5 still showed its activity despite the ability of the enzyme to hydrolyze started having decreased. Then fibrinolytic enzyme activity is continuing to decrease after pH 7 to 12.

The interaction between the fibrinolytic enzyme with the solvent will result in ionization occurs on the active site. If the pH is low or below the optimum pH or pH levels above pH optimum, it will be directly in contact with the active site, the result will be a rapid decrease in enzyme activity. Beyond the optimum pH, lower fibrinolytic enzyme activity due to characterize of the enzyme protein molecules that have positive and negative charges. Ionization of amino acids in the active site of the enzyme is such that it allows the electrostatic interaction between the enzyme active site to the substrate to form the enzyme-substrate complex. Based on Figure 6, note that the fibrinolytic enzyme extracted from black soybean tends to work in an acidic environment. In a study carried out by Cui et al. (2008) [17] at *Cordyceps militaristic* fungus that the fibrinolytic enzyme activity reached an optimum at pH 6. It is very different from other fibrinolytic enzymes have been reported. In general, like the nattokinase most active in the alkaline pH range [18]; [19]; [20]. Moreover, the enzyme is very stable in the pH range 5.0-8.0, 37 ° C for 1 hour, but above pH 8.0, the stability of the enzyme decreased very rapidly.

Effect of metal ions

Fibrinolytic enzymes in their activities need additional cofactors. Most enzymes require non protein co-factors for catalysis. The co-factor is usually as trace elements with small concentrations are able to increase the activity. The metal salts of inorganic compounds such as potassium, sodium, calcium, copper, cobalt, magnesium, manganese, zinc or Fe. Usually, as inorganic salts produce an effect on the apoenzyme to form an active holoenzyme. During the time that others can be as co-substrate cofactors that bind covalently to the enzyme.

In this study, all metal ions derived from the chloride, not others. It is avoided that the ionization is always uniform in the same salt. In the implementation of the cation is added to a solution of the enzyme so that it gets the same concentration of 0.05 mM at the time of fibrinolytic enzyme activity assay. The addition of Ca⁺⁺, Co⁺⁺ and Mn⁺⁺ indicates that fibrinolytic enzyme activity 23.653 U / mL, 22.262 U / mL and 21.566 U / mL respectively was greater more than control or other metal ions (Fig. 7). Increasing activity of this enzyme could be due to the presence of inhibitors of the enzyme removes the enzyme solution (1), change the surface tension of the enzyme (2), replace other metal ions in the enzyme active site (3) or may also change the conformation of the enzyme (4). During the time that other metal ions did not produce an effect on or even decrease the activity of the fibrinolytic enzyme. Increasing activity of fibrinolytic enzyme from *Armillaria mellea* by Ca⁺⁺ to 126.4% has been reported by [21].

Thrombolytic activity assay

The lyophilized crude enzyme was characterized and assayed for thrombolytic activity. Table 2 showed the thrombolytic activity at 250UI and 500 µl concentration of the crude enzyme expressed as average of decreasing of blood clot after 25s, 50s, and 75s treatment (Fig. 8).

Table 2: Blood clot observation on thrombolytic activity of crude enzyme from black soybean tempeh extract

Vol. of crude enzyme	Lead time (min.)	Average of blood clot weight (g)			% average of decrease	
		Before leading	After leading	Difference	% of decrease	% of decrease
250 µL	25	0.129	0.032	0.097	75.100	75.10
	50	0.136	0.017	0.119	87.148	87.79
	75	0.140	0.016	0.124	88.873	89.05
500 µL	25	0.122	0.009	0.113	92.490	92.58
	50	0.127	0.004	0.123	96.325	96.66
	75	0.127	0.004	0.123	97.367	97.46
Black soybean solution in saline	25	0.118	0.108	0.010	8.077	8.16
	50	0.095	0.088	0.007	6.160	7.70
	75	0.070	0.064	0.006	5.264	8.77

Each experimental was performed five times.




Figure 8: Fibrinolytic activity of black soybean tempeh on fibrin plates (a); That exhibited fibrinolytic activity on artificial fibrin agarose methylene blue medium (b) and Thrombolytic activity of the tempeh extract observed at 25s, 50s, and 75s in vitro (c).

CONCLUSION

Rhizopus oligosporus FNCC 6010 showed fibrinolytic enzyme activity in the media fibrin plate, Black soybean tempe fermented *Rhizopus oligosporus* FNCC 6010 showed fibrinolytic activity and thrombolytic. Characteristics of fibrinolytic enzyme leads to the nature of the aspartic protease is based on an optimum pH 5.5 and optimum temperature of 45°C. Characters fibrinolytic enzyme lead to the nature of the metal, which is influenced by the activator ion Ca⁺⁺, Co⁺⁺ and Zn. Trombolitic activity in vitro clot lysis results in a decrease to 97.6%

ACKNOWLEDGEMENTS

This research was partly supported by DIPA BOPTN of Directorate of Research and Community Services, Ministry of Research, Technology and Higher Education of the Republic of Indonesia.

REFERENCES

- [1] S. Sugimoto, T. Fujii, T. Morimiya, O. Johdo, and T. Nakamura, *Biosci. Biotechnol. Biochem.*, vol. 71, no. 9, pp. 2184–2189, 2007.
- [2] I. N. Khan, M. I. Sarker, A. Almamun, K. Mazumder, M. Abdul, M. Bhuiya, and A. Mannan, *Eur. J. Sci. Res.*, vol. 66, no. 2, pp. 1450–216, 2011.
- [3] A. Villares, M. a. Rostagno, A. García-Lafuente, E. Guillamón, and J. A. Martínez, *Food Bioprocess Technol.*, vol. 4, no. 1, pp. 27–38, 2011.
- [4] M. G. Sher, M. Nadeem, Q. Syed, and S. Abass, *Jordan J. Biol. Sci.*, vol. 4, no. 4, pp. 257–264, 2011.

- [5] Y. Peng, Q. Huang, R. H. Zhang, and Y. Z. Zhang, *Comp. Biochem. Physiol. - B Biochem. Mol. Biol.*, pp. 45–52, 2003.
- [6] C. Wang, D. U. Ming, D. Zheng, F. Kong, G. Zu, and Y. Feng, *J. Agric. Food Chem.*, 2009.
- [7] M. J. R. Nout and J. L. Kiers, *J. Appl. Microbiol.*, vol. 98, no. 4, pp. 789–805, 2005.
- [8] J. I. Rovati, O. D. Delgado, L. I. C. Figueroa, and J. I. Fariña, *World J. Microbiol. Biotechnol.*, vol. 26, no. 1, pp. 55–62, 2010.
- [9] J. R. Simkhada, S. S. Cho, P. Mander, Y. H. Choi, and J. C. Yoo, *Thromb. Res.*, vol. 129, no. 2, pp. 176–82, 2012.
- [10] S. H. Wang, C. Zhang, Y. L. Yang, M. Diao, and M. F. Bai, *World J. Microbiol. Biotechnol.*, 2008.
- [11] S. Kumaran, P. Palani, R. Nishanthi, and V. Kaviyaran, *Japanese J. Med. Mycol.*, vol. 52, no. 2, pp. 153–162, 2011.
- [12] Q. Bi, J. Chu, Y. Feng, Z. Jiang, B. Han, and W. Liu, *Appl. Biochem. Biotechnol.*, vol. 170, no. 3, pp. 525–540, 2013.
- [13] J. Liu, J. Xing, T. Chang, Z. Ma, and H. Liu, *Process Biochem.*, 2005.
- [14] W. S. Cha, S. S. Park, S. J. Kim, and D. Choi, *Bioresour. Technol.*, vol. 101, no. 16, pp. 6475–6481, 2010.
- [15] J.-H. Seo and S.-P. Lee, *J. Med. Food*, vol. 7, no. 4, pp. 442–9, 2004.
- [16] W. Kim, K. Choi, Y. Kim, H. Park, J. Choi, Y. Lee, H. Oh, I. Kwon, and S. Lee, *Appl. Environ. Microbiol.*, 1996.
- [17] L. Cui, M. S. Dong, X. H. Chen, M. Jiang, X. Lv, and G. Yan, *World J. Microbiol. Biotechnol.*, vol. 24, no. 4, pp. 483–489, 2008.
- [18] W. Kim, K. Choi, Y. Kim, H. Park, J. Choi, Y. Lee, H. Oh, I. Kwon, and S. Lee, *Appl. Environ. Microbiol.*, vol. 62, no. 7, pp. 2482–8, 1996.
- [19] M. Kuba, S. Shinjo, and M. Yasuda, *J. Heal. Sci.*, vol. 50, no. 6, pp. 670–673, 2004.
- [20] Y. Mine, A. H. Kwan Wong, and B. Jiang, *Food Res. Int.*, vol. 38, no. 3, pp. 243–250, 2005.
- [21] S. Y. Lee, J. S. Kim, J. E. Kim, K. Sapkota, M. H. Shen, S. Kim, H. S. Chun, J. C. Yoo, H. S. Choi, M. K. Kim, and S. J. Kim, *Protein Expr. Purif.*, vol. 43, no. 1, pp. 10–17, 2005.