

DAFTAR PUSTAKA

- Arofah, N.I. 2007. "Fisioterapi dan Terapi Latihanpada Osteoarthritis", Medikora, Vol. 3 : 18-41.
- Bakilan, F., Armagan, O. Ozgen, M., Tascioglu, F., Bolluk, O., Alatas, O. 2016. "Effects of Native Type II Collagen Treatment on Knee Osteoarthritis: A Randomized Controlled Trial", Eurasian J Med, Vol. 48: 95-101.
- Balbahcir, Karina., Norean, Razia., Gouspillou, Gilles., Petibois, Crill. 2009 "Collagen Types Analysis and Diferenttiation By FTIR Spectroscopy". Anal Bioanal Chen 395:-837 Doi:10.1007/s00216—009-3019-y
- Beddoes, M. Charlotte., Whitehouse, R.Michael., Briscoe, H.wuge., Su,bu. 2016. "Hydrogels as a Replacement Material for Damaged Articular HyalineCartilage." Materials, doi:10.3390/ma9060443
- Bray, J.C., Merill,E.W. 1973. "Poly(vinyl alcohol) Hydrogels for Synthetic Articular Cartilage Material", J.BIOMED. MATER. RES.,Vol. 7 : 431443.
- Brydson.J.A (2013). "Poly (Vinyl Acetate) and Its Derivatives".Plastics Materials (Seventh Edition)
- Bugada, D.R. (1985).Characterization of Poly(viny1 Alcohol).*Journal of Applied Polymer Science* , 4137-4147.
- Campos, D.F.D., Drescher, W., Rath, B., Tingart, M., Fischer, H. 2012. "Supporting Biomaterials for Articular Cartilage Repair". Cartilage. Vol. 3(3) : 205 –221.
- Campo, D.Robert., (1988) "Effects of Cations on Cartilage Structure: Swelling of Growth Plate and Degradation of Proteoglycans Induced by Chelators of Divalent Cations"Calcif Tissue Int Vol. 43:108-121
- Chung EJ, Shah N, Shah RN.2013. Nanomaterial For Cartilage Tissue EnggineeringWoodhead Publishing Limitid :330-333

- Crowley.D.2009. "SafetyAnd Efficacy Of Undenatured Type II Collagen In The Treatment Of Osteoarthritis Of The Knee: A Clinical Trial.International Journal Of Medical Sciences 6(6):312-21
- Currey, J., 2008," Collagen and the Mechanical Properties of Bone and Calcified Cartilage", Collagen: Structure and Mechanics.
- Dar, Q.A., Schott, E.M., Cathelin, S.E., Ooney, R.A., Hilton, M.J., Jonason, J.H., Prawitt J., Zuscik, M.J. 2017. "Daily oral consumption of hydrolyzed type 1 collagen is chondroprotective and antiinflammatory in murine posttraumatic osteoarthritis",
- Eddoes, C.M., Whitehouse, M.R., Briscoe, W.H., Su, B. 2016. " Hydrogels as a Replacement Material for Damaged Articular Hyaline Cartilage", Materials, Vol. 9: 443.
- Einhorn,T.A., O'keefe R.J., Buckwalter J.A.,2007 " Form and Function of the Intervertebral Disk in *Orthopedics Basic Sciense*" ,3rd Edition,Rosemont, IL, USA, AAOS
- Ginting, Eva Marina 2016." SifatMekanis Nano Komposit Termoplastik HDPE dengan Beberapa Bahan Pengisi" Unimed Press; medm ISBN 978-602-0888-77-4
- G. Li, H. Zhang, D. Fortin, H. Xia, Y. Zhao, Langmuir Hoffman AS.(2015)"Hydrogel for Biomedical Aplication. Adv Drug Delivery.Rev 2002;5:4-431 11709-11716.
- Fox,Sofhia.J.A, Bedi A, andRodeo A.S.2014. "The Basic Science of Articular Cartilage : Structure, Composition, and Fungtion".Sport Health. Vol 1 no8
- Izadifar Z, Chen X. Kulyk W.2012."Strategic Design and Fabrication OfEnggineered Scafolds For Articular Cartilage Repair". Journal Funct.Biomaterial 3;799-838
- Lee, J.M., Sultan, T., Kim, S.H., Kumar, V., Yeon, Y.K., Lee, O.J., Park, C.H., 2017, "Artificial Auricular Cartilage Using Silk Fibroin and Polyvinyl Alcohol Hydrogel", International Journal of Material Sciences, vol.18 : 1707.

- Li, W., Kang, J., Yuan, Y., Xiao, F., Yao, H., Liu, S., Lu, J., Wang, Y., Wang, Z., Ren, L. 2016. "Preparation and characterization of PVA-PEEK/PVA- β -TCP bilayered hydrogels for articular cartilage tissue repair". Composites Science and Technology.doi: 10.1016/j.compscitech.2016.03.013.
- Lin YX, Ding ZY., Zhau XB., Li ST., Xie Dm., Li ZZ., Sun Go.2015. "Invitro and In Vivo Evaluation Of The Developed PLGA/HAP/Zein Scaffolds For Bone-Cartilage Interface Regeneration. Biomed Environ Sci 28 (1):1-12
- Lock J and Liu H.2012."NanocompositeforCartilage Regeneration Woodhea" Publishing Limitid :624-661
- Lowman AM, 2010 "Mechanical evaluationof poly (vinyl alcohol)-based fibrous composites as biomaterials for meniscal tissue replacement". Acta Biometer.2010;6:4716-24.[PubMed:20601243]
- Men, Y., Li, X., Yang, N., Wang, X., Zhang, C. 2018. " Analysis of the mechanical effects of defect shape on damage evolution of articular cartilage under rolling load". Materials Science & Engineering C, doi:10.1016/j.msec.2018.06.058.
- Medicago, AB. Phosphate Buffered SalineSpesification Sheet. 2010. 247 hlm
- Novriansyah, Robin, 2008. " Perbedaan Kepadatan Kolasa Di Sekitar Luka Insisi Tikus Wistar Yang Di Balut Kasa Konvensional Dan Penutup Oklusif Hidrokoloid Selama 2 Dan 14 Hari.".Semarang : Universitas Diponegoro. Program Pasca Sarjana Megister Ilmu Biomedik dan Program Dokter Spesialis Bedah.
- Obeid,E.M.,Adams, M.A. and Ne Man,J.H.1994. Mechanical-Properties OfArticular-Cartilage in Knee With Unicompartmental Osteoarthritis. JurnalOf Bone and Join Surgery. British Volume, 76 B (2) :315-5
- Ogur,E.2005."Polyvinyl Alcohol Materials,Processing and Applications Tersedia:https://www.researchgate.net/publication/288914494_Polyvinyl_Alcohol_Materials_Processing_and_Applications. Diakses Pada 28 November 2018

- Okun,TD., Williamson,A.I., LaneR.C.,Pearson.,R.D.,Aranoff,L.S., Pinkert,A.D. 2011.“Polyvinyl Alcohol From Taiwan”.U.S International Trade Commission Publication 4218
- Peppas,N.,Hilt, J.Z., Khademhoss, Eini, A., and Langer, R.2016”Hidrogel In Biology and Medicine.” Adv Mater Deerfield 18.1
- Peng., Zhiyuan, Li.,Zhiping, Zang., Fan dan Peng., Xiaochun.2012 “Preparation and Properties Of Polyvinyl Alcohol Collagen Hydrogel”. College of Chemistry anf Chemical Enggineering, Jishou University, Jishou R.R.China. Journal Of Macromolecular Sciense Part B Phisics.
- Poole, A.R, Kobayashi, M., Yasuda, T., Laverty, S., Mwale, F., Kojima, T., Sakai, T., Wahl, C., El-Maadawy, S., Webb, G., Tchetina, E., Wu, W. 2002. " Type II collagen degradation and its regulation in articular cartilage in osteoarthritis", Ann Rheum Dis, VOL:61 : 78-81
- Prabhoo, R., Billa, G. 2018."Undenatured collagen type II for the treatment of osteoarthritis: a review", International Journal of Research in Orthopaedics, vol. (5):684-689.
- Puttawibul,P., Benjakul, S., Meesane, J.2014. " Freeze-thawedhybridized preparation with biomimetic self-assembly for a polyvinyl alcohol/collagen hydrogel created for meniscus tissue engineering", Biological Materials for Medicine Research Unit, Vol. 21 : 17-33.
- Pinheiro., Amanda, Cooley., Avery, Liao.,Jun, Rajkumar., Prabhu, Elder., Steven, 2015 “Compaison Of Natural Crosslinking Agents For The Stabilization Of Xenogenic Articular Cartilage; Departmen Of Biomedical Enggineering the University Of Akron
- Riset Kesehatan Dasar. 2013. Badan Penelitian Dan Pengembangan Kesehatan Kementerian Kesehatan Ri.Update. Jakarta :Risksesdas
- Salmah, S., 2016., " Bahan Ajar Histologi Tulang Dan Tulang RawanBlok Biomedik 1", Makassar : Universitas Hasanuddin.

- Sasaki, S., Murakami, T., Suzuki, A., 2016, "Frictional Properties of Physically Cross-Linked PVA Hydrogels as Artificial Cartilage", Biosurface and Biotribology, vol. 2 : 11-17.
- Soeroso J., Isbagio H., Kalim H., Broto R., Pramudiyo R., 2007. Osteoarthritis, di :Buku Ajar Ilmu Penyakit Dalam. Sudoyo A.W., Setiohadi B., Alwi I., Simadiprata M.K., Setiati S., (Eds). Edisi 4.Jakarta : Pusat Penerbit Bagian Ilmu Penyakit Dalam FK UI. 1195 – 201
- Simonetall. 2012. Osteoarthritis Tersedia Pada <https://www.umms.org/ummhc/health/medical/reports/articles/osteoarthritis> Diakses Pada 28 November 2018.
- Suryani.Nani 2013.PerbandinganMetode Pengeringan Terhadap ReabsorbsiAmnion Dalam Larutan Simulated Body Fluid (SBF).Majalah Ilmiah Aplikasi Isotop dan Radisi Beta Gama 4(2) :53-58
- Swann.A.E.G and Patwardhan,S.V.2011. “Application of Fourier Transform Infrared Spectroscopy (FTIR) for assessing biogenic silica sample purity in geochemical analyses and palaeoenvironmental research” Published by Copernicus Publications on behalf of the European Geosciences Union. doi:10.5194/cp-7-65-2011
- Theodoulou, M.H., Bohman, L., 2018, “Allograft Cartilage Replacement”, USA : Clin Podiatr Med Surg.
- Utomo,S.B.Bagus, Fransiska, Diana dan Darmawan, Muhammind. 2016 “Formulasi Hidrogel dari Polivinil Pirolidon dan k1 Karaginan Bahan Pembalut Luka”, Jakarta:Pusat Penelitian dan Pengembangan Daya Saing Produk dan Bioteknologi Kelautan dan Perikanan.
- Wang, M., Li, J., Li, W., Du, Z., Qin, S. 2018. "Preparation and characterization of novel poly (vinyl alcohol)/collagen double-network hydrogels", doi:10.1016/j.ijbiomac.2018.05.200.
- WHO.2008.The Global Burdenof Disease 2004 Update. Switzerland :WHO Press
- Zhang, L., Hu, J., Athanasiou, K.A. 2009. " The Role of Tissue Engineering in Articular Cartilage Repair and Regeneration".Crit Rev Biomed Eng. Vol: 37(1-2): 1–57.