

## DAFTAR PUSTAKA

- Astuti, D. (2016). PENGARUH SENAM AEROBIK TERHADAP KADAR GULA DARAH PUASA PENDERITA DIABETES MELLITUS TIPE 2 PADA KELOMPOK PROLANIS UPT PUSKESMAS WONOGIRI 1. [online] Digilib.stikeskusumahusada.ac.id. Available at: [http://digilib.stikeskusumahusada.ac.id/files/disk1/28/01-gdl-dyahastuti-1391-1-1\\_fullt-i.pdf](http://digilib.stikeskusumahusada.ac.id/files/disk1/28/01-gdl-dyahastuti-1391-1-1_fullt-i.pdf) [Accessed 16 May 2019].
- Atsari, N., Susanto, H. and Argarini, R. (2016). Perbandingan Latihan Kontinu Intensitas Sedang dan Latihan Interval Intensitas Tinggi terhadap Kontrol Glukosa Darah. Majalah Kedokteran Bandung, 48(4), pp.194-199.
- Blumenthal, J., Emery, C., Madden, D., Coleman, R., Riddle, M., Schniebold, S., Cobb, F., Sullivan, M. and Higginbotham, M. (1991). Effects of exercise training on cardiorespiratory function in men and women >60 years of age. *The American Journal of Cardiology*, 67(7), pp.633-639.
- Brown, S. (2018). ACSM | Bringing Some Clarity to Fitness Terminology. [online] Acsm.org. Available at: <http://www.acsm.org/public-information/fit/health-and-fitness-technology/bringing-some-clarity-to-fitness-terminology> [Accessed 26 Apr. 2018].
- Brun, JF., Dumortier, M., Fedou, C. and Mercier, J. (2001). Exercise hypoglycemia in nondiabetic subjects. *Journal of Diabetes and Metabolism*, [online] 27(2 Pt 1), pp.92-106. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/11353874> [Accessed 26 Apr. 2018].
- Centers for Disease Control and Prevention. (2017). Getting Tested | Basics | Diabetes | CDC. [online] Cdc.gov. Available at: <https://www.cdc.gov/diabetes/basics/getting-tested.html> [Accessed 26 Apr. 2018].
- Colberg, Sheri R et al. "Exercise and type 2 diabetes: the American College of Sports Medicine and the American Diabetes Association: joint position statement." *Diabetes care* vol. 33,12 (2010): e147-67. doi:10.2337/dc10-9990 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2992225/>
- Conn, V., Hafdahl, A. and Brown, L. (2009). Meta-analysis of Quality-of-Life Outcomes From Physical Activity Interventions. *Nursing Research*, [online] 58(3), pp.175-183. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/19448521/> [Accessed 26 Apr. 2018].
- Dewy, RB. (2018). PERBEDAAN GLUKOSA DARAH ATLET UNIT KEGIATAN MAHASISWA HOCKEY UNIVERSITAS HASANUDDIN SEBELUM DAN SESUDAH LATIHAN - UNM Eprints. [online] Eprints.unm.ac.id. Available at: <http://eprints.unm.ac.id/9873/> [Accessed 16 May 2019].
- Fathoni, A. (2019). PERBEDAAN LATIHAN FISIK JANGKA PENDEK DAN JANGKA PANJANG TERHADAP GLUKOSA DARAH PADA PENDERITA DIABETES MELLITUS. [online] Journal.unair.ac.id. Available at: <http://journal.unair.ac.id/download-fullpapers-Perbedaan%20Latihan%20Fisik%20Jangka%20Pendek.pdf> [Accessed 16 May 2019].
- Fauzi, L. (2013). INTENSITAS JALAN KAKI TERHADAP PENURUNAN KADAR GLUKOSA DARAH. [online] Media.neliti.com. Available at: <https://media.neliti.com/media/publications/163460-ID-intensitas-jalan-kaki-terhadap-penurunan.pdf> [Accessed 16 May 2019].

- Fernandes AL, Lopes-Silva JP, Bertuzzi R, Casarini DE, Arita DY, Bishop DJ, et al. (2014) Effect of Time of Day on Performance, Hormonal and Metabolic Response during a 1000-M Cycling Time Trial. PLoS ONE 9(10): e109954. <https://doi.org/10.1371/journal.pone.0109954>
- Gholamhasan, J., Sajad, A., Mehdi, R. and Javad, M. (2013). The Effect of Exercise in the Morning and the Evening Times on Aerobic and Anaerobic Power of the Inactive Subjects. *World Applied Sciences Journal*, [online] 22(8), pp.1146-1150. Available at: <https://pdfs.semanticscholar.org/8d24/a0fa14bc7640874ea45c594c2c74d2aeb905.pdf> [Accessed 26 Apr. 2018].
- Gomez, A., Gomez, C., Aschner, P., Veloza, A., Muñoz, O., Rubio, C. and Vallejo, S. (2015). Effects of Performing Morning Versus Afternoon Exercise on Glycemic Control and Hypoglycemia Frequency in Type 1 Diabetes Patients on Sensor-Augmented Insulin Pump Therapy. *Journal of Diabetes Science and Technology*, 9(3), pp.619-624.
- Halbert, J., Silagy, C., Finucane, P., Withers, R. and Hamdorf, P. (1999). Exercise training and blood lipids in hyperlipidemic and normolipidemic adults: A meta-analysis of randomized, controlled trials. *European Journal of Clinical Nutrition*, 53(7), pp.514-522.
- Hall, J. and Guyton, A. (2015). *Guyton and Hall textbook of medical physiology*. 13th ed. Philadelphia: Elsevier, p.972-973.
- Hall, J. and Guyton, A. (2015). *Guyton and Hall textbook of medical physiology*. 13th ed. Philadelphia: Elsevier, p.976-977.
- Herwanto, M. (2016). Pengaruh Aktivitas Fisik Terhadap Kadar Gula Darah Pada Pria Dewasa. [online] Media.neliti.com. Available at: <https://media.neliti.com/media/publications/68098-ID-pengaruh-aktivitas-fisik-terhadap-kadar.pdf> [Accessed 16 May 2019].
- Hikmasari, A. (2016). PENGARUH JALAN KAKI DAN SENAM KAKI TERHADAP KADAR GLUKOSA DARAH PENDERITA DIABETES MELITUS TIPE 2. [online] Eprints.ums.ac.id. Available at: <http://eprints.ums.ac.id/48701/1/Naskah%20Publikasi.pdf> [Accessed 16 May 2019].
- Hill, D. (1992). Effect of time of day on aerobic and anaerobic responses to high-intensity exercise. *Canadian Journal of Sport Sciences*, 17(4), pp.316-319.
- Ilyas, E.I. 2005. Latihan Jasmani Bagi Penyandang Diabetes Mellitus. Jakarta : Balai Penerbit FKUI.
- Ilyas, E.I.2009. Olahraga Diabetes, Dalam Soegondo, S.,Soewondo, P., Subekti.,Penatalaksanaan DiabetesMelitus Terpadu. Fakultas Kedokteran. Universitas Indonesia.Jakarta: 73, 76.
- Kelley, G., Kelley, K. and Franklin, B. (2006). Aerobic Exercise and Lipids and Lipoproteins in Patients With Cardiovascular Disease. *Journal of Cardiopulmonary Rehabilitation*, 26(3), pp.131-139.
- Knowler, W. (2002). Reduction in the Incidence of Type 2 Diabetes With Lifestyle Intervention or Metformin. *The New England Journal of Medicine*, [online] 346(6),pp.393-403. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/11832527> [Accessed 26 Apr. 2018].
- Leitzmann, M. (2007). Physical Activity Recommendations and Decreased Risk of Mortality. *Archives of Internal Medicine*, 167(22), p.2453.
- Lieberman, M., Marks, A. and Peet, A. (2012). *Marks' basic medical biochemistry*. 4th ed. Philadelphia: Wolters Kluwer Health/Lippincott Williams & Wilkins, p.333.

- Lima, V., Mascarenhas, L., Decimo, J., Souza, W., França, S. and Leite, N. (2017). Acute response of intermittent and continuous aerobic exercises on blood glucose of adolescents. *Revista Brasileira de Atividade Física & Saúde*, 22(4), p.396.
- M, Savikj. (2019). Afternoon exercise is more efficacious than morning exercise at improving blood glucose levels in individuals with type 2 diabetes: a randomised crossover trial. [online] PubMed.gov. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/30426166> [Accessed 16 May 2019].
- MYLLYMÄKI, T., KYRÖLÄINEN, H., SAVOLAINEN, K., HOKKA, L., JAKONEN, R., JUUTI, T., MARTINMÄKI, K., KAARTINEN, J., KINNUNEN, M. and RUSKO, H. (2011). Effects of vigorous late-night exercise on sleep quality and cardiac autonomic activity. *Journal of Sleep Research*, [online] 20(1pt2), pp.146-153. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/20673290> [Accessed 26 Apr. 2018].
- National Institute of General Medical Sciences. (2017). Circadian Rhythms. [online] Available at: <https://www.nigms.nih.gov/education/Documents/CircadianRhythms.pdf> [Accessed 26 Apr. 2018].
- National Institute of General Medical Sciences. (2017). *Circadian Rhythms*. [online] Available at: [https://www.nigms.nih.gov/education/pages/Factsheet\\_CircadianRhythms.aspx](https://www.nigms.nih.gov/education/pages/Factsheet_CircadianRhythms.aspx) [Accessed 26 Apr. 2018].
- National Institute on Alcohol Abuse and Alcoholism. (2017). *Overview of Circadian Rhythms*. [online] Available at: <https://pubs.niaaa.nih.gov/publications/arh25-2/85-93.htm> [Accessed 26 Apr. 2018].
- Nayak, Shivananda et al. "Influence of aerobic treadmill exercise on blood glucose homeostasis in noninsulin dependent diabetes mellitus patients." Indian journal of clinical biochemistry : IJCB vol. 20,1 (2005): 47-51. doi:10.1007/BF02893041
- Norton, K., Norton, L. and Sadgrove, D. (2010). Position statement on physical activity and exercise intensity terminology. *Journal of Science and Medicine in Sport*, [online] 13(5), pp.496-502. Available at: <https://www.essa.org.au/wp-content/uploads/2015/10/Position-statement-on-physical-activity-and-exercise-intensity-terminology.pdf> [Accessed 26 Apr. 2018].
- Patel, H., Alkhawam, H., Madanieh, R., Shah, N., Kosmas, C. and Vittorio, T. (2017). Aerobic vs anaerobic exercise training effects on the cardiovascular system. *World Journal of Cardiology*, [online] 9(2), pp.134-138. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5329739/> [Accessed 26 Apr. 2018].
- Rahmaninia, F. and Mirzaei B. (2001). Comparison of maximal oxygen uptake ( $\text{Vo}_2\text{max}$ ) changes in selected young wrestlers in morning and afternoon. 9(1-2 (SERIAL 19)), pp.73-84.
- Reilly, T. and Waterhouse, J. (2009). Sports performance: is there evidence that the body clock plays a role?. *European Journal of Applied Physiology*, [online] 106(3), pp.321-332. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/19418063/> [Accessed 26 Apr. 2018].
- Richter, E. and Hargreaves, M. (2013). Exercise, GLUT4, and Skeletal Muscle Glucose Uptake. *Physiological Reviews*, 93(3), pp.993-1017.
- Salvadori, A., Fanari, P., Marzullo, P., Codecasa, F., Tovaglieri, I., Cornacchia, M., Brunani, A., Luzi, L. and Longhini, E. (2014). Short bouts of anaerobic

- exercise increase non-esterified fatty acids release in obesity. *European Journal of Nutrition*, 53(1), pp.243-249.
- Shakil-Ur-Rehman, Syed et al. "Effects of supervised structured aerobic exercise training program on fasting blood glucose level, plasma insulin level, glycemic control, and insulin resistance in type 2 diabetes mellitus." *Pakistan journal of medical sciences* vol. 33,3 (2017): 576-580. doi:10.12669/pjms.333.12023
- Shiotani, H., Umegaki, Y., Tanaka, M., Kimura, M. and Ando, H. (2009). EFFECTS OF AEROBIC EXERCISE ON THE CIRCADIAN RHYTHM OF HEART RATE AND BLOOD PRESSURE. *Chronobiology International*, 26(8), pp.1636-1646.
- Spitzer, U. and Hollmann, W. (2013). Experimental observations of the effects of physical exercise on attention, academic and prosocial performance in school settings. *Trends in Neuroscience and Education*, [online] 2(1), pp.1-6. Available at: <http://www.pbs.org/newshour/extra/app/uploads/2014/02/1-s2.0-S2211949313000045-main.pdf> [Accessed 26 Apr. 2018].
- Tonoli, C., Heyman, E., Roelands, B., Buyse, L., Cheung, S., Berthoin, S. and Meeusen, R. (2012). Effects of Different Types of Acute and Chronic (Training) Exercise on Glycaemic Control in Type 1 Diabetes Mellitus. *Sports Medicine*, 42(12), pp.1059-1080.
- Tori, J. (1992). Effect of time of day on adaptive response to a 4 Week aerobic exercise program. *Journal of Sports Medicine and Physical Fitness*, 32(4), pp.348-352.
- Troisi, R., Cowie, C. and Harris, M. (2000). Diurnal Variation in Fasting Plasma Glucose. *JAMA*, 284(24), p.3157.
- Wasserman K. (1986). The anaerobic threshold: definition, physiological significance and identification. *Advances in Cardiology*, 35, pp.1–23.
- Weipeng, T., Newton, M. and McGuigan, M. (2011). Circadian Rhythms in Exercise Performance: Implications for Hormonal and Muscular Adaptation. *Journal of Sports Science and Medicine*. [online] 10(4), pp.600-606. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3761508/> [Accessed 26 Apr. 2018].
- Wen, C., Wai, J., Tsai, M., Yang, Y., Cheng, T., Lee, M., Chan, H., Tsao, C., Tsai, S. and Wu, X. (2011). Minimum amount of physical activity for reduced mortality and extended life expectancy: a prospective cohort study. *The Lancet*, 378(9798), pp.1244-1253.
- Wing, R. (2010). Long-term Effects of a Lifestyle Intervention on Weight and Cardiovascular Risk Factors in Individuals With Type 2 Diabetes Mellitus. *Archives of Internal Medicine*, [online] 170(17). Available at: <https://www.ncbi.nlm.nih.gov/pubmed/20876408/> [Accessed 26 Apr. 2018].
- Wisloff, U., Loennechen, J., Currie, S., Smith, G. and Ellingsen O. (2002). Aerobic exercise reduces cardiomyocyte hypertrophy and increases contractility, Ca<sup>2+</sup> sensitivity and SERCA-2 in rat after myocardial infarction. *Cardiovascular Research*, 54(1), pp.162-174.
- Wisloff, U., Stoylen, A., Loennechen, J., Bruvold, M., Rognmo, O., Haram, P., Tjonna, A., Helgerud, J., Slordahl, S., Lee, S., Videm, V., Bye, A., Smith, G., Najjar, S., Ellingsen, O. and Skjaerpe, T. (2007). Superior Cardiovascular Effect of Aerobic Interval Training Versus Moderate Continuous Training in Heart Failure Patients: A Randomized Study. *Circulation*, 115(24), pp.3086-3094.

- World Health Organization. (2018). Global Strategy on Diet, Physical Activity and Health. Available at: <http://www.who.int/dietphysicalactivity/pa/en/> [Accessed 26 Apr. 2018].
- World Health Organization. (n.d.). Physical activity. [online] WHO. Available at: [http://www.who.int/topics/physical\\_activity/en/](http://www.who.int/topics/physical_activity/en/) [Accessed 26 Apr. 2018].