

DAFTAR PUSTAKA

- Abdelaal, M., le Roux, C. W. and Docherty, N. G. (2017) 'Morbidity and mortality associated with obesity', *Annals of Translational Medicine*, 5(7), pp. 161–161. doi: 10.21037/atm.2017.03.107.
- Aldiss, P. *et al.* (2018) 'Exercise-induced "browning" of adipose tissues', *Metabolism: Clinical and Experimental*, pp. 63–70. doi: 10.1016/j.metabol.2017.11.009.
- CANNON, B. and NEDERGAARD, J. (2004) 'Brown Adipose Tissue: Function and Physiological Significance', *Physiological Reviews*. doi: 10.1152/physrev.00015.2003.
- Castro, A. I. *et al.* (2018) 'Effect of a very low-calorie ketogenic diet on food and alcohol cravings, physical and sexual activity, sleep disturbances, and quality of life in obese patients', *Nutrients*. doi: 10.3390/nu10101348.
- Choe, S. S. *et al.* (2016) 'Adipose tissue remodeling: Its role in energy metabolism and metabolic disorders', *Frontiers in Endocrinology*. doi: 10.3389/fendo.2016.00030.
- Cicero, A. F. G. *et al.* (2015) 'Middle and Long-Term Impact of a Very Low-Carbohydrate Ketogenic Diet on Cardiometabolic Factors: A Multi-Center, Cross-Sectional, Clinical Study', *High Blood Pressure and Cardiovascular Prevention*, 22(4), pp. 389–394. doi: 10.1007/s40292-015-0096-1.
- Coelho, M. S. *et al.* (2016) 'GQ-16, a TZD-derived partial PPAR γ agonist, induces the expression of thermogenesis-related genes in brown fat and visceral white fat and decreases visceral adiposity in obese and hyperglycemic mice', *PLoS ONE*. doi: 10.1371/journal.pone.0154310.
- Cypess, A. M. *et al.* (2009) 'Identification and importance of brown adipose tissue in adult humans', *Obstetrical and Gynecological Survey*, pp. 519–520. doi: 10.1097/OGX.0b013e3181ac8aa2.
- Cypess, A. M. and Kahn, C. R. (2010) 'Brown fat as a therapy for obesity and diabetes', *Current Opinion in Endocrinology, Diabetes and Obesity*. doi: 10.1097/MED.0b013e328337a81f.
- Damy, S. B. *et al.* (2010) 'The fundamentals of experiments with animals - Applications in experimental surgery', *Revista da Associacao Medica Brasileira*, 56(1), pp. 103–111. doi: 10.1016/j.nucmedbio.2007.10.006.
- Ding, J. *et al.* (2019) 'Bone loss and biomechanical reduction of appendicular and axial bones under ketogenic diet in rats', *Experimental and Therapeutic Medicine*. doi: 10.3892/etm.2019.7241.
- Ellenbroek, J. H. *et al.* (2014) 'Long-term ketogenic diet causes glucose intolerance and reduced - and -cell mass but no weight loss in mice', *AJP: Endocrinology and Metabolism*, 306(5), pp. E552–E558. doi: 10.1152/ajpendo.00453.2013.

- Estrada, E. *et al.* (2014) 'Children's Hospital Association consensus statements for comorbidities of childhood obesity', *Childhood Obesity (Print)*, 10(4), pp. 304–317. doi: 10.1089/chi.2013.0120.
- Foster, G. D. *et al.* (2010) 'Weight and metabolic outcomes after 2 years on a low-carbohydrate versus low-fat diet: A randomized trial', *Annals of Internal Medicine*, 153(3), pp. 147–157. doi: 10.1059/0003-4819-153-3-201008030-00005.
- French, W. W. *et al.* (2017) 'A high-protein diet reduces weight gain, decreases food intake, decreases liver fat deposition, and improves markers of muscle metabolism in obese Zucker rats', *Nutrients*, 9(6). doi: 10.3390/nu9060587.
- García-Ruiz, E. *et al.* (2015) 'The intake of high-fat diets induces the acquisition of brown adipocyte gene expression features in white adipose tissue', *International Journal of Obesity*. doi: 10.1038/ijo.2015.112.
- Gupta, L. *et al.* (2017) 'Ketogenic diet in endocrine disorders: Current perspectives', *Journal of Postgraduate Medicine*, 63(4), p. 242. doi: 10.4103/jpgm.JPGM_16_17.
- Hall, K. D. *et al.* (2016) 'Energy expenditure and body composition changes after an isocaloric ketogenic diet in overweight and obese men', *American Journal of Clinical Nutrition*. doi: 10.3945/ajcn.116.133561.
- Higashiyama, H. *et al.* (2018) 'Anatomy and development of the extrahepatic biliary system in mouse and rat: a perspective on the evolutionary loss of the gallbladder', *Journal of Anatomy*. doi: 10.1111/joa.12707.
- Hildebrand, S., Stümer, J. and Pfeifer, A. (2018) 'PVAT and its relation to brown, beige, and white adipose tissue in development and function', *Frontiers in Physiology*. doi: 10.3389/fphys.2018.00070.
- Hilsdorf, a W. and Krieger, J. E. (1999) 'Characterization of six rat strains (*Rattus norvegicus*) by mitochondrial DNA restriction fragment length polymorphism.', *Brazilian journal of medical and biological research = Revista brasileira de pesquisas medicas e biologicas / Sociedade Brasileira de Biofisica ... [et al.]*, 32(3), pp. 267–273. doi: 10.1590/S0100-879X1999000300003.
- Holland, A. M. *et al.* (2016) 'Effects of a ketogenic diet on adipose tissue, liver, and serum biomarkers in sedentary rats and rats that exercised via resisted voluntary wheel running', *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 311(2), pp. R337–R351. doi: 10.1152/ajpregu.00156.2016.
- Hruby, A. and Hu, F. B. (2015) 'The Epidemiology of Obesity: A Big Picture', *PharmacoEconomics*, pp. 673–689. doi: 10.1007/s40273-014-0243-x.
- Hwa, K. C. (2009) 'Measurements of Adiposity and Body Composition', *Obesity Epidemiology*, 25(3), pp. 53–83. doi: 10.1093/acprof.
- Johnstone, A. M. *et al.* (2008) 'Effects of a high-protein ketogenic diet on hunger,

appetite, and weight loss in obese men feeding ad libitum', *American Journal of Clinical Nutrition*.

- Kalinovich, A. V. *et al.* (2017) 'UCP1 in adipose tissues: two steps to full browning', *Biochimie*, 134, pp. 127–137. doi: 10.1016/j.biochi.2017.01.007.
- Keipert, S. and Jastroch, M. (2014) 'Brite/beige fat and UCP1 - Is it thermogenesis?', *Biochimica et Biophysica Acta - Bioenergetics*. Elsevier B.V., 1837(7), pp. 1075–1082. doi: 10.1016/j.bbabi.2014.02.008.
- Kephart, W. C. *et al.* (2017) 'The 1-week and 8-month effects of a ketogenic diet or ketone salt supplementation on multi-organ markers of oxidative stress and mitochondrial function in rats', *Nutrients*, 9(9). doi: 10.3390/nu9091019.
- Kim, M. *et al.* (2015) 'Fish oil intake induces UCP1 upregulation in brown and white adipose tissue via the sympathetic nervous system', *Scientific Reports*. doi: 10.1038/srep18013.
- Kim, S. H. and Plutzky, J. (2016) 'Brown Fat and Browning for the Treatment of Obesity and Related Metabolic Disorders', *Diabetes & Metabolism Journal*, 40(1), p. 12. doi: 10.4093/dmj.2016.40.1.12.
- Koyuncuoğlu Güngör, N. (2014) 'Overweight and Obesity in Children and Adolescents', *Journal of Clinical Research in Pediatric Endocrinology*, pp. 129–143. doi: 10.4274/jcrpe.1471.
- Leidy, H. J. *et al.* (2010) 'The influence of higher protein intake and greater eating frequency on appetite control in overweight and obese men', *Obesity*. doi: 10.1038/oby.2010.45.
- Makris, A. and Foster, G. D. (2011) 'Dietary approaches to the treatment of obesity.', *The Psychiatric clinics of North America*, 34(4), pp. 813–27. doi: 10.1016/j.psc.2011.08.004.
- Miller, V. J., Villamena, F. A. and Volek, J. S. (2018) 'Nutritional Ketosis and Mitohormesis: Potential Implications for Mitochondrial Function and Human Health', *Journal of Nutrition and Metabolism*, 2018, pp. 1–27. doi: 10.1155/2018/5157645.
- Mongraw-Chaffin, M. *et al.* (2016) 'Obesity severity and duration are associated with incident metabolic syndrome: Evidence against metabolically healthy obesity from the multi-ethnic study of atherosclerosis', *Journal of Clinical Endocrinology and Metabolism*, 101(11), pp. 4117–4124. doi: 10.1210/jc.2016-2460.
- Nyman, E. *et al.* (2017) 'Systems biology reveals uncoupling beyond UCP1 in human white fat-derived beige adipocytes', *npj Systems Biology and Applications*, 3(1), p. 29. doi: 10.1038/s41540-017-0027-y.
- Paoli, A. *et al.* (2013) 'Beyond weight loss: A review of the therapeutic uses of very-low-carbohydrate (ketogenic) diets', *European Journal of Clinical Nutrition*, pp. 789–796. doi: 10.1038/ejcn.2013.116.

- Parker, B. *et al.* (2002) 'Effect of a high-protein, high-monounsaturated fat weight loss diet on glycemic control and lipid levels in type 2 diabetes', *Diabetes Care*. doi: 10.2337/diacare.25.3.425.
- Pinto Pereira, S. M. *et al.* (2016) 'Combined early and adult life risk factor associations for mid-life obesity in a prospective birth cohort: assessing potential public health impact', *BMJ Open*, 6(4), p. e011044. doi: 10.1136/bmjopen-2016-011044.
- Pribadi, G. A. (2008) *Penggunaan Mencit dan Tikus Putih sebagai Hewan Model Penelitian Nikotin, PROGRAM STUDI TEKNOLOGI PRODUKSI TERNAK FAKULTAS PETERNAKAN INSTITUT PERTANIAN BOGOR.*
- Rao, K. R., Lal, N. and Giridharan, N. V (2014) 'Genetic & epigenetic approach to human obesity.', *The Indian journal of medical research*, 140(5), pp. 589–603. Available at: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=4311311&tool=pmcentrez&rendertype=abstract>.
- Ricquier, D. (2011) 'Uncoupling protein 1 of brown adipocytes, the only uncoupler: A historical perspective', *Frontiers in Endocrinology*. doi: 10.3389/fendo.2011.00085.
- Rosqvist, F. *et al.* (2014) 'Overfeeding polyunsaturated and saturated fat causes distinct effects on liver and visceral fat accumulation in humans.', *Diabetes*. doi: 10.2337/db13-1622.
- Schwartz, J. H., Young, J. B. and Landsberg, L. (1983) 'Effect of dietary fat on sympathetic nervous system activity in the rat', *Journal of Clinical Investigation*. doi: 10.1172/JCI110976.
- Shai, I. *et al.* (2008) 'Weight loss with a low-carbohydrate, mediterranean, or low-fat diet', *Obstetrical and Gynecological Survey*, pp. 713–714. doi: 10.1097/01.ogx.0000334740.32446.f3.
- Siri-Tarino, P. W. *et al.* (2015) 'Saturated Fats Versus Polyunsaturated Fats Versus Carbohydrates for Cardiovascular Disease Prevention and Treatment', *Annual Review of Nutrition*, 35(1), pp. 517–543. doi: 10.1146/annurev-nutr-071714-034449.
- Srivastava, S. *et al.* (2012) 'Mitochondrial biogenesis and increased uncoupling protein 1 in brown adipose tissue of mice fed a ketone ester diet', *The FASEB Journal*, 26(6), pp. 2351–2362. doi: 10.1096/fj.11-200410.
- Stengel, A. *et al.* (2013) 'High-protein diet selectively reduces fat mass and improves glucose tolerance in Western-type diet-induced obese rats', *AJP: Regulatory, Integrative and Comparative Physiology*, 305(6), pp. R582–R591. doi: 10.1152/ajpregu.00598.2012.
- Wang, W. and Seale, P. (2016) 'Control of brown and beige fat development', *Nature Reviews Molecular Cell Biology*, pp. 691–702. doi: 10.1038/nrm.2016.96.

Yu, S. *et al.* (2013) 'Lean body mass: the development and validation of prediction equations in healthy adults.', *BMC pharmacology & toxicology*, 14(1), p. 53. doi: 10.1186/2050-6511-14-53.

Zhang, Q. *et al.* (2018) 'Treatment of Diabetic Mice with a Combination of Ketogenic Diet and Aerobic Exercise via Modulations of PPARs Gene Programs', *PPAR Research*. doi: 10.1155/2018/4827643.