

## DAFTAR PUSTAKA

- Anggarini, E. (2012). *Hubungan antara karakteristik menstruasi dengan kejadian endometriosis pada usia reproduktif di RSU Dr. Soetomo*. Skripsi. Universitas Airlangga Surabaya.
- Ashrafi, M., Sadatmahalleh, S. J., Akhoond, M. R., & Talebi, M. (2016). Evaluation of Risk Factors Associated with Endometriosis in Infertile Women. *International journal of fertility & sterility*, **10**(1), pp. 11–21. doi:10.22074/ijfs.2016.4763
- Bieber, E.J., Sanfilippo, J.S., Horowitz, I.R. Shafii, M.I. (2015). *Clinical gynecology 2<sup>nd</sup> edition*. Cambridge University Press, pp. 203-230.
- Bouzari, Z., Yazdani, S., Aharnarkolaee, ZH., Zeinalzadeh, M & Hajian, K. (2016). The Comparison of Menstrual Characteristics and BMI in Women with Endometriosis and Without Endometriosis. *Women's health & gynecology*, **2**(8), pp 1-6.
- Bulun, S.E. (2009). Endometriosis. *The new england journal of medication*, **360**(3), pp. 268-279.
- Burney, R.O. and Giudice, L.C. (2012). Pathogenesis and pathophysiology of endometriosis. *Fertility sterility*, **98**, pp. 511-519.
- Burghaus, S., Klingsiek, P., Fasching, P. A., Engel, A., Häberle, L., Strissel, P. L., & Renner, S. P. (2011). Risk Factors for Endometriosis in a German Case-Control Study. *Geburtshilfe und Frauenheilkunde*, **71**(12), pp. 1073–1079. doi:10.1055/s-0031-1280436
- Candiani, G.B., Danesino, V., Gastaldi, A. *et al.* (1991). Reproductive and menstrual factors and risk of peritoneal and ovarian endometriosis. *Fertility sterility*, **56**, pp. 230-234.
- Cramer, D.W., Wilson, E., Stillman, R.J. *et al.* (1986). The relation of endometriosis to menstrual characteristics, smoking, and exercise. *JAMA*, **25**(14), pp. 1904-1908.
- Davila, G.W and Rivlin, M.E. (2018). *Endometriosis*. [online], diperoleh dari <https://emedicine.medscape.com/article/271899-overview>. Diakses pada 1 Januari 2019].
- Dewi, N.I. (2014). *Hubungan indeks masa tubuh dengan kejadian endometriosis di klinik fertilitas graha amerta*. Skripsi. Universitas Airlangga Surabaya.

- Dunselman, G.A., Vermeulen, N., Becker, C. *et al.* (2014). ESHRE guideline : Management of women with endometriosis. *Human reproduction*, **29**(3), pp. 400-412.
- European Society of Human Reproduction and Embriology (ESHRE). (2013). Guideline : management of women with endometriosis. *ESHRE endometriosis guideline development group*. [online] diperoleh dari <https://www.eshre.eu/Guidelines-and-Legal> [diakses pada 12 februari 2019].
- Fassbender, A., Vodolazkia, A., Saunders, P. *et al.* (2013). Biomarkers of endometriosis. *Fertility and sterility*, **99**(4), pp. 1135-1145.
- Gaudineau, A., Ehlinger, V., Vayssiere, C. *et al.* (2010). Factors associated with early menarche : result from the French health behavior in school-aged children (HBSC) study. *BMC public health*, **10** : 175, pp.1-2.
- Giudice, Linda. (2010). Clinical practice endometriosis. *The new England journal of medicine*, **362** (25), pp. 2389-2398.
- Goetz, L. G., Mamillapalli, R.,and Taylor, H. S. (2016). Low body mass index in endometriosis is promoted by hepatic metabolic gene dysregulation in mice. *Biology of reproduction*, **95**(6), pp. 115, 1-8.
- Goldman, M. B., Rexrode, K.M., and Troisi, R. (2013). *Women and Health 2<sup>nd</sup> edition*. China : Elsevier Inc, pp. 274.
- Hediger, M.L., Hartnett, H.J., Louis, G.M.B. (2005). Association of endometriosis with body size and figure. *Fertility and sterility*, **84**(5), pp. 1366-1374.
- Hendarto, Hendy. (2015). *Endometriosis dari aspek teori sampai dengan penanganan klinis*. Surabaya : Airlangga University Press. BAB 3-5, 8.
- Hestiantoro, A., Natadisastra, M., Wiweko, B. dkk. (2013). *Current updates on polycystic ovary syndrome, endometriosis, adenomyosis*. Jakarta : Sagung seto. Hlm 73-102.
- Hoffman, B.L., Schorge, J.O., Bradshaw. *et al.* (2016). *Williams gynecology third edition*. McGraw-Hill Education, pp. 230-233.
- Holdsworth-Carson, S. J., & Rogers, P. A. (2018). The complex relationship between body mass index and endometriosis. *Journal of Endometriosis and Pelvic Pain Disorders*, **10**(4), 187–189. <https://doi.org/10.1177/2284026518810586>
- Holdsworth-Carson, S. J., Dior, U. P., Colgrave, E. M., Healey, M., Montgomery, G. W., Rogers, P. A., & Girling, J. E. (2018). The association of body mass index with endometriosis and disease severity in women with

- pain. *Journal of Endometriosis and Pelvic Pain Disorders*, 10(2), 79–87. <https://doi.org/10.1177/2284026518773939>
- Jansen, E.B., Rijkers, A.C.M., Hoppenbrouwers, K. et al. (2013). Prevalence of endometriosis diagnosed by laparascopy in adolescent with dysmenorhea or chronic pelvic pain : a systematic review. *Human reproduction update*, **19**(5), pp. 570-582.
- Jacoeb, T.Z. & Hadisaputra, W. (2009). *Penanganan endometriosis panduan klinis dan algoritme*. Jakarta : CV. Sagung Seto, BAB 2-3.
- Lebovic, D.J., Mueller, M.D., & Taylor, R.N. (2001). Immunobiology of endometriosis. *Fertility and sterility*, 75(1), pp. 1-10.
- Liu, Yong & Zhang, Weiyuan. (2017). Association between body mass index and endometriosis risk : a meta-analysis. *Oncotarget*, 8(29), pp. 46928-46936.
- Louis, G.M.B., Hediger, M.L., Peterson, C.M. et al. (2011). Incidence of endometriosis by study population and diagnostic method : the ENDO study. *Fertility sterility*, **96** (2), pp. 360-365.
- Mamdouh, H.M., Mortada, M.M., Kharboush, I.F. et al. (2011). Epidemiologic determinants of endometriosis among Egyptian women : a hospital-based case-control study. *Journal of the Egyptian public health association*, **86** (1), pp. 21-26. doi: 10.1097/01.EPX.0000395322.91912.56
- Maruo, T., Matsuo, H., Shimomura, Y., Kurachi, O., Ghao, Z., Nakago, S., Yamada, T., Chen, W., & Wang, J. (2003). Effects of progesterone on growth factor expression in human uterine leimyoma. *Steroids*. 68 (10-13). pp 817-824.
- Mounsey, AL., Wilgus, A & Slawson, DC. (2006). Diagnosis and management of endometriosis *American Family Physician*, **74**(4):594-600. <https://www.aafp.org/afp/2006/0815/p594.html#afp20060815p594-ot1>
- Moradi, M., Parker, M., Sneddon, A. et al. (2014). Impact of endometriosis on women's lives : a qualitative study. *BMC womens health*, **14** (123), pp.1-12. doi: 10.1186/1472-6874-14-123
- Mukti, P. (2014). Faktor risiko kejadian endometriosis. *Unnes journal of public health*, 3 (3), pp 1-10. <http://journal.unnes.ac.id/sju/index.php/ujph>
- Nagle, C.M., Bell, T.A., Purdie, D.M. et al. (2009). Relative weight at ages 10 and 16 years and risk of endometriosis : a case-control analysis. *Human reproduction*, **24** (9), pp. 1501-1506. doi:10.1093/humrep/dep048
- Nazir, S., Lone, K., & Ahmad, G. (2015). Women diagnosed with endometriosis possess high body mass index compared to controls. *Pakistan Journal of Medical and Health Sciences*, **9**(3), pp. 1016-1018.

- Nnoaham, K. E., Webster, P., Kumbang, J., Kennedy, S. H., & Zondervan, K. T. (2012). Is early age at menarche a risk factor for endometriosis? A systematic review and meta-analysis of case-control studies. *Fertility and sterility*, **98**(3), 702–712.e6. doi:10.1016/j.fertnstert.2012.05.035
- Parazzini, F., Ferraroni, M., Fedele, L. et al. (1995). Pelvic endometriosis : reproductive and menstrual risk factors at different stage in Lombardy, norther Italy. *Journal of epidemiology community health*, **49** (1), pp. 61-64. DOI: 10.1136/jech.49.1.61
- Parazzini, F., Esposito,G., Tozzi, L., Noli, S & Bianchi, S. (2017). Epidemiology of endometriosis and its comorbidities. European Journal of obstetrics & gynecology and reproductive biology. 209, pp 3-7. DOI: <https://doi.org/10.1016/j.ejogrb.2016.04.021>
- Peterson, C.M., Johnstone, E.B., Hammoud, A. O. et al. (2013). Risk factors associated with endometriosis : importance of study population for characterizing disease in the ENDO study. *American journal of obstetrics and gynecology*, **208** (6), pp. 451 e1-451 e11. DOI:[10.1016/j.ajog.2013.02.040](https://doi.org/10.1016/j.ajog.2013.02.040)
- Pillet, M., Schneider, A., Borghese, B. et al. (2012). Deep infiltrating endometriosis as associated with markedly lower body mass index : a 476 case-control study, *Human reproduction*, **27** (1), pp. 265-272. doi:10.1093/humrep/der346
- Rathore, N., Kriplani, A, Yadaf, RK., Jaizwalet, U., Netam, R. (2014). Distinct peritoneal fluid ghrelin and leptin in infertile women with endometriosis and their correlation with interleukin-6 and vascular endothelial growth factor. *Gynecol endocrinol.* **30** (9), pp 671-675. <https://doi.org/10.3109/09513590.2014.920318>
- Saha, R., Kuja-Halkola, R., Tornvall, P & Marions, L. (2017). Reproductive and lifestyle factors associated endometriosis in a large cross-sectional population sample. *Journal of women's health*, **26** (2), pp. 152-158. doi: 10.1089/jwh.2016.5795.
- Shah, D.K., Correia, K.F., Vitonis, A.F., & Missmer, S. A. (2013). Body size and endometriosis : results from 20 years of follow-up within the nurses health study II prospective cohort. *Human Reproduction*, **28** (7), pp. 1783-1792. <https://doi.org/10.1093/humrep/det120>
- Sohn, K. (2015). The trend in age at menarche in Indonesia : birth cohorts 1944-1988. *Journal of biosocial science*, **47** (3), pp. 407-412. DOI: <https://doi.org/10.1017/S0021932014000315>

- Sourial, S., Tempest, N., & Hapangama, DK. (2014). Theories on the pathogenesis of endometriosis. *International journal of reproductive medicine*. 2014, pp 1-9 <http://dx.doi.org/10.1155/2014/179515>
- Speroff, L. & Fritz, M.A. (2011). *Clinical gynecology and infertility 8<sup>th</sup> edition*. Philadelphia : Wolters Kluwer Lippincott Williams & Wilkins. pp. 1233-1234.
- Subowo. (2010). *Immunology klinik*. Jakarta : CV Agung Seto. Pp. 375-377.
- Treolar, S.A., Bell, T.A., Nagle, C.M. et al. (2010). Early menstrual characteristic associated with subsequent diagnosis of endometriosis. *American journal of obstetrics and gynecology*, **202** (6), pp. 534 e1-534 e6. DOI: <https://doi.org/10.1016/j.ajog.2009.10.857>
- Vercellini, P., Eskenazi, B., Consonni, D., Somigliana, E., Parazzini, F., Abbiati, A., & Fedele, L. (2011) Oral contraceptives and risk of endometriosis: a systematic review and meta-analysis, *Human Reproduction Update*, **17** (2) pp 159–170, <https://doi.org/10.1093/humupd/dmq042>
- Vitonis, A.F., Baer, H.J., Hankinson, S.E. et al. (2010). A prospective study of body size during childhood and early adulthood and the incidence of endometriosis. *Human reproduction*, **25** (5), pp. 1325-1334. doi: 10.1093/humrep/deq039
- Wei, M., Cheng, Y., Bu, H., Zhao, Y., & Zhao, W. (2016). Length of menstrual cycle and risk of endometriosis: a meta analysis of 11 case-control studies. *Medicine*. **95** (9), pp. e2922. DOI: 10.1097/MD.0000000000002922.
- Yamamoto, A., Johnstone, E.B., Bloom, M.S. et al. (2017). A higher prevalence of endometriosis among asian women does not contribute to poorer IVF outcomes. *Journal of assisted reproduction and genetics*, **34** (6), pp. 765-774. doi: 10.1007/s10815-017-0919-1.
- Yasui, T., Hayashi, K., Nagai, K., Mizunuma, H., Kubota, T., Lee, J. S., & Suzuki, S. (). Risk profiles for endometriosis in Japanese women: results from a repeated survey of self-reports. *Journal of epidemiology*, **25**(3), pp. 194–203. doi:10.2188/jea.JE20140124.
- Yen, C. F., Kim, M. R., & Lee, C. L. (2019). Epidemiologic Factors Associated with Endometriosis in East Asia. *Gynecology and minimally invasive therapy*, **8**(1), pp. 4–11. doi:10.4103/GMIT.GMIT\_83\_18.
- Zubair, S., Sheikh, H., ZulfiqarButta, S., & Shuja, S. (2017). Prevalence of Endometriosis in Infertile and Sub- Fertile Women. *SOJ Gynecology, Obstetrics & Women's Health*, **3**(3), pp. 1-4. DOI: <http://dx.doi.org/10.15226/2381-2915/3/3/00126>