

**DAFTAR PUSTAKA**

- AlDukhayel, A. 2015. Prevalence of Depressive Symptoms among Hemodialysis and Peritoneal Dialysis Patients. *International journal of health sciences*. 9(1). pp. 9–16.
- Amalia, F., Nadjmir and Azmi, S. 2015. Gambaran Tingkat Depresi pada Pasien Penyakit Ginjal Kronik yang Menjalani Hemodialisis di RSUP DR. M. Djamil Padang. *Jurnal.Fk.Unand.Ac.Id.* 4(1). pp. 115–121.
- Amirkhanlou, S., Rashedi, A. and Akbari, M. 2017. Prevalence of Depression among Hemodialysis Patients Admitted in Gorgan ( Iran ). pp. 2–7.
- Andarmoyo, S. (2012). Keperawatan keluarga. Yogyakarta: Graha ilmu.Anees, M., Barki, H., Masood, M., Ibrahim, M., Mumtaz, A. 2008. Depression in hemodialysis patients. *Pakistan Journal of Medical Sciences*. 24(4). pp. 560–565.
- Anees, M., Hameed, F., Mumtaz, A., Ibrahim, M., Saeed, Khan. 2011. Dialysis-related factors affecting quality of life in patients on hemodialysis. *Iranian Journal of Kidney Diseases*. 5(1). pp. 9–14.
- Armaly, Z., Farah, J., Bowwirat, A. 2012. Major depressive disorders in chronic hemodialysis patients in Nazareth: Identification and assessment. *Neuropsychiatric Disease and Treatment*. 8. pp. 329–338. doi: 10.2147/NDT.S31903.
- Astuti, A. 2014. *Analisis Faktor-Faktor yang Berhubungan dengan Depresi pada Pasien Gagal Ginjal Kronik yang Menjalani Hemodialisis di RSUD Panembahan Senopati Bantul*. Universitas Muhammadiyah Yogyakarta.
- Astuti, Anggorowati and Kusuma. 2017. Self Management terhadap psychological adjustment pasien gagal ginjal kronis dengan hemodialisa. *The Soedirman Journal of Nursing*. 12. pp. 17–23. doi: <http://dx.doi.org/10.20884/1.jks.2013.8.2.470>.
- Atmojo, S. D. 1999. Prinsip dan Indikasi Hemodialisis. *Pertemuan Ilmiah Tahunan Ilmu Penyakit Dalam* Yogyakarta. pp. 167–175.
- Binbay, T., Topuzoglu, A., Ulas, H., Tanik, FA., Zagli, N., Alptekin, K. 2015. The epidemiology of major depressive disorder and subthreshold depression in Izmir, Turkey: Prevalence, socioeconomic differences, impairment and help-seeking. *Journal of Affective Disorders*. pp. 78–86. doi: 10.1016/j.jad.2015.04.017.
- Black, M.J. & Hawk, H.J. 2005. Medical Surgical Nursing Clinic Management For Positive Outcomes. Volume 2. Australia: ElsevierBPJS. 2016. Infobpj Media Eksternal Bpjs Kesehatan.

- Brioers, N. J. H., Broers, N.J.H, Cuijpers, A.C.M, Sande, F. M.V, Leunissen, K.M.L, Kooman, J.P. 2015. The first year on haemodialysis: A critical transition. *Clinical Kidney Journal.* 8(3). pp. 271–277. doi: 10.1093/ckj/sfv021.
- Butar, A. and Siregar, C. T. 2012. Karakteristik Pasien Dan Kualitas Hidup Pasien Gagal Ginjal Kronik Yang Menjalani Terapi Hemodialisa. *Jurnal Keperawatan Klinis.* Fakultas Keperawatan USU. 4(1).
- Centers for Disease Control and Prevention. 2017. National Chronic Kidney Disease Fact Sheet 2017', *US Department of Health and Human Services, Center for Disease Control and Prevention.* pp. 1–4.
- Chan, R., Brooks, R., Suranyi, M. 2009. The effects of kidney-disease-related loss on long-term dialysis patients' depression and quality of life: positive affect as a mediator. *Clinical journal of the American Society of Nephrology : CJASN.* 4(1). pp. 160–167. doi: 10.2215/CJN.01520308.
- Chen, C.-K., Tsai, Y.-C., Hsu, H.-J., Wu, I.-W., Sun, C.-Y., Chou, C.-C., ... Wang, L.-J. 2010. Depression and Suicide Risk in Hemodialysis Patients With Chronic Renal Failure. *Psychosomatics.* 51(6). 528–528.e6. <https://doi.org/10.1176/appi.psy.51.6.528>
- Durand, V.M., Barlow, D.H., 2006. Intisari Psikologi Abnormal. Edisi IV. Yogyakarta: Pustaka Pelajar pp. 295-297
- Endris, B., Fikreyesus, M. and Amare, T. 2019. Prevalence of depression and associated factors among haemodialysis patients at government and private hospitals in Addis Ababa. *African Journal of Nephrology.* 21(1). pp. 56–60. doi: 10.21804/21-1-2943.
- Fatmawati, A. 2017. Faktor-faktor yang Mempengaruhi Tingkat Depresi pada Pasien dengan Penyakit Ginjal Kronik di RSUD Jombang. *Medica Majapahit.* 9(1). pp. 14–21.
- Fischer, M. J. 2011. Elevated depressive affect is associated with adverse cardiovascular outcomes among African Americans with chronic kidney disease. *Kidney International.* 80(6). pp. 670–678. doi: 10.1038/ki.2011.153.
- Fresenius Medical Care .2018. Understanding hemodialysis. *Fresenius Medical Care.*
- Friedman,M.M. (2010). Buku Ajar Keperawatan Keluarga: Riset, Teori dan Praktek. Jakarta: EGC.
- Gerogianni, S. K. and Babatsikou, F. P. 2014. Psychological aspects in treatment of chronic renal failure. *Social Science & Medicine (1967).* 8(2. pp. 205–214. doi: 10.1016/0037-7856(68)90007-3.

- Hallab, A. and Wish, J. B. 2018. Employment among Patients on Dialysis. *Clinical Journal of the American Society of Nephrology*. 13(2). pp. 203–204. doi: 10.2215/cjn.13491217.
- Hamody, A. R. T. Kareem, A.K, Al-Yasri, A.R, Sh Ali, A.A., 2013. Depression in Iraqi hemodialysis patients. *Arab journal of nephrology and transplantation*. 6(3). pp. 169–72.
- Harnilawati. 2013. Konsep dan Proses Keperawatan Keluarga. Sulawesi Selatan: Pustaka As Salam.
- Health, N. I. of M. 2010. National Institute of Mental Health.
- Hedayati, S. S., Bosworth, H.B, Briley, L.P, Sloane, R.J, Pieper, C.F, Kimmel, P.L, Szczech, L.A., 2008 Death or hospitalization of patients on chronic hemodialysis is associated with a physician-based diagnosis of depression. *Kidney International*. Elsevier Masson SAS. 74(7). pp. 930–936. doi: 10.1038/ki.2008.311.
- Hettiarachchi, R. and Abeysena, C. 2018. Association of Poor Social Support and Financial Insecurity with Psychological Distress of Chronic Kidney Disease Patients Attending National Nephrology Unit in Sri Lanka. *International Journal of Nephrology*. pp. 1–6. doi: 10.1155/2018/5678781.
- Himmelfarb, J.. 2005. Hemodialysis Complications. *American Journal of Kidney Diseases*. 45(6). pp. 1122–1131. doi: 10.1053/j.ajkd.2005.02.031.
- Irawan, H., Alimansur, M., Zainal. 2017. Faktor Demografi dan Depresi pada Klien Gagal Ginjal Kronik Stadium V di Ruang Hemodialisa RSUD Gambiran Kota Kediri. *Adi Husada Nursing Journal*. 3(2). pp. 1–5.
- IRR. 2018). 10 th Report Of Indonesian Renal Registry 2017 10 th Report Of Indonesian Renal Registry 2017.
- Irwan. 2017. *Epidemiologi Penyakit Menular*. I. Yogyakarta: CV. Absolute Media. doi: 10.22216/jen.v3i2.2962.
- Jiwo, T. 2012. *Depresi: Panduan Bagi Pasien, Keluarga dan Teman Dekat, Pusat Pemulihan dan Pelatihan Bagi Penderita Gangguan Jiwa*. Desa Kalinongko, Purworejo Jawa Tengah.
- Kaplan HI, Sadock BJ, Grebb JA Kaplan & Sadock's. Synopsis of Psychiatry: Behavioral Sciences/Clinical Psychiatry. 10th Edition p. 528-562 Lumongga, Namira. 2009. *Depresi Tinjauan Psikologis*. Jakarta; Prenada Media Group.
- KDIGO. 2013. Guidelines for evaluation and management of chronic kidney disease in adults. 3(1). doi: 10.1038/kisup.2012.76.

- Kimmel, P. L. 2001. Psychosocial factors in dialysis patients. *Kidney International*. Elsevier Masson SAS. 59(4). pp. 1599–1613. doi: 10.1046/j.1523-1755.2001.0590041599.x.
- Kimmel, P. L., Weihs, K. L. and Peterson, R. A. 1993. Survival in hemodialysis patients: the role of depression. *Journal of the American Society of Nephrology*, 4(1), pp. 12–27.
- Leung, D. K. C. 2003. Psychosocial aspects in renal patients. *Journal of The International Society for Peritoneal Dialysis*.
- Lopes, A. A., Albert, J.M, Young, E.W., Satayathum, S., Pisoni, R.L, Andreucci, V.E., Mapes, D.L, Mason, N.A, Fukuvara, S., Wikstrom, B., Saito, A., Port, F.K. 2004. Screening for depression in hemodialysis patients: associations with diagnosis, treatment, and outcomes in the DOPPS. *Kidney international*. 66(5). pp. 2047–2053.
- Ma, T. K.-W. and Philip Kam-Tao Li. 2016. Depression in dialysis patients. *Nephrology*. 21(8). pp. 639–646. doi: 10.1111/nep.12742.
- Mcdowell, I. 2006. *Measuring Health : A Guide to Rating Scales*.
- Meader, N., Mitchell, A.J, Chew-Graham, C., Goldberg, D., Rizzo, M., Bird, V., Kessler, D., Packham, J., Haddad, M., Pilling, S. 2011). Case identification of depression in patients with chronic physical health problems. pp. 808–820. doi: 10.3399/bjgp11X613151.
- Muhammad Sjahid Akbar, Adatul Mukarromah, L. P. 2010. Bagging Regresi Ordinal. 3(2). pp. 103–116.
- Murwani, A. (2007). *Asuhan Keperawatan Keluarga*. Jogjakarta: Mitra Cendikia.
- Najafi, A., Keihani, S., Meybodi, A.M. 2016. Association between anxiety and depression with dialysis adequacy in patients on maintenance hemodialysis. *Iranian Journal of Psychiatry and Behavioral Sciences*. 10(2). pp. 2–8. doi: 10.17795/ijpbs-4962.
- National Institute of Mental Health. 2015. *Depression: What You Need to Know*. United States.
- National Kidney Foundation. 2002. *K/DOQI Clinical Practice Guidelines for Chronic Kidney Disease: Evaluation, Classification and Stratification*. Am J Kidney Dis. doi: 10.1634/theoncologist.2011-S2-45.
- National Kidney Foundation. 2013. HEMODIALYSIS: What You Need to Know. *National Kidney Foundation*. pp. 1–27. doi: 10.1016/j.matlet.2011.04.090.
- Nomani, A. Z., Iqbal, M., Mughbal, A., Rajput, H.M. 2016. Demographic profile

- and associations of dialysis dependent chronic kidney disease patients in federal capital of pakistan. *Pakistan Journal of Neurological Sciences (PJNS)*. 11(1). pp. 14–19.
- Notoatmojo S. (2007). Promosi Kesehatan dan Ilmu Perilaku. Jakarta:
- Nurhayati, E. 2016. Memahami Psikologis Perempuan (Integrasi & Intercomplementer Perspektif Psikologi dan Islam). *Batusangkar International Conference*. pp. 15–16.
- Nurses, P. D. and Handbook, P. P. 2017. Haemodialysis nursing. *King's College London*. pp. 1–35.
- Nurwulan, D. 2017. Hubungan Dukungan Keluarga dengan Tingkat Kecemasan pada Pasien Pre Anestesi dengan Tindakan Spinal Anestesi Di RSUD Sleman.
- Rineka CiptaPalmer, B. F. 2003. Sexual Dysfunction in Men and Women With Chronic Kidney Disease and End-Stage Kidney Disease. *Advances in Renal Replacement Therapy*. Elsevier. 10(1), pp. 48–60.
- Pratiwi, D. A. 2014. Hubungan Dukungan Keluarga dengan Tingkat Depresi Pasien Gagal Ginjal Kronik dengan Hemodialisa di RS PKU Muhammadiyah Yogyakarta. *Naskah Publikasi*.
- Psikiatri, B. 2013. Gangguan Psikiatrik pada Pasien. 40(4). pp. 257–259.
- Raihany Sholihatul Mukaromah, Rizki Muliani, V. V. 2012. Hubungan Dukungan Keluarga dengan Tingkat Depresi pada Pasien Gagal Ginjal Kronik yang Menjalani Terapi Hemodialisis di Unit Hemodialisa RSUD Majalaya Kab. Bandung Tahun 2012. *Bhakti Kencana Medika*. 2(4).
- Riskesdas. 2013. *Riset Kesehatan Dasar Tahun 2013. Riset Kesehatan Dasar Tahun 2013*.
- Ritland, K. 1996. Depression in Hemodialysis Patients. *Bosn J Basic Med Sci.*. 8. pp. 1–8.
- Saeed, Z. Ahmad, A.M., Shakoor, A., Ghafoor, F., Kanwal, S. 2012. Depression in patients on hemodialysis and their caregivers. *Saudi Journal of Kidney Diseases and Transplantation*. 23(5). p. 946. doi: 10.4103/1319-2442.100869.
- Santos, I. R., Fonseca, N.T, Fernandes, V., Fernandes, V.A.T., Lopes, V.C.D, Oliveira, L.V.F. 2014. Excessive daytime sleepiness in patients with chronic kidney disease undergone hemodialysis. 27(4). pp. 653–660.
- Sari, S. A. 2017. *Gambaran Tingkat Depresi Pada Pasien Gagal Ginjal Kronis*

*Yang Menjalani Terapi Hemodialisa Di Rumah Sakit Umum Daerah Wates Yogyakarta. Stikes Jendral Achmad Yani Yogyakarta.*

- Shirazian, S. Grant, C.D, Ricardo, A.C. 2017. Depression in Chronic Kidney Disease and End-Stage Renal Disease: Similarities and Differences in Diagnosis, Epidemiology, and Management. *Kidney International Reports*. Elsevier Inc. 2(1). pp. 94–107. doi: 10.1016/j.kir.2016.09.005.
- Smeltzer, S. C., Bare, B. G., Hinkle, J. L., & Cheever, K. H. 2010. Brunner & Suddarth's textbook of medicalsurgical nursing (11th ed.). Lippincott Williams & Wilkins: New York.
- Surveillance, R. D. 2012. CDC in Indonesia.
- Suryaningsih.M, Kanine E, W. 2013. *Hubungan Dukungan Keluarga Dengan Depresi Pada Pasien Penyakit Ginjal Kronik Di Ruangan Hemodialisa BLURSUP Prof. Dr. RD. KANDOU MANADO*. 1. doi: 10.1021/jf001222j.
- Syahril, M. 2013. *Hubungan Lama Hemodialisis dengan Tingkat Depresi Pasien Penyakit Ginjal Kronik di RSUZA Banda Aceh, Electronic Thesis and Dissertation UNSYIAH*. doi: 10.1016/j.indmarman.2011.06.024.
- Tavallaii, S. A. et al. (2009) ‘Marital adjustment in patients on long-term hemodialysis: A case-control study’, *Iranian Journal of Kidney Diseases*, 3(3), pp. 156–161.
- Theofilou, P. 2011. Depression and Anxiety in Patients with Chronic Renal Failure: The Effect of Sociodemographic Characteristics. *International Journal of Nephrology*. pp. 1–6. doi: 10.4061/2011/514070.
- Thong, M. S. Y., Kaptein, A.A, Krediet, R.T, Boeschoten, E.W, Dekker, F.W. 2007. Social support predicts survival in dialysis patients. *Nephrology Dialysis Transplantation*. 22(3), pp. 845–850. doi: 10.1093/ndt/gfl700.
- Turkistani, I. Nemati, E., Vishteh H.R, Khoddami, Azizabadi, F.M, Moghani, L.M, Assari, S. 2014. The prevalence of anxiety and depression among end-stage renal disease patients on hemodialysis in Saudi Arabia. *Renal Failure*, 36(10). pp. 1510–1515. doi: 10.3109/0886022X.2014.949761.
- World Health Organization. 2017. World Health Organization Report - Depression and Other Common Mental Disorders: Global Health Estimates’, *World Health Organization*, pp. 1–24. doi: CC BY-NC-SA 3.0 IGO.
- Yulianto, D. and Basuki, H. 2018. Analisis Ketahanan Hidup Pasien Penyakit Ginjal Kronis Dengan Hemodialisis Di RSUD Dr. Soetomo Surabaya’, *Jurnal Manajemen Kesehatan Yayasan RS.Dr. Soetomo*. 3(1). p. 96. doi: 10.29241/jmk.v3i1.92.