

## DAFTAR PUSTAKA

- Altun, E., El-Azzazi, M. & Semelka, R. C., 2015. *Liver imaging: MRI with CT correlation*. Chennai: Wiley Blackwell.
- Bilgili, Y. & Unal, B., 2004. Effect of Region of Interest on Interobserver Variance in Apparent Diffusion Coefficient Measures. *American Society of Neuroradiology Journal*, pp. 108-111.
- Brinkmann, R., 1999. *The Art and Science of Digital Compositing*. San Diego: Elsevier.
- Chao Ma, et al., 2017. Effect of region of interest size on ADC measurements in pancreatic adenocarcinoma. *Bio Med Central*, 17(13), pp. 1-7.
- Culverwell, A., MB, S., JA, G. & AF, S., 2013. Diffusion-weighted MRI of the liver-Interpretative pearls and pitfalls. *Elsevier*, Issue 68, pp. 406-414.
- Deng, F. & Niknejad, M. T., 2018. *Radiopaedia*. [Online] Available at: <https://radiopaedia.org/articles/apparent-diffusion-coefficient-1> [Accessed 4 February 2018].
- Drake, R. L., Vogle , W. A. & Mitchell, A. W. M., 2012. *Gray Anatomy for Students*. 2nd ed. s.l.:Churchill Livingstone Elsevier.
- Elsayes, K. M. et al., 2005. Focal Hepatic Lesions:Diagnostic Value of Enhancement Pattern Approach with Contrastenhanced 3D Gradient-Echo MR Imaging. *RSNA*, Volume 25, pp. 1299-1300.
- Galea, N., Cantisani, V. & Taouli, B., 2013. Liver lesion detection and characterization: Role of diffusion-weighted imaging. *Journal of Magnetic Resonance Imaging*, Volume 37, pp. 1261-1263.
- Hagmann, P. et al., 2006. Understanding Diffusion MR Imaging Techniques: From Scalar Diffusion-weighted Imaging to Diffusion Tensor Imaging and Beyond. *Radiographics RSNA*, 25(Special), pp. 214-218.
- Hamm, B. et al., 2010. *MRI Imaging of The Abdomen and Pelvis*. 2nd ed. Stuttgart-New York: Thieme.
- Hassan, M. A. N., Zaki, F. K., Alem-Eldeen, H. M. & Hamed, R. H., 2016. Benign versus malignant focal liver lesions: Diagnostic value of qualitative and quantitative diffusion weighted MR imaging. *The Egyptian Journal of Radiology and Nuclear Medicine*, Volume 47, pp. 1211-1220.
- Jahic, E., Sofic, A. & Semilovic, A. H., 2016. DWI/ADC in Differentiation of Benign from Malignant Focal Liver Lesion. *Acta Inform Med*, 24(4), pp. 244-247.

- Jain, T. P. et al., 2018. Evaluation of ADCratio on liver MRI diffusion to discriminate benign versus malignant solid liver lesions. *European Journal of Radiology Open*, Issue 5, pp. 209-214.
- Koh, D.-M. & Collins, D. J., 2007. Diffusion-Weighted MRI in the Body: Applications and Challenges in Oncology. *AJR American Roentgen Ray Society*, Volume 188, pp. 1623-1628.
- Koh, D.-M., Collins, D. J. & Orton, M. R., 2011. Intravoxel Incoherent Motion in Body Diffusion Weighted MRI: Reality and Challenges. *AJR American Roentgen Ray Society*, Volume 196, pp. 1351-1354.
- Lencioni, R., Cioni, D. & Bartolozzi, C., 2010. *Focal Liver Lesions*. Roma: Springer.
- Levy, P. S. & Lemeshow, S., 2008. *Sampling of Populations: Methods and Applications*. 4th ed. New Jersey: Wiley.
- Marrero, J. A., Ahn, J. & Rajender, R. K., 2014. ACG Clinical Guideline: The Diagnosis and Management of Focal Liver Lesions. *The American Journal of GASTROENTEROLOGY*, pp. 1-3.
- Matos, A. P. et al., 2015. Focal liver lesions: Practical magnetic resonance imaging approach. *World Journal of Hepatology*, 7(16), pp. 1987-2008.
- Morana, G., Cugini, C. & Pozzi, M. R., 2008. Small liver lesions in oncologic patients: Characterization with CT, MRI and contrast-enhanced US. *Cancer Imaging*, Volume 8, pp. 1312-135.
- Morana, G. et al., 2010. Optimal Imaging for focal liver lesions. *Imaging Med. Future Medicine Ltd*, 2(5), pp. 497-500.
- Ogura, A., Hayakawa, K., Miyati, T. & Maeda, F., 2011. Imaging parameter effects in apparent diffusion coefficient determination of magnetic resonance imaging. *European Journal of Radiology*, Issue 77, pp. 185-188.
- Shahid, M. H. & Sorrel, M. F., 2015. *Correlation with Other Imaging Modalities and Histopathology*. 2nd ed. London: Springer.
- Song, J. W. & Chung, K. C., 2011. Observational Studies: Cohort and Case-Control Studies. *National Institute of Health Public Access*, 126(6), pp. 2-4.
- Standring, S., 2016. *Gray's Anatomy The Anatomical Basis of Clinical Practice*. 41st ed. London: Elsevier.
- Sugiyono, 2018. *Metode Penelitian Kuantitatif*. Bandung: Penerbit Alfabeta.

Vandecaveye, F., De Keyzer, F. & Verslype, C., 2009. Diffusion-weighted MRI provides additional value to conventional dynamic contrast-enhanced MRI for detection of HCC. *European Journal Of Radiology*, 19(10), pp. 2456-2466.

Westbrook, C., 2014. *Handbook of MRI Technique*. 4th ed. Cambridge: Wiley Blackwell.

Westbrook, C., Roth, C. K. & Talbot, J., 2011. *MRI in Practice*. 4th ed. Cambridge: Wiley Blackwell.

Zamboni, G. & Gourtsoyianni, S., 2015. *MDCT and MRI of The Liver, Bile Duct And Pancreas*. London: Springer.