

## DAFTAR PUSTAKA

- American College of Radiology (2015) “ACR – STR Practice Parameter For The Performance Of High-Resolution Computed Tomography (HRCT) Of The Lungs Adults,” *American College of Radiology*, 1076(Revised 2008), hal. 1–10.
- Anam, C. et al. (2014) *Teknik Rekonstruksi Iteratif Untuk Data Proyeksi Renggang (Sparse Projection Data) Sebagai Upaya Untuk Mereduksi Dosis CT Scan, Prosiding SNKKL 2014*.
- Anam, C. et al. (2016) *Teknik Pemeriksaan CT-Scan*. Jakarta: PARI Pengda Jakarta.
- Balkissoon, R. (2017) “The Journal Club: Computed Tomography and COPD.,” *Chronic obstructive pulmonary diseases (Miami, Fla.)*, 4(4), hal. 325–330. doi: 10.15326/jcopdf.4.4.2017.0174.
- Bardarova, D. et al. (2014) “Variation of Densitometry on Computed Tomography in COPD – Influence of Different Software Tools,” 9(11). doi: 10.1371/journal.pone.0112898.
- Barnett, M. (2006) *Chronic Obstructive Pulmonary Disease in Primary Care*. Chichester.
- Baumueller, S. et al. (2016) “Influence of Sinogram-Affirmed Iterative Reconstruction on Computed Tomography – Based Lung Volumetry and Quantification of Pulmonary Emphysema,” 40(1), hal. 96–101. doi: 10.1097/RCT.0000000000000313.
- Bushong, S. C. (2013) *Radiologic Science for Technologist*. Tenth Edit, *Radiologic Science for Technologists, 10/e*. Tenth Edit. Elsevier Inc.
- Chae, I. H. et al. (2014) “Standard chest CT using combined automated tube potential selection and iterative reconstruction: Image quality and radiation dose reduction,” *Clinical Imaging*. Elsevier Inc., 38(5), hal. 641–647. doi: 10.1016/j.clinimag.2014.04.004.
- Choo, J. Y. et al. (2014) “Quantitative analysis of emphysema and airway measurements according to iterative reconstruction algorithms: comparison of filtered back projection , adaptive statistical iterative reconstruction and model-based iterative reconstruction,” *European Society od Radiology*, hal. 799–806. doi: 10.1007/s00330-013-3078-5.
- Choromańska, A. dan Macura, K. J. (2012) “Role of computed tomography in quantitative assessment of emphysema,” 77(1), hal. 28–36.
- Federle, M. P. et al. (2017) *Imaging Anatomy: Chest, Abdomen, Pelvis*. 2 ed. Philadelphia: Elsevier Inc.
- Funama, Y. et al. (2008) “Automatic tube current modulation technique for multidetector CT : is it effective with a 64-detector CT ?,” hal. 33–37. doi: 10.1007/s12194-007-0005-y.

- Gallardo-estrella, L. *et al.* (2016) “Normalizing computed tomography data reconstructed with different filter kernels: effect on emphysema quantification,” hal. 478–486. doi: 10.1007/s00330-015-3824-y.
- Geyer, L. L. *et al.* (2015) “State of the Art : Iterative CT,” 276(2), hal. 339–357.
- Gideon, S. (2015) “Pembelajaran Simulasi Pencitraan CT Dengan Menggunakan Prinsip Rekonstruksi Citra Dalam Software Matlab,” *Jurnal Dinamika Pendidikan*, 8(3), hal. 161–170.
- Goldin, J. (2016) *HRCT Image Reconstruction Planes, IPF Radiology Rounds*. Tersedia pada: <https://www.ipfradiologyrounds.com/hrct-primer/image-reconstruction/> (Diakses: 22 Maret 2019).
- Grant, K. dan Raupach, R. (2012) “SAFIRE : Sinogram Affirmed Iterative Reconstruction,” *Technical report*, hal. 1–8.
- Griffin, C. B. dan Primack, S. L. (2001) “HIGH-RESOLUTION CT and Pitfalls,” 39(6), hal. 1073–1090.
- Haas, M., Hamm, B. dan Ma, S. M. N. (2014) “Automated Lung Volumetry from Routine Thoracic CT Scans ;,” *Academic Radiology*. Elsevier Ltd, 21(5), hal. 633–638. doi: 10.1016/j.acra.2014.01.002.
- Hu, X. H. *et al.* (2011) “Radiation dose of non-enhanced chest CT can be reduced 40 % by using iterative reconstruction in image space,” 66, hal. 1023–1029. doi: 10.1016/j.crad.2011.04.008.
- Ionescu, C. M. (2013) *The Human Respiratory System*. London: Springer. Tersedia pada: <https://link.springer.com/book/10.1007/978-1-4471-5388-7#authorsandaffiliationsbook>.
- Iwano, S. *et al.* (2009) “3D-CT Volumetry of the Lung Using Multidetector Row CT ;,” *Academic Radiology*. AUR, 16(3), hal. 250–256. doi: 10.1016/j.acra.2008.09.019.
- Jafarov, H. *et al.* (2013) “Image quality of high resolution CT of the chest : comparison between iterative image reconstruction and standard filtered back projection,” *European Journal of Radiology*.
- Lâm, H. T. *et al.* (2014) “Prevalence of COPD by disease severity in men and women in Northern Vietnam,” *COPD: Journal of Chronic Obstructive Pulmonary Disease*, 11(5), hal. 575–581. doi: 10.3109/15412555.2014.898039.
- Mascalchi, M., Camiciottoli, G. dan Diciotti, S. (2017) “Lung densitometry: Why, how and when,” *Journal of Thoracic Disease*, 9(9), hal. 3319–3345. doi: 10.21037/jtd.2017.08.17.
- Mets, O. M., Jong, P. A. De, *et al.* (2012) “Quantitative Computed Tomography in COPD : Possibilities and Limitations,” hal. 133–145. doi: 10.1007/s00408-011-9353-9.
- Mets, O. M., Willemink, M. J., *et al.* (2012) “The effect of iterative reconstruction

- on computed tomography assessment of emphysema , air trapping and airway dimensions,” hal. 2103–2109. doi: 10.1007/s00330-012-2489-z.
- Mohamed, Y. M., Osman, N. M. dan Osman, A. M. (2017) “Updates In Computed Tomography Assessment Of Emphysema Using Computed Tomography Lung Analysis,” *Egyptian Journal of Bronchology*, 11, hal. 104–110. doi: 10.4103/ejb.ejb.
- Nishio, M. et al. (2014) “Emphysema quantification on low-dose CT using percentage of low-attenuation volume and size distribution of low-attenuation lung regions : Effects of adaptive iterative dose reduction using 3D processing,” *European Journal of Radiology*. Elsevier Ireland Ltd, 83(12), hal. 2268–2276. doi: 10.1016/j.ejrad.2014.09.011.
- Notoatmodjo, S. (2010) *Metodologi Penelitian Kesehatan*. Jakarta: Rineka Cipta.
- Pavarani, A. et al. (2016) “Effect of iterative reconstruction on image quality of low-dose chest computed tomography,” *Acta Biomed*, 87, hal. 168–176.
- PDPI (2003) “Penyakit Paru Obstruktif Kronik (PPOK) Pedoman Diagnosis & Penatalaksanaan di Indonesia,” hal. 1973–2003.
- Pontana, F. et al. (2011) “Chest computed tomography using iterative reconstruction vs filtered back projection ( Part 2 ): image quality of low-dose CT examinations in 80 patients,” hal. 636–643. doi: 10.1007/s00330-010-1991-4.
- Pourjabbar, S. et al. (2015) “Dose reduction for chest CT: comparison of two iterative reconstruction techniques,” 56(6), hal. 688–695. doi: 10.1177/0284185114537256.
- Prakash, P. et al. (2010) “Tomography Using Adaptive Statistical Iterative Reconstruction Technique : Initial Experience,” 34(1), hal. 40–45.
- RISKESDAS (2013) “Penyakit yang ditularkan melalui udara,” *Jakarta: Badan Penelitian dan Pengembangan Kesehatan Departemen Kesehatan Republik Indonesia*, (Penyakit Menular), hal. 103. doi: 10.1007/s13398-014-0173-7.2.
- Salvi, S. S., Manap, R. dan Beasley, R. (2012) “Understanding the true burden of COPD: The epidemiological challenges,” *Primary Care Respiratory Journal*. Primary Care Respiratory Society UK, 21(3), hal. 249–251. doi: 10.4104/pcrj.2012.00082.
- Searle, K. (2002) “Natural dyes focus of colour congress 2002,” *Fiberarts*, 29(3), hal. 8–9. doi: 10.1016/S0140-6736(96)07492-2.
- Seeram, E. (2009) *Computed Tomography: Physical Principles, Clinical Applications, And Quality Control*. 3rd ed. Missouri: Elsevier Inc.
- Sugiyono (2018) *Metode Penelitian Kuantitatif*. Diedit oleh Setiyawarni. Bandung: ALFABETA.
- Thông, P. M. dan Trung, V. T. (2016) *Cắt Lớp Vi Tính Định Lượng Trong Bệnh*

*Phổi Tắc Nghẽn Mạn Tính COPD, Bach Mai Radiology.* Tersedia pada:  
[http://benhphoitacnghen.vn/wp-content/uploads/2016/12/8-Ths.-Trung-CDHA\\_CT-COPD-final.pdf](http://benhphoitacnghen.vn/wp-content/uploads/2016/12/8-Ths.-Trung-CDHA_CT-COPD-final.pdf) (Diakses: 25 Maret 2019).

- Wang, Z. *et al.* (2014) “Optimal Threshold in CT Quantification of Emphysema,” *European Journal of Radiology*, 23(4), hal. 975–984. doi: 10.1007/s00330-012-2683-z.Optimal.
- Webb, W. R., Muller, N. L. dan Naidich, D. P. (2015) *High-Resolution CT of the Lung*. 5 ed. Philadelphia: Wolters Kluwer Health.
- West, J. B. (2013) *Pulmonary Pathophysiology*. 8 ed. Philadelphia: Lippincott Williams & Wilkins.
- Yang, W. J. *et al.* (2013) “Can Sinogram-Affirmed Iterative ( SAFIRE ) Reconstruction Improve Imaging Quality on Low-Dose Lung CT Screening Compared With Traditional Filtered Back,” 37(2), hal. 301–305.
- Yung, P. *et al.* (2009) “Use of Automatic Tube Current Modulation With a Standardized Noise Index in Young Children Undergoing Chest Computed Tomography Scans With 64-Slice Multidetector Computed Tomography,” *ACTA RADIOLOGICA*. doi: 10.3109/02841850903241914.
- Zhang, W. J. *et al.* (2015) “MR Quantitative Equilibrium Signal Mapping: A Reliable Alternative to CT in the Assessment of Emphysema in Patients with Chronic Obstructive Pulmonary Disease,” *Radiology*, 275(2), hal. 579–588. doi: 10.1148/radiol.14132953.