

DAFTAR PUSTAKA

- Aguero, Lissette. 2017. Alginate microparticles as oral colon drug delivery device: A review. *Carbohydrate Polymers*.
- Alagusundaram, M., Madhu, S.C.C., Umashankari, K., Badarinath, A.V., Lavanya, C. and Ramkanth, S. 2009. Microspheres as a Novel Drug Delivery System. *International Journal of ChemTech Research*, Vol. 1 No. 3, p. 526-534.
- Alba, Katerina and Kontogiorgos, Vassilis. 2017 Seaweed Polysaccharides (Agar, Alginate Carrageenan) University of Huddersfield, Huddersfield, United Kingdom. *Encyclopedia of Food Chemistry*
- Amatya, Sarmila., Eun Ji Park. 2013 Drug release testing methods of polymeric particulate drug formulations. *Journal of Pharmaceutical Investigation* (2013)43:259–266
- Amorij, J. P., Huckriede, A., Wilschut, J., Frijlink, H. W., & Hinrichs, W. L. J. (2008). Development of stable influenza vaccine powder formulations: Challenges and possibilities. *Pharmaceutical Research*, 25(6), 1256–1273.
- Anonim. 2007. Informasi spesialite obat. Jakarta : PT. Ikrar Mandiriabadi. Vol 42 Baloglu, E., Senyigit, T. 2010. A design and evaluation of layered matrix Tablet formulations of metoprolol tartrate. *AAPS PharmSciTech edisi 11*. pp. 563–573.
- Caceres, P. J., Carlucci, M. J., Damonte, E. B., Matsuhira, B., & Zuniga, E. A. 2000. Carrageenans from Chilean samples of *Stenogramme interrupta* (Phylloporaceae): structural analysis and biological activity. *Phytochemistry* 53, 81–86
- Campo, V. L., Kawano, D. F., Silva, D. B., Jr., & Carvalho, D. I. 2009. Carrageenans: Biological properties, chemical modifications and structural analysis—A review. *Carbohydrate Polymers*, 77, 167–180
- Chen, Y., Liao, M. L., & Dustan, D. E. 2002. The rheology of K⁺ - κ carrageenan as a weak gel. *Carbohydrate Polymers*, 50, 109-116.

- Chen, L. C. M., McLachlan, J., Neish, A. C., & Shackloch, P. F. 1973. The ratio of kappa and lambda carrageenan in nuclear phases of the Rhodophycean algae. *Chondru crispus* and *Gigartina stellata*. ***Journal of the Marine Biological Association of the united kingdom***, 53,11-16.
- Conita. 2018. Pengaruh Konsentrasi Crosslinker CaCl₂ Terhadap Pelepasan Mikrosfer Ciprofloxacin Alginat. ***Surabaya: Fakultas Farmasi Universitas Airlangga***.
- Coviello, T., Matricardi, P., Marianecchi, C., & Alhaique, F. 2007. Polysaccharide hydrogels for modified release formulations. ***Journal of Controlled Release***, 119,5–24.
- Colquhoun, I. J., Jay, A. J., Eagles, J., Morris, V. J., Edwards, K. J., Griffin, A M., & Gasson, M. J. 2001. Structure and conformation of a novel genetically engineered polysaccharide P2. ***Carbohydrate research***, 330, 325-333.
- Crotts, G, and Park, T.G. 1998. Protein delivery from poly(lactic-co-glycolic acid) biodegradable microspheres: release kinetics and stability issues. ***Journal Microencapsulation***.Vol 15 No. 6, p.699-713
- D'Ayala, G. G., Malinconico, M., & Laurienzo, P.2008. Marine derived polysaccharides for biomedical applications: Chemical modification approaches. ***Molecules***, 13, 2069-2106.
- Dastidar, Debrata Ghosh *et all*. 2018. Porous microspheres: synthesis, characterisation and applications in pharmaceutical & medical fields. ***International Journal of Pharmaceutics***
- Dash, Suvakanta., Murthy, Padala Narasimha., Nath, Lilakanta *et al*. 2010. Kinetic Modeling on Drug Release from Controlled Drug Delivery Systems. ***Acta Poloniae Pharmaceutica-Drug Research***, Vol. 67 No. 3. pp. 217-223
- De Ruiter, G. A., & Rudolph, B. 1997. Carrageenan biotechnology. ***Trends in Food Science & Technology***, 8, 389–395.

- Dhakar,C, R., *et al.* 2010. Variables Influencing the Drug Entrapment Efficiency of Microspheres: A Pharmaceutical Review. ***Scholars Research Library***. Vol. 2(5). p. 102-116.
- Distantina, Sperisa. 2016. Swelling Behaviour of Kappa Carrageenan Hydrogel in Neutral Salt Solution. ***International Journal of Chemical, Molecular, Nuclear, Materials and Metallurgical Engineering*** Vol:10, No:8, 2016
- Ellis, A., & Jacquier, J.-C. 2009. Manufacture of food grade j-carrageenan Microspheres : ***Journal of Food Engineering***, 94(3–4), 316–320.
- English, PJ., Wenbin., dan., dan Zhong, Z. 1999. *Fabrication of Controlled Delivery Devices. Encyclopedia of controlled drug delivery Volume 1 & 2* United State of America: Wiley Intersciences Publication, 356.
- Flume, Patrick A dan VanDevanter, Donald R. 2014. Clinical applications of pulmonary delivery of antibiotics. ***Advanced Drug Delivery Reviews***
- FMCBioPolymer. 2013. Carrageenan (Introduction). Accessed at <http://www.fmcbiopolymer.com/Food/Ingredients/Carrageenan/Introduction.aspx>, pada tanggal 11 November 2018
- Goskonda S. R. 2012. ***Handbook of Pharmaceutical Excipients***. Pharmacy Practice. London.
- Giunchedi, P. and U. Conte.1995. Spray-drying as a preparation method of microparticulate drug delivery systems: an overview. ***S.T.P. Pharma Sci.*** 5: 276-290
- Guan, Jian., Li, Liang., Shenyang, Shirui Mao. 2017. Applications of Carrageena in Advanced Drug Delivery. ***Pharmaceutical University,Shenyang,China. Chapter 15***
- Guiseley, K. B. 1978. Modified kappa-carrageenan. ***US Patent Office***. Patent No.4096327

- Guo, J. H., Skinner, G. W., Harcum, W. W., & Barnum, P. E. 1998 .Pharmaceutical application of naturally occurring water soluble polymers. *PSTT*, Vol (1). p 254-261.
- Hariyadi, et al. 2015. Physical Characterization and In Vivo Study of Ovalbumin Encapsulated in Alginate Microspheres. Surabaya. *International Journal of Drug Delivery Technology*; 5(2); 48-53
- Hasanah, Siti Uswatun., Purkiswanti., Novi. 2014. Optimation Formula of Ibuprofen Microspher Zn-Alginate for Controlled Release Drug. Jember. *e-Jurnal Pustaka Kesehatan*, vol. (1).
- J.H. Crowe, L.M. Crowe, J.F. Carpenter.1993. Preserving dry biomaterials: the water replacement hypothesis, *Biopharm* 6 28–37.
- Jin, M., Zheng, Y., and Hu, Q. 2009. Preparation and characterization of bovine serum albumin alginate/ chitosan microspheres for oral administration. *Asian Journal of Pharmaceutical Sciences*, Vol. 4 No.4, p. 216-218.
- Joshi S, Patel P, Lin S, Mada PL. 2012.Development of Crosslinked Alginate Spheres By Iontropic Gelation Technique For Controlled Release of Naproxen Oral. *Asian J Pharm*. Vol. 7(2). p.134-142.
- Kara, Selim. 2005. Molecular recognition during sol–gel and gel–sol transition of kappa–iota carrageenan mixtures. *Phase Transitions*, Vol. 78, No. 12, December 2005, 915–926
- Kas, H. S. and L. Oner. 2000. Microencapsulation using coacervation. *Phase Transitions* pp. 301 328. In: D. L.
- Katzung, Bertram G. 2012. Basic Clinical & Pharmacology 12th. *Mc Graw Hill Education*.
- Keishiro Tomoda, et al. 2009. Preparation and properties of carrageenan microspheres containing allopurinol and local anesthetic agents for the treatment of oral mucositis. *Colloids and Surfaces B: Biointerfaces* 71 (2009) 27–35.

- Knowles, M. R., P. H. Gilligan, and R. C. Boucher. 2000. Cystic fibrosis, p. 767-772. *Churchill Livingstone*, New York, N.Y.
- In G. L. Mandell, J. E. Bennett, and R. Dolin (ed.), Principles and practices of infectious diseases, 5th ed. *Churchill Livingstone*, New York, N.Y.
- Kost, J., & Goldbart, R. 1997. Natural and modified polysaccharides in: Domb, A. J., Kost, J., Wiseman, D. M. (Eds). *Handbook of biodegradable polymers*, *Harwood Academic Publisher*, Amsterdam, pp. 275-289.
- Laurienzo, P. 2010. Marine polysaccharides in pharmaceutical applications: an overview. *Marine Drugs*, 8, 2435-2465.
- Li X, Tang Y, Zhu J. 2010. Progress on dry powder inhalers. *Chinese J Pharm.*
- Liang, Li *et al.* 2013. Carrageenan and its applications in drug delivery. *Carbohydrate Polymers* (103). Halaman: 1–11
- Liew, C. V., Chan, L. W., Ching, A. L., Heng, P. W. S. 2005. Evaluation of sodium alginate as drug release modifier in matrix tablets. *International Journal of Pharmaceutics*, 309 (2006) 25-27
- Lim, F. and A. M. Sun. 1980. Microencapsulated islets as bioartificial endocrine pancreas. *Science* **210**: 908-910
- Liu, Jingjing., Zhan, Xiudan., Wan, Jianbo., Wang, Yitao., Wang, Chunming 2014. Review for carrageenan-based pharmaceutical biomaterials: Favourable physical features versus adverse biological effects. Macau. *Carbohydrate Polymers* **121** (2015) 27–36
- Lu-E. Shi. 2013. Encapsulation of *Lactobacillus bulgaricus* in carrageenan locust bean gum coated milk microspheres with double layer structure. *LWT - Food Science and Technology* **54** (2013) 147e151.

- Maderuelo, C., Zarzuelo, A., dan Lanao, J. M. 2011. Critical factors in the release of drugs from sustained release hydrophilic matrices. *Journal of Controlled Release* **154**, pp. 2–19.
- Martin, Alfred. 1993. Physical Pharmacy: Physical Chemical Principles in the Pharmaceutical Science's 4th ed. USA: *Waverly International*. pp. 324-327, 330-331
- McCandles, E. L., West, J. A., & Guiry, M. D. 1982. Carrageenan patterns in the phyllophoraceae. *Biochemical Systematics and Ecology*, 10, 275-284.
- McCandles, E. L., West, J. A., & Guiry, M. D. 1983. Carrageenan patterns in gigartinaeae. *Biochemical Systematics and Ecology*, 11, 175-182.
- Mollet, J. C., Rahaoui, A., & Lemoine, Y. 1988. Yield, Chemical composition and gel strength of agarocolloids of *Gracilaria gracilis*, *Gracilariopsis longissima* and the newly reported *Gracilaria vermiculophylla* from Roscoff, France. *Journal of Applied Phycology*, 10, 59-66.
- Mollion, J. 1983. Exploitation of algal carrageenans: Global situation and perspectives in Senegal. in: marine chemistry for development. *JM Kornprobst (Ed.)*. pp 84-95.
- Mollion, M. J., Moreau, S., & Christian, D. 1986. Isolation of a new type of carrageenan from *Rissoeulla verruculosa* (Bert) J. Agardh (Rhodophyta, Gigartinales). *Botanica Marina*, 29, 549-552.
- Morris Christopher, J. 2003. Carrageenan-induced paw edema in the rat and mouse. *Methods in Molecular Biology*, 225, 115–121
- Murano, E., Toffanin, R., Cecere, E., Rizzo, R., & Knutsen, S. H. 1977. Investigation of the carrageenans extracted from *Solieria filiformis* and *Agardhiella subulata* from Mar.Piccolo.Taran. *Marine Chemistry*, 58, 319-325.

- Nanaki, S., Karavas, E., Kalantzi, L., & Bikiaris, D. 2010. Miscibility study of carrageenan blends and evaluation of their effectiveness as sustained release carriers. *Carbohydrate Polymers*, 79, 1157–1167
- Nihant, N., S. Stassen, C. Grandfils, R. Jerome, and P. Teyssie. 1994. Microencapsulation by coacervation of PLGA: III. Characterization of the final microspheres. *Polym. Int.* 34: 289-299.
- O, Shipahigil, et all. 2001. Preparation In Vitro Evaluation of Verapamil HCl and Ibuprofen containing carrageenan beads. *International Journal of Pharmaceutics* 228 (2001) 119-128
- Panlasigui, L. N., Baello, O. Q., Dimatangal, J. M., & Dumelod, B. D. 2003. Blood cholesterol and lipid-lowering effects of carrageenan on human volunteers. *Asia Pacific Journal of Clinical Nutrition*, 12, 209–214
- Pardonche, P. E. (1985). Aplicação de extratos de algas marinhas na indústria de alimentos. Boletim técnico CECA Produtos Químicos S/A (p. 15). *São Paulo*.
- Pavanetto, F., B. Conti, I. Genta, and P. Giunchedi. 1992. Solvent evaporation, solvent extraction and spray drying for polylactide microsphere preparation. *Int. J. Pharm.* 84: 151-159
- Pavia, L. D., Lampman, M. G., Kris, S. G. & Vyvyan, R. J. 2009. Introduction To Spectroscopy. Fourth Edition. *Brooks/Cole Cengage Learning*.
- Peltola, H., Ukkonen, P., Saxen, H., and Stab, H. 1998. Single-dose and Steady state Pharmacokinetics of a New Oral Suspension of Ciprofloxacin in Children. *Pediatrics*, pp.658-662.
- Picker, K. M. 1999. The use of carrageenan in mixture with microcrystalline cellulose and its functionality for making tablets. *European Journal of Pharmaceutics and Biopharmaceutics* 48. Page : 27–36.

- Ramteke KH, Jadhav VB, Dhole SN .2012. Microspheres: as carriers used for novel drug delivery system. *J Pharm* 2(4): 44-48.
- Rao, D.S., Reddy S.H., Ramu, S., Rambabu, E., 2014. Preparation and Evaluation of Mucoadhesive Microspheres of Simvastatin by Ionic Gelation Technique. *American Journal of Advanced Drug Delivery*
- Rees, D. A.1963. The carrageenan system of polysaccharides. Part 1. The relation between the kappa- and lambda-components. *Journal of the Chemical Society*, 18, 21-32.
- Rochas, C., Rinaudo, M., & Landry, S. 1989. Relation between the Molecular Structure and mechanical Properties of Carrageenan Gels. *Carbohydrate Polymer*, 10, 115-127.
- Rondianto. 2016. Effective Cough And Deep Breath Decreases The Colonization Of Staphylococcus Aureus In Secret Of Post Surgery Patients With General Aenesthesia In Soebandi Jember Hospital. Jember. *NurseLine Journal Vol. 1 No. 1* Mei 2016 ISSN 2540-7937.
- Rowe, R., Sheskey, P. and Owen, S. 2009. Handbook of pharmaceutical excipients.6thed.London:*Pharmaceutical Press*.p.89,159,278,418,478,515,517
- Running, C. A., Falshaw, R., & Janaswamy, S. 2012. Trivalent iron induced gelation in lambda-carrageenan. *Carbohydrate Polymers*, 87, 2735–2739
- Sahoo, S., Chakraborti, C. K., Mishra, S. C., Nanda, U. N., & Naik, S. (2011). FTIR and XRD Investigations of Some Fluoroquinolones. *International Journal of Pharmacy and Pharmaceutical Sciences*. Vol. 3(3). P.165-170.
- Sahil , Kataria., Akanksha, Middha., Premjeet , Sandhu., Bilandi, Ajay., and Kapoor , Bhawana. 2011. Microsphere: A Review .College of Technical Education, *Institute of Pharmaceutical Sciences and Drug Research, Sri Ganganagar, Rajasthan*, India.

- Sander C, Madsen KD, Hyrup B, Nielsen HM, Rantanen J, Jacobsen J.2013. Characterization of spray dried bioadhesive metformin microparticles for oromucosal administration. *Eur J Pharm Biopharm.* 2013;85(3 Pt A): 682–688.
- S.D. Allison, A. Dong, J.F. Carpenter. 1996. Counteracting effects of thiocyanate and sucrose on chymotrypsinogen secondary structure and aggregation during freezing, drying and rehydration, *Biophys. J.* 71 (1996) 2022–2032.
- S.D. Allison, T.W. Randolph, M.C. Manning, K. Middleton, A. Davis, J.F. Carpenter. 1998. Effects of drying methods and additives on structure And function of actin: mechanisms of dehydrationinduced damage and its inhibition, *Arch. Biochem. Biophys.* 358 (1998) 171–181
- S. Keppeler.2009. Cross-linked carrageenan beads for controlled release delivery systems. *Carbohydrate Polymers* 78 (2009) 973–977.
- Shan L, Tao, E.X., Meng, Q.H.M Hou, W. X., Liu, K., Shang , H.C., Tang, J.B., and Zhang, ,F. 2016. Formulation, optimization, and pharmacodynamic evaluation of chitosan/phospholipid/ β -cyclodextrin microspheres. *Drug Design, Development and Terapy*, Vol. 10, p. 417-419
- Shaikh, Hina Kouser., Kshirsagar, R.V., Patil, P.S.G. 2015. Mathematical Models for Drug Release Characterization: A Review. *World Journal of Pharmacy and Pharmaceutical Sciences.* Volume 4, Issue 04, 324-338
- Singh, Pawan dan Kumar, Prevesh. 2016. A Review On Recent Advancement In The Method of Preparation of Nenoparticles For The Antimicrobial Broad Spectrum. *World Journal of Pharmacy and Pharmaceutical Sciences Vol. 5 Issue 7.* pp. 351-374
- Stoloff, L.1959. Carrageenan In: Whistler, R.I., (Eds.). *Industrial Gums. Academic press*, New York.

- Snoeren, T. H. M. 1976. Kappa-carrageenan. A study of its physico-chemical properties, sol-gel transition and interactions with milk, *PhD Thesis*, The Netherlands, Wageningen.
- Takada, S., Y. Uda, H., Toguchi, and Y. Ogawa.1995. Application of a spray drying technique in the production of TRH-containing injectable sustained-release microparticles of biodegradable polymers. *PDA J. Pharm. Sci. Technol.* 49: 180-184.
- Tari, O., & Pekcan, O. 2010. Comparison of cation effects on phase transitions of kappa and iota carrageenan. *e-Polymers* 2010, no. 083
- Thomasin, C., B. Gander, and H. P. Merkle.1993.Coacervation of biodegradable polyesters for microencapsulation physicochemical approach. *Proc. Int. Symp. Controlled Release Bioact. Mater.*, July 25-30. Washington D.C., USA
- Thirawong, N., Nunthanid, J., Puttipipatkachorn, S., dan Sriamornsak, P., Mucoadhesive properties of various pectins on gastrointestinal mucosa: An in vitro evaluation using texture analyzer. *European Journal of Pharmaceutics and Biopharmaceutics* 67 (2007) 132–140.
- Trivedi, P., Verma,L,M & Garud, N. 2008. Preparation and Characterization of Aceclofenac Microspheres. *Asian Journal of Pharmaceutics*. Vol. 2 (2). p.100-115.
- W. Abdelwahed, G. Degobert, H. Fessi.2006. Investigation of nanocapsules stabilization by amorphous excipients during freeze-drying and storage, *Eur. J. Pharm. Biopharm.*(2006) 87–94.
- Wang, L, Liu., Zhang, W., Chen, X., Yang, T., ang Ma, G.2013. Microspheres and mikrokapsules for protein delivery : Strategies Drug Activity Retention 2013.*Current Pharmaceutical Design*, Vol 19, p 6340-6342.
- White S, Bennett DB, Cheu S, et al.2005. EXUBERA: pharmaceutical development of a novel product for pulmonary delivery of insulin. *Diabetes Technol Ther* 7:896–906.

- Wichelhaus, T. A., B. Boëddinghaus, S. Besier, V. Schäfer, V. Brade, and A. Ludwig. 2002. Biological cost of rifampin resistance from the perspective of *Staphylococcus aureus*. *Antimicrob. Agents Chemother.* 46:3381–3385
- Wise (ed.). Handbook of Pharmaceutical Controlled Release Technology. Marcel Dekker, Inc., New York, USA.
- Yeo, Yoon., Baek, Nimjan. & Kinam, P., 2001. Microencapsulation Methods for delivery of protein drugs. *Biotechnol. Bioprocess Engineering*, Vol. 6 No. 4, p.213-230
- Zhou, G., Sun, Y., Xin, H., Zhang, Y., Li, Z., & Xu, Z. 2004. In vivo antitumor and immunomodulation activities of different molecular weight lambda-carrageenans from *Chondrus ocellatus* *Pharmacological Research*, 50, 47–53.
- Zuidam, N. J. and E. Shimoni. 2010. Overview of Microencapsulated for Use in Food Product or processes and Methods to Make Them. *e-Polymers*.