

DAFTAR PUSTAKA

- Ai, X., Zhong, L., Niu, H. & He, Z., 2014. Thin-film hydration preparation method and stability test of DOX-loaded disulfide-linked polyethylene glycol 5000-lysine-di-tocopherol succinate nanomicelles. *Asian Journal Of Pharmaceutical Sciences*, 9(5), pp. 244-250.
- Al-Achi, A. & Lawrence, J., 2013. Micelles: Chemotherapeutic Drug Delivery. *Clinical Pharmacology & Biopharmaceutics*, 2(2).
- Arzenšek, D., 2010. *Dynamic light scattering and application to proteins in solutions*. Slovenia: University Ljubljana Faculty of Mathematics and Physics Departement of Physics .
- Batrakova, E. et al., 1999. Fundamental Relationships Between the Composition of Pluronic Block Copolymers and Their Hypersensitization Effect in MDR Cancer Cells. *Pharmaceutical Research*, 16(9), pp. 1373-1379.
- Batrakova, E. V., Bronich, T. K., Vetro, J. A. & Kabanov, A. V., 2006. Polymer Micelles as Drug Carriers. Dalam: V. P. Torchilin, penyunt. *Nanoparticulates as Drug Carriers*. USA: Imperial College Press, pp. 57-93.
- Bodratti, A. M. & Alexandridis, P., 2018. Formulation of Poloxamers for Drug Delivery. *Journal of Functional Biomaterials*, 9(11), pp. 1-24.
- Butt, H., Graf, K. & Kappl, M., 2003. *Surfactants, micelles, emulsions, and foams*. Weinheim: WILEY-VCH Verlag GmbH & Co.
- Cao, X. et al., 2016. Diblock- and triblock-copolymer based mixed micelles with high tumor penetration in vitro and in vivo. *Journal of Materials Chemistry B*, Volume 4, pp. 3216-3244
- Chakraborty, T., Chakraborty, I. & Ghosh, S., 2011. The methods of determination of critical micellar concentrations of the amphiphilic systems in aqueous medium. *Arabian Journal of Chemistry*, Volume 4, pp. 265-270.
- Chen, L. et al., 2013. Pluronic P105/F127 mixed micelles for the delivery of docetaxel against Taxol-resistant non-small cell lung cancer: optimization and in vitro, in vivo evaluation. *International Journal of Nanomedicine*, Volume 8, pp 73-84.

- Cholkar, K., Pate, A., Vadlapudi, A. D. & Mitra, A. K., 2012. Novel Nanomicellar Formulation Approaches for Anterior and Posterior Segment Ocular Drug Delivery. *Recent Patents on Nanomedicine*, 2(1).
- De Souza, V. T. et al., 2015 . Characterization of the antioxidant activity of aglycone and glycosylated derivatives of hesperetin: an in vitro and in vivo study. *Journal of Molecular Recognition* , Volume 29, pp. 80-87.
- Elzoghby, A. O., Helmy, M. W., Samy, W. M. & Elgindy, N. A., 2013. Spray-dried casein-based micelles as a vehicle for solubilization and controlled delivery of flutamide: Formulation, characterization, and in vivo pharmacokinetics. *European Journal of Pharmaceutics and Biopharmaceutics*, 84(3), pp. 487-496.
- Fathi, M., Varshozas, J. & Mohebbi, M., 2013. Hesperetin-loaded solid lipid nanoparticle and nanostructure lipid carriers for food fortification: preparation, characterization, and modelling. *Food Bioprocess*, Volume 6, pp. 1464-1475.
- Fugmann, B., Lang-Fugmann, S. & Steglich, W., 2000. *RÖMPP Encyclopedia Natural Products*. 1st penyunt. New York: Georg Thieme Verlag Stuttgart.
- Gao, Y., Li, L. B. & Zhai, G., 2008. Preparation and characterization of Pluronic/TPGS mixed micelles for solubilization of camptothecin. *Colloids and Surfaces B: Biointerfaces*, Volume 64, p. 194–199.
- Gardner, J. M., Abrahamsson, M., Farnum, B. H. & Meyer, G. J., 2009. Visible Light Generation of Iodine Atoms and I-I Bonds: Sensitized I-Oxidation and I₃ Photodissociation. *Journal American Chemical Society*, Volume 131, p. 16206–16214.
- Guo, Y. et al., 2013. The applications of Vitamin 1 E TPGS in drug delivery. *European Journal of Pharmaceutical Sciences*.
- Gu, S.-f.et al., 2018. Enhanced water solubility, antioxidant activity, and oral absorption of hesperetin by d-alpha tocopheryl polyethylene glycol 1000 succinate and phosphatidylcholine. *Journal of Zhejiang University-Science B (Biomedicine & Biotechnology)*.

- Hanafy, N. A. N., El-Kemary, M. & Leporatti, S., 2018. Micelles Structure Development as a Strategy to Improve Smart Cancer Therapy. *Cancers*, 10(7), pp. 238-252.
- Hasanuddin, H. M. M. S. M. & T. M., 2014. Micellization of d- α -tocopheryl polyethylene glycol 1000 succinate (TPGS 1000): Thermodynamics and related Solute solvent interactions.. *Oriental Journal of Chemistry*, 30(3), pp. 1119-1123.
- Jadhav, P., Bothiraja, C. & Pawar, A., 2016. Resveratrol-piperine loaded mixed micelles: formulation, characterization, bioavailability, safety and in vitro anticancer activity. *RSC Advances*, 6(114), p. 112795–112805 .
- Kanaze, F., MI Bounartzi, M. G. & Niopas, I., 2007. Pharmacokinetics of the citrus flavanone aglycones hesperetin and naringenin after single oral administration in human subjects. *European Journal of Clinical Nutrition*, Volume 61, p. 472–477.
- Kim, H.-J.et al., 2010. Comparison of Hesperetin and Its Metabolites for Cholesterol-Lowering and Antioxidative Efficacy in Hypercholesterolemic Hamsters. *Journal of Medicinal Food*, 13(4), pp. 808-814.
- Kulthe, S. et al., 2011. Mixed micelle formation with hydrophobic and hydrophilic Pluronic block copolymers: Implications for controlled and targeted drug delivery. *Colloids and Surfaces B: Biointerfaces*, Volume 88, pp. 691-696.
- Lahmer, N., Belboukhari, N., Cheriti, A. & Sekkoum, K., 2015. Hesperidin and hesperetin preparation and purification from Citrus sinensis peels. *Der Pharma Chemica*, 7(2), pp. 1-4.
- Liu, L. & Chen, J., 2008. Solubility of Hesperetin in Various Solvents from (288.2 to 323.2) K. *Journal of Chemical & Engineering Data*, 53(7), p. 1649–1650 .
- Londoño-Londoño, J., De Lima, V. R., Jaramillo, C. & Creczynski-pasa, T., 2010. Hesperidin and hesperetin membrane interaction: Understanding the role of 7-O-glycoside moiety in flavonoids. *Archives of Biochemistry and Biophysics*, Volume 499, pp. 6-16.
- Maya, W., Mayur, K. & Ashar, S., 2012. Pharmaceutical Profile of Alpha-Tocopherol – A Brief Review. *International Journal Of Pharmaceutical And Chemical Sciences*, 1(3), pp. 1023-1038.

- Meiyanto, E., Hermawan, A. & Anindyajati, 2012. Natural Products for Cancer-Targeted Therapy: Citrus Flavonoids as Potent Chemopreventive Agents. *Asian Pacific Journal of Cancer Prevention*, 13(2), pp. 427-436.
- Mu, L., Elbayoumi, T. A. & Torchilin, V. P., 2005. *International Journal of Pharmaceutics*, 306(1-2), pp. 142-149.
- Muthu, M. S., Avinash Kulkarni, S., Liu, Y. & Feng, S.-S., 2012. Development of docetaxel-loaded vitamin E TPGS micelles: formulation optimization, effects on brain cancer cells and biodistribution in rats. *Nanomedicine*, 7(3), pp. 353-364.
- Myers, D., 2006 . *Surfactant Science and Technology*. 3rd penyunt. New Jersey : John Wiley & Sons, Inc.
- Owen, S. C., Chan, D. P. & Shoicheta, M. S., 2012. Polymeric micelle stability. *Nano Today*, Volume 7, pp. 53-65.
- Pandey, P. et al., 2013. Processing challenges with solid dosage formulations containing vitamin E TPGS. *Pharmaceutical Development and Technology* , 18(1), pp. 296-304.
- Parhiz, H. et al., 2014. Antioxidant and Anti-Inflammatory Properties of the Citrus Flavonoids Hesperidin and Hesperetin: An Updated Review of their Molecular Mechanisms and Experimental Models. *Phytotherapy Research*.
- Paterson, L. F., Chowdry, B. Z. & Leharne, S. A., 1997. Poloxamer. Dalam: P. N. Cheremisinoff, penyunt. *Handbook of Engineering Polymeric Material* . New york: Marcel Dekker, Inc, pp. 765-774.
- Pham, C. V. & Cho, C.-W., 2017. Application of D- α -tocopheryl polyethylene glycol 1000 succinate (TPGS) in transdermal and topical drug delivery systems (TDDS). *Journal of Pharmaceutical Investigation* , 47(2), pp. 211-221.
- Priya, L. B., Baskaran, R. & Padma, V. V., 2017. Phytanoconjugates In Oral Medicine. *Nanostructures for Oral Medicine*, Volume 21, pp. 639-668.
- Rajeshwar, B. R. et al., 2011. Polymeric Micelles: A Nanoscience Technology. *Indo American Journal of Pharmaceutical Research*, 1(4), pp. 351-363.

- Roohbakhsh, A. et al., 2014. Neuropharmacological properties and pharmacokinetics of the citrus flavonoids hesperidin and hesperetin — A mini-review. *Life Sciences*, 113(1-2), pp. 1-6.
- Rosen, M. J., 2004. *Surfactants And Interfacial Phenomena*. 3rd penyunt. New York: A John Wiley & Sons, Inc.
- Rowe, R. C., Sheskey, P. J. & Quinn, M. E., 2009. *Handbook of Pharmaceutical Exipients*. 6th penyunt. London : Pharmaceutical Press.
- Sakho, E. H. M. et al., 2017. Dynamic Light Scattering (DLS). Dalam: S. Thomas, R. Thomas, A. K. Zachariah & R. K. Mishra, penyunt. *Thermal and Rheological Measurement Techniques for Nanomaterials Characterization*. Amsterdam: Elsevier Inc, pp. 37-49.
- Sassa-deepaeng, T., Pikulkaew, S. & Okonogi, S., 2016. Development of chrysin loaded poloxamer micelles and toxicity evaluation in fish embryos. *Drug Discoveries & Therapeutics*, 10(3), pp. 150-155.
- Savjani, K. T., Gajjar, A. K. & Savjani, J. K., 2012. Drug Solubility: Importance and Enhancement Techniques. *International Scholarly Research Network*, pp. 1-10.
- Saxena, V. & Hussain, M. D., 2012. Poloxamer 407/TPGS mixed micelles for delivery of gambogic acid to breast and multidrug-resistant cancer. *International Journal of Nanomedicine*, Volume 7, pp. 713-721.
- Shete, G. et al., 2015 . Oral Bioavailability and Pharmacodynamic Activity of Hesperetin Nanocrystals Generated Using a Novel Bottom-up Technology. *Molecular Pharmaceutics* , 12(4), pp. 1158-1170.
- Singla, P. et al., 2018. Sodium deoxycholate mediated enhanced solubilization and stability of hydrophobic drug Clozapine in pluronic micelles. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectro*, Volume 191, pp. 143-154.
- Sinko, P. J., 2006 . *Martin's physical pharmacy and pharmaceutical sciences : physical chemical and biopharmaceutical principles in the pharmaceutical sciences*. 6th penyunt. Philadelphia: Lippincott Williams & Wilkins, a Wolters Kluwer business.

- Sobczyński, J. & Chudzik-Rząd, B., 2018. Mixed micelles as drug delivery nanocarriers. Dalam: A. M. Grumezescu, penyunt. ***Design and Development of New Nanocarriers***. Oxford: Elsevier Inc, p. 331–364.
- Song, Y., Tian, Q., Huang, Z., Fan, D., She, Z., Liu, X., 2014. Self-assembled micelles of novel amphiphilic copolymer cholesterol-coupled F68 containing cabazitaxel as a drug delivery system. ***International Journal of Nanomedicine***, (9). pp 2307-2317.
- Srirangama, R. & Majumdar, S., 2010. Passive asymmetric transport of hesperetin across isolated rabbit cornea. ***International Journal of Pharmaceutics***, 394(1-2), pp. 60-67.
- Stanistic, D. et al., 2018. Anticancer Activities of Hesperidin and Hesperetin In vivo and their Potentiality against Bladder Cancer. ***Journal of Nanomedical and Nanotechnology***, 9(5), pp. 1-6.
- Su, Y.-l., Wang, J. & Liu, H.-z., 2002. FTIR Spectroscopic Study on Effects of Temperature and Polymer Composition on the Structural Properties of PEO-PPO-PEO Block Copolymer Micelles. ***Langmuir***, 18(14), pp. 5370-5374.
- Tan, S. et al., 2017. Recent developments in D- α -tocopheryl polyethylene glycol-succinate-based nanomedicine for cancer therapy. ***Drug Delivery***, 24(1), pp. 1831-1824.
- Uchegbu, I. F., Schätzlein, A. G., Cheng, W. P. & Lalatsa, A., 2013. ***Fundamentals of Pharmaceutical Nanoscience***. New York: Springer Science Business Media.
- Wang, F. et al., 2013. Selective tissue distribution and long circulation endowed by paclitaxel loaded PEGylated poly(-caprolactone-co-lactide) micelles leading to improved anti-tumor effects and low systematic toxicity. ***International Journal of Pharmaceutics***, 456(1), pp. 101-112.
- Wang, S., Ye, F., Wei, F. & Zhao, G., 2016. Spray-drying of curcumin-loaded octenylsuccinated corn dextrin micelles stabilized with maltodextrin. ***Powder Technology***.
- Wang, Y., Li, Y., Zhang, L. & Fang, X., 2008. Pharmacokinetics and Biodistribution of Paclitaxel-loaded Pluronic P105 Polymeric Micelles. ***Archives of Pharmacal Research***, 31(4), pp. 530-538.

- Xu, W., Ling, P. & Zhang, T., 2013. Polymeric Micelles, a Promising Drug Delivery System to Enhance Bioavailability of Poorly Water-Soluble Drugs. *Journal of Drug Delivery*, pp. 1-15.
- Yang, L.-J. et al., 2016. Host–guest system of hesperetin and β -cyclodextrin or its derivatives: Preparation, characterization, inclusion mode, solubilization and stability. *Materials Science and Engineering C*, Volume 59, pp. 1016-1024.
- Zhang, Z. et al., 2015. D- α -tocopherol polyethylene glycol succinate-based derivative nanoparticles as a novel carrier for paclitaxel delivery. *International Journal of Nanomedicine*, Volume 10, p. 5219–5235.
- Zheng, Y. et al., 2013. Surface modification of TPGS-b-(PCL-ran-PGA) nanoparticles with polyethyleneimine as a co-delivery system of TRAIL and endostatin for cervical cancer gene therapy. *Nanoscale Research Letters*, 8(161), pp. 1-12.