

DAFTAR PUSTAKA

- Adikusumo, I., Ameliana, L. and Nurahmanto, D., 2015. Optimasi Polimer Hidroksipropil Metilselulosa K-4M dan Carbopol 940 pada Sediaan Patch Dispersi Padat Meloksikam (Optimization of Hydroxypropyl Methylcellulose K-4M and Carbopol 940 as Polymer in Solid Dispersion Meloxicam Patch), 3(3), pp. 436–442.
- Ah, Y.C., Choi, J.K., Choi, Y.K., Ki, H.M. and Bae, J.H., 2010. A novel transdermal patch incorporating meloxicam: In vitro and in vivo characterization. *International Journal of Pharmaceutics*, 385(1–2), pp. 12–19.
- Ahad, A., Raish, M., Al-Mohizea, A.M., Al-Jenoobi, F.I. and Alam, M.A., 2014. Enhanced anti-inflammatory activity of carbopol loaded meloxicam nanoethosomes gel. *International Journal of Biological Macromolecules*, 67, pp. 99–104.
- Albanna, M.Z. and Holmes, J.H., 2016. *Skin Tissue Engineering and Regenerative Medicine*.
- Allen, L.V. and Ansel, H.C., 2014. Section II. Drug dosage form and drug delivery system design. Chapter 4. Dosage form design: Pharmaceutical and formulation consideration. *In Ansel's Pharmaceutical Dosage Forms and Drug Delivery Systems*. 10th Ed, pp. 70-81.
- Ali, S., Shabbir, M. and Shahid, N., 2015. The structure of skin and transdermal drug delivery system: A review. *Research Journal of Pharmacy and Technology*, 8(2), p. 103.
- Ardelean, E., Nicu, R. (Parpalea), Asandei, D. and Bobu, E., 2009. Carboxymethyl-chitosan as consolidation agent for old documents on paper support. *European Journal of Science and Theology*, 5(4), pp. 67-75.
- Arunachalam, A., Karthikryan, M., Kumar, V., Prathap, M., Sethuraman, S., Ashutoshkumar, S. and Manidipa, S., 2010. Transdermal drug delivery system: A review. *Current Pharma Research*, 3 (4), pp. 70-81.

- Baker, W.L., 2017. *NSAIDs and Cardiovascular Toxicity*. 3rd Ed, Vol. 13–15, Elsevier.
- Bathe, R. and Kapoor, R., 2015. Transdermal drug delivery Systems: Formulation, development and evaluation-An overview. *International Journal of Biomedical and Advance Research*, 6(1), pp. 1-10.
- Bautista-Baños, S., Romanazzi, G. and Jiménez-Aparicio, A., 2016. *Chitosan in the Preservation of Agricultural Commodities*.
- Bolzinger, M.A., Briançon, S., Pelletier, J. and Chevalier, Y., 2012. Penetration of drugs through skin, a complex rate-controlling membrane. *Current Opinion in Colloid and Interface Science*, 17(3), pp. 156–165.
- Brogly, M., Fahs, A. and Bistac, S., 2016. Determination of the chemical structure of cellulose- based biopolymers. *ARPN Journal of Engineering and Applied Sciences*, 11(11), pp. 7188–7192.
- Cantor, A.S. and Wirtanen, D.J., 2002. Novel acrylate adhesives for transdermal drug delivery. *Pharmaceutical Technology*, pp. 28-38.
- Chen, X.G., Wang, Z., Liu, W.S. and Park, H.J., 2002. The effect of carboxymethyl-chitosan on proliferation and collagen secretion of normal and keloid skin fibroblasts. *Biomaterials*, 23(23), pp. 4609–4614.
- Chen, Y., Quan, P., Liu, X., Wang, M. and Fang, L., 2014. Novel chemical permeation Enhancer for transdermal drug delivery. *Asian Journal of Pharmaceutical Sciences*, 9(2), pp. 51–64.
- Chen, J. and Gao, Y., 2016. Strategies for meloxicam delivery to and across the skin: A review. *Drug Delivery*, 23(8), pp. 3146-3156.
- Departemen Kesehatan RI., 2014. *Farmakope Indonesia*. 5th Ed, Jakarta: Departemen Kesehatan Republik Indonesia, p. 811.
- Departemen Kesehatan RI., 2006. *Pharmaceutical Care untuk Pasien Penyakit Arthritis Rematik*. Direktorat Bina Farmasi Komunitas dan Klinik, Ditjen Bina Kefarmasian dan Alat Kesehatan Departemen Kesehatan Republik Indonesia.

- Diaf, K., El Bahri, Z., Chafi, N., Belarbi, L. and Mesli, A., 2012. Ethylcellulose, polycaprolactone and eudragit matrices for controlled release of piroxicam from tablets and microspheres. *Chemical Papers*, 66(8) pp. 779-786.
- Esuendale, D. and Gabriel, T., 2016. Cellulosic on transdermal drug delivery system: A review. *Journal of Drug Delivery and Therapeutics*, 6(5), pp. 57-64.
- Enayatifard R, Saeedi M, Akbari J, H. and Tabatabaee Y., 2009. Effect of hydroxypropyl methylcellulose and ethyl cellulose content on release profile and kinetics of diltiazem hcl from matrices. *Tropical Journal of Pharmaceutical Research*, 8(5), pp. 425–432.
- Fangrut, Sbastian. Anatomy Skin Stratum Skin Structure Of Skin Epidermis Dermis Hypodermis. Diakses dari <http://readersclubdelhi.com/anatomy-skin-stratum/anatomy-skin-stratum-skin-structure-of-skin-epidermis-dermis-hypodermis/>, pada tanggal 10 November 2018.
- Fessenden, R.J. and Fessenden, J.S. eds. 1984. *Kimia Organik II*. Diterjemahkan oleh Pudjaatmaka, A.H., Jakarta : Erlangga.
- FitzGerald G.A. and Patrono, C., 2001. The coxibs, selective inhibitors of cyclooxygenase-2. *New England Journal of Medicine*, 345 pp. 433–442.
- Fridayanti, A., Hendradi, E. and Isnaeni., 2011. The release of sodium diclofenac from matrix type of transdermal patch. *Journal of Tropical Pharmacy and Chemistry*, 1(2), pp. 76-82.
- Greiderer, A., Steeneken, L., Aalbers, T., Vivó-Truyols, G. and Schoenmakers, P., 2011. Characterization of hydroxypropylmethylcellulose (HPMC) using comprehensive two-dimensional liquid chromatography. *Journal of Chromatography A*, 1218, pp. 5787–5793.

- Grosser, T., Smith E.M. and FitzGerald, G.A., 2001. Anti-inflammatory, antipyretic and analgesic agents; pharmacotherapy of gout. In Brunton LL, Chabner BA, Knollmann BC, editors: *Goodman and Gilman's the pharmacological basis of therapeutics*. 12th Ed, New York, 2011. McGraw-Hill Medical Publishing Division, pp. 959–1004.
- Gunawan, S.G., Nafrialdi, R.S. and Elysabeth., 2012. *Farmakologi dan Terapi*. Fifth Ed, Jakarta: Balai Penerbit FKUI.
- Hansen, K.E., and Elliot, M.E., 2005. *Osteoarthritis*, Pharmacotherapy, A Pathophysiological Approach, McGraw-Hill.
- Hamblin, M. R., Avci, P. and Prow, T. W., 2016. *Nanoscience in Dermatology*. Academic Press, pp. 1-14.
- Hascicek, C., Bediz-Olcer, A. and Gonul, N., 2009, Preparation and evaluation of different gel formulations for transdermal delivery of meloxicam. *Turkish Journal of Pharmaceutical Sciences*, 6(3), pp. 177–185.
- Hendradi, E., Isnaeni, Fridayanti A. and Pujiyanti, E., 2011. Optimasi sediaan transdermal patch natrium diklofenak tipe matriks. *Jurnal Farmasi Indonesia*, 5(3), pp. 109-116.
- Hendradi, E., Miatmoko, A., Erawati, T., Maharani, E. and Wahdah., K., 2018. The effect of sodium alginate, hydroxy propyl methylcelullose (E15) and ethyl cellulose (N22) as carriers on physicochemical characteristics of meloxicam patch. *The International Conference on Applied Pharmaceutical Sciences (ICoAPS)*. Faculty of Pharmacy, Universitas Airlangga, Indonesia.
- Hersh, E. V. and Dionne, R.A., 2016. *Nonopioid Analgesics*. 7th Ed, Elsevier.
- Iqbal, F.M., Ahmad, M. and Rashid, A., 2016. Synthesis and in vitro characterization of hydroxypropyl methylcellulose-graft-poly(acrylic acid/2-acrylamido-2-methyl-1-propanesulfonic acid) polymeric network for controlled release of captopril. *Acta Poloniae Pharmaceutica - Drug Research*, 73(1), pp. 183–196.
- Issa, A.A., Marchidan, D., Cojocaru, V. and Anuta, V., 2013. Preparation and evaluation of meloxicam solid dispersion by melting method.

- Farmacia*, 61(6), pp. 1213-1232.
- Jantharaprapap, R. and Stagni, G., 2007. Effect of penetration enhancer on in vitro permeability of meloxicam gels. *International Journal of Pharmaceutics*, 343, pp. 26–33.
- Jaydatt, J. and Sreenivas, S.A., 2013. Formulation and invitro evaluation of drug reservoir transdermal patches of piroxicam using polymers HPMC E15, PVP K30 and eudragit 1100. *International Journal of Pharmaceutical Innovations*, 3(5), pp. 67–80.
- Kamatou, G.P.P., Vermaak, I., Viljoen, A.M. and Lawrence, B.M., 2013. Menthol: A simple monoterpenoid with remarkable biological properties. *Phytochemistry*, 96, pp. 15–25.
- Kandavilli, S., Nair, V. and Panchagnula, R., 2002. Polymers in transdermal drug delivery systems. *pharmaceutical technology*, (May).
- Kathe, K. and Kathpalia, H., 2017. Film forming systems for topical and transdermal drug delivery. *Asian Journal of Pharmaceutical Sciences*, 12(6), pp. 487–497.
- Katzung, B.G., 2018. *Basic and Clinical Pharmacology Fourteenth Edition*.
- Kumar, J. A., Pullakandam, N., Prabu, S.L. and Gopal, V., 2010. Transdermal drug delivery system: An overview. *International Journal of Pharmaceutical Sciences Review and Research*, 3(2), pp. 49-54.
- Kumar, V.S., Niranjan S.K., Irchhaiya R. Neeraj., K. and Ali, A., 2012. A novel transdermal drug delivery system. *International Research Journal of Pharmacy*, 3(8), pp. 39-44.
- Kumar, S.V., Tarun, P. and Kumar, T.A., 2013. PHARMACEUTICAL Transdermal drug delivery system for non-steroidal anti inflammatory drugs: A review. *Indo American Journal of Pharmaceutical Research*, 3(5), pp. 3588-3605.
- Kurniasih, M., Kartika, D. and Riyanti, 2016. Optimasi kondisi adsorpsi kolesterol menggunakan karbosimetil kitosan. *Molekul*, 11(1), pp. 112-124.

- Murtaza, G., 2012. Ethylcellulose microparticles: A review. *Acta Poloniae Pharmaceutica-Drug Research*, 69(1), pp. 11–22.
- Namdeo, A., Garud, N. and Garud, A., 2012. Development and Evaluation of Transdermal Patches of Quetiapine fumarate for the treatment of psychosis. *International Journal of Drug Deliver*, 4(4), pp. 470-476.
- Okyar, A., Güngör, S. and Ozsoy, Y., 2012. Novel Formulation Approaches for Dermal and Transdermal Delivery of Non-Steroidal Anti-Inflammatory Drugs, Rheumatoid Arthritis-Treatment, Dr. Andrew Lemmey. Europe: *Intechopen*.
- Pandey, S., Badola, A., Bhatt, G. K. and Kothiyal, P., 2013. An overview on transdermal drug delivery system. *International Journal of Pharmaceutical and Chemical Sciences*, 2(3), pp. 1171-1180.
- Patel, S., Shah, N., Nagesh, C., Venkatesh, J.S., Shankraiah, M., 2011. Formulation and evaluation of transdermal patches of losartan potassium. *Pharmacologyonline*, 2, pp. 20-57.
- Patel, D., Chaudhary, S.A., Parmar, B. and Bhura, N., 2012. THE PHARMA INNOVATION Transdermal Drug Delivery System: A Review, 1(4).
- Periyasamy, P.C., Leijten, J. CH., Dijkstra, P.J., Karperien, M., and Post, J., 2012. Nanomaterials for the Local and Targeted Delivery of Osteoarthritis Drugs. *Journal of Nanomaterials*, 6 (1).
- Pham, Q.D., Björklund, S., Engblom, J., Topgaard, D. and Sparr, E., 2016. Chemical penetration Enhancer in stratum corneum - Relation between molecular effects and barrier function. *Journal of Controlled Release*, 232(April), pp. 175–187.
- Pramestheie, M.I.R., Ameliana, L. and Wisudyaningsih, B., 2014. Pengaruh komposisi hidroksi propil metil selulosa K-15 dan etil selulosa N-22 terhadap prosentase kelembapan air dan pelepasan meloksikam dari sediaan plester. *e-Jurnal Pustaka Kesehatan*, 2(1), pp. 175-178.
- PubChem Compound Database. National Center for Biotechnology Information. Diakses dari <https://pubchem.ncbi.nlm.nih.gov>. pada tanggal 11 November 2018.

- Quarantino, D., Romano, A., Di Fonso, M., Papa, G., Perrone, M.R., D'Ambrosio, F.P. and Venuti, A., 2000. Tolerability of Meloxicam in Patients with Histories of Adverse Reactions to Nonsteroidal Anti-Inflammatory Drugs. *Annals of Allergy, Asthma and Immunology*, 84, pp. 613-6177.
- Rastogi, V. and Yadav, P., 2012. Transdermal drug delivery system: An overview. *Asian Journal of Pharmaceutics*, 6(3).
- Revanthi, S. and Dhanaraju, M.D., 2016 Fabrication and evaluation of matrix diffusion controlled transdermal patch of zidovudine. *Der Pharmacia Lettre*, 8(6).
- Riantiny, A.I.K.E., 2018. Efek kombinasi rasio polimer hidrofilik terhadap karakteristik fisik dan kimia meloksikam tipe matriks. *Skripsi*. Fakultas Farmasi, Universitas Airlangga.
- Rowe, R.C., Sheskey, P.L. and Owen, S.C., 2009. *Handbook of Pharmaceutical Excipient*. 6th Ed, London: Pharmaceutical Press and American Pharmacist Association.
- Sachan, R. and Bajpai, M., 2013. Transdermal drug delivery: A review. *International Journal of Research and Development in Pharmacy and Life Sciences*, 3(1), pp. 748–765.
- Sarfraz, Md., Jayendra, R.A., Doddayya, H. and Udupi R.H., 2012. Trimetazidine hidroklorida transdermal patch: formulasi and in-vitro evaluasi. *International Research Journal of Pharmacy*, 3(7), pp. 178-182.
- Shabbir, M., Fazli, A.R., Ali, S., Raza, M., Sharif, A., Akhtar, M.F., Ahmed, S., Peerzada, S., Younas, N. and Manzoor, I., 2017. Effect of hydrophilic and hydrophobic polymer on *in vitro* dissolution and permeation of bisoprolol fumarate through transdermal patch. *Acta Poloniae Pharmaceutica - Drug Research*, 74(1), pp.187-197.
- Sharma, N., Agarwal, G., Rana, A.C. and Bhat, Z.A.L.I., 2011. A Review: Transdermal drug delivery system : A tool for novel drug delivery system. *International Journal of Drug Development and Research*, 3(3), pp. 70-84.

- Shirsand, S.B, Ladhane, G.M., Prathap, S. and Prakash P.V., 2012. Design and evaluation of matrix transdermal patches of meloxicam. *RGUHS Journal of Pharmaceutical Sciences*, 2 (4), pp. 58-65.
- Shivaraj, A., Panner, S., Tamiz, M. and Sivakumar T., 2010. Design and evaluation of transdermal drug delivery of ketotifen fumarate. *International Journal of Pharmaceutical and Biomedical Research*, 1(2), pp. 42-47.
- Skoog, Holler and Crouch., 2007. *Principles of Instrumental Analysis*. 6th Ed, Brooks/Cole, Thomson Learning.
- Smyth, E.M., Grosser, T. and FitzGerald G. A., 2011. Lipid-derived autacoids: eicosanoids and platelet-activating factor. In Brunton LL, Chabner BA, Knollmann BC, editors: *Goodman and Gilman's the pharmacological basis of therapeutics*. Ed. 12th, New York, McGraw-Hill Medical Publishing Division, pp. 937–958.
- Sorkhel, A.D. and Chaudhari, Y.S., 2015. Solubility enhancement study of poorly absorbable drugs. *World Jounal of Pharmaceutical research*, 5(3), pp. 933-964.
- Soujanya, C., Satya, B.L., Reddy, M.L., Manogna, K., Prakash, P.R. and Ramesh A., 2014. Formulation and in vitro and in vivo evaluation of transdermal patches of lornoxicam using natural permeation Enhancer. *International Journal of Pharmacy and Pharmaceutical Sciences*, 6(4), pp. 282-286.
- Subhashree, S., Kanti, C.C., Chandra, M.S. and Sharmistha, N., 2011. Qualitative analysis of controlled release of ofloxacin/HPMC mucoadhesive suspension, *International Journal of Drug Development and Research*, 3(2), pp. 217-232.
- Suseno, N., S.Padmawijaya, K., Wirana, W.J. and Julio, M., 2017. Pengaruh berat molekul kitosan terhadap kelarutan karboksimetil kitosan. *Seminar Nasional Polimer XI*, 6 September, Jakarta.
- Sweetman, S.C., 2009. *Martindale The Complete Drug Reference*. 36th Ed, London: The Pharmaceutical Press, p. 3709.

The Departement of Health., 2002. *British Pharmacopoeia*. London: The Stationery Office, 3.

Tomić, M., Micov, A., Pecikoza, U. and Stepanović-Petrović, R., 2017. *Clinical Uses of Nonsteroidal Anti-Inflammatory Drugs (NSAIDs) and Potential Benefits of NSAIDs Modified-Release Preparations, Microsized and Nanosized Carriers for Nonsteroidal Anti-Inflammatory Drugs: Formulation Challenges and Potential Benefits*. Academic Press, pp. 1–29.

Tzaneva, D., Simitchiev, A., Petkova, N., Nenov, V., Stoyanova, A. and Denev, P., 2017. Synthesis of carboxymethyl chitosan and its rheological behaviour in pharmaceutical and cosmetic emulsions. *Journal of Applied Pharmaceutical Science*, 7(10), pp. 70–78.

Ubaidulla, U., Reddy, M.V.S., Ruckmani, K., Ahmad F.J. and Khar, R.K., 2007. Transdermal therapeutic system of carvedilol : effect of hydrophilic and hydrophobic matrix on in vitro and in vivo characteristics. *Journal of The American Association of Pharmaceutical Scientists*, 8(1) pp. 1–8.

USP, 2012. *The United States Pharmacopeia*, 35th ed, Electronic Version, United States.

Utami, A.W., 2006. Pengaruh kadar metilselulosa 4000 CPS terhadap pelepasan natrium dikolfenak dalam sediaan lepas lambat dengan matriks etilselulosa 10 cps. *Skripsi*. Fakultas Farmasi, Universitas Airlangga.

Vaghani, S.S., M. Patel, M., S. Satish, C., M. Patel, K. and P. Jivani, N., 2012. Synthesis and Characterization of Carboxymethyl Chitosan Hydrogel: Application as pH-Sensitive Delivery for Nateglinide. *Current Drug Delivery*, 9(6), pp. 628–636.

Venus, M., Waterman, J. and McNab, I., 2011. Basic physiology of the skin. *Surgery*, 29(10), pp. 471–474.

Wells, B.G., Dipiro, J.T., Schwinghammer, T.L. and Dipiro, C.V., 2015. *Pharmacotherapy Handbook*, 9(1) p. 9.

Yang, Y., Bi, V. and Dürig, T., 2016. The impact of hydroxypropyl methylcellulose and methylcellulose molecular weight and degree of substitution on crystallization inhibition of felodipine in aqueous

media. *Pharmaceutical Technology Report*, pp. 1-5.

Zhang, H. YuetaoY., Dawei F., Yipen W., dan Son Q., 2011. Hypoglycemic properties of oxovanadium (IV) coordination compounds with carboxymethyl-carrageenan and carboxymethyl-chitosan alloxan-induced diabetic mice. *Evidence-Based Complementary and Alternative Medicine*.