

## DAFTAR PUSTAKA

- Adhinata, F.D., Suryani, E., Dirgahayu, P. 2016. Identification of parasit *Plasmodium sp.* on thin blood smears with rule-based method. *Jurnal ITSMart*, Vol. 5, No 1.
- Alfinda, N.K, Aminah, N.S., Tanjung, M., dan Kurniadi, B. 2008. *Buku Ajar Fitokimia*. Surabaya : Airlangga University Press.
- Andrenade-Neto, V.F., Brandao, M.G., Stehmann, J.R., Oliveira, R.A, dan Krettli, A.U. 2003. Antimalarial activity of Cinchona-like plants used to treat fever and malaria in Brazil. *J Ethnopharmacol*, Vol. 87, No 2-3, hal. 253-256.
- Azlin, E. 2004. Obat Anti Malaria. *Sari Pediatri*, Vol. 5, No. 4, hal. 150-154.
- Baldwin, J., Farajallah, A.M., Malmquist, N.A., Rathod, P.K., Phillips, M.A.. 2002. Malarial *dihydroorotate dehydrogenase*. *Journal of Biological Chemistry*.Vol 277, No. 4., Hal. 41827-41834
- Basuki, P.S., dan Darmowandowo, W. 2006. Malaria. Diakses dari <http://www.pediatrik.com.> , pada tanggal 20 Desember 2018.
- BPPT. 2007. Siklus parasit malaria. Situs Kedai Iptek-BPPT
- Deharo, E., Bourdy, G., Quenevo, C., Munoz, V., Ruiz, G., et al. 2001. A search for natural bioactive compounds in Bolivia through a multidisciplinary approach. Part V. Evaluation of the antimalarial activity of plants used by the Tacana Indians. *Journal Ethnopharmacol*, Vol. 77, No. 1, hal. 91-98.
- Departemen Kesehatan RI. 2006. *Kotranas*, hal 8. Jakarta : Depkes RI.
- Fidriany, I., Padmawinata, K., Soetarno, S., dan Yulinah, E.. 2003. Efek antihipertensi dan hipotensi dari beberapa fraksi dari ekstrak etanol umbi lapis kucai (*Allium schoenoprasum L.*, *Liliaceae*). *Departemen Farmasi Institut Teknologi Bandung*, Vol 8, No 4, hal 364.
- Fisher, N., Antoine, T., Ward, S.A., Biagini, G.A.. 2014. Mitocondrial electron transport chain of *Plasmodium*. *Encyclopedia of Malaria. DOI 10.1007/978-1-4614-8757-9\_12-1*
- Gardiner, D.L., MsCarthy, J.S., dan Trenhole K.R.. 2005. Malaria in the post genomic era: light ar end of the tunnel or just another train?. *Posgrad Med J*, Vol 81, hal. 505-509
- Good, M.F., dan Doolan, D.L. 2007. Malaria's journey through the lymph node. *Nat Med* ,Vol. 13, hal. 1023-1024.
- Hafid, A. F., Puliansari, N., Lestari, N. S., Tumewu, L, Rahman, A., et al. 2016. Skrining aktivitas antimalaria beberapa tanaman

- indonesia hasil eksplorasi dari Hutan Raya Cagar, Batu-Malang, Jawa Timur. *Jurnal Farmasi dan Ilmu Kefarmasian Indonesia*, Vol, 3, No. 1, hal. 6-11.
- Handa, Suman, S.S., Gennaro, P.S.K., dan Dev, D.R...2018. *Extraction Technologies for Medical and Aromatic Plants*. International Centre for Science and High Technology.
- Harbone J.. 1996. *Metode Fitokimia : Penuntun Cara Modern Menganalisis Tumbuhan, Cetakan kedua. Penerjemah: Padnawinata, K. Dan I Soediro*. ITB, Bandung
- Hartley, T.G.. 2001. On the taxonomy and biogeography of *Euodia* and *Melicope* (Rutaceae). *Allertonia*, Vol. 8, No.1. hal. 1-328.
- Hartuti, E.D., Inaoka D.K, Komatsuya, K., Miyazaki, Y. Miller, R.J., et all. 2017. Biochemical studies of membrane bound Plasmodium falciparum mitochondrial L-malate:Quinone oxidoreductase, a potential drug target. *BBA Bioenergetics*.
- Heyne, K.. 1987. *Tumbuhan Berguna Indonesia Jilid II*, Jakarta : Badan Penelitian dan pengembangan Kehutanan, Departemen Kesehatan Republik Indonesia.
- Inaoka, D.K.. 2017. Supression of experimental cerebral malaria by disrtuction of malat:quinone oxidoreductase. Doi 1186/s 12936-017-1989-5.
- Irmansyah, T.R.. 2011. Malaria dan Permasalahannya. *Jurnal Kedokteran Syiah Kuala*, Vol. 11, No. 2.
- Isma, M.L.. 2017. Uji aktivitas fraksi aktif ekstrak kulit batang *Garcinia dioica* Blume terhadap enzim Malate : Quinone Oxidoreductase dari *Plasmodium falciparum*. (SKRIPSI). Jakarta : UIN Syarif Hidayatullah Jakarta.
- Kather, B., Stingl, K., Michel, vdr., Antendorf, K., dan Molenaar, D. 2000. Another unusual type of citric acid cycle enzyme in *Helicobacter pylori* : the malate: quinone oxidoreductase. *Journal of Bacteriology*, hal. 3204-3209.
- Kementrian Kesehatan RI. 2016. Malaria. *Info DATIN Pusat Data dan Informasi Kementerian Kesehatan RI*.
- Kementrian Kesehatan RI. 2018. Wilayah Indonesia dominan bebas malaria. Diakses dari [www.depkes.go.id](http://www.depkes.go.id), pada tanggal 13 November 2018.
- Kuile, F.O., Nosten, F., Luxemburger, C., Kyle, D., Teja-isavatharm., P., Phaipun, L., et all. Mefloquine treatment of acute falciparum malaria: a prospective study of non serious adverse effects in 3.673 patients. *Trans R Soc Trop Med Hyg*, Vol 73, hal. 631–642.

- Kretzschmar, U., Ruckert, A., Jeoung, J.H, dan Gorich, H. 2002. Malate : quinone oxidoreductase is essential for growth on ethanol or acetate ion *Pseudomonas aeruginosa*. *Microbiology*, Vol 148, hal. 3839-3847
- Li, J., Zhang, C., Gong, M., dan Wang, M.. 2018. Combination of artemisinin-based natural compounds from *Artemisia annua* L. For the treatment of malaria: pharmacodynamic and pharmacokinetic studies. *Phytother Res.* Vol 32, No.7, hal. 1415-1420.
- Lianos-Cuentas, A., Casapia, M., Chuquiyauri, R., Hinojosa, J.C., Kerr, N, et all. 2018. Antimalarial activity of single-dose DSM265, a novel plasmodium dihydroorotate dehydrogenase inhibitor, in patients with uncomplicated *Plasmodium falciparum* or *Plasmodium vivax* malaria infection: a proof-of-concept, open-label, phase 2a study. *Lancet Infect Dis.* Vol 18, No 8, hal. 874-883.
- Luxemburger. 1999. Treatment of Malaria in Young Children. *J. Pediatri Obstet Gynecol*, hal. 5-9.
- Molenaar, D., Michel, V.D.R., Drysch, A., dan Yucel, R.. 2000. Function of the membrane-associated and cytoplasmic malate dehydrogenases in the citric acid cycle of *Corynebacterium glutamicum*. *Journal of Bacteriology*, hal. 6884-6891
- Mukhriani. 2014. Ekstraksi, pemisahan senyawa, dan identifikasi senyawa aktif. *Jurnal Kesehatan*, Vol. VII, No. 2
- Munawar, A.. 2005. Faktor-faktor risiko kejadian malaria di Desa Sigeblog wilayah Puskesmas Banjarmangu I Kabupaten BanjarNEGARA Jawa Tengah. (TESIS). Semarang : Universitas Diponegoro Semarang.
- Muslim, H.M. 2009. *Parasitologi untuk Keperawatan*. Jakarta : ECG.
- Muti'ah, R.. 2012. Penyakit malaria dan mekanisme kerja obat-obat antimalaria. *Alchemy*, Vol 2, No. 1, hal. 80-91.
- Okzelia, S. F., Hendrati, D., dan Iljas, N..2017. Isolasi dan pemisahan senyawa alkaloid dari buah mahkota dewa (*Phaleria macracarpa* Boerl.) dengan kromatografi cair. *Journal of Nursing and Health*, Vol. 1, No. 2.
- Oyama, M., Nakashima, K.I., Kamiya, T., Haba, M., Ito, T., et all. 2013. Flavonoids isolated from the leaves of *Melicope triphylla* and their extracellular-superoxide dismutase-inducing activity. *Phytochemistry Letters*, Vol 6, hal. 215-218.
- Paloque, L., Ramadani, A.P., Odile, M.P., dan Benoit-Vical, F.. 2016. *Plasmodium falciparum*:multifaceted resistance to artemisinins. *Malaria Journal*, Vol. 15, No.159

- Pavadai, E., El-Mazouni F., Wittlin, S., de Kock, C. , Phillips, M.A., et all. 2016. Identification of new human malaria parasite *Plasmodium falciparum* dihydroorotate dehydrogenase inhibitors by pharmacophore and structure-base virtual screening. *J. Chem Inf. Mode*, Vol 56, No 3, hal. 548-562.
- Penna-Coutinho, J., Cortopassi,W.A., Oliveira, A.A., Costa., T.C dan Krettli, A.U.. 2011. Antimalaria activity of potential inhibitors of *Plasmodium falciparum* lactate dehydrogenase enzyme selected by docking studies. *Plos One*, Vol. 6, No.7.
- Phillipon, J.D., dan O'Neill. 1987. In biologically active natural producs. *Clarendon Press, London.* Vol13, No. 2, hal. 67–77
- Philips, M. A., dan Rathod, P. K.. 2010. Plasmodium dihydroorotate dehydrogenase : a promising target for novel antimalarial chemoteraphy.*Infect Disord Drug Targets*, Vol. 10 No.3, hal. 226-239.
- Rasamison, V.E., Brodie, P.J., Merino, E.F., Cassarena, M.B.,Ratsimbason, M.A., et all. 2016. Euroquinone alkaloids methoxyflavones from the stem bark *Melicope madagascariensis* (Baker) T.G Hartley. *Nat. Prod. Bioprospect.* Vol 6, hal. 261-265
- Rasoanaivo, P., Eric, D., Suzanne, R., Frappier, F.. 2004.*Traditional Medicinal Plants and Malaria:Guidelines for the Nonclinical Evaluation of the Efficacy of Traditional Antimalarials*, CRC Press,hal. 266.
- Smith, AL. 1997. Oxford dictionary of biochemistry and molecular biology. Oxford University Press. Oxford.
- Tan, S.S., Ong, B., Chrng C., Ho, W.E., Tam, J.K., et all. 2014. The antimalarial drug artesunate inhibits primary human cultured airway smooth muscle cell proliferation,*The American Journal of Respiratory Cell and Molecular Biology*, Vol. 50, No. 2, hal. 451–458,
- Tanjung, M., Saputri, R.D., Ayub, R.W., Tjahjandarie, T.S.. 2017. 4-Methoxy-3-(3-methylbut-2-en-1-yl)-7-[(3-methylbut-2-en-1-yl)oxy]quinolin-2(1H)-one from *Melicope moluccana* T.G. Hartley. *Molbank 2017, M939, doi:10.3390/M939*
- Tuti, S., Suwarni, dan Harijani. 1994. Pengembangan biakan in-vitro *Plasmodium falciparum* secara kontinu. *Buletin Peneliti Kesehatan*, Vol 22, No 1.
- Wagner, H., Bladt, S.. 1995. *Plant Drug Analysis a Thin Layer Layer Chromatography Atlas 2nd Edition*. New York : Springer.
- Widyawaruyanti, A., Subehan, K.K, Surya, Awale, Suresh, Nindatu, Maria., N.C., Zaini, Syafruddin, Din., B.S.A, Puji, Tezuka, Yasuhiro,

- danKadota, Shigetoshi. 2007. New prenylated flavones from *Artocarpus champeden*, and their antimalarial activity in vitro. *J Natural Med.*, Vol. 61, hal.410-413
- Widyawaruyanti, A., Zaini, N., Syafruddin. 2011. Mekanisme dan aktivitas antimalaria dari senyawa flavonoid yang diisolasi dari cempedak (*Artocarpus champeden*). *Jurnal Bina Praja*, Vol. 13, No. 2, hal. 67-77
- Wirahadikusumah, M. 1989. Biokimia: Protein, Enzim dan Asam Nukleat. ITB Press. Bandung.
- World Health Organization (WHO). 2009. *Medicinal Plants in Papua New Guinea*, hal 113. Switzerland : WHO press.
- Wright, C.W., Willcox. 2004. *Pharmacological Properties of the Active Constituents of Some Traditional in: Traditional Medicinal Plants and Malaria*, edited Willcox. New York : CRC press