

DAFTAR PUSTAKA

- Animoto, T. T., Yuji Y., Akiko N., Iho K., Miki K., dan Kirara H., 2008. Simple and Rapid UV Spectrophotometry of Caffeine in Tea Coupled with Sample Pre-treatment Using a Cartridge Column Filled with Polyvinylpyrrolidone (PVPP). *Chem. Pharm. Bull.*, Vol.1 No. 56, p. 185–188.
- AOAC International. 2013. *AOAC Official Methods of Analysis - Appendix K: Guidelines for Dietary Supplements and Botanicals*. p. 32.
- Badan Pemeriksa Obat dan Makanan RI. 2004. Keputusan Kepala Badan Pengawas Obat dan Makanan Republik Indonesia Nomor HK.00.05.23.3644 tentang Ketentuan Pokok Pengawasan Suplemen Makanan. Jakarta: Kepala Badan Pengawas Obat dan Makanan Republik Indonesia.
- Badan Standarisasi Nasional. 2016. *Standar Nasional Indonesia (SNI) 3945:2016: Teh hijau*. Jakarta: BSN.
- Carr, G. P. dan Wahlich, J. C., 1990. A practical approach to method validation in pharmaceutical analysis. *Journal of Pharmaceutical and Biomedical Analysis*, Vol. 8 No. 8–12, p. 613–618.
- Chamber, Keneth P., 2009. *Caffeine and Health Research*. New York: Nova Science Publisher.
- Demir, E., Serdar, G. dan Sokmen, M., 2016. Comparison of Some Extraction Methods for Isolation of Catechins and Caffeine from Turkish Green Tea. *International Journal of Secondary Metabolite*, Vol. 2 No. 2, p. 16–25.
- Departemen Kesehatan Republik Indonesia. 2014. *Farmakope Indonesia V*. Jakarta: Direktorat Jendral Pengawasan Obat dan Makanan.
- Doepker, C., Haris R. L., Andrew P. S., Jennifer D. P., Ahmed E. S., dan Brian T. W., 2016. Caffeine: Friend or Foe?. *Annual Review of Food Science and Technology*. Vol. 1 No. 7, p. 117–137.
- DiPiro, Joseph T., Cecily V. D., Barbara G. W., dan Terry L. S., 2015. *Pharmacotherapy Handbook*. New York: McGraw-Hill Education.
- Du, G., Zhiyu Z., Xiao-Dong W., Chunhao Y., Tyler C., Chun-Su Y., dan Chong-Zhi W., 2012. Epigallocatechin Gallate (EGCG) Is the Most Effective Cancer Chemopreventive Polyphenol in Green Tea. *Nutrients*, p. 1679–1691.
- Fernando, C. D. dan Soysa, P., 2016. Simple isocratic method for simultaneous determination of caffeine and catechins in tea products by HPLC. *SpringerPlus*, Vol. 1 No. 5, p. 0–4.
- Forester, S. C. dan Lambert, J. D., 2011. The role of antioxidant versus pro-oxidant effects of green tea polyphenols in cancer prevention.

- Molecular Nutrition and Food Research*, Vol. 6 No. 55, p. 844–854.
- Gandjar, I. G. dan Rohman A., 2010. *Kimia Farmasi Analisis*. Yogyakarta: Pustaka belajar.
- Ganiswarna, S. G., 2007. *Farmakologi dan Terapi Edisi 5*. Jakarta: Departemen Farmakologi dan Terapeutik Fakultas Kedokteran Universitas Indonesia.
- Graham, H. N., 1992. Green tea composition, consumption, and polyphenol chemistry. *Preventive Medicine*, Vol. 3 No. 21, p. 334–350.
- Gupta, A., Naraniwal M., dan Kothari V., 2012. Modern extraction methods for preparation of bioactive plant extracts. *International Journal of Applied and Natural Sciences (IJANS)*, p. 8–16.
- Handa, S. S., Suman P. S. K., Gennonaro L., dan Dev D. R., 2008. *Extraction Technologies for Medical and Aromatic Plants*. Trieste: United Nations Industrial Development Organization and the International Centre for Science and High Technology.
- Harbowy, M. E. dan Douglas A. Balentine. 1997. Tea Chemistry. *Critical Reviews in Plant Sciences*, Vol. 5 No. 16, p. 415-480.
- Hartoyo, Arif. 2003. *Teh dan Khasiatnya Bagi Kesehatan: Tinjauan Ilmiah*. Yogyakarta: Kanisius.
- Harun, S. dan B. Satria. 2014. *Seduhan yang beredar di Pasaran Secara KLT-Densitometri*, Vol. 1 No. 4, p. 43-45.
- Kao, Y. H., H. Hsin-Huei C., Meng-Jung L., dan Chia-Lin C., 2006. Tea, obesity, and diabetes. *Molecular Nutrition and Food Research*, Vol. 2 No. 55, p. 188–210.
- Krupkova, O., Ferguson, S. J., dan Wuertz-Kozak K., 2016. Stability of (-)-epigallocatechin gallate and its activity in liquid formulations and delivery systems. *Journal of Nutritional Biochemistry*, Elsevier Inc., No. 37, p. 1–12.
- Lambert, J. D. dan Elias, R. J., 2010. The antioxidant and pro-oxidant activities of green tea polyphenols: A role in cancer prevention. *Archives of Biochemistry and Biophysics*. Elsevier Inc., Vol. 1 No. 501, p. 65–72.
- Mariyam, S. D., 2007. *Perbandingan Kadar Epigalokatekin galat dalam beberapa sediaan teh hijau yang beredar di Surabaya timur*. Surabaya: Fakultas Farmasi Universitas Airlangga.
- Maruyama, K., Fumiko K. N., Naoki O., Yasuhiro N., Miwako N., dan Moemi S., 2017. Simultaneous Determination of Catechins and Caffeine in Green Tea-Based Beverages and Foods for Specified Health Uses. *Food and Nutrition Sciences*, Vol. 3 No. 8, p. 316–325.
- Min, Z. dan Peigen, X., 1991. Quantitative analysis of the active constituents in green tea. *Phytotherapy Research*, Vol. 5 No. 5, p. 239–240.

- Nakakuki, H., Hideki H., Yuji Y., dan Katsunori K., 1999. Rapid analysis of methylated xanthenes in teas by an improved high-performance liquid chromatographic method using a polyvinylpyrrolidone pre-column. *Journal of Chromatography A*, Vol. 1-2 No. 848, p. 523–527.
- Namita, P., Mukesh, R. dan Vijay, K. J., 2012. Camellia sinensis (green tea): A review. *Global Journal of Pharmacology*, Vol. 2 No. 6, p. 52–59.
- Ota, N., Satoko S., Akira S., Satoshi H., Misako Inaba., Takatoshi M., dan Ichiro T., 2005. Effects of combination of regular exercise and tea catechins intake on energy expenditure in humans. *Journal of Health Science*, Vol. 2 No. 51, p. 233–236.
- Perva-Uzunalić, A., Mojca S., Zeljko K., Bernd W., Frank O., dan Sabine G., 2006. Extraction of active ingredients from green tea (Camellia sinensis): Extraction efficiency of major catechins and caffeine. *Food Chemistry*. Vol. 4 No. 96, p. 597–605.
- Salo, P. 2007. *Thin-Layer Chromatography with Ultraviolet and Mass Spectrometric Detection : From Preparative-Layer to Miniaturized Ultra-Thin-Layer Technique*. Helsinki: University of Helsinki
- Sharangi, A. B., 2009. Medicinal and therapeutic potentialities of tea (Camellia sinensis L.) - A review. *Food Research International*, Elsevier Ltd, Vol. 5-6 No. 42, p. 529–535.
- Sharma, P. K., Ali, M. dan Yadav, D. K. 2011. Physicochemical and phytochemical evaluation of different black tea brands. *Journal of Applied Pharmaceutical Science*. Vol. 3 No. 1, p. 121–124.
- Sherma, J. dan Fried, B., 2003. *Handbook of Thin-Layer Chromatography*. New York: Marcel Dekker, Inc.
- Shi, M., Yun-Long S., Xu-Min L., Rui Y., Zhuo-Yu C., Qing-Sheng L., Shi-Cheng M., Jian-Hui Y., Jiang-Lian L., Yue-Rong L., dan Xin-Qiang Z., 2018. Food-grade Encapsulation Systems for (-)-Epigallocatechin Gallate. *Molecules*, Vol. 2 No. 23, p. 1–17.
- Smallwood, I. M., 1996. *Handbook of Organic Solvent Properties*. London: Arnold A member of the Hodder Headline Group.
- Song, J. M. dan Seong, B. L., 2007. Tea catechins as a potential alternative anti-infectious agent. *Expert Review of Anti-Infective Therapy*, Vol. 3 No. 5, p. 497–506.
- Spangenberg, B., Poole, C. F., dan Weins, C., 2011. Quantitative thin-layer chromatography: A practical survey. *Springer-Verlag Berlin Heidelberg*, p. 13-50.
- Spiller, G. A. Eds. 1997. *Caffeine*. Florida: CRC Press LLC.
- Tariq, M., Naveed, A. dan Barkat, A. K., 2010. The morphology, characteristics, and medicinal properties of Camellia sinensis tea

- Journal of Medicinal Plants Research*, Vol. 19 No. 4, p. 2028–2033.
- Thammana, Mukti. 2013. A review on high performance liquid chromatography. *International Journal of Pharmaceutical Research*, Vol. 3 No. 5, p. 1–6.
- Turkmen, N., Sari, F. dan Velioglu, Y. S., 2009. Factors Affecting Polyphenol Content and Composition of Fresh and Processed Tea Leaves. *Akademik Gıda*, Vol. 6 No. 7, p. 29–40.
- Wall, P. E., 2005. *Thin Layer Chromatography A Modern Practical Approach*. UK: The Royal Society of Chemistry.
- Wang, K., Zhonghua L., J. Huang, Donghe F., Fang L., Yushun G., dan X. Wu. 2009. TLC separation of catechins and theaflavins on polyamide plates. *Journal of Planar Chromatography – Modern TLC*, Vol. 2 No. 22, p. 97–100.
- Wierzejska, R., 2014. Tea and Health – A review of the current state of knowledge. *Przegl Epidemiol*. Department of Nutrition and Dietetic with Clinic of Metabolic Diseases and Gastroenterology, p. 501–506.
- Xu, Y. Q., Wei-Bin J., Peigen Y., Jian-Xin C., Fang W., dan Jun-Feng Y., 2018. Effect of extraction methods on the chemical components and taste quality of green tea extract. *Food Chemistry*, Vol.1 No. 248, p. 146–154.
- Yang, C. S., Lambert, J. D. dan Sang, S., 2009. Antioxidative and anti-carcinogenic activities of tea polyphenols. *Archives of Toxicology*, Vol. 1 No. 83, p. 11–21.
- Yuwono, M. dan Indrayanto, G., 2005. Validation of Chromatographic Methods of Analysis. *Profiles of Drug Substances, Excipients and Related Methodology*, Vol. 5 No. 32, p. 241–260.
- Zheng, X. X., Yan-Lu S., Shao-Hua L., Xu-Xia L., Rutai H., dan Xiao-Hong H., 2011. Green tea intake lowers fasting serum total and LDL cholesterol in adults: A meta-analysis of 14 randomized controlled trials. *American Journal of Clinical Nutrition*, Vol. 2 No. 94, p. 601–610.