

SJR Scimago Journal & Country Rank

[Home](#) [Journal Rankings](#) [Country Rankings](#) [Viz Tools](#) [Help](#) [About Us](#)

MolBank

Country [Switzerland](#)

Subject Area and Category [Biochemistry, Genetics and Molecular Biology](#)
[Biochemistry](#)

[Chemistry](#)
[Organic Chemistry](#)
[Physical and Theoretical Chemistry](#)

Publisher [Multidisciplinary Digital Publishing Institute \(MDPI\)](#)

Publication type Journals





ISSN 14228599


Coverage 2007-ongoing

Scope •organic synthesis •biosynthesis •extraction and purification •natural product derivatives •structural elucidation (X-ray crystallography, NMR, etc.) ([source](#))

3

H Index





MoIBank

← Show this widget in your own website

Indicator	2009-2016	Value
SJR		0.1
Cites per doc		0.11
Total cites		8

Just copy the code below and paste within your html code:

```
<a href="http://www.scima
```

www.scimagojr.com



Title / Keyword	
Author / Affiliation	
Article Type	all
Journal	Molbank
Section	all
Special Issue	all

[Advanced \(/search?advanced&journal=molbank\)](#)[Advanced](#)[\(/search?advanced&journal=molbank\)](#)

Journal Menu

► Journal Menu

- [Molbank Home \(/journal/molbank\)](#)
- [About this Journal \(/journal/molbank/about\)](#)
- [Journal Statistics \(/journal/molbank/stats\)](#)
- [Most Cited Articles \(/journal/molbank/most_cited\)](#)
- [Indexing & Abstracting \(/journal/molbank/indexing\)](#)
- [Instructions for Authors \(/journal/molbank/instructions\)](#)
- [Special Issues \(/journal/molbank/special_issues\)](#)
- [Article Processing Charge \(/journal/molbank/apc\)](#)
- [Sections \(/journal/molbank/sections\)](#)
- [Editorial Office \(/journal/molbank/editorial_office\)](#)
- [Editorial Board \(/journal/molbank/editors\)](#)

E-Mail Alert

Add your e-mail address to receive forthcoming issues of this journal:

Journal Browser

▼ Journal Browser

volume	issue
--------	-------

- [Forthcoming issue \(/1422-8599/2017/4\)](#)
- [Current issue \(/1422-8599/2017/3\)](#)
- [Vol. 2017 \(/1422-8599/2017\)](#)
- [Vol. 2016 \(/1422-8599/2016\)](#)
- [Vol. 2015 \(/1422-8599/2015\)](#)
- [Vol. 2014 \(/1422-8599/2014\)](#)
- [Vol. 2013 \(/1422-8599/2013\)](#)
- [Vol. 2012 \(/1422-8599/2012\)](#)
- [Vol. 2011 \(/1422-8599/2011\)](#)
- [Vol. 2010 \(/1422-8599/2010\)](#)
- [Vol. 2009 \(/1422-8599/2009\)](#)
- [Vol. 2008 \(/1422-8599/2008\)](#)
- [Vol. 2007 \(/1422-8599/2007\)](#)
- [Vol. 2006 \(/1422-8599/2006\)](#)
- [Vol. 2005 \(/1422-8599/2005\)](#)
- [Vol. 2004 \(/1422-8599/2004\)](#)
- [Vol. 2003 \(/1422-8599/2003\)](#)
- [Vol. 2002 \(/1422-8599/2002\)](#)
- [Vol. 2001 \(/1422-8599/2001\)](#)
- [Vol. 2000 \(/1422-8599/2000\)](#)
- [Vol. 1999 \(/1422-8599/1999\)](#)
- [Vol. 1998 \(/1422-8599/1998\)](#)



(http://serve.mdpi.com/www/my_files/cliik.php?oaparams=0bannerid=33zoneid=4cb=367943a503oadest=http%3A%2F%2Fwww.molmall.net)

Molbank — Section Editors

- [Editorial Board \(/journal/molbank/editors\)](/journal/molbank/editors)
- [Section Natural Products \(/journal/molbank/sectioneditors/natural_products_molbank\)](/journal/molbank/sectioneditors/natural_products_molbank)
- [Section Organic Synthesis \(/journal/molbank/sectioneditors/organic_synthesis_molbank\)](/journal/molbank/sectioneditors/organic_synthesis_molbank)
- [Section Structure Determination \(/journal/molbank/sectioneditors/structure_determination_molbank\)](/journal/molbank/sectioneditors/structure_determination_molbank)

Section Board for 'Natural Products'

Please see [the section webpage \(/journal/molbank/sections/natural_products_molbank\)](/journal/molbank/sections/natural_products_molbank) for more information on this section.

Prof. Dr. Fang-Rong Chang

Graduate Institute of Natural Products, College of Pharmacy, Kaohsiung Medical University, No. 100, Shih-Chuan 1st Road, Kaohsiung, 80708, Taiwan

Website (<http://nphs.kmu.edu.tw/index.php/en-GB/faculty>) | [E-Mail \(\)](#)

Interests: natural products chemistry; medicinal chemistry; transgenic plant (arabidopsis) reporter assay; epigenetic modulation for microbial secondary metabolites; functional food; ethnopharmacology

Prof. Dr. Ping-Jyun Sung

1. National Museum of Marine Biology and Aquarium, Pingtung 944, Taiwan
2. Graduate Institute of Marine Biology, National Dong Hwa University, Pingtung 944, Taiwan
3. Department of Marine Biotechnology and Resources, National Sun Yat-sen University, Kaohsiung 804, Taiwan
4. Chinese Medicine Research and Development Center, China Medical University Hospital, Taichung 404, Taiwan
5. Graduate Institute of Natural Products, Kaohsiung Medical University, Kaohsiung 807, Taiwan

Tel. 886-8-8825037; Fax: 886-8-8825087

Website (<http://marine-natural-product-sung.weebly.com/235263951123460200272534520154.html>) | [E-Mail \(\)](#)

Interests: marine natural products; marine chemical ecology; bioactive substances from cultured marine invertebrates

Special Issues and Collections in MDPI journals:

Special Issue: [Development and Application of Herbal Medicine from Marine Origin \(/journal/marinedrugs/special_issues/Herbal_Medicine_from_Marine\)](/journal/marinedrugs/special_issues/Herbal_Medicine_from_Marine)

Dr. Hidenori Tanaka

Oceanography Section, Science Research Center, Kochi University, 200 Otsu, Monobe, Nankoku, Kochi 783-8502, Japan

Website (<http://www.cc.kochi-u.ac.jp/~htanaka/>) | [E-Mail \(\)](#)

Interests: Organic chemistry; Carbohydrate chemistry; Natural products

Dr. Bernd Schneider

Max Planck Institute for Chemical Ecology, Hans-Knöll-Str. 8, Beutenberg Campus, 07745 Jena, Germany

Website (www.ice.mpg.de) | [E-Mail \(\)](#)

Interests: natural products chemistry; chemical ecology; plant natural products; NMR of small molecules

Journal Contact

MDPI AG

[Molbank Editorial Office \(/journal/molbank/editorial_office\)](/journal/molbank/editorial_office)

St. Alban-Anlage 66, 4052 Basel, Switzerland

E-Mail: [✉ \(mailto:molbank\)](mailto:molbank)

Tel. +41 61 683 77 34

Fax: +41 61 302 89 18

[Editorial Board \(/journal/molbank/editors\)](/journal/molbank/editors)

[Contact Details \(/about/contact/\)](/about/contact/)

Molbank

https://twitter.com/Molbank_MDPI<https://www.facebook.com/MDPIOpenAccessPublishing>**Invitation to Publish Your***"One-Compound
-Per-Paper"***Short Notes**Saving Your
Potentially Useful
Scientific Information
From Being Lost*Editor-in-Chief*

Prof. Dr. Norbert Haider

**molbank****Further Information**[Article Processing Charges \(/about/apc\)](#)[Pay an Invoice \(https://payment.mdpi.com\)](https://payment.mdpi.com)[Open Access Policy \(/about/openaccess\)](#)[Terms of Use \(/about/termsofuse\)](#)[Terms and Conditions \(/about/terms-and-conditions\)](#)[Privacy Policy \(/about/privacy\)](#)[Contact MDPI \(/about/contact\)](#)[Jobs at MDPI \(/about/jobs\)](#)**Guidelines**[For Authors \(/authors\)](#)[For Reviewers \(/reviewers\)](#)[For Editors \(/editors\)](#)[For Librarians \(/librarians\)](#)[For Publishers \(/publishing_services\)](#)[For Societies \(/societies\)](#)**MDPI Initiatives**[Institutional Open Access Program \(IOAP\) \(/about/ioap\)](#)[Sciforum \(http://sciforum.net\)](http://sciforum.net)[Preprints \(http://preprints.org\)](http://preprints.org)[Scilit \(http://www.scilit.net\)](http://www.scilit.net)[MDPI Books \(http://books.mdpi.com\)](http://books.mdpi.com)[MDPI Blog \(http://blog.mdpi.com/\)](http://blog.mdpi.com/)**Follow MDPI**

[LinkedIn \(https://www.linkedin.com/company/mdpi\)](https://www.linkedin.com/company/mdpi)

[Facebook \(https://www.facebook.com/MDPIOpenAccessPublishing\)](https://www.facebook.com/MDPIOpenAccessPublishing)

[Twitter \(https://twitter.com/MDPIOpenAccess\)](https://twitter.com/MDPIOpenAccess)

[Google+ \(https://plus.google.com/+MdpiOA/posts\)](https://plus.google.com/+MdpiOA/posts)

Subscribe to receive issue release notifications and newsletters from MDPI journals

Select Journal/Journals:

Subscribe

© 1996-2017 MDPI AG (Basel, Switzerland) unless otherwise stated



Title / Keyword	
Author / Affiliation	
Article Type	all
Journal	Molbank
Section	all
Special Issue	all

[Advanced \(/search?advanced&journal=molbank\)](#)[Advanced](#)[\(/search?advanced&journal=molbank\)](#)

Journal Menu

► Journal Menu

- [Molbank Home \(/journal/molbank\)](#)
- [About this Journal \(/journal/molbank/about\)](#)
- [Journal Statistics \(/journal/molbank/stats\)](#)
- [Most Cited Articles \(/journal/molbank/most_cited\)](#)
- [Indexing & Abstracting \(/journal/molbank/indexing\)](#)
- [Instructions for Authors \(/journal/molbank/instructions\)](#)
- [Special Issues \(/journal/molbank/special_issues\)](#)
- [Article Processing Charge \(/journal/molbank/apc\)](#)
- [Sections \(/journal/molbank/sections\)](#)
- [Editorial Office \(/journal/molbank/editorial_office\)](#)
- [Editorial Board \(/journal/molbank/editors\)](#)

E-Mail Alert

Add your e-mail address to receive forthcoming issues of this journal:

Journal Browser

▼ Journal Browser

- [Forthcoming issue \(/1422-8599/2017/4\)](#)
- [Current issue \(/1422-8599/2017/3\)](#)
- [Vol. 2017 \(/1422-8599/2017\)](#)
- [Vol. 2016 \(/1422-8599/2016\)](#)
- [Vol. 2015 \(/1422-8599/2015\)](#)
- [Vol. 2014 \(/1422-8599/2014\)](#)
- [Vol. 2013 \(/1422-8599/2013\)](#)
- [Vol. 2012 \(/1422-8599/2012\)](#)
- [Vol. 2011 \(/1422-8599/2011\)](#)
- [Vol. 2010 \(/1422-8599/2010\)](#)
- [Vol. 2009 \(/1422-8599/2009\)](#)
- [Vol. 2008 \(/1422-8599/2008\)](#)
- [Vol. 2007 \(/1422-8599/2007\)](#)
- [Vol. 2006 \(/1422-8599/2006\)](#)
- [Vol. 2005 \(/1422-8599/2005\)](#)
- [Vol. 2004 \(/1422-8599/2004\)](#)
- [Vol. 2003 \(/1422-8599/2003\)](#)
- [Vol. 2002 \(/1422-8599/2002\)](#)
- [Vol. 2001 \(/1422-8599/2001\)](#)
- [Vol. 2000 \(/1422-8599/2000\)](#)
- [Vol. 1999 \(/1422-8599/1999\)](#)
- [Vol. 1998 \(/1422-8599/1998\)](#)



(http://serve.mdpi.com/www/my_files/cliik.php?oaparams=0bannerid=33zoneid=4cb=0efb595493oadest=http%3A%2F%2Fwww.molmall.net)

Molbank — Editorial Office

Journal Contact

Molbank Editorial Office

MDPI AG, St. Alban-Anlage 66, 4052 Basel, Switzerland

E-Mail (<mailto:molbank>)

Tel. +41 61 683 77 34; Fax: +41 61 302 89 18

Mr. Gunter Li

Managing Editor

MDPI Tongzhou Office, Room 2207, Jincheng Center, No. 21 Cuijingbeili, Tongzhou District, Beijing 101101, China

Fax: +86 10 8152 1170

E-Mail ()

Franck Vazquez

Publishing Manager

MDPI AG, St. Alban-Anlage 66, CH-4052 Basel, Switzerland

Tel. +41 61 683 77 34; Fax. +41 61 302 89 18;

E-Mail (<mailto:vazquez>)

[Editorial Board \(/journal/molbank/editors\)](#)

Journal Contact

MDPI AG

[Molbank Editorial Office \(/journal/molbank/editorial_office\)](#)

St. Alban-Anlage 66, 4052 Basel, Switzerland

E-Mail: ✉ (<mailto:molbank>)

Tel. +41 61 683 77 34

Fax: +41 61 302 89 18

[Editorial Board \(/journal/molbank/editors\)](#)

[Contact Details \(/about/contact/\)](#)

https://twitter.com/Molbank_MDPI<https://www.facebook.com/MDPIOpenAccessPublishing>

molMall

Partner of the MDPI Sustainability Foundation

Rare and unique in-stock compounds orderable online at

molmall.net

Further Information

- [Article Processing Charges \(/about/apc\)](#)
- [Pay an Invoice \(https://payment.mdpi.com\)](https://payment.mdpi.com)
- [Open Access Policy \(/about/openaccess\)](#)
- [Terms of Use \(/about/termsofuse\)](#)
- [Terms and Conditions \(/about/terms-and-conditions\)](#)
- [Privacy Policy \(/about/privacy\)](#)
- [Contact MDPI \(/about/contact\)](#)
- [Jobs at MDPI \(/about/jobs\)](#)

Guidelines

- [For Authors \(/authors\)](#)
- [For Reviewers \(/reviewers\)](#)
- [For Editors \(/editors\)](#)
- [For Librarians \(/librarians\)](#)
- [For Publishers \(/publishing_services\)](#)
- [For Societies \(/societies\)](#)

MDPI Initiatives

- [Institutional Open Access Program \(IOAP\) \(/about/ioap\)](#)
- [Sciforum \(http://sciforum.net\)](http://sciforum.net)
- [Preprints \(http://preprints.org\)](http://preprints.org)
- [Scilit \(http://www.scilit.net\)](http://www.scilit.net)
- [MDPI Books \(http://books.mdpi.com\)](http://books.mdpi.com)
- [MDPI Blog \(http://blog.mdpi.com/\)](http://blog.mdpi.com/)

Follow MDPI

[LinkedIn \(https://www.linkedin.com/company/mdpi\)](https://www.linkedin.com/company/mdpi)

[Facebook \(https://www.facebook.com/MDPIOpenAccessPublishing\)](https://www.facebook.com/MDPIOpenAccessPublishing)

[Twitter \(https://twitter.com/MDPIOpenAccess\)](https://twitter.com/MDPIOpenAccess)

[Google+ \(https://plus.google.com/+MdpiOA/posts\)](https://plus.google.com/+MdpiOA/posts)

Subscribe to receive issue release notifications and newsletters from MDPI journals

Select Journal/Journals:

Subscribe

© 1996-2017 MDPI AG (Basel, Switzerland) unless otherwise stated

[Journals \(/about/journals\)](#)[Information \(/authors\)](#)[Author Services \(/authors/english\)](#)[Initiatives](#)[About](#)  [\(/about\)](#)[Sign In / Sign Up \(/user/login\)](#)[Submit \(https://susy.mdpi.com/user/manuscripts/upload?journal=molbank\)](https://susy.mdpi.com/user/manuscripts/upload?journal=molbank)**Search for Articles:****Advanced Search**[Journals \(/about/journals\)](#) / [Molbank \(/journal/molbank\)](#) / [Volume 2016 \(/1422-8599/2016\)](#) / [Issue 2 \(/1422-8599/2016/2\)](#) / [10.3390/M892](#)***molbank***[\(/journal/molbank\)](#)[Submit to this Journal \(https://susy.mdpi.com/user/manuscripts/upload?form%5Bjournal_id%5D%3D11\)](https://susy.mdpi.com/user/manuscripts/upload?form%5Bjournal_id%5D%3D11)[Review for this Journal \(https://susy.mdpi.com/volunteer/journals/review\)](https://susy.mdpi.com/volunteer/journals/review)[Edit a Special Issue \(/journalproposal/sendproposalspecialissue/molbank\)](/journalproposal/sendproposalspecialissue/molbank)**► Article Menu****Article Menu****Article Overview**

- [Abstract](#)
- [Share and Cite](#)
- [Article Metrics](#)
- [Supplementary Material](#)
- [Related Articles](#)
- [Order Article Reprints \(/1422-8599/2016/2/M892/reprints\)](#)

We use cookies on our website to ensure you get the best experience.[Read more about our cookies here \(/about/privacy\).](#)[Export Article](#)[Accept \(/accept_cookies\)](#)

Views 1392

Downloads 1507

Citations 3

Altmetrics 1 (https://www.altmetric.com/details.php?domain=www.mdpi.com&citation_id=6383353)
https://serve.mdpi.com/www/my_files/cliik.php?oaparams=0bannerid=33zoneid=4cb

Open Access Short Note

Methyl 2,5-Dihydroxy-4-(3'-methyl-2'-butenyl)benzoate

by

Tjitjik Srie Tjahjandarie (<https://sciprofiles.com/profile/159161>) * (mailto:please_login) (<https://orcid.org/0000-0003-0894-9803>),

Ratih Dewi Saputri (<https://sciprofiles.com/profile/257183>) and

Mulyadi Tanjung (<https://sciprofiles.com/profile/190848>)

Natural Products Chemistry Research Group, Organic Chemistry Division, Department of Chemistry, Faculty of Science and Technology, Universitas Airlangga, Surabaya 60115, Indonesia

* Author to whom correspondence should be addressed.

Academic Editor: Norbert Haider

Molbank **2016**, *2016*(2), M892; <https://doi.org/10.3390/M892> (<https://doi.org/10.3390/M892>)

Received: 22 February 2016 / Revised: 22 March 2016 / Accepted: 23 March 2016 / Published: 29 March 2016

(This article belongs to the Section [Natural Products \(/journal/molbank/sections/natural_products_molbank\)](#))

[View Full-Text \(/1422-8599/2016/2/M892/htm\)](#)

[Download PDF \(/1422-8599/2016/2/M892/pdf\)](#)

[Browse Figure \(/molbank/molbank-2016-M892/article_deploy/molbank-2016-M892-ag.jpeg\)](#)

Abstract

Methyl 2,5-dihydroxy-4-(3'-methyl-2'-butenyl)benzoate (**1**) was isolated from the root of *Erythrina subumbrans*. The chemical structure of **1** has been elucidated based on spectroscopy UV-Vis, HRESIMS, 1D and 2D NMR analysis. [View Full-Text \(/1422-8599/2016/2/M892/htm\)](#)


Keywords: [Methyl 2,5-dihydroxy-4-\(3'-methyl-2'-butenyl\)benzoate \(/search?q=Methyl%20%2C5-dihydroxy-4-%283%E2%80%B2-methyl-2%E2%80%B2-butenyl%29benzoate\)](#); [Methyl benzoate derivative \(/search?q=Methyl%20benzoate%20derivative\)](#); [Erythrina subumbrans \(/search?q=Erythrina%20subumbrans\)](#)

▼ Show Figures

We use cookies on our website to ensure you get the best experience.

Read more about our cookies [here \(/about/privacy\)](#).

[Accept \(/accept_cookies\)](#)



Graphical abstract

(/molbank/molbank-2016-M892/article_deploy/molbank-2016-M892-ag.jpeg)

© This is an open access article distributed under the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/) (<https://creativecommons.org/licenses/by/4.0/>) which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited

Never Miss Any Articles
Matching Your Research
from Any Publisher

- Get alerts for new papers matching your research
- Find out the new papers from selected authors
- Updated daily for 49'000+ journals and 6000+ publishers

(/1422-8599/2016/2/M892/scifeed_display)

Share and Cite

(mailto:?)&subject=From%20MDPI%3A%20%22Methyl%20%2C5-Dihydroxy-4-%283%E2%80%B2-methyl-2%E2%80%B2-butenyl%29benzoate"&body=https://www.mdpi.com/133418%3A%0A%0AMethyl%20%2C5-Dihydroxy-4-%283%E2%80%B2-methyl-2%E2%80%B2-butenyl%29benzoate%0A%0AAbstract%3A%20Methyl%20%2C5-dihydroxy-4-%283%E2%80%B2-methyl-2%E2%80%B2-butenyl%29benzoate%20%281%29%20was%20isolated%20from%20the%20root%20of%20Erythrina%20subumbrans.%20The%20chemical%20structur

Vis%2C%20HRESIMS%2C%201D%20and%202D%20NMR%20analysis.) (https://twitter.com/intent

/tweet?text=%23mdpimolbank+Methyl+2%2C5-Dihydroxy-4-%283%E2%80%B2-methyl-2%E2%80%B2-butenyl%29benzoate+https%3A%2F%2Fwww.mdpi.com%2F1422-8599%2F2016%2F2%2FM892++%40Molbank_MDPI)

(http://www.linkedin.com/shareArticle?mini=true&url=https%3A%2F%2Fwww.mdpi.com%2F133418&title=Methyl%20%2C5-Dihydroxy-4-%283%E2%80%B2-methyl-2%E2%80%B2-butenyl%29benzoate%26source%3Dhttps%3A%2F%2Fwww.mdpi.com%26summary%3DMethyl%20%2C5-dihydroxy-4-%283%E2%80%B2-methyl-2%E2%80%B2-butenyl%29benzoate%20%281%29%20was%20isolated%20from%20the%20root%20of%20Erythrina%20subumbrans.%20The%20chemical%20structur

Vis%2C%20HRESIMS%2C%201D%20and%202D%20NMR%20analysis.) (https://www.facebook.com/sharer.php?u=https://www.mdpi.com/133418) (https://www.reddit.com/submit?url=https://www.mdpi.com/133418)

(https://www.mendeley.com/import/?url=https://www.mdpi.com/133418)

MDPI and ACS Style

We use cookies on our website to ensure you get the best experience.

Tjahjandarie, T.S.; Saputri, R.D.; Taniung, M. Methyl 2,5-Dihydroxy-4-(3'-methyl-2'-butenyl)benzoate. *Molbank* **2016**, *2016*, M892.

[Show more citation formats](#)

[Accept \(/accept_cookies\)](#)



From the first issue of 2016, MDPI journals use article numbers instead of page numbers. See further details [here \(https://www.mdpi.com/about/announcements/784\)](https://www.mdpi.com/about/announcements/784).



Article Metrics

Citations

Crossref	Web of Science	Scopus	Google Scholar
2	2 (http://gateway)	3 (https://www.scop)	[click to (https://scholar SrcAuth=LinksAMR; scp=84962094605&/scholar_lookup?title DestLinkType=Fu UsrCustomerID=7e7 Dihydroxy-4-%283 methyl-2%E2 butenyl%29benzoate doi=10.3390% journal=Mc publication_ye author=Tjitjik+Srie author=Ratih+Di author=Mulyac)

Article Access Statistics

For more information on the journal statistics, click [here \(/journal/molbank/stats\)](#).

ⓘ Multiple requests from the same IP address are counted as one view.

Supplementary Materials

Supplementary File 1:

[Supplementary \(/1422-8599/2016/2/M892/s1\)](#) (PDF, 990 KB)

Supplementary File 2:

[Molbank 3D structure \(/1422-8599/2016/2/M892/s2\)](#) (MOL, 2 KB) [Display in MOL Viewer \(/1422-8599/2016/2/M892/s2\)](#)

3D structure generated by [CORINA \(https://www.molecular-networks.com/products/corina\)](https://www.molecular-networks.com/products/corina) by [Molecular Networks \(http://www.molecular-networks.com/\)](http://www.molecular-networks.com/).

Supplementary File 3:

[Molbank \(/1422-8599/2016/2/M892/s3\)](#) (INCHI, 519 B)

Supplementary File 4:

[Molbank \(/1422-8599/2016/2/M892/s4\)](#) (MOL, 2 KB) [Display in MOL Viewer \(/1422-8599/2016/2/M892/s4\)](#)

[Molbank \(/journal/molbank\)](#), EISSN 1422-8599, Published by MDPI AG

[RSS \(/rss/journal/molbank\)](#) [Content Alert \(/journal/molbank/toc-alert\)](#)

We use cookies on our website to ensure you get the best experience.


[Read more about our cookies here \(/about/privacy\)](#).

[Article Processing Charges \(/apc\)](#)

[Pay an Invoice \(https://payment.mdpi.com\)](https://payment.mdpi.com)

[Open Access Policy \(/openaccess\)](#)

[Accept \(/accept_cookies\)](#)

P  [policy \(/about/privacy\)](#)
C [MDPI \(/about/contact\)](#)

[Jobs at MDPI \(/about/jobs\)](#)
Guidelines



[For Authors \(/authors\)](#)

[For Reviewers \(/reviewers\)](#)

[For Editors \(/editors\)](#)

[For Librarians \(/librarians\)](#)

[For Publishers \(/publishing_services\)](#)

[For Societies \(/societies\)](#)

MDPI Initiatives

[Institutional Open Access Program \(IOAP\) \(/ioap\)](#)

[Sciforum \(https://sciforum.net\)](https://sciforum.net)

[Preprints \(https://www.preprints.org\)](https://www.preprints.org)

[Scilit \(https://www.scilit.net\)](https://www.scilit.net)

[MDPI Books \(https://www.mdpi.com/books\)](https://www.mdpi.com/books)

[Encyclopedia \(https://encyclopedia.pub\)](https://encyclopedia.pub)

[MDPI Blog \(http://blog.mdpi.com/\)](http://blog.mdpi.com/)

Follow MDPI

[LinkedIn \(https://www.linkedin.com/company/mdpi\)](https://www.linkedin.com/company/mdpi)

[Facebook \(https://www.facebook.com/MDPIOpenAccessPublishing\)](https://www.facebook.com/MDPIOpenAccessPublishing)

[Twitter \(https://twitter.com/MDPIOpenAccess\)](https://twitter.com/MDPIOpenAccess)

Subscribe to receive issue release
notifications and newsletters from
MDPI journals

Select options ▼

Enter your email address...

Subscribe

© 1996-2019 MDPI (Basel, Switzerland) unless otherwise stated

[Terms and Conditions \(/about/terms-and-conditions\)](#)

[Privacy Policy \(/about/privacy\)](#)

I did not initially check that there shouldn't be

We use cookies on our website to ensure you get the best experience.
Read more about our cookies [here \(/about/privacy\)](#).

[Accept \(/accept_cookies\)](#)

Short Note

Methyl 2,5-Dihydroxy-4-(3'-methyl-2'-butenyl)benzoate

Tjitjik Srie Tjahjandarie *, Ratih Dewi Saputri and Mulyadi Tanjung

Natural Products Chemistry Research Group, Organic Chemistry Division, Department of Chemistry, Faculty of Science and Technology, Universitas Airlangga, Surabaya 60115, Indonesia; duffputri@gmail.com (R.D.S.); mulyadi-t@fst.unair.ac.id (M.T.)

* Correspondence: tjitjiktjahjandarie@fst.unair.ac.id; Tel.: +62-31-593-6501; Fax: +62-31-593-6502

Academic Editor: Norbert Haider

Received: 22 February 2016; Accepted: 23 March 2016; Published: 29 March 2016

Abstract: Methyl 2,5-dihydroxy-4-(3'-methyl-2'-butenyl)benzoate (**1**) was isolated from the root of *Erythrina subumbrans*. The chemical structure of **1** has been elucidated based on spectroscopy UV-Vis, HRESIMS, 1D and 2D NMR analysis.

Keywords: Methyl 2,5-dihydroxy-4-(3'-methyl-2'-butenyl)benzoate; Methyl benzoate derivative; *Erythrina subumbrans*

1. Introduction

The genus *Erythrina* (Euphorbiaceae) comprises more than 100 species that are widely distributed in tropical and subtropical regions. The evergreen plants of *Erythrina* occur in almost every part of Indonesia, from Sumatra to Irian and the plants is commonly known as 'dadap'. Many of these species are used indigenously as traditional medicines to treat various diseases, such as infection, cough, malaria, inflammation, and asthma. This genus has been shown to produce a number of phenolic compounds, particularly alkaloids [1], flavonoids [2,3], pterocarpanes [4,5] and stilbenoids [6]. In continuation of our research into the phenolic compound in this medicinal plant, we report the isolation of methyl 2,5-dihydroxy-4-(3'-methyl-2'-butenyl)benzoate (**1**) from the methanol extract of the the root of *Erythrina subumbrans*. The chemical structure of compound **1** was established by UV, HRESIMS, 1D and 2D NMR, as well as by comparison with those related compounds previously reported. The antioxidant activity against DPPH radical scavenging of the isolated compound **1** is also briefly described.

2. Result and Discussion

Extraction of the dried milled of roots of *E. subumbrans* (1.5 kg) was carried out using methanol, and then methanol extract was partitioned with *n*-hexane and ethyl acetate. The ethyl acetate extract (18 g) was separated by vacuum liquid chromatography on silica gel and radial chromatography yielded methyl 2,5-dihydroxy-4-(3'-methyl-2'-butenyl) benzoate **1** (Figure 1).

Methyl 2,5-dihydroxy-4-(3'-methyl-2'-butenyl)benzoate (**1**) was isolated as white solid. The UV spectrum exhibited absorption maxima λ_{maks} 224 and 287 typical for a 4-methyl benzoate chromophore [7]. The HRESIMS spectrum showed a quasimolecular ion $[M - H]^-$ at m/z 235.0971 (calcd. 235.0970), which correspondend to the molecular formula of $C_{13}H_{15}O_4$. The $^1\text{H-NMR}$ (Table 1) spectrum of **1**, the presence of two singlet aromatic proton signals at δ_{H} 7.56 (1H, *s*, H-6) and 6.39 (1H, *s*, H-3) suggest that compound **1** is typical for a methyl benzoate with three substituents [8]. In the $^{13}\text{C-NMR}$ spectrum (Table 1), the results for **1** showed 13 carbon signals consistent for methyl isoprenylated benzoate structure, and two carbon signals at δ_{C} 52.0 and 170.4 were assigned to a methoxyl and carbonyl carbon from methyl benzoate structure. These spectroscopic data, therefore, suggested that **1** is a methyl benzoate containing an isoprenyl (3'-methyl-2'-butenyl) side chain.

Furthermore, the presence of other two oxyaryl signals (δ_{C} 160.9 and 162.1) indicated that the methyl benzoate has two hydroxyl groups. The side chain was deduced to be an isoprenyl group from the observation in the $^1\text{H-NMR}$ spectrum (Table 1) of two methyl singlets (δ_{H} 1.76 and 1.77), one methylene signal (δ_{H} 3.27), and one methin vinyl signal (δ_{H} 5.28). The presence of a chelated $-\text{OH}$ group at δ_{H} 10.79 gave the position of hydroxyl at C-2. The presence of long range correlations in the HMBC spectrum between the proton signal δ_{H} 10.79 with two quaternary carbon signals at δ_{C} 105.4 (C-1), 162.1 (C-2) and one methyne carbon at δ_{C} 103.4 (C-4) confirmed the $-\text{OH}$ group (δ_{H} 10.79) attached at C-2. In the aromatic region of $^1\text{H-NMR}$ spectrum, two singlet signals at δ_{H} 6.39 and 7.56 suggested that the position protons are found at H-3 and H-6. The presence of long range correlations in the HMBC spectrum of **1** between the proton signal aromatic at H-3 (δ_{H} 6.39) with four quaternary carbon signals at δ_{C} 105.4 (C-1), 162.1 (C-2), 119.2 (C-4), and 160.9 (C-5) unambiguously placed the isoprenyl at C-4 and hydroxyl groups at C-2 and C-5. The placement of isoprenyl group at C-4 suggested the correlation methylene signal (δ_{H} 3.27) with three quaternary carbon signals at δ_{C} 160.9 (C-5), 119.2 (C-4), 135.0 (C-3'), and two tertiary carbon signals at δ_{C} 103.4 (C-3), 121.6 (C-2'). Therefore, compound **1**, was elucidated as methyl 2,5-dihydroxy-4-(3'-methyl-2'-butenyl)benzoate. Other HMBC correlations consistent with the structure **1** are shown in Table 1 and Figure 2. To our knowledge, compound **1** was the first example of methyl benzoate derivative in the genus *Erythrina* with an isoprenyl side chain.




Figure 1. Structure of methyl 2,5-dihydroxy-4-(3'-methyl-2'-butenyl)benzoate (**1**).

Table 1. NMR spectroscopic data of methyl 2,5-dihydroxy-4-(3'-methyl-2'-butenyl)benzoate in CDCl_3 .

No. C	δ_{H} ppm (mult, J Hz)	δ_{C} ppm	HMBC
1	-	105.4	-
2	-	162.1	-
3	6.39 (s, 1H)	103.4	C-1, C-2, C-4, C-5
4	-	119.2	-
5	-	160.9	-
6	7.56 (s, 1H)	131.1	C-2, C-4, C=O
1'	3.27 (d, 7.0, 2H)	28.9	C-3, C-4, C-5, C-2', C-3'
2'	5.28 (tm, 7.5, 1H)	121.6	C-4', C-5'
3'	-	135.0	-
4'	1.77 (s, 3H)	25.8	C-2', C-3', C-5'
5'	1.76 (s, 3H)	17.9	C-2', C-3', C-4'
C=O	-	170.4	-
2-OH	10.79 (s, 1H)	-	C-1, C-2, C-3
OCH ₃	3.91 (s, 3H)	52.0	C=O




Figure 2. Selected HMBC correlations for compound 1.

On antioxidant evaluation against DPPH radical scavenging, compound **1** exhibited IC_{50} values of 266.48 $\mu\text{g}/\text{mL}$. That cytotoxic data suggested that compound **1** has moderate activity.

3. Material and Methods

3.1. General Information

NMR spectra were recorded on an Agilent 500 spectrometer (Santa Clara, CA, USA) in CDCl_3 at 500 (^1H) and 125 (^{13}C) MHz using TMS as the internal standard. The mass spectra was recorded using a Waters LCT Premier XE (Santa Clara, CA, USA). The UV was measured with a Shimadzu 1800 spectrophotometer (Kyoto, Japan). Vacuum-liquid chromatography (VLC) and radial chromatography were carried out using Si gel 60 GF₂₅₄ and Si gel 60 PF₂₅₄, for TLC analysis, and pre-coated silica gel plates (Merck, Darmstadt, Germany, Kieselgel 60 GF₂₅₄, 0,25 mm thickness) were used.

3.2. Plant Material

Samples of roots of *E. subumbrans* were collected in December 2014 from Botanical Garden, Pasuruan, Indonesia, and the specimen was deposited at the herbarium. The roots were cleaned, air dried under the shade, cut into small pieces and milled.

3.3. Extraction and Isolation

The dried roots of *E. subumbrans* (1.5 kg) were macerated in methanol at room temperature twice, and the methanol extract was evaporated under reduced pressure to give a dark brown residue (90 g). The crude extract in methanol (90 g) was partitioned first with *n*-hexane. The methanol layer was added with water (5% *v/v*) to increase the polarity and then partitioned with ethyl acetate. The ethyl acetate extract (18 g) was separated by vacuum liquid chromatography on silica gel. Elution with *n*-hexane–ethyl acetate by gradient amount of ethyl acetate (90:10, 80:20; 70:30; 50:50 and 20:80) to give five major fractions A–E. TLC on fraction B (460 mg) using eluent *n*-hexane–chloroform 1:1, showed two major spots. Purification of this fraction using planar radial chromatography, and eluting with *n* hexane–chloroform (from 2:8 to 1:1) yielded compound **1** (48 mg).

3.4. DPPH Radical Scavenging

The antioxidant assay of compound **1** against DPPH (2,2-diphenyl-1-picrihidrazil) radical was measured by UV spectrometer at λ 517 nm as described previously [9,10]. The inhibition percentage (%) of radical scavenging activity was calculated using the following equation:

$$\text{Inhibition (\%)} = (A_o - A_s/A_o) \times 100 \quad (1)$$

where A_0 is the absorbance of the control reaction (containing all reagents except the test compound), and A_s is the absorbance of the test compound.

Supplementary Materials: $^1\text{H-NMR}$, $^{13}\text{C-NMR}$ and HRESIMS spectra are reported in the supplementary materials as Figure S1–S5 together with structure refinement parameters as Table S1. They and the molfiles can be found at <http://www.mdpi.com/1422-8599/2016/2/M892>.

Acknowledgments: This research was supported by Directorate General of Higher Education, Ministry of Education and Culture, Republic of Indonesia (Penelitian Hibah Fakultas, Universitas Airlangga, 2013).

Author Contributions: Mulyadi Tanjung designed the whole experiment and contributed to the manuscript. Tjitjik Srie Tjahjandarie researched data and wrote the manuscript, Ratih Dewi Saputri analyzed the NMR and HRESIMS spectra. All authors read and approved the final manuscript.

Conflicts of Interest: The authors declare no conflict of interest

References

1. Ozawa, M.; Kawamata, S.; Etoh, T.; Hayashi, M.; Komiyama, K.; Kishida, A.; Kuroda, C.; Ohsaki, A. Structures of new erythrinan alkaloids and nitric oxide production inhibitors from *Erythrina crista-galli*. *Chem. Pharm. Bull.* **2010**, *58*, 1119–1122. [[CrossRef](#)] [[PubMed](#)]
2. Watjen, W.; Suckow, A.K.; Rohrig, R.; Kulawik, A.; Wright, C.W.; Passreiter, C.M. Prenylated flavonoid derivatives from the bark of *Erythrina addisoniae*. *J. Nat. Prod.* **2008**, *71*, 735–738. [[CrossRef](#)] [[PubMed](#)]
3. Yenesew, A.; Midiwo, J.O.; Heydenreich, M.; Schanzenbach, D.; Peter, M.G. Two isoflavanones from the stem bark of *Erythrina saculeuxii*. *Phytochemistry* **2000**, *55*, 457–459. [[CrossRef](#)]
4. Innok, P.; Rukachaisirikul, T.; Phongpaichit, S.; Suksamrarn, A. Fuscacarpans A-C, new pterocarpanes from the stems of *Erythrina fusca*. *Fitoterapia* **2010**, *81*, 518–523. [[CrossRef](#)] [[PubMed](#)]
5. Nguyen, P.H.; Le, T.V.T.; Thuong, P.T.; Dao, T.T.; Ndinteh, D.T.; Mbafor, J.T.; Kang, K.W.; Oh, W.K. Cytotoxic and PTP1B inhibitory activities from *Erythrina abyssinica*. *Bioorg. Med. Chem. Lett.* **2009**, *18*, 6745–6749. [[CrossRef](#)] [[PubMed](#)]
6. Nguyen, P.H.; Na, M.K.; Dao, T.T.; Ndinteh, D.T.; Mbafor, J.T.; Park, J.; Cheong, H.; Oh, W.K. New stilbenoid with inhibitory activity on viral neuraminidases from *Erythrina addisoniae*. *Bioorg. Med. Chem. Lett.* **2010**, *20*, 6430–6434. [[CrossRef](#)] [[PubMed](#)]
7. Weber, D.; Gorzalczy, S.; Martino, V.; Acevedo, C.; Sterner, O.; Anke, T. Metabolites from endophytes of the medicinal plant *Erythrina crista-galli*. *Z. Naturforsch. C* **2005**, *60*, 467–477. [[CrossRef](#)] [[PubMed](#)]
8. Bhandari, P.; Crombie, L.; Harper, M.F.; Rossiter, J.T.; Sanders, M.; Whiting, D.A. Mechanism and stereochemistry of the enzyme-catalysed formation of a 2,2-dimethylchromene ring from a prenylated phenol: conversion of rot-2'-enonic acid into deguelin by deguelin cyclase. *J. Chem. Soc. Perkin Trans 1* **1992**, *13*, 1685–1697. [[CrossRef](#)]
9. Tanjung, M.; Tjahjandarie, T.S.; Sentosa, M.H. Antioxidant and cytotoxic agent from the rhizomes of *Kaempferia pandurata*. *Asian Pac. J. Tropical Dis.* **2013**, *3*, 401–404. [[CrossRef](#)]
10. Tanjung, M.; Saputri, R.D.; Tjahjandarie, T.S. Antioxidant activity of two isomeric benzoxepin derivatives from the stem bark of *Bauhinia acuelata* L. *J. Chem. Pharm. Res.* **2014**, *6*, 705–708.



© 2016 by the authors; licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons by Attribution (CC-BY) license (<http://creativecommons.org/licenses/by/4.0/>).