

## DAFTAR PUSTAKA

- Afzal Khan, A. K., Banu, G. and Reshma, K. K. (2013) ‘Antibiotic resistance and usage-a survey on the knowledge, attitude, perceptions and practices among the medical students of a southern Indian teaching hospital’, *Journal of Clinical and Diagnostic Research*, 7(8), p. 1613–1616.
- Amalia, nanda Rizky (2011) ‘**Mikrosfer kitosan sebagai bahan penyalut untuk mengontrol pelepasan obat natrium diklofenak**, skripsi, program sarjana Teknik. Universitas Indonesia, Depok.
- Amstrong EP, F. (2008). Bone and Joint Infection, in pharmacotherapy, **A pathophysiologic Approach**, 7th ed, chapter 122.
- Apriasari, M. L., Adhani, R. and Savitri, D. (2014) ‘**Uji Sitotoksitas Ekstrak Metanol Batang Pisang Mauli (Musa sp) terhadap Sel Fibroblas BHK (Baby Hamster Kidney) 21**’, p. 214–218.
- Askarzadeh, K., Orang, F. and Moztarzadeh, F. (2005) ‘**Fabrication and Characterization of a Porous Composite Scaffold Based on Gelatin and Hydroxyapatite for Bone Tissue Engineering**’, 14(6), p. 511–520.
- Balmayor, E. R. *et al.* (2015) ‘Presence of starch enhances in vitro biodegradation and biocompatibility of a gentamisin delivery formulation’, *Journal of Biomedical Materials Research - Part B Applied Biomaterials*, 103(8), p. 1610–1620.
- Budiatin, A. S. Pengaruh GTA sebagai crosslink agent gentamisin dengan gelatin terhadap peningkatan efektifitas bovine hydroxyapatite–gelatin sebagai sistem penghantaran obat dan pengisi tulang. **Desertasi**, Program Pasca Sarjana Ilmu Matematika & IPA

Universitas Airlangga, Surabaya.

- Budiatin, A. S., Zainuddin, M. and Khotib, J. (2013) ‘**in vitro gentamisin release from bioactive bhag ( lena ) implant against *Staphylococcus aureus***’, 18, p. 116–118.
- Budiatin, A. S., Zainuddin, M. and Khotib, J. (2014) ‘Biocompatible composite as gentamisin delivery system for osteomyelitis and bone regeneration’, *International Journal of Pharmacy and Pharmaceutical Sciences*, 6(3), p.223-226
- Chang, K. (2015). *Structure and Properties of Hydroxyapatite for Biomedical Applications, chapter 1* Inggris: Oxford : Elsevier’s **Science & Technology Rights Department.**
- Chaplin, M. (2005). **Gelatin**, ([www.isbuc.ac.uk](http://www.isbuc.ac.uk)).
- Choudhury, N. A., Sampath, S. and Shukla, A. K. (2008) ‘Gelatin Hydrogel Electrolytes and Their Application to Electrochemical Supercapacitors’, *Journal of The Electrochemical Society*, 155(1), p. A74.
- De Klaver, P. A. G. *et al.* (2009) ‘High systemic gentamisin levels and ototoxicity after implantation of gentamisin beads in a 70-year-old mana case report’, *Acta Orthopaedica*, 80(6), p. 734–736.
- Dewi, Tri Purnama. 2007. Efek sitotoksik Tetrahydrozoline HCl terhadap viabilitas sel fibroblas. **Internal Jurnal kedokteran gigi**; 5 (1)
- Dinarvand R, Mahmood S, FArbout E, et al.,2005, Preparation of gelatin microspheres containing lactic acid- Effect cross-linking on drug release, *Acta Pharm* 55:57-67
- El-Ghannam, A., Ahmed, K. and Omran, M. (2005) ‘Nanoporous delivery system to treat osteomyelitis and regenerate bone: Gentamisin release kinetics and bactericidal effect’, *Journal of Biomedical*

- Materials Research - Part B Applied Biomaterials*, 73(2), p. 277–284.
- Faber, C. (2007) *Histatin and lactoferrin-derived antimicrobial peptides ; in vitro and in vivo studies on the treatment and prevention of osteomyelitis*.
- Ferdiansya, 2010. Regenerasi pada Massive Bone Defect dengan Bovine Hydroxyapatite sebagai Scaffold Stem sel Mesensimal, **Desertasi**, Program Pascasarjana Ilmu Kedokteran Universitas Airlangga, Surabaya
- Ficai W, Andronescu E, Voicu G, Ficai D. 2011. Collagen/Hydroxyapatite Composite Material In: **Advance in Composite Materials for Medicine and Nanotechnology**. InTech Dr. Brahim Attaf (Ed). Politehnica University of Bucharest, Faculty of Applied Chemistry and Material Science, Romania, ISBN:978-953-307-235-7:1-31
- Fogelman, I., Van Der Wall, H. and Gnanasegaran, G. (2012) ‘**Radionuclide and hybrid bone imaging**’, *Radionuclide and Hybrid Bone Imaging*, 9783642024, p. 1–1046.
- Gao, S. *et al.* (2017) ‘Comparison of glutaraldehyde and carbodiimides to crosslink tissue engineering scaffolds fabricated by decellularized porcine menisci’, *Materials Science and Engineering C. Elsevier B.V.*, 71, p. 891–900.
- GIMA (2012) ‘**Gelatin handbook**’, *Gelatin Manufacturers Institute of America*, p. 25.
- Ginalska, G., Kowalczyk, D. and Osińska, M. (2005) ‘A chemical method of gentamisin bonding to gelatine-sealed prosthetic vascular grafts’, *International Journal of Pharmaceutics*, 288(1), p. 131–140.
- Gogia, Jaspaul S. *et al.* (2009) **Local Antibiotic Therapy in Osteomyelitis**.

- Greenspan, D. C. and Ph, D. (2012) 'Comparison Of A Synthetic And Bovine Derived Hydroxyapatite Bone Graft Substitute', *Zimmer Dental*, p. 1–4.
- Guda, T. *et al.* (2011) 'In vivo performance of bilayer hydroxyapatite scaffolds for bone tissue regeneration in the rabbit radius', *Journal of Materials Science: Materials in Medicine*, 22(3), p. 647–656.
- Gündüz, K. E., Özbilge, H. and Albayrak, S. (2009) '**Determination of the effect of gentamisin against**', 23(August 2008), p. 110–114.
- Hatzenbuehler, J. and Pulling, T. J. (2011) 'Diagnosis and Management of Osteomyelitis - American Family Physician', *Am Fam Physician*, 1(84), p. 1027–1033.
- Haugh, M. G. *et al.* (2011) 'Crosslinking and Mechanical Properties Significantly Influence Cell Attachment, Proliferation, and Migration Within Collagen Glycosaminoglycan Scaffolds', *Tissue Engineering Part A*, 17(9–10), p. 1201–1208.
- Helmi, Z. N. (2012). **Buku ajar gangguan Muskuloskeletal**. p. 4-11.
- Hillig, W. B. *et al.* (2008) 'An open-pored gelatin/hydroxyapatite composite as a potential bone substitute', *Journal of Materials Science: Materials in Medicine*, 19(1), p. 11–17.
- Indillah, Azmi. (2016). Uji Toksisitas Akut Gelatin Sapi Terhadap Tikus Betina Galur Sprague Dawley, **skripsi**, program sarjana. UIN Syarif Hidayatullah, Jakarta.
- Johnson, KE. 2011. **Quick Review Histologi dan Biologi Sel**. Tangerang Selatan: Binarupa Aksara
- Katzung, B. (2012). **Basic & Clinical Pharmacology** 12th ed., USA: McGraw Hill Companies.

- Katzung, b. G., masters, S. B., & Trevor, A. J. (2014). **Farmakologi Dasar dan Klinik** ed. 12. 929-937.
- Khan, A. B. (2013). Antibiotic Resistance and Usage A Survey on the Knowledge, Attitude, Perceptions and Practices among the Medical Students of a Southern Indian Teaching Hospital. *Journal of Clinical and Diagnostic Research*. 7(8), 1613-1.
- Khoswanto, C., Arijani, E. and Soesilawati, P. (2008) 'Cytotoxicity test of 40, 50 and 60% citric acid as dentin conditioner by using MTT assay on culture cell line', *Dental Journal (Majalah Kedokteran Gigi)*, 41(3), p. 103.
- Kim, H. W., Knowles, J. C. and Kim, H. E. (2005) 'Hydroxyapatite and gelatin composite foams processed via novel freeze-drying and crosslinking for use as temporary hard tissue scaffolds', *Journal of Biomedical Materials Research - Part A*, 72(2), p. 136–145.
- Kronig, I. *et al.* (2015) 'Acute and chronic osteomyelitis', *Clinical Infectious Disease, Second Edition*, p. 448–453.
- Lewis, C. S. *et al.* (2011) 'Local antibiotic delivery with bovine cancellous chips', *Journal of Biomaterials Applications*, 26(4), p. 491–506.
- Liu, Y. *et al.* (2017) 'Gentamisin modified chitosan film with improved antibacterial property and cell biocompatibility', *International Journal of Biological Macromolecules*. Elsevier B.V., 98, p. 550–556.
- Ma, bing, Xiaoya Wang, Chengtie Wu and Jiang Chang (2014). Crosslinking strategies for preparation of extracellular matrix-derived cardiovascular scaffolds. Laboratory of High Performance Ceramics and Superfine Microstructure, Shanghai Institute of Ceramics, Chinese Academy of Sciences, 1295 Dingxi Road,

- Shanghai 200050, People's Republic of China. **Oxford University Press**. p.82-83
- MorisonMJ. 2004. **Seri Pedoman Praktis Manajemen Luka**. Jakarta: Penerbit Buku kedokteran EGC.
- Munir, T. *et al.* (2016) '**Therapeutic Considerations of Osteomyelitis : A review**', (**September**), p. 1–6.
- Narbat, M. K. *et al.* (2006) 'Fabrication of porous hydroxyapatite-gelatin composite scaffolds for bone tissue engineering', *Iranian Biomedical Journal*, 10(4), pp. 215–223.
- Panteli, M. and Giannoudis, P. V. (2016) 'Chronic osteomyelitis: what the surgeon needs to know', *EFORT Open Reviews*, 1(5), p. 128–135.
- Parenteau-Bareil, R., Gauvin, R. and Berthod, F. (2010) 'Collagen-based biomaterials for tissue engineering applications', *Materials*, 3(3), p. 1863–1887.
- Prabst, K. *et al.* (2017) '**Basic Colorimetric Proliferation Assays: MTT, WST, and Resazurin**', 1601, pp. 1–17.
- Pruss A., Giroull E., Rushbrook P. ( 2005). **Pengelolaan Aman Limbah Layanan Kesehatan**. WHO: EGC. p. 106.
- Ramírez-Fernández, M. P. *et al.* (2011) 'Bone response to hydroxyapatites with open porosity of animal origin (porcine [OsteoBiol®mp3] and bovine [Endobon®]): A radiological and histomorphometric study', *Clinical Oral Implants Research*, 22(7), pp. 767–773.
- Siregarr, F. *et al.* (2000) **.uji sitotoksisitas dengan esei mtt'**.
- Sjamsuhidajat R, Jong WD. 2005. **Buku Ajar Ilmu Bedah**. Ed 2. Jakarta: Penerbit Buku kedokteran EGC.
- Speer, D. P. *et al.* (1980) 'Biological effects of residual glutaraldehyde in glutaraldehyde-tanned collagen biomaterials', *Journal of*

*Biomedical Materials Research*, 14(6), p. 753–764.

Stallmann, H. P. *et al.* (2006) ‘In vitro gentamisin release from commercially available calcium-phosphate bone substitutes influence of carrier type on duration of the release profile’, *BMC Musculoskeletal Disorders*, 7, p. 1–8.

Stepanenko, A. A. and Dmitrenko, V. V. (2015) ‘Pitfalls of the MTT assay: Direct and off-target effects of inhibitors can result in over/underestimation of cell viability’, *Gene. Elsevier B.V.*, 574(2), p. 193–203.

Sun, H. W., Feigal, R. J. and Messer, H. H. (1990) ‘Cytotoxicity of glutaraldehyde and formaldehyde in relation to time of exposure and concentration’, *Pediatric Dentistry*, 12(5), p. 303–307.

Tampieri, A. *et al.* (2003) ‘Porous phosphate-gelatine composite as bone graft with drug delivery function’, *Journal of Materials Science: Materials in Medicine*, 14(7), p. 623–627.

Tazwir, Ayudiarti, D. L. and Paranginangin, R. (2007) ‘Optimasi pembuatan gelatin dari tulang ikan kaci-kaci (*Plectorhynchus chaetodonoides Lac.*) menggunakan berbagai konsentrasi asam dan waktu ekstraksi’, *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*, 2(1), p. 35–43.

Utami, Nurul Satwika (2012) ‘Studi eksperimen pelepasan paracetamol secara terkendali dari mikrosfer kitosan skripsi’, *Skripsi*, program sarjana teknik kimia. Universitas Indonesia, Depok.

Walsh W R., W. M. (2003). **Cell structure and biology Bone and Cartilage. Handbook of Histology Methods for Bone and Cartilage.** 35-45.

Warastuti, Y. and Abbas, B. (2011) ‘Sintesis dan karakterisasi pasta

injectable bone substitute iradiasi berbasis hidroksiapatit', *Jurnal Ilmiah Aplikasi Isotop dan Radiasi*, 7(2), p. 73–82.

Whiteing, N. L. (2008) 'Fractures: pathophysiology, treatment and nursing care.', *Nursing Standard*, 23(2), p. 49–57.

Zeeman, Raymond. (1998) cross-linking of collagen-based materials.

**Thesis** University of Twente, Enschede, The Netherlands.