

DAFTAR PUSTAKA

- Aggarwal BB, Harikumar KB (2009). Potential Therapeutic Effects Of Curcumin, The Anti-Inflammatory Agent, Against Neurodegenerative, Cardiovascular, Pulmonary, Metabolic, Autoimmune And Neoplastic Diseases. *Int J Biochem Cell Biol* 41:40–59.
- Aghthong, S *et al* (2015). Curcumin Ameliorates Functional And Structural Abnormalities In Cisplatin-Induced Neuropathy. *Exp Neurobiol*. 2015 Jun;24(2):139-145.
- Alrawaig, N S and Abdullah, A (2014). A Review of Antioxidant Polyphenolic Curcumin and Its Role in Detoxification. *International Journak of PharmTech Research Volume 6*: 280-289.
- American Cancer Society (2014). *AGuidline of Chemotherapy*.
- American Pain Society (2001). *Current Understanding of Assesment, Management, and Treatments*. National Pharmaceutical Council, Inc.
- Anand, P *et al* (2007). Bioavailability of Curcumin: Problems and Promises. *Molecular Pharmaceutics* 4(6): 807-818.
- Apfel, S.C *et al* (1991). Nerve Growth Factor Prevents Toxic Neuropathy in Mice. *Ann Neurol* 29: 87-90.
- Argyriou, A *et al* (2013). Voltage-Gated Sodium Channel Polymorphisms Play a Pivotal Role in the Development of Oxaliplatin-induced Peripheral Neurotoxicity. *Wiley Online Library*
- Arshad, L *et al* (2017). An Overview of Structure-Activity Relationship Studies of Curcumin Analog as Antioxidant and Antiinflammatory Agents. *Future Science Ltd*. Pp 1-22.
- Authier N, *et al*. (2000). Description of a Short-term Taxol- induced Nociceptive Neuropathy in Rats. *Brain Research* 887: 239-249.
- Authier, Nicolas, et al (2009). Animal Models Of Chemotherapy-Evoked Painful Peripheral Neuropathies. *Neurotherapeutics* 6.4: 620-629.
- Babu, A. *et al* (2014). Effect Of Curcumin In Mice Model Of Vincristine-Induced Neuropathy. *Pharm Biol, Early Online*. Informa Healthcare USA, Inc:1-11.
- Banafshe, Hamid R *et al* (2014). Effect of Curcumin on Diabetic Peripheral Neuropathic Pain: Possible Involvement of Opioid System. *European Journal of Pharmacology* 723: 202-206.

- Behrend, S W (2014). New Guidelines for Chemotherapy-induced Peripheral Neuropathy. *Oncology Nursing Forum volume 41 Issue 5*: 1-3.
- Carrasco, C et al (2018). Neuropathic Pain: Delving Into The Oxidative Origin And The Possible Implication Of Transient Receptor Potential Channels. *Front. Physiol.* 9:95.
- Carvalho et al(2017). The Use Of Antioxidant Agents For Chemotherapy-InducedPeripheral Neuropathy Treatment In Animal Models. *Clin Exp Pharmacol Physiol* (44): 971-979.
- Chang, C.T et al (2019). Ion Channels Involved in Substance P-Mediated Nociception and Antinociception. *International Journal of Molecular Sciences* 20:1596.
- Colloca, L et al(2017). Neuropathic Pain.*Nature Reviews* (3): 1-9.
- Coriat, R., et al (2014). Treatment Of Oxaliplatin-Induced Peripheral Neuropathy By Intravenous Mangafodipir. *The Journal of Clinical Investigation* Volume 124(1).
- Deuis J R, et al. (2017). Methods Used to Evaluate Behaviours in Rodents. *Frontiers in Molecular Neuroscience* vol 10:284.
- Donvito, G et al (2016). Palmitoylethanolamide Reverses Paclitaxel-Induced Allodynia In Mice.
- Flatters, S. J et al (2017). Clinical and Preclinical Perspective of Chemotherapy-induced Peripheral Neuropathy: a Narrative Review. *British Journal of Anaesthesia* 119 (4):737-49.
- Formasari, D (2017). Pharmacotherapy of Neuropathic Pain: A Review. *Pain Therapy* (6): 25-33.
- Goswami, T et al (2016). Effect of Lipophilicity and Drug Ionization on Permeation Across Porcine Sublingual Mucosa. *PharSciTec*.
- Griffiths, L. A et al (2018). Evoked and Ongoing Pain-Like Behaviours in A Rat Model of Paclitaxel-induced Peripheral Neuropathy. *Pain Research and Management*.
- Gupta, R et al (2015). *Chemotherapy-Induced Peripheral Neuropathic Pain*. Oxford University Press on behalf of the British Journal of Anaesthesia.
- Han, Y et al (2013). Pathobiology of Cancer Chemotherapy-induced Peripheral Neuropathy. *Frontiers in Pharmacology* volume 4:156.
- Hershman, D L et al (2014). Prevention and Management of Chemotherapy-induced Peripheral Neuropathy in Survivors of Adult Cancers: American Society of Clinical Oncology Clinical Practice Guideline. *Journal of Clinical Oncology* (32): 1-30.
- Hershman, D. L et al (2011). Association Between Patient Reported Outcomes and Quantitative Sensory Test for Measuring Long-

- Term Neurotoxicity in Breast Cancer Survivors Treated with Adjuvant Paclitaxel Chemotherapy. *Breast Cancer Res Treat* 125: 767-774.
- Höke, Ahmet, and Mitali Ray (2014). Rodent Models Of Chemotherapy-Induced Peripheral Neuropathy. *ILAR journal* 54.3: 273-281.
- Hopkins H L, et al. (2016). Chemotherapy-induced Painful Neuropathy: Pain-like Behaviours in Rodent Models and Their Response to Commonly Used Analgesics. *Curr Opin Support Palliat Care* 10: 119-128.
- Jay et al (2014). Neuropathic Pain: Etiology, Pathophysiology, Mechanisms, And Evaluations. *Disease-a-month* 60: 6-24.
- Kemenkes RI (2017). *Formularium Nasional*.
- Kim, Kyoung-Tae et al (2014). The Neuroprotective Effect of Treatment with Curcumin in Acute Spinal Cord Injury: Laboratory Investigation. *Neurol Med Chir* 54: 387-394.
- Kono T, et al. (2015). Preventive Effect of Oral Goshajinkigan on Chronic Oxaliplatin-induced Hypoesthesia in Rats. *Sci. Rep.* 5.
- Lee, J et al (2006). Peripheral Neuropathy Induced by Microtubule-Stabilizing Agents. *Journal of Clinical Oncology*. Volume 24(10): 1633-1642.
- Lin, Muh-Shi et al (2011). Curcumin Provides Neuroprotection After Spinal Cord Injury. *Journal of Surgical Record* 166: 280-289.
- Liu, Shenbin et al (2016). Curcumin Ameliorates Neuropathic Pain By Down-Regulating Spinal IL-1 β Via Suppressing Astroglial NALP1 Inflammasome And JAK2- STAT3 Signalling. *Scientific Reports* 6: 28956.
- Ma, Junxiong et al (2012). Curcumin Promotes Nerve Regeneration and Functional Recovery in Rat Model of Nerve Crush Injury. *Neuroscience Letters* 547: 26-31.
- Malik, P and Mukherjee, T K (2014). Structure-Function Elucidation of Antioxidant and Prooxidant Activity of the Polyphenolic Compound Curcumin. *Chinese Journal of Biology*: 1-8.
- Moundhri, Al et al (2013). The Effect of Curcumin on Oxaliplatin and Cisplatin Neurotoxicity in Rats: Some Behavioural, Biochemical, and Histopathological Studies. *Journal of Medical Toxicology*. 9(1):25-33.
- Nishikawa, N (2015). Management of Neuropathic Pain. *Journal of General and Family Medicine* (18): 56-60.
- Pan, M. H et al (1999). Biotransformation Curcumin Through Reduction and Glucuronidation in Mice. *Drug. Metab. Dispos.* 27(4): 486-94.
- Park, H. J (2014). Chemotherapy Induced Peripheral Neuropathic Pain. *Korean J. Anesthesiol* 67(1): 4-7.

- Pasero, C. (2004). Patophysiology of Neuropathic Pain. *Pain Management Nursing*, Vol 5, No 4: 3-8.
- Pourmohammadi N, et al. (2012). Lithium Attenuates Peripheral Neuropathy Induced by Paclitaxel in Rats. **Basic and Clinical Pharmacology and Toxicology** 110:231-237.
- Pusat informasi Obat Nasional (PIONAS) (2015). *Keganasan dan Imunosupresi*. Diakses dari <http://pionas.pom.go.id/ioni/bab-8-keganasan-dan-imunosupresi>, pada tanggal 6 Januari 2019.
- Ravindranath, V and Chandrasekhara, N (1982). Metabolism of Curcumin-Studies with [³H] Curcumin. *Toxicology* 22: 337-344.
- Richner, M et al (2011). The Spared Nerve Injury (SNI) Model of Induce Mechanical Allodynia in Mice. *Journal of Visualized Experiments* (54): 1-3.
- Seretny, Marta, et al (2014). Incidence, Prevalence, And Predictors Of Chemotherapy-Induced Peripheral Neuropathy: A Systematic Review And Meta-Analysis. *PAIN®* 155.12: 2461-2470.
- Shahid, M et al (2017). The Flavonoid 6-Methoxy Flavone allays Cisplatin-induced Neuropathic Allodynia and Hypoalgesia. *Biomedicine & pharmacotherapy* 95:1725-1733.
- Sharma S, et al. (2006). Curcumin Attenuates Thermal Hyperalgesia In A Diabetic Mouse Model Of Neuropathic Pain. *Eur J Pharmacol* 536:256-61.
- Starobova, H et al (2017). Pathophysiology Of Chemotherapy-Induced Peripheral Neuropathy. *Front. Mol. Neurosci.* 10:174.
- Vogel H G, et al. (2006). **Drug Discovery and Evaluation: Safety and Pharmacokinetic Assay**. Springer Science & Business Media.
- Waseem, M et al (2015). Neuroprotective Activities Of Curcumin And Quercetin With Potential Relevance To Mitochondrial Dysfunction Induced By Oxaliplatin. **Springer-Verlag Wien**.
- Waseem, M et al (2017). Role Of Mitochondrial Mechanism In Chemotherapy-Induced Peripheral Neuropathy. *Current Drug Metabolism*, 2018, 19, 47-54.
- World Health Organization (2012). *WHO: Guidelines on The Pharmacological Treatment of Persisting Pain in Children with Medical Illness*.
- World Health Organization (2018). *Cancer*. Diakses dari <http://www.who.int/news-room/fact-sheets/detail/cancer>, pada tanggal 8 Nopember 2018.
- Yeon, K.Yet al (2010). Curcumin Produces An Antihyperalgesic Effect Via Antagonismof TRPV1. *J. Dent. Res.* 89, 170-174.
- Zhao X, Xu Y, Zhao Q, et al. (2012). Curcumin Exerts Antinociceptive Effects In A Mouse Model Of Neuropathic Pain: Descending

Monoamine System And Opioid Receptors Are Differentially Involved.*Neuropharmacology*62:843–54.