

DAFTAR PUSTAKA

- Alger, J. R. (2012). The diffusion tensor imaging toolbox. *Journal of Neuroscience*, 32(22), 7418-7428.
- Aslan, K., Gunbey, H. P., Tomak, L., & Incesu, L. (2018). The diagnostic value of using combined MR diffusion tensor imaging parameters to differentiate between low-and high-grade meningioma. *The British journal of radiology*, 91(1088), 20180088
- Baliyan, V., Das, C. J., Sharma, R., & Gupta, A. K. (2016). Diffusion weighted imaging: Technique and applications. *World journal of radiology*, 8(9), 785.
- Bulakbasi, N. (2009). Diffusion-tensor imaging in brain tumors. *Imaging in Medicine*, 1(2), 155.
- Collins, V. P. (2004). Brain tumours: classification and genes. *Journal of Neurology, Neurosurgery & Psychiatry*, 75(suppl 2), ii2-ii11.
- Davanian, F., Faeghi, F., Shahzadi, S. and Farshifar, Z., 2017. Diffusion tensor imaging for glioma grading: Analysis of fiber density index. *Basic and clinical neuroscience*, 8(1), p.13.
- Dubey, A., Kataria, R. and Sinha, V.D., 2018. Role of diffusion tensor imaging in brain tumor surgery. *Asian journal of neurosurgery*, 13(2), p.302.
- Douek P, Turner R, Pekar J, Patronas N, Le Bihan D. MR color mapping of myelin fiber orientation. *J Comput Assist Tomogr* 1991; 15: 923-929
- Einstein, A. (1956). *Investigations on the Theory of the Brownian Movement*. Courier Corporation.

- El-Serougy, L. G., Razek, A. A. K. A., Mousa, A. E., Eldawoody, H. A. F., & El-Morsy, A. E. M. E. (2015). Differentiation between high-grade gliomas and metastatic brain tumors using diffusion tensor imaging metrics. *The Egyptian Journal of Radiology and Nuclear Medicine*, 46(4), 1099-1104.
- Fang AS, Meyers SP, 2013. Magnetic resonance imaging of pineal region tumours, *Insights Imaging*, 4:pp369–382
- Field, A. S. (2005). Diffusion tensor imaging at the crossroads: fiber tracking meets tissue characterization in brain tumors.
- Ghosh M, Mandal K, Trivedi V, Chauhan R, Shubham S, Muneer A, 2017. Clinical profile of patients with brain metastasis a single institutional retrospective study, *International Journal of Contemporary Medical Research*, Vol.4(2): p372.
- Goebell E, Fiehler J, Ding XQ, Paustenbach S, Nietz S, Heese O, Kucinski T, Hagel C, Westphal M, Zeumer H. Disarrangement of fiber tracts and decline of neuronal density correlate in glioma patients—a combined diffusion tensor imaging and 1H-MR spectroscopy study. *American journal of neuroradiology*. 2006 Aug 1;27(7):1426-31.
- Hagmann, P., Jonasson, L., Maeder, P., et al. (2006). Understanding diffusion MR imaging techniques: from scalar diffusion-weighted imaging to diffusion tensor imaging and beyond. *Radiographics*, 26(suppl_1), S205-S223.
- Harter, P. N., Braun, Y., & Plate, K. H. (2017). Classification of meningiomas—advances and controversies. *Chinese clinical oncology*, 6(1).
- Inoue, T., Ogasawara, K., Beppu, T., Ogawa, A., & Kabasawa, H. (2005). Diffusion tensor imaging for preoperative evaluation of tumor grade in gliomas. *Clinical neurology and neurosurgery*, 107(3), 174-180.

- Jiang, L., Xiao, C.Y., Xu, Q., Sun, J., Chen, H., Chen, Y.C. and Yin, X., 2017. Analysis of DTI-derived tensor metrics in differential diagnosis between low-grade and high-grade gliomas. *Frontiers in aging neuroscience*, 9, p.271.
- Jolapara, M., Kesavadas, C., Radhakrishnan, V.V., Thomas, B., Gupta, A.K., Bodhey, N., Patro, S., Saini, J., George, U. and Sarma, P.S., 2010. Role of diffusion tensor imaging in differentiating subtypes of meningiomas. *Journal of Neuroradiology*, 37(5), pp.277-283.
- Kashimura, H., Inoue, T., Ogasawara, K., Arai, H., Otawara, Y., Kanbara, Y. and Ogawa, A., 2007. Prediction of meningioma consistency using fractional anisotropy value measured by magnetic resonance imaging. *Journal of neurosurgery*, 107(4), pp.784-787.
- Kong XT, Alexandru D, Bota DA, 2014. Chapter 2 epidemiology of central nervous system metastases, in Hayat MA, *Brain metastases from primary tumors: epidemiology, biology, and therapy*, 1st Ed: p12, Elsevier, London.
- Kunimatsu, A., Kunimatsu, N., Kamiya, K., Katsura, M., Mori, H., & Ohtomo, K. (2016). Variants of meningiomas: a review of imaging findings and clinical features. *Japanese journal of radiology*, 34(7), 459-469.
- Le Bihan, D., & Iima, M. (2015). Correction: Diffusion magnetic resonance imaging: What water tells us about biological tissues. *PLoS biology*, 13(9), e1002246.
- Lignelli A, Khandji AG, 2011. Review of imaging techniques in the diagnosis and management of brain metastases, *Neurosurg Clin*. Vol.22: pp15-18.
- Louis, D. N., Perry, A., Reifenberger, G., Von Deimling, A., Figarella-Branger, D., Cavenee, W. K., ... & Ellison, D. W. (2016). The 2016 World Health

Organization classification of tumors of the central nervous system: a summary. *Acta neuropathologica*, 131(6), 803-820.

McFaline-Figueroa, J. Ricardo, and Eudocia Q. Lee. "Brain tumors." *The American journal of medicine* (2018).

Mckinney PA, 2004. Brain tumours: incidence, survival, and aetiology, *Journal of Neurology, Neurosurgery & Psychiatry*, Jan;75 :ii12–ii17.

Melhem, E. R., Mori, S., Mukundan, G., Kraut, M. A., Pomper, M. G., & van Zijl, P. C. (2002). Diffusion tensor MR imaging of the brain and white matter tractography. *American Journal of Roentgenology*, 178(1), 3-16.

Mohamed, F. F., & Abouhashem, S. (2013). Diagnostic value of apparent diffusion coefficient (ADC) in assessment of pituitary macroadenoma consistency. *The Egyptian Journal of Radiology and Nuclear Medicine*, 44(3), 617-624.

Moseley ME, Cohen Y, Mintorovitch J, Chileuitt L, Shimizu H, Kucharczyk J, Wendland MF, Weinstein PR. Early detection of regional cerebral ischemia in cats: comparison of diffusion- and T2-weighted MRI and spectroscopy. *Magn Reson Med* 1990; **14**: 330-346

Naganuma H, Satoh E, Nukui H, 2002. Technical considerations of transsphenoidal removal of fibrous pituitary adenomas and evaluation of collagen content and subtype in the adenomas, *Neurologia Medico-chirurgica (Tokyo)*, 42(4): pp202-212.

Oh MS, Ahn KJ, Choi HS, Jung SL, Lee YJ, Kim BS, 2011. Pre-operative evaluation of consistency in intra-axial brain tumor with diffusion-weighted images (DWI) and conventional MRI. *JKSMRM*. Vol.15: p107.

- Petridis, A. K., Thissen, J., Brassel, F., Meila, D., & Scholz, M. (2014). Neurological Disorders.
- Pierallini A, Caramia F, Falcone C, et al. Pituitary macroadenomas: preoperative evaluation of consistency with diffusion- weighted MR imaging--initial experience. *Radiology* 2006; 239: 223-231
- Roberts TP, Liu F, Kassner A, Mori S, Guha A. Fiber density index correlates with reduced fractional anisotropy in white matter of patients with glioblastoma. *American Journal of Neuroradiology*. 2005 Oct 1;26(9):2183-6.
- Shan, W., & Wang, X. L. (2017). Clinical application value of 3.0 T MR diffusion tensor imaging in grade diagnosis of gliomas. *Oncology letters*, 14(2), 2009-2014.
- Solomou AG, 2017. Magnetic resonance imaging of pineal tumors and drop metastases: a review approach. *Rare Tumors*; volume 9:6715
- Soni, N., Mehrotra, A., Behari, S., Kumar, S. and Gupta, N., 2017. Diffusion-Tensor Imaging and tractography application in pre-operative planning of intra-axial brain lesions. *Cureus*, 9(10).
- Toh, C.H., Castillo, M., Wong, A.C., Wei, K.C., Wong, H.F., Ng, S.H. and Wan, Y.L., 2008. Differentiation between classic and atypical meningiomas with use of diffusion tensor imaging. *American Journal of Neuroradiology*, 29(9), pp.1630-1635.
- Wedeen, V. J., Hagmann, P., Tseng, W. Y. I., Reese, T. G., & Weisskoff, R. M. (2005). Mapping complex tissue architecture with diffusion spectrum magnetic resonance imaging. *Magnetic resonance in medicine*, 54(6), 1377-1386.

- Westin, C. F., Maier, S. E., Mamata, H., Nabavi, A., Jolesz, F. A., & Kikinis, R. (2002). Processing and visualization for diffusion tensor MRI. *Medical image analysis*, 6(2), 93-108.
- Wiemels, J., Wrensch, M., & Claus, E. B. (2010). Epidemiology and etiology of meningioma. *Journal of neuro-oncology*, 99(3), 307-314.
- Won, Y.I., Chung, C.K., Kim, C.H., Park, C.K., Koo, B.B., Lee, J.M. and Jung, H.W., 2016. White matter change revealed by diffusion tensor imaging in gliomas. *Brain tumor research and treatment*, 4(2), pp.100-106.
- Yousem D. M. & Grossman R. I. (2010). *The requisites: Neuroradiology*. Philadelphia: Mosby Elsevier, 59 – 62.