

DAFTAR PUSTAKA

- Alderman, E., Corley, S., & Fisher, L. (1993). Five-year Angiographic Follow-Up Factors Associated with Progression of Coronary Artery Disease in the Coronary Artery Surgery Study. *J Am Coll Cardiol*, 22 (4), 1141-1154.
- Andersen, L. W. (2013). Etiology and Therapeutic Approach to Elevated Lactate Levels. *Mayo Clinic*, 88 (10), 1127-1140.
- Anselmi, A., Abbate, A., Girola, F. & Nasso, G. (2004). Myocardial ischemia, stunning, inflammation, and apoptosis during cardiac surgery: a review of evidence. *Eur J Cardiothorac Surg*, 25(3), pp. 304-11.
- Anthony, D., George, P., & Eaton, C. (2014). Cardiac risk factors: environmental, sociodemographic, and behavioral cardiovascular risk factors. *FP Essent*, 421, 16-20.
- Appleyard, R., & Cohn, L. (1993). Myocardial Stunning and Reperfusion Injury in Cardiac Surgery. *J Card Surg* (8), 316-24.
- Araujo, O., Diegues, A., Silva, D., Albertoni, A., & Louzada, M. (2007). Agreement and correlation of pH, bicarbonate, base excess and lactate measurements in venous and arterial blood of premature and term infants. *Rev Bras Ter Intensiva*, 19 (3), 322-6.
- Armstrong, G., Pasquet, A., Fukamachi, K., Cardon, L., Olstad, B., & Marwick, T. (2000). Use of Peak Systolic Strain as An Index of Regional Left Ventricular Function: Comparison with Tissue Doppler Velocity During Dobutamine Stress and Myocardial Ischemia. *J Am Soc Echocardiogr*, 13, 731-7.
- Baltaxe, H. A., Alonso, D. R., Lee, J. G. & Prat, J. (1974). Impaired Left Ventricular Contractility in Ischemic Heart Disease: Angiographic and Histopathologic Correlations. *Cardiovascular and Interventional Radiology*, 5(3), pp. 137-144.
- Bansal, M., Cho, G., Leano, R., Haluska, B., & Marwick, T. (2008). Feasibility and accuracy of different techniques of two-dimensional speckle based strain and validation with harmonic phase magnetic resonance imaging. *J Am Soc Echocardiogr*, 21 (12), 1318-25.
- Bansal, S., Thau, H. M., Hsu, H., Sudhakar, B. S., & Goldman, S. (2013). Fast Track Extubation Post Coronary Artery Bypass Graft: A Retrospective Review of Predictors of Clinical Outcomes. *World Journal of Cardiovascular Surgery*, 3(2), pp. 81-86.

- Barsness , G., Peterson ED, E., & Ohman, E. (1997). Relationship between Diabetes Mellitus and Long-term Survival after Coronary Bypass and Angioplasty. *Circulation*, 96 (8), 2551-2556.
- Biondi-Zoccai, G., Abbate, A., Agostoni, P., & Parisi, Q. (2003). Stenting versus surgical bypass grafting for coronary artery disease: Systematic overview and meta-analysis of randomized trials. *Italian Heart Journal*, 4 (4), 271-80.
- Bolli, R. (1990). Mechanism of Myocardial Stunning. *Circulation*, 82, 723-38.
- Collins , J., Rudenski , A., & O'Driscoll , B. (2008). Clinical validation of the Severinghaus oxygen dissociation curve. *Thorax*, 63, 73.
- Curello, S., Ceconi, C., Gluili, F., Panzali, A., Milane, Calarco, M., et al. (1995). Oxidative Stress during Reperfusion of Human Hearts: Potential Sources of Oxygen Free Radicals. *Cardiovasc Res*, 29, 118-25.
- Dahle, O. G., Stangeland, L., & Grong, K. (2016). The Influence of Acute Unloading on Left Ventricular Strain and Strain Rate by Speckle Tracking Echocardiography in a Porcine Model. *Am J of Physiol Heart Circ Physiol*, 310 (10), 1330-1339.
- Dalen , H., Thorstensen, A., Aase, S., Ingul, C., & Torp, H. (2010). Segmental and global longitudinal strain and strain rate based on echocardiography of 1266 healthy individuals: the HUNT study in Norway. *Eur J Echocardiogr*, 11 (2), 176-83.
- Davies, S., Duffy, J., Wicens, D., Underwood, S., Hilla A, A., Alladine , F., et al. (1993). Time Course of Free Radical Activity During Coronary Artery Operations with Cardiopulmonary Bypass. *J Thorax*, 105, 979-87.
- Dellinger, R. P., Levy, M. M., Rhodes, A. & Annane, D. (2012). Surviving Sepsis Campaign: International Guidelines for Management of Severe Sepsis and Septic Shock, 2012. *Crit Care Med*, 41(2), pp. 580-637.
- Doenst, T., Borger, M. A., Weisel, R. D. & Yau, T. M. (2008). Relation between aortic cross-clamp time and mortality — not as straightforward as expected. *Eur J Cardiothorax Surg*, 33(4), pp. 660-5.
- Donal, E., Bergerot, C., Thibault, H., Ernande, L., Loufoua, J., Augeul, L., et al. (2009). Influence of Afterload on Left Ventricular Radial and Longitudinal Systolic Functions: a Two-Dimensional Strain Imaging Study. *Eur J Echocardiogr*, 10(8), pp. 914-21.

- Duncan, A. E., Alfirevic, A., & Thomas, J. D. (2015). Perioperative Assessment of Myocardial Deformation. *Anesthesia and Analgesia*, *118* (3), 525-44.
- Eek, C., Grenne, B., Brunvand, H., Aakhus, S., & Endresen, K. (2010). Strain Echocardiography and Wall Motion Score Index Predicts Final Infarct Size in Patients with Non-ST-Segment Elevation Myocardial Infarction. *Circ Cardiovasc Imaging*, *3* (2), 187-94.
- Elhoff, J. J., Chowshury, S. M., & Butts, R. J. (2016). Decline in Ventricular Function as a Result of General Anesthesia in Pediatric Heart Transplant Recipients. *Pediatric Transplantation*, *20* (8), 1106-1110.
- Ferrari, R., Ottavio, A., Curello, S., Ceconi, C., Cargnoni, A., Marsollo, P., et al. (1990). Occurrence of Oxidative Stress During Reperfusion of the Human Heart. *Circulation*, *81*, 201-11.
- Frederiksen, C. A., Juhl-Olsen, P., Kremke, M., Rasmussen, L. A., Lorenzen, A.-G., Sloth, E., et al. (2014). Remifentanyl and Sufentanyl Preserve Left Ventricular Systolic and Diastolic Function in Patients with Ischemic Heart Disease-A Randomised Comparative Study. *Journal of Anesthesia & Clinical Research*, *5*, 437.
- Fuller, B., & Dellinger, R. (2012). Lactate as a Hemodynamic Marker in the Critically Ill. *Curr Opin Crit Care*, *18* (3), 267-72.
- Glamann, D., Lange, R., & Hillis, L. (1991). Incidence and Significance of a Step Down in Oxygen Saturation from Superior Vena Cava to Pulmonary Artery. *Am J Cardiol*, *68* (6), 695-7.
- Goodnough, L., Levy, J., & Murphy, M. (2013). Concepts of blood transfusion in adults. *Lancet*, *381*, 1845-54.
- Group, H. (2002). Mild therapeutic hypothermia to improve the neurologic outcome after cardiac arrest. *N Engl J Med*, *346*, 549-56.
- Guarracino, F., Cariello, C., Tritapepe, L., & Doroni, L. (2010). Transoesophageal echocardiography during coronary artery bypass procedures: impact on surgical planning. *HSR Proc Intensive Care Cardiovascular Anesth*, *2*(1), pp. 43-49.
- Guyton, AG, G. (2011). *Guyton and Hall Textbook of Medical Physiology* (12th ed.). Philadelphia: Saunders Elsevier.
- Hamilton, P. K., Morgan, N. A., Connolly, G. M., & Maxwell, A. P. (2017).

- Understanding Acid Base Disorders. *Ulster Med J*, 86 (3), 161-166.
- Hansson , E., Rexus , H., Dellborg , M., & Albertson, P. (2014). Coroary Artery bypass Grafting Related Bleeding Complications in Real Life Acute Coronary Syndrome Patients Treated with Clopidogrel or Ticagrelor. *Eur J Cardiothorac Surg*, 46, 699-705.
- Hawkes, A. L., Nowak, M., & Speare, R. (2006). Outcome of Coronary Artery Bypass Graft Surgery. *Vasc Health Risk Manag*, 2(4), pp. 477-84.
- Hearse , D., & Bolli, R. (1992). Reperfusion Induced Injury: Manifestations, Mechanisms, and CLinical Relevance. *Cardiovasc Res*, 26, 101-8.
- Hearse DJ, B. R. (1992). Reperfusion Induced Injury: Manifestations, Mechanisms, and CLinical Relevance. *Cardiovasc Res*, 26, 101-8.
- Hedge, J., Balajibabu, P., & Thirunavukkaras, S. (2017). The patient with ischaemic heart disease undergoing non cardiac surgery. *Indian J Anaesth*, 61 (9), 705-711.
- Hobbs, T. R., O'Malley, J. P., Khouangsathiene, S., & Dubay, C. J. (2010). Comparison of Lactate, Base Excess, Bicarbonate, and pH as Predictors of Mortality after Severe Trauma in Rhesus Macaques (*Macaca mulatta*). *Comp Med*, 60 (3), 233-239.
- Hoit, B. (2011). Strain and strain rate echocardiography and coronary artery disease. *Circ Cardiovasc Imaging*, 4, 179-90.
- Hsia, C. (1998). Respiratory function of hemoglobin. *N Engl J Med*, 338, 239-47.
- Jhi, J.-H., Cho, K.-I., Ha, J.-K., & Jung, C.-W. (2011). Alteration of Left Ventricular Function with Dobutamine Challenge in Patients with Myocardial Bridge. *Korean J Intern Med*, 26 (4).
- Joshi , R., de Witt , B., & Mosier , J. (2014). Optimizing oxygen delivery in the critically ill: the utility of lactate and central venous oxygen saturation (ScvO2) as a roadmap of resuscitation in shock. *Emerg Med*, 47, 493-500.
- Kafa, R., Kusunose, K., & Goodman, A. L. (2016). Association of Abnormal Postoperative Left Ventricular Global Longitudinal Strain With Outcomes in Severe Aortic Stenosis Following Aortic Valve Replacement. *JAMA Cardiol*, 1 (4), 494-496.
- Kawakubo, A., Fujigaki, T., Uresino, H., Zang, S., & Sumikawa, K. (1995). Comparative Effects of Etomidate, Ketamine, Propofol and Fentanyl on

- Myocardial Contractility in Dogs. *J Anesth*, 13 (2), 77-82.
- Kloutz, R. J., Teitel, D. F., Steendijk, P., & van Bel, F. (1995). Interaction Between Afterload and Contractility in the Newborn Heart: Evidence of Homeometric Autoregulation in the Intact Circulation. *J Am Coll Cardiol*, 25(6), pp. 1428-35.
- Lang, R., Badano, L., Mor-Avi, V., Afilalo, J., Armstrong, A., Ernande, L., et al. (2015). Recommendations for cardiac chamber quantification by echocardiography in adults: an update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. *Eur Heart J Cardiovasc Imaging*, 16 (3), 233-70.
- Lanspa, M. J., Pittman, J. E., Hirshberg, E. L., Olsen, T., Brown, S. M., & Grissom, C. K. (2015). Association of left ventricular longitudinal strain with central venous oxygen saturation and serum lactate in patients with early severe sepsis and septic shock. *Crit Care*, 19 (1), 304.
- Lanspa, M. J., Shahul, S., Hersh, A., & Wilson, E. L. (2017). Associations among Left Ventricular Systolic Function, Tachycardia, and Cardiac Preload in Septic Patients. *Annals of Intensive Care*, 17.
- Leach, R., & Treacher, D. (1992). Oxygen transport: the relation between oxygen delivery and consumption. *Thorax*, 47, 971-8.
- Leach, R., & Treacher, D. (2002). The pulmonary physician in critical care * 2: oxygen delivery and consumption in the critically ill. *Thorax*, 57, 170-7.
- Li, X., McCay, P., Zughuib, M., Jeroudi, M., & Triana, J. (1992). Demonstration of Free Radical Generation in the Stunned Myocardium in the Conscious Dog and Identification of Major Differences between Conscious and open Chest Dog. *J Clin Invest*, 92, 1025-41.
- Loflin, R., & Winter, M. E. (2016). Fluid Resuscitation in Severe Sepsis. *Emerg Med Clin North Am*, 35(1), pp. 59-74.
- Maciver DH, T. M. (2008). A novel mechanism of heart failure with normal ejection fraction. *Heart*, 94 (4), 446-9.
- Maciver, D. (2012). The Relative Impact of Circumferential and Longitudinal Shortening on Left Ventricular Ejection Fraction and Stroke Volume. *Exp Clin Cardiol*, 17 (1), 5-11.
- Malmir, J. B. (2014). Serum lactate is a useful predictor of death in severe sepsis

- and septic shock. *Reviews in clinical medicine* , 1 (3).
- Manovel, A., Dawson, D., Smith, B., & Nihoyannopoulos, P. (2010). Assessment of left ventricular function by different speckle-tracking software. *Eur J Echocardiogr*, 11 (5), 417-21.
- Marik, P., & Bellomo, R. (2015). A rational approach to fluid therapy in sepsis. *British Journal of Anaesthesia* , 1-11.
- Marwick, T., Leano, R., Brown, J., Sun, J., & Hoffmann, R. (2009). Myocardial strain measurement with 2-dimensional speckle-tracking echocardiography: definition of normal range. *JACC Cardiovasc Imaging*, 2 (1), 80-4.
- McLellan, S., & Walsh, T. (2004). Oxygen delivery and haemoglobin. *Contin Educ Anaesth Crit Care Pain*, 4, 123-6.
- Mikkelsen, M., Miltiades, A., Gaieski, D., Goyal, M., & Fuchs, B. (2009). Serum Lactate is Associated with Mortality in Severe Sepsis Independent of Organ Failure and Shock. *Crit Care Med*, 37 (5), 1670-7.
- Morse, D., Adams, D., & Maganani, B. (1998). Platelets and Neutrophil Activation During Cardiac Surgical Procedures: Impact of Cardiopulmonary Bypass. *Ann Thorac Surg*, 65, 691-5.
- Nadruz, W. (2015). Myocardial Remodelling in Hypertension. *J Hum Hypertens*, 29 (1), 1-6.
- Ng, P. Y., Sin, W. C., Ng, A. K.-Y., & Chan, W. M. (2016). Speckle Tracking Echocardiography in Patients with Septic Shock: a Case Control Study (SPECKSS). *Crit Care*, 20(1), p. 145.
- Nichol, A. E. (2010). Relative hyperlactatemia and hospital mortality in critically ill patients: a retrospective multi-center study. *Critical care* , 14 (25).
- Nichols, M., Townsend, N., & Scarborough, P. (2013). Cardiovascular disease in Europe: epidemiological update. *Eur Heart J*, 4 (39), 3028-34.
- Opie, L. (1989). Reperfusion Injury and Its Pharmacological Modification. *Circulation*, 80, 1049-62.
- Orde, S. R., Pulido, J. N., Masaki, M., Gillespie, S., Spoon, J. N., & Kane, G. C. (2014). Outcome Prediction in Sepsis: Speckle Tracking Echocardiography based Assesment of Myocardial Function. *Crit Care*, 18(4), p. 149
- Phypers B, P. J. (2006). Lactate physiology in health and disease. *Contin Educ Anaesth Crit Care Pain*, 6, 128-32.

- Polonen, P., Ruokonen, E., Hippelainen, M., & Poyhonen, M. (2000). A Prospective, Randomized Study of Goal-Oriented Hemodynamic Therapy in Cardiac Surgical Patients. *Anesth Analg*, 90 (5), 1052-9.
- Pope, J., Jones, A., Gaieski, D., & Arnold, R. (2010). Multicenter Study of Central Venous Oxygen Saturation (ScvO₂) as a Predictor of Mortality in Patients with Sepsis. *Ann Emerg Med*, 55 (1), 40-6.
- Ramanathan, T., & Skinner, H. (2005). Coronary Blood Flow. *Continuing Education in Anaesthesia Critical Care & Pain*, 5 (2), 61-64.
- Robotham JL, T. M. (1991). Ejection fraction revisited. *Anesthesiology*, 74 (1), 172-83.
- Schmitt, J. P., Schroder, J., Schunkert, H., Birnbaum, D. E., & Aebert, H. (2002). Role of Apoptosis in Myocardial Stunning after Open Heart Surgery. *Ann Thoracic Surgery*, 73, 1229-35.
- Schumacker. (1998). Oxygen supply dependency in critical illness: an evolving understanding. *Intensive Care Med*, 24, 97-9.
- Sedehi, D., & Cigarroa, J. E. (2018). Chronic Coronary Artery Disease: A Companion to Braunwald's Heart Disease. 10th ed. Philadelphia: Elsevier.
- Shahul, S., Gulati, G., Hacker, M. R., Mahmood, F., Canelli, R., & Nizamuddin, J. (2015). Detection of Myocardial Dysfunction in Septic Shock: A Speckle-Tracking Echocardiography Study. *Anesth Analg*, 121(6), pp. 1547-54
- Singer, M., Deutschman, C. S., Seymour, C. W., Hari, M. S., & Annane, D. (2016). The Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3). *JAMA*, 315(8), pp. 801-810.
- Singh, R., Choudhury, M., Kapoor, P., & Kiran, U. (2010). A randomized trial of anesthetic induction agents in patients with coronary artery disease and left ventricular dysfunction. *Ann Card Anesth*, 13 (3), 217-23.
- Sjoli, B., Orn, S., Grenne, B., Vartdal, T., Smiseth, O., Edvardsen, T., et al. (2009). Comparison of Left Ventricular Ejection Fraction and Left Ventricular Global Strain as Determinants of Infarct Size in Patients with Acute Myocardial Infarction. *J Am Soc Echocardiogr*, 22 (11), 1232-8.
- Stokke, T., Hasselberg, N., Smedsrud, M., Sarvari, S., Haugaa, K., Smiseth, O., et al. (2017). Geometry as a Cofounder When Assessing Ventricular Systolic Function: Comparison Between Ejection Fraction and Strain. *J Am Coll*

Cardiol, 70 (8), 942-954.

- Stone, J., Hoar, P., Calabro, J., DePetrillo, M., & Bendixen, H. (1980). Afterload Reduction and Preload Augmentation Improve The Anesthetic Management of Patients with Cardiac Failure and Valvular Regurgitation. *Anesth Snslg*, 59 (10), 737-42.
- Taeha, R., & Seok-Young, S. (2017). Perioperative management of left ventricular diastolic dysfunction and heart failure: an anesthesiologist's perspective. *Korean J Anesthesiol*, 70 (1), 3-12.
- Ternacle, J., Berry, M., Alonso, E., Kloeckner, M., Coetil, J. P., Rande, J. D., et al. (2012). Incremental Value of Global Longitudinal Strain for Predicting Early Outcome After Cardiac Surgery. *Eur Heart J Cardiovasc Imaging*, 14(1), pp. 77-84.
- Thomas, C., & Lumb, A. (2012). Physiology of haemoglobin. *Contin Educ Anaesth Crit Care Pain*, 12, 251-6.
- Thourani, V., Weintraub, W., & Stein, B. (1999). Influence of Diabetes Melitus on Early and Late Outcome after Coronary Artery Bypass Grafting. *Ann Thorac Surg*, 67 (4), 1045-1052.
- Vallet, B., Robin, E., & Lebuffe, G. (2010). Venous oxygen saturation as a physiologic transfusion trigger. *Crit Care*, 14, 213.
- Vergely, C., Maupoil, V., Benderitter, M., & Rochete, L. (1998). Influence of the Severity of Myocardial Ischemia on the Intensity of ascorbyl free Radical Release and on Postischemic Recovery During Reperfsion. *Free Rad Biol Med*, 24, 470-9.
- Vernon, C. L. (2010). Lactic acidosis: Recognition, Kinetics, and Associated Prognosis. *Critical care Clinics*, 255-283.
- Vieillard-Baron, A., Caille, V., Charron, C., & Belliard, G. (2008). Actual incidence of global left ventricular hypokinesia in adult septic shock. *Crit Care Med*, 36, 1701-6.
- Vivacqua, A., Koch, C., Yousuf, A., Nowicki, E., Houghtaling, P., & Blackstone, E. (2011). Morbidity of Bleeding after Cardiac Surgery: Is it Blood Transfusion, Reoperation for Bleeding or both? *Ann Thorac Surg*, 91, 1780-1790.
- Voigt, J., Exner, B., Schmiedehausen, K., Huchzermeyer, C., Reulbach, U., &

- Nixdorff , U. (2003). Strain-rate imaging during dobutamine stress echocardiography provides objective evidence of inducible ischemia. *Circulation*, *107*, 2120-6.
- Wolff, C. (2008). Normal Cardiac Output, Oxygen Delivery And Oxygen Extraction. *Oxygen Transport to Tissue XXVIII*, *599*, 169-182.
- Wu, M., Yiang, G., Liao, W., Tsai, A., Cheng, Y., Cheng, P., et al. (2018). Current Mechanistic Concepts in Ischemia and Reperfusion Injury. *Cell Physiol Biochem*, *46*, 1650-1667.
- Yang, X.-L., Wang, D., & Guo, X.-L. (2017). Comparison of The Myocardial Protective Effect of Sevoflurane versus Propofol in Patients Undergoing Heart Valve Replacement Surgery with Cardiopulmonary Bypass. *BMC Anesthesiology*, *17* (37).
- Yin , Z., Li , X., Tu , Y., Dong , D., Zhao, D., & Shen , B. (2013). Speckle-tracking imaging to monitor myocardial function after coronary artery bypass graft surgery. *J Ultrasound Med*, *32* (11), 1951-6.
- Yin ZY, L. X. (2013). Speckle-tracking imaging to monitor myocardial function after coronary artery bypass graft surgery. *J Ultrasound Med*, *32* (11), 1951-6.
- Yingchoncharoen, T., Agarwal , S., Popović , Z., & Marwick , T. (2013). Normal ranges of left ventricular strain: a meta-analysis. *J Am Soc Echocardiogr*, *26* (2), 185-91.