

DAFTAR PUSTAKA

- Altomare, A., Guarino, M. P., Cocca, S., Emerenziani, S., & Cicala, M. (2013). Gastroesophageal reflux disease: Update on inflammation and symptom perception. *World J Gastroenterol*, *19*(39), 6523-6528. doi: 10.3748/wjg.v19.i39.6523
- Appelmelk BJ, S.-S. I., Negrini R et al. (1996). Potential role of molecular mimicry between *Helicobacter pylori* lipopolysaccharide and host Lewis blood group antigens in autoimmunity. *Infect Immun*, *64*, 2040.
- Bizzarri, C., Beccari, A. R., Bertini, R., Cavicchia, M. R., Giorgini, S., & Allegretti, M. (2006). ELR+ CXC chemokines and their receptors (CXC chemokine receptor 1 and CXC chemokine receptor 2) as new therapeutic targets. *Pharmacol Ther*, *112*(1), 139-149. doi: 10.1016/j.pharmthera.2006.04.002
- Brat, D. J., Bellail, A. C., & Van Meir, E. G. (2005). The role of interleukin-8 and its receptors in gliomagenesis and tumoral angiogenesis. *Neuro Oncol*, *7*(2), 122-133. doi: 10.1215/S1152851704001061
- Buscema, M., & Grossi, E. (2008). The semantic connectivity map: an adapting self-organising knowledge discovery method in data bases. Experience in gastro-oesophageal reflux disease. *Int J Data Min Bioinform*, *2*(4), 362-404.
- Chen, C. L., & Hsu, P. I. (2013). Current advances in the diagnosis and treatment of nonerosive reflux disease. *Gastroenterol Res Pract*, *2013*, 653989. doi: 10.1155/2013/653989
- Crafa, P., Russo, M., Miraglia, C., Barchi, A., Moccia, F., Nouvenne, A., . . . Di Mario, F. (2018). From Sidney to OLGA: an overview of atrophic gastritis. *Acta Biomed*, *89*(8-S), 93-99. doi: 10.23750/abm.v89i8-S.7946
- Daly, A. K. (2010). Pharmacogenetics and human genetic polymorphisms. *Biochem J*, *429*(3), 435-449. doi: 10.1042/BJ20100522
- Dent, J. (2008). Endoscopic grading of reflux oesophagitis: the past, present and future. *Best Pract Res Clin Gastroenterol*, *22*(4), 585-599. doi: 10.1016/j.bpg.2008.01.002
- Dent, J., El-Serag, H. B., Wallander, M. A., & Johansson, S. (2005). Epidemiology of gastro-oesophageal reflux disease: a systematic review. *Gut*, *54*(5), 710-717. doi: 10.1136/gut.2004.051821
- Diaz-Rubio, M., Moreno-Elola-Olaso, C., Rey, E., Locke, G. R., 3rd, & Rodriguez-Artalejo, F. (2004). Symptoms of gastro-oesophageal reflux: prevalence, severity, duration and associated factors in a Spanish population. *Aliment Pharmacol Ther*, *19*(1), 95-105.
- El Serag HB, S. A., Jamal MM, et al. (1999). Corpus gastritis is protective against reflux oesophagitis. *Gut*, *45*, 181.
- Estores, D. S. (2014). Symptom predictability in gastroesophageal reflux disease and role of proton pump inhibitor test. *Gastroenterol Clin North Am*, *43*(1), 27-38. doi: 10.1016/j.gtc.2013.11.002
- Fass, R. (2000). Empirical trials in treatment of gastroesophageal reflux disease. *Dig Dis*, *18*(1), 20-26. doi: 10.1159/000016930
- Fitzgerald, R. C., Onwuegbusi, B. A., Bajaj-Elliott, M., Saeed, I. T., Burnham, W. R., & Farthing, M. J. (2002). Diversity in the oesophageal phenotypic response to gastro-oesophageal reflux: immunological determinants. *Gut*, *50*(4), 451-459.
- Fock, K. M., Talley, N. J., Fass, R., Goh, K. L., Katelaris, P., Hunt, R., . . . Manatsathit, S. (2008). Asia-Pacific consensus on the management of gastroesophageal reflux disease: update. *J Gastroenterol Hepatol*, *23*(1), 8-22. doi: 10.1111/j.1440-1746.2007.05249.x

- Furie, M. B., & Randolph, G. J. (1995). Chemokines and tissue injury. *Am J Pathol*, 146(6), 1287-1301.
- Gado, A., Ebeid, B., Abdelmohsen, A. and Axon, A. (2015). Prevalence of reflux esophagitis among patients undergoing endoscopy in a secondary referral hospital in Giza, Egypt. *Alexandria Journal of Medicine*, 51(2), 94.
- Garibyan, L. d. A., N. (2013). Research techniques made simple: polymerase chain reaction (PCR). *The Journal of investigative dermatology*, 133(3), 6.
- Geboes, K., Ectors, N., & Vantrappen, G. (1991). Inflammatory disorders of the esophagus. *Hepatogastroenterology*, 38 Suppl 1, 26-32.
- Hirano, I., Richter, J. E., & Practice Parameters Committee of the American College of, G. (2007). ACG practice guidelines: esophageal reflux testing. *Am J Gastroenterol*, 102(3), 668-685. doi: 10.1111/j.1572-0241.2006.00936.x
- Hull, J., Thomson, A., & Kwiatkowski, D. (2000). Association of respiratory syncytial virus bronchiolitis with the interleukin 8 gene region in UK families. *Thorax*, 55(12), 1023-1027.
- Ilmi, A. N. (2016). Deteksi Variasi Genetik Gen Interleukin-6 (IL-6) dengan Metode restriction Fragment Length Polymorphism (RFLP) Pada Sampel Klinis Tuberkulosis.
- Indonesia, P. G. (2013). *Revisi konsensus nasional penatalaksanaan penyakit refluks gastroesofageal (gastroesophageal reflux disease/GERD) di Indonesia*. Jakarta: Perkumpulan Gastroenterologi Indonesia.
- Indonesian Society of, G. (2014). National consensus on the management of gastroesophageal reflux disease in Indonesia. *Acta Med Indones*, 46(3), 263-271.
- Isolauri, J., & Laippala, P. (1995). Prevalence of symptoms suggestive of gastro-oesophageal reflux disease in an adult population. *Ann Med*, 27(1), 67-70.
- Isomoto, H., Inoue, K., & Kohno, S. (2007). Interleukin-8 levels in esophageal mucosa and long-term clinical outcome of patients with reflux esophagitis. *Scand J Gastroenterol*, 42(3), 410-411. doi: 10.1080/00365520600931469
- Jacobson, B. C., Somers, S. C., Fuchs, C. S., Kelly, C. P., & Camargo, C. A., Jr. (2006). Body-mass index and symptoms of gastroesophageal reflux in women. *N Engl J Med*, 354(22), 2340-2348. doi: 10.1056/NEJMoa054391
- Jaspersen, D. (2000). Drug-induced oesophageal disorders: pathogenesis, incidence, prevention and management. *Drug Saf*, 22(3), 237-249. doi: 10.2165/00002018-200022030-00007
- Kahrilas, P. J., Shaheen, N. J., Vaezi, M. F., Hiltz, S. W., Black, E., Modlin, I. M., . . . American Gastroenterological, A. (2008). American Gastroenterological Association Medical Position Statement on the management of gastroesophageal reflux disease. *Gastroenterology*, 135(4), 1383-1391, 1391 e1381-1385. doi: 10.1053/j.gastro.2008.08.045
- Kaltenbach, T., Crockett, S., & Gerson, L. B. (2006). Are lifestyle measures effective in patients with gastroesophageal reflux disease? An evidence-based approach. *Arch Intern Med*, 166(9), 965-971. doi: 10.1001/archinte.166.9.965
- Kang, J. M., Kim, N., Lee, D. H., Park, J. H., Lee, M. K., Kim, J. S., . . . Song, I. S. (2009). The effects of genetic polymorphisms of IL-6, IL-8, and IL-10 on Helicobacter pylori-induced gastroduodenal diseases in Korea. *J Clin Gastroenterol*, 43(5), 420-428. doi: 10.1097/MCG.0b013e318178d1d3
- Katz, P. O., Gerson, L. B., & Vela, M. F. (2013). Guidelines for the diagnosis and management of gastroesophageal reflux disease. *Am J Gastroenterol*, 108(3), 308-328; quiz 329. doi: 10.1038/ajg.2012.444
- Koike, T., Ohara, S., Sekine, H., Iijima, K., Kato, K., Shimosegawa, T., & Toyota, T. (1999). Helicobacter pylori infection inhibits reflux esophagitis by inducing atrophic gastritis. *Am J Gastroenterol*, 94(12), 3468-3472. doi: 10.1111/j.1572-0241.1999.01593.x

- Kotzan, J., Wade, W., & Yu, H. H. (2001). Assessing NSAID prescription use as a predisposing factor for gastroesophageal reflux disease in a Medicaid population. *Pharm Res*, 18(9), 1367-1372.
- Lambert DM, Marceau S, Forse RA. (2005) Intra-abdominal pressure in the morbidly obese. *Obes Surg*. 15(9):1225–32. [PubMed: 16259876]
- Locke, G. R., 3rd, Talley, N. J., Fett, S. L., Zinsmeister, A. R., & Melton, L. J., 3rd. (1999). Risk factors associated with symptoms of gastroesophageal reflux. *Am J Med*, 106(6), 642-649.
- MacFarlane, B. (2018). Management of gastroesophageal reflux disease in adults: a pharmacist's perspective. *Integr Pharm Res Pract*, 7, 41-52. doi: 10.2147/IPRP.S142932
- Maton, P. N. (2003). Profile and assessment of GERD pharmacotherapy. *Cleve Clin J Med*, 70 Suppl 5, S51-70.
- Mohammed, I., Cherkas, L. F., Riley, S. A., Spector, T. D., & Trudgill, N. J. (2003). Genetic influences in gastro-oesophageal reflux disease: a twin study. *Gut*, 52(8), 1085-1089.
- Nachman, F., Vazquez, H., Gonzalez, A., Andrenacci, P., Compagni, L., Reyes, H., . . . Bai, J. C. (2011). Gastroesophageal reflux symptoms in patients with celiac disease and the effects of a gluten-free diet. *Clin Gastroenterol Hepatol*, 9(3), 214-219. doi: 10.1016/j.cgh.2010.06.017
- Nandyal, S., Suria, S., Chogtu, B., Bhattacharjee, D. (2017). Risk of GERD with Diabetes Mellitus, Hypertension and Bronchial Asthma - A Hospital based Retrospective Cohort Study. *Journal of Clinical and Diagnostic Research*, 11(7), 25-29. doi: 10.7860/JCDR/2017/25571.10232
- Ohyouchi, M., Imatani, A., Yonechi, M., Asano, N., Miura, A., Iijima, K., . . . Shimosegawa, T. (2005). The polymorphism interleukin 8 -251 A/T influences the susceptibility of Helicobacter pylori related gastric diseases in the Japanese population. *Gut*, 54(3), 330-335. doi: 10.1136/gut.2003.033050
- Orr, W. C., Goodrich, S., Wright, S., Shepherd, K., & Mellow, M. (2012). The effect of baclofen on nocturnal gastroesophageal reflux and measures of sleep quality: a randomized, cross-over trial. *Neurogastroenterol Motil*, 24(6), 553-559, e253. doi: 10.1111/j.1365-2982.2012.01900.x
- Punjabi, P., Hira, A., Prasad, S., Wang, X., & Chokhavatia, S. (2015). Review of gastroesophageal reflux disease (GERD) in the diabetic patient. *J Diabetes*, 7(5), 599-609. doi: 10.1111/1753-0407.12279
- Ringhofer, C., Lenglinger, J., Riegler, M., Kristo, I., Kainz, A., Schoppmann, SF. (2017). Waist to hip ratio is a better predictor of esophageal acid exposure than body mass index. *Neurogastroenterol Motil*, 29(7). doi: 10.1111/nmo.13033.
- Roman, S., Gyawali, C. P., Savarino, E., Yadlapati, R., Zerbib, F., Wu, J., . . . group, G. c. (2017). Ambulatory reflux monitoring for diagnosis of gastro-esophageal reflux disease: Update of the Porto consensus and recommendations from an international consensus group. *Neurogastroenterol Motil*, 29(10), 1-15. doi: 10.1111/nmo.13067
- Ruigomez, A., Garcia Rodriguez, L. A., Wallander, M. A., Johansson, S., Graffner, H., & Dent, J. (2004). Natural history of gastro-oesophageal reflux disease diagnosed in general practice. *Aliment Pharmacol Ther*, 20(7), 751-760. doi: 10.1111/j.1365-2036.2004.02169.x
- Schultze, V., Hackelsberger, A., Gunther, T., Miehke, S., Roessner, A., & Malfertheiner, P. (1998). Differing patterns of Helicobacter pylori gastritis in patients with duodenal, prepyloric, and gastric ulcer disease. *Scand J Gastroenterol*, 33(2), 137-142.

- Souza, R. F., Huo, X., Mittal, V., Schuler, C. M., Carmack, S. W., Zhang, H. Y., . . . Spechler, S. J. (2009). Gastroesophageal reflux might cause esophagitis through a cytokine-mediated mechanism rather than caustic acid injury. *Gastroenterology*, *137*(5), 1776-1784. doi: 10.1053/j.gastro.2009.07.055
- Sun, X. M., Tan, J. C., Zhu, Y., & Lin, L. (2015). Association between diabetes mellitus and gastroesophageal reflux disease: A meta-analysis. *World J Gastroenterol*, *21*(10), 3085-3092. doi: 10.3748/wjg.v21.i10.3085
- Syam, A. F., Abdullah, M. and Rani, A.A. (2003). Prevalence of reflux esophagitis, Barret's esophagus and esophageal cancer in Indonesian people evaluation by endoscopy. *Canc Res Treat*, *5*, 83.
- Syam, A. F., Miftahussurur, M., Makmun, D., Nusi, I. A., Zain, L. H., Zulkhairi, . . . Yamaoka, Y. (2015). Risk Factors and Prevalence of Helicobacter pylori in Five Largest Islands of Indonesia: A Preliminary Study. *PLoS One*, *10*(11), e0140186. doi: 10.1371/journal.pone.0140186
- Tack, J., & Pandolfino, J. E. (2018). Pathophysiology of Gastroesophageal Reflux Disease. *Gastroenterology*, *154*(2), 277-288. doi: 10.1053/j.gastro.2017.09.047
- Taguchi, A., Ohmiya, N., Shirai, K., Mabuchi, N., Itoh, A., Hirooka, Y., . . . Goto, H. (2005). Interleukin-8 promoter polymorphism increases the risk of atrophic gastritis and gastric cancer in Japan. *Cancer Epidemiol Biomarkers Prev*, *14*(11 Pt 1), 2487-2493. doi: 10.1158/1055-9965.EPI-05-0326
- Tutuian, R., Clinical Lead Outpatient, S., & Gastrointestinal Function, L. (2010). Adverse effects of drugs on the esophagus. *Best Pract Res Clin Gastroenterol*, *24*(2), 91-97. doi: 10.1016/j.bpg.2010.02.005
- Vakil, N., van Zanten, S. V., Kahrilas, P., Dent, J., Jones, R., & Global Consensus, G. (2006). The Montreal definition and classification of gastroesophageal reflux disease: a global evidence-based consensus. *Am J Gastroenterol*, *101*(8), 1900-1920; quiz 1943. doi: 10.1111/j.1572-0241.2006.00630.x
- Xue, H., Liu, J., Lin, B., Wang, Z., Sun, J., & Huang, G. (2012). A meta-analysis of interleukin-8 -251 promoter polymorphism associated with gastric cancer risk. *PLoS One*, *7*(1), e28083. doi: 10.1371/journal.pone.0028083
- Yoshida, N., Imamoto, E., Uchiyama, K., Kuroda, M., Naito, Y., Mukaida, N., Kawabe, A., Shimada, Y., Yoshikawa, T. and Okanoue, T. (2006). Molecular mechanisms involved in interleukin-8 production by normal human oesophageal epithelial cells. *Alimentary pharmacology & therapeutics*, *24*, 226.
- Yoshida, N., Uchiyama, K., Kuroda, M., Sakuma, K., Kokura, S., Ichikawa, H., . . . Okanoue, T. (2004). Interleukin-8 expression in the esophageal mucosa of patients with gastroesophageal reflux disease. *Scand J Gastroenterol*, *39*(9), 816-822. doi: 10.1080/00365520410006729
- Zentilin, P., Iiritano, E., Vignale, C., Bilardi, C., Mele, M. R., Spaggiari, P., . . . Savarino, V. (2003). Helicobacter pylori infection is not involved in the pathogenesis of either erosive or non-erosive gastro-oesophageal reflux disease. *Aliment Pharmacol Ther*, *17*(8), 1057-1064.