

DAFTAR PUSTAKA

1. Asai T, Koga K, Vaughan RS, Respiratory Complications associated with tracheal intubation and extubation. *Br J Anaesthesia*.1998;vol 80 : 767-75
2. Kermakar S, Varshney S. Tracheal extubation. Continuing education in anaesthesia,critical care and pain. *Br J Anaesth*; 2008;8(6):214–20.
3. Chung K, Pavard D. Prevalence, pathogenesis, and causes of chronic cough, *Lancet*. 2008; 371 (9621): 1364–74.
4. Hohlieder M, Tiefenthaler W, Klaus H, Gabl M, Kavakebi P, Keller C, Benzer A. Effect of total intravenous anaesthesia and balance anaesthesia on the frequency of coughing during emergence from anaesthesia. *British Journal of Anaesthesi.*, 2007; 99 (4): 587–91
5. Calder I. *Core Topics in Airways Management*, New York, Cambridge University Press. 2005; 168-90
6. Lee M, Chang Y, Park J, Park H. The clinical effective dose of alfentanil for suppressing cough during emergence from desflurane anesthesia, *Korean J Anesthesiol*, 2011;61(4): 292-296
7. Morgan GE, Mikhail MS. *Clinical Anesthesiology*. 5th ed. New York: McGraw-Hill Education. 2013; 309-41.
8. Sofyan F. Embriologi, anatomi, dan fisiologi laring, Departemen Ilmu Kesehatan Telinga Hidung Tenggorok Bedah Kepala Dan Leher Fakultas Kedokteran Universitas Sumatera Utara. Medan; 2011
9. Stewart SL, Secrest JA, Norwood BR. A comparison of endotracheal tube cuff pressures using estimation techniques and direct intracuff measurement. *AANA Journal*. 2003;71(6):443-47.
10. Chung F, Widdecombe G, Boushey A. *Cough: causes, mechanism and Therapy*. Blackwell Publishing. London, 2003
11. Fox J. Modulation of Cough and Airway Sensory Fibres.*Pulmonary Pharmacology*. 1996; vol 9, 335–342
12. Minogue SC, Ralph J, Lampa MJ. Laryngotracheal topicalization with lidocaine before intubation decreases the incidence of coughing on emergence from general anesthesia. *Anesth Analg*; 2004. 99; 1253–1257
13. Miller D, Eriksson I, Fleisher A, Kronish W Young L. *Miller’s Anesthesia 7th*, Philadelphia, Churchill Livingstone, 2010
14. Stoelting K, Hiller C. *Pharmacology & Physiology in Anesthetic Practice*. Lippincott Williams & Wilkins. Philadelphia; 2006
15. Khezri MB, Jalili S, Asefzadeh S, Kayalha H. Comparison of intratracheal and intravenous lidocaine’s effect on bucking, cough and emergence time at the end of anesthesia. *Park J Med Sci*; 2011. 27(4):793–6.
16. Erb T, von Ungern-Stenberg B, Keller K, Frei, F. The effect of intravenous lidocaine on laryngeal and respiratory reflex responses in anaesthetised children. *Anaesthesia*;2013. 68:1320.
17. Ki Y, Kim N, Lim S, Kong M, Kim H. The effect of lidocaine spray before endotracheal intubation on the incidence of cough and hemodynamics during emergence in children. *Korean J Anesthesiol*; 2007. 53(3):1–6.

18. Nanda R. Lidocaine-an old drug for new indication. *Intern J Pharmaceut Sci Drug Res*; 2013. 5(3):84–7.
19. Gecaj-Gashi A, Nikolova-Todorova Z, Ismail- Jaha V, Gashi M. Intravenous lidocaine suppresses fentanyl-induced cough in children. *Cough J*; 2013. 9(20):1–4.
20. Silbernagl S, Despopoulos A. *Color Atlas of Physiologi* 5th edition. New York Thieme, 2003 ; Chapter 12 : 310-340.
21. Loese JD, Butler SH. *Bonica’s Management of Pain* 3rd edition. Lippincott Williams & Wilkins. Philadelphia; 2001.
22. Tagaito Y, Isono S, Nishino T. Upper Airway Reflexes during a combination of Propofol and fentanyl Anesthesia. *American Society of Anesthesiologists*. Lippincott- Raven Publishers; 1998. vol 88:1459-66
23. Park Y, Park H, Kim J. The effect of subhypnotic dose of propofol for the prevention of coughing in adults during emergence form anesthesia with sevoflurane and remifentanil. *Korean J Anesthesiol*; 2014. 66(2):120–6
24. Harsoliya M, Patel V, Pathan J, Singh S, Rahman A. A review-cough and treatments. *Intern Natural Product Res*; 2011. 1(1):9–18
25. Al-Hasani R, Bruchas M. Molecular mechanisms of opioid receptor-dependent signaling and behavior. *Anesthesiology*; 2011. 115(6):1365–81.
26. Gefke K, Andersen L, Friesel E. Lidocaine given intravenously as a suppressant of cough and laryngospasm in connection with extubation after tonsillectomy. *Acta Anesthesiol Scand*; 1983. 27:111-112
27. Sanikop C, Bhat S. Efficacy of intravenous lidocaine in prevention of post extubation laryngospasme in children undergoing cleft palate surgeries. *Indian J Anaesth*; 2010. 54(2):132–6
28. Khezri MB, Jalili S, Asefzadeh S, Kayalha H. Comparison of intratracheal and intravenous lidocaine’s effect on bucking, cough and emergence time at the end of anesthesia. *Park J Med Sci*; 2011. 27(4):793–6.
29. Yoo Y, Na S, Jeong JJ, Choi EM, Moon BE, Lee JR. Dose-dependent attenuation by fentanyl on cough during emergence from general anesthesia. *Acta Anaest Scand*; 2011. (55)10: 1215–20
30. Lee JH, Koo BN, Jeong JJ, Kim HS, Lee JR. Differential effects of lidocaine and remifentanil on responseto the tracheal tube during emergence from general anaesthesia. *British Journal of Anaesthesia*; 2011.106(3): 410–15
31. Yu H, Yang XY, Zhang X, Li Q, Zhu T, Wang Y, Liu B. The effect of dilution and prolonged injection time on fentanyl-induced coughing; 2007.62: 919-922
32. Lui PW, Hsing CH, Chu YC. Terbutaline inhalation uppresses fentanyl-induced coughing. *Canadian Journal of Anesthesia*; 1996. 43: 1216–9.
33. Agarwal A, Azim A, Ambesh S, , Bose N, Dhiraj S, Sahu D, Singh U. Salbutamol, beclomethasone or sodium chromoglycate suppress coughing induced by iv fentanyl. *Canadian Journal of Anaesthesia*; 2003. 50: 297–300.
34. Yasuda I, Hirano T, Yusa T, Satoh M. Tracheal constriction by morphine and by fentanyl in man. *Anesthesiolog*; 1978; 49: 117–9.

35. Lin CS, Sun WZ, Chan WH, Lin CJ, Yeh HM, Mok MS. Intravenous lidocaine and ephedrine, but not propofol, suppress fentanyl-induced cough. *Canadian Journal of Anesthesia*; 2004. 51: 654–9.
36. Bohrer H, Fleischer F, Werning P. Tussive effect of a fentanyl bolus administered through a central venous catheter. *Anaesthesia*; 1990. 45: 18–21
37. Bidwai VA, Rogers CR, Stanley TH. Blood pressure and Pulse-rate Responses to Endotracheal Extubation with and without Prior Injection of Lidocaine. *Anesthesiology*; 1979. 51:171-173
38. Savitha K, Kothan NA, D'Souza SJ. Attenuation Of Haemodynamic Response To Extubation With I.V. Lignocaine : A randomized Clinical Trial. *Journal of Evolution of Medical and Dental Sciences*; 2014. 3(4):838-846
39. Shabnum T, Ali Z, Naqash IA, Mir AH, Azhar K, Zahoor SA, Mir AW. Effects of lignocaine administered intravenously or intratracheally on airway and hemodynamic responses during emergence and extubation in patients undergoing elective craniotomies in supine position. *Anesthesia Essay and Reaseach*; 2017. vol 11:216-222
40. Nishina K, Mikawa K, Maekawa N, Obara H. Fentanyl attenuates cardiovascular responses to tracheal extubation. *Acta Anaesthesiol Scand*; 1995. 39:85–89.
41. Younes MM, Mahareak AA, Salem AE, Nooreldin T. Attenuation of cardiovascular responses to tracheal extubation with labetalol. *Al-Azhar Assiut Medical Journal*; 2017. 15:216–222
42. Aksu R, Akin A, Biçer C, Esmaoğlu A, Tosun Z, Boyaci A. Comparison of the effects of dexmedetomidine versus fentanyl on airway reflexes and hemodynamic responses to tracheal extubation during rhinoplasty: A double-blind, randomized, controlled study. *Curr Ther Res Clin Exp*; 2009. 70(3):209-20
43. Polverino M, Polverino F, Fasolino M, Ando F, Alfieri A, Blasio F. Anatomy and neuro-pathophysiology of the cough reflex arc. *Multidiscip Respir Med*. 2012. 7(1): 5.
44. Canning B, Chang B, Bolser C, Smith A, Mazzone B, McGarvey L. Anatomy and Neurophysiology of Cough. *Chest*; 2014. 146(6): 1633–1648.
45. Harsoliya M, Patel V, Pathan J, Singh S, Rahman A. A Review-Mechanism Of Cough. *International Journal of Pharmaceutical & Biological Archives*; 2011. 2(3):-840-846
46. Tung A, Fergusson N, Ng N, Hu V, Dormuth C, Griesdale D. Pharmacological methods for reducing coughing on emergence from elective surgery after general anesthesia with endotracheal intubation: protocol for a systematic review of common medications and network meta-analysis; 2019. *Systematic Reviews*. vol 8 Article number: 32