

DAFTAR PUSTAKA

1. Desantis C, Ma J, Bryan L, Jemal A. Breast cancer statistics, 2013. *CA Cancer J Clin.* 2014;64:52-62.
2. Pusat Data dan Informasi Kementerian Kesehatan RI, Situasi Penyakit Kanker. 2015.
3. Jaffe RA, Schmiesing CA, Golianu B, Anesthesiologist's Manual of Surgical Procedure 5th ed., Stanford, California, Wolters Kluwer. 2014
4. Gärtner R, Jensen M-B, Nielsen J, Ewertz M, Kroman N, Kehlet H. Prevalence of and factors associated with persistent pain following breast cancer surgery. *JAMA.* 2009;302:1985-1992.
5. Kim R, Effects of Surgery and Anesthetic Choice on Immunosuppression and Cancer Recurrence. *J Transl Med.* 2018;16:8-21
6. Tedore T, Regional Anesthesia and Analgesia: Relationship to Cancer Recurrence and Survival. *BJA.* 2015;115(S2):ii34-ii45
7. Richebé P, Rivat C, Liu SS. Perioperative or postoperative nerve block for preventive analgesia: should we care about the timing of our regional anesthesia?. *Anesth Analg.* 2013;116:969–970.
8. Bashandy GMN, Abbas DN, Pectoral Nerves I and II Blocks in Multimodal Analgesia for Breast Cancer Surgery: A Randomized Clinical Trial. *Regional Anesthesia and Pain Medicine.* 2015; 40:68-74.
9. Veszyck B, Van Houwe P, Van Geffen GJ, Van De Velde M, Slappendel R. A Qualitative Systematic Review of Pectoral Nerve Block Type I and II. *Acta Anaesth. Belg.,* 2017, 68:49-62.

10. Ueshima H, Otake H, Ultrasound-guided pectoral nerves (PECS) block: Complications observed in 498 consecutive cases. *Journal of Clinical Anesthesia*, 2017, 42: 46.
11. Eldeen HM. Ultrasound guided pectoral nerve blockade versus thoracic spinal blockade for conservative breast surgery in cancer breast : A randomized controlled trial. *Egypt J Anaesth* 2015.
12. Morioka H, Kamiya Y, Yoshida T, Baba H. Pectoral nerve block combined with general anesthesia for breast cancer surgery: a retrospective comparison. *JA Clin Rep*, 1 : 1-5, 2015.
13. Wahba SS, Kamal SM. Thoracic paravertebral block versus pectoral nerve block for analgesia after breast surgery. *Egypt J Anaesth*, 30 : 129-135, 2014.
14. Hetta DF, Rezk KM. Pectoralis-serratus interfascial plane block vs thoracic paravertebral block for unilateral radical mastectomy with axillary evacuation. *J Clin Anesth*, 34 : 91-97, 2016.
15. Kulhari S Bharti N, Bala I, Arora S, Singh G. Efficacy of pectoral nerve block versus thoracic paravertebral block for postoperative analgesia after radical mastectomy: a randomized controlled trial. *Br J Anaesth*, 11/7 : 382-386, 2016.
16. Ali Hassn A, Zanfaly H, Biomy T. Pre-emptive analgesia of ultrasound-guided pectoral nerve block II with dexmedetomidine-bupivacaine for controlling chronic pain after modified radical mastectomy. *Res Opin Anesth Intensive Care*, 3:6-13, 2016.
17. Schnabel A, Reichl SU, Kranke P, Pogatzki-Zahn EM, Zahn PK. Efficacy and safety of paravertebral blocks in breast surgery: a meta-analysis of randomized controlled trials. *Br J Anaesth*. 2010;105:842-852.

18. Exadaktylos AK, Buggy DJ, Moriarty DC, Mascha E, Sessler DI. Can Anesthetic Technique for Primary Breast Cancer Surgery Affect Recurrence or Metastasis? *Anesthesiology*. 2006;105:660-664
19. Snyder G. L., Greenberg S., Effect of Anesthetic Technique and Other Perioperative Factors on Cancer Recurrence. *BJA*. 2010;5(2):106-115.
20. Blanco R. The “Pecs block” : A Novel Technique For Providing Analgesia After Breast Surgery. *Anaesthesia*. 2011;66:847-848.
21. Blanco R, Fajardo M, Parras Maldonado T. Ultrasound description of Pecs II (modified Pecs I): a novel approach to breast surgery. *Rev Esp Anestesiol Reanim*. 2012;59:470–475.
22. Bakshi SG, Karan N, Pamar V. Pectoralis block for breast cancer surgery: A surgical concern?. *Indian J Anaesth* 2017;61:851-2
23. John F Butterworth, David C Mackey, John D Wasnick. 2013; Morgan & Mikhail’s Clinical Anesthesiology 5th ed, McGraw-Hill Education, United States.
24. Richard C Chapman, Robert P. Tuckett, and Chan Woo Song. 2008. Pain and Stress in a Systems Perspective: Reciprocal Neural, Endocrine, and Immune Interactions. *The Journal of Pain*, Vol 9, No 2, pp 122-145.
25. Katzung, Bertram. 2007 Basic & Clinical Pharmacology 10th Ed. McGraw-Hill Companies.
26. Poon, K, Chang, W, Chen, Y, Chan, K & Lee, T 1995, 'Evaluation of Stress Response to Surgery Under General Anesthesia Combined with Spinal Anesthesia.

27. Welcheck, CM, Mastrangelo, L, Sinatra, RS & Martinez, R 2009, 'Qualitative and Quantitative Assesment of pain', in RS Sinatra (ed.), *Acute Pain Management*, Cambridge University Press, New York.
28. Stomberg MW, Sjoström B, Haljamae H. Assessing pain responses during general anesthesia. *AANA J.* 2001;69(3):218-22.
29. Saeeda I, Jain M, Post operative nausea and Vomiting (PONV): A review article. *Indian Journal of Anesthesia*, 2004 : p 253-8.
30. Apfel CC, Miller RD, Eriksson LI, Fleisher LA, Postoperative nausea and vomiting. *Miller's Anesthesia*. 7th ed. Philadelphia, Pa: Elsevier, Churchill Livingstone; 2009.
31. Senapathi TGA, Widyana IMG, Aribawa IGM, Jaya AAGPS, Junaedi IMD. Combined ultrasound-guided Pecs block and general anaesthesia are effective for reducing pain from modified radical mastectomy. *Journal of Pain Research* 2019;12:1353-1358.
32. Moon E-J, Kim S-B, Chung J-Y, Song J-Y, Yi J-W. Pectoral nerve block (Pecs block) with sedation for breast conserving surgery without general anesthesia. *Annals of Surgical Treatment and Research*, 2017;93(3),166.
33. Ueshima H, Otake H. Addition of transversus thoracic muscle plane block to pectoral nerves block provides more effective perioperative pain relief than pectoral nerve block alone for breast cancer surgery. *British Journal of Anesthesia*, 2017;118(3):439-43.
34. Yuki I, Ueshima H, Otake H, Kitamura A. Pecs block provides effective postoperative pain management for breast cancer surgery – a retrospective study. *International Journal of Clinical Medicine*. 2017(8):198-203.