

DAFTAR PUSTAKA

- Al-Abri, R., Bhargava, D., Kurien, M., Chaly, V., Al-Badaai, Y. and Bhargava, K. (2014). Allergic Rhinitis and Associated Comorbidities: Prevalence in Oman with Knowledge Gaps in Literature. *Oman Medical Journal*, 29(6), pp.414-418.
- Aziza, A., Dermawan, A. and Dewi, V. (2016). Effectiveness of Allergic Rhinitis Management Related to WHO Guideline on Allergic Rhinitis and Its Impact on Asthma (ARIA). *Althea Medical Journal*, 3(4), pp.538-544
- Bauchau, V. and Durham, S. (2004). Prevalence and rate of diagnosis of allergic rhinitis in Europe. *European Respiratory Journal*, 24(5), pp.758-764.
- Benninger, M., Farrar, J., Blaiss, M., Chipps, B., Ferguson, B., Krouse, J., Marple, B., Storms, W. and Kaliner, M. (2010). Evaluating approved medications to treat allergic rhinitis in the United States: an evidence-based review of efficacy for nasal symptoms by class. *Annals of Allergy, Asthma & Immunology*, 104(1), pp.13-29.
- Bousquet, J., Khaltaev, N., Cruz, A., Denburg, J., et al. (2008). Allergic Rhinitis and its Impact on Asthma (ARIA) 2008*. *Allergy*, 63, pp.8-160.
- Bousquet, J., van Cauwenberge, P. and Khaltaev, N. (2001). Allergic Rhinitis and Its Impact on Asthma. *Journal of Allergy and Clinical Immunology*, 108(5), pp.S147-S334.
- Ciebiada, M., Gorska-Ciebiada, M., and Gorski, P. (2009). Fexofenadine with either montelukast or a low-dose inhaled corticosteroid (fluticasone) in the treatment of patients with persistent allergic rhinitis and newly diagnosed asthma. *Archives of Medical Science*, 5(4), pp.564-569.
- Cingi, C., Topuz, B., Songu, M., Kara, C., Ural, A., Yaz, A., Yıldırım, M., Mimam, M. and Bal, C. (2009). Prevalence of allergic rhinitis among the adult population in Turkey. *Acta Oto-Laryngologica*, 130(5), pp.600-606.
- Dykewicz, M., Fineman, S., Skoner, D., Nicklas, R., Lee, R., Blessing-Moore, J., Li, J., Bernstein, I., Berger, W., Spector, S. and Schuller, D. (1998). Diagnosis and Management of Rhinitis: Complete Guidelines of the Joint Task Force on

- Practice Parameters in Allergy, Asthma and Immunology. *Annals of Allergy, Asthma & Immunology*, 81(5), pp.478-518.
- Dykewicz, M. and Hamilos, D. (2010). Rhinitis and sinusitis. *Journal of Allergy and Clinical Immunology*, 125(2), pp.S103-S115.
- Fauzi, Sudiro, M. and Lestari, B. (2015). Prevalence of Allergic Rhinitis based on World Health Organization (ARIA-WHO) questionnaire among Batch 2010 Students of the Faculty of Medicine Universitas Padjadjaran. *Althea Medical Journal*, 2(4), pp.620-625.
- Gentile, D., Bartholow, A., Valovirta, E., Scadding, G. and Skoner, D. (2013). Current and Future Directions in Pediatric Allergic Rhinitis. *The Journal of Allergy and Clinical Immunology: In Practice*, 1(3), pp.214-226.
- Gill, M., Ayubi, S. (2011). Allergic rhinitis: effect of topical steroid on mucociliary clearance and nasal symptom score. *Professional Med J*, 18(2): 289-94
- Gosepath, J., Amedee, R. and Mann, W. (2005). Nasal Provocation Testing as an International Standard for Evaluation of Allergic and Nonallergic Rhinitis. *The Laryngoscope*, 115(3), pp.512-516.
- Guerra, S., Sherrill, D., Martinez, F. and Barbee, R. (2002). Rhinitis as an independent risk factor for adult-onset asthma. *Journal of Allergy and Clinical Immunology*, 109(3), pp.419-425.
- Hayati, R., Pawarti, D. and Yusuf, M. (2014). Perubahan skor gejala total dan kualitas hidup pasca terapi loratadin pada penderita rinitis alergi. *Jurnal THT - KL*, 7(2), pp.47-56.
- Hwang, P., Lin, B., Weiss, R., Atkins, J. and Johnson, J. (2017). Cryosurgical posterior nasal tissue ablation for the treatment of rhinitis. *International Forum of Allergy & Rhinology*, 7(10), pp.952-956.
- Jaruvongvanich, V., Mongkolpathumrat, P., Chantaphakul, H. and Klaewsongkram, J. (2016). Extranasal symptoms of allergic rhinitis are difficult to treat and affect quality of life. *Allergology International*, 65(2), pp.199-203.

- Jiménez F, R., Romero G,, P., Martínez LL, J. and LM, T. (2012). Allergic Rhinitis. *Journal of Allergy & Therapy*, 01(S5), pp.1-5.
- Juniper, E. and Guyatt, G. (1991). Development and testing of a new measure of health status for clinical trials in rhinoconjunctivitis. *Clinical & Experimental Allergy*, 21(1), pp.77-83.
- Krouse, H. and Krouse, J. (2014). Allergic rhinitis. *The Nurse Practitioner*, 39(4), pp.20-28.
- Liedtke, J., Mandl, A., Köther, J., Chwieralski, J., Shah-Hosseini, K., Raskopf, E., Pieper-Fürst, U., Allekotte, S. and Mösges, R. (2017). RCAT reflects symptom control and quality of life in allergic rhinoconjunctivitis patients. *Allergy*, pp.1-9.
- Mahr, T. and Sheth, K. (2005). Update on Allergic Rhinitis. *Pediatrics in Review*, 26(8), pp.284-289.
- Meltzer, E., Schatz, M., Nathan, R., Garris, C., Stanford, R. and Kosinski, M. (2013). Reliability, validity, and responsiveness of the Rhinitis Control Assessment Test in patients with rhinitis. *Journal of Allergy and Clinical Immunology*, 131(2), pp.379-386.
- Meltzer, E., Wallace, D., Dykewicz, M. and Shnayer, L. (2016). Minimal Clinically Important Difference (MCID) in Allergic Rhinitis: Agency for Healthcare Research and Quality or Anchor-Based Thresholds?. *The Journal of Allergy and Clinical Immunology: In Practice*, 4(4), pp.682-688.e6.
- Min, Y. (2010). The Pathophysiology, Diagnosis and Treatment of Allergic Rhinitis. *Allergy, Asthma and Immunology Research*, 2(2), p.65.
- Ologe, F., Adebola, S., Dunmade, A., Adeniji, K. and Oyejola, B. (2013). Symptom Score for Allergic Rhinitis. *Otolaryngology-Head and Neck Surgery*, 148(4), pp.557-563.
- Osman, M., Hansell, A., Simpson, C., Hollowell, J. and Helms, P. (2007). Gender-specific presentations for asthma, allergic rhinitis and eczema in primary care. *Primary Care Respiratory Journal*, 16(1), pp.28-35.

- Pawankar, R., Canonica, G., Holgate, S., Lockey, R. and Blaiss, M. (2013). *World Allergy Organization (WAO) white book on allergy*. United Kingdom: WAO.
- Spector, S., Nicklas, R., Chapman, J., Bernstein, I., Berger, W., Blessing-Moore, J., Dykewicz, M., Fineman, S., Lee, R., Li, J., Portnoy, J., Schuller, D., Lang, D. and Tilles, S. (2003). Symptom severity assessment of allergic rhinitis: part 1. *Annals of Allergy, Asthma & Immunology*, 91(2), pp.105-114.
- Sudewi, N., Kurniati, N., Suyoko, E., Munasir, Z. and Akib, A. (2009). Berbagai Teknik Pemeriksaan untuk Menegakkan Diagnosis Penyakit Alergi. *Sari Pediatri*, 11(3), pp.174-178.
- Susanti, E., Pawarti, D, Soeprijadi (2016). Hubungan kadar RANTES sekret hidung dengan skor gejala total penderita rinitis alergi. *Oto Rhino Laryngologica Indonesiana*, 46(2), pp.110-120.
- Valero, A., Izquierdo, I., Giralt, J., Bartra, J., Cuvillo,, A. and Mullol, J. (2011). Rupatadine improves nasal symptoms, quality of life (ESPRINT-15) and severity in a subanalysis of a cohort of Spanish allergic rhinitis patients. *Journal of investigational allergology & clinical immunology*, 21(3), pp.229-235.
- Yildirim, Y., Apuhan, T., Kocoglu, E. (2013). Effect of intranasal phototherapy on nasal microbial flora in patients with allergic rhinitis. *Iran J Allergy Asthma Immuno*, 12(3): 281-6.