

DAFTAR PUSTAKA

- Aditama, 2008. Tuberkulosis dan Perkembangannya. Jakarta : FK UI
- Akshata, J. S. and Chakrabarthi, A., 2016. Management of multidrug resistant tuberculosis (MDR-TB) – Monitoring is the key to successful outcome. *Egyptian Journal of Chest Diseases and Tuberculosis*, 65(2): pp.447–450. doi: 10.1016/j.ejcdt.2015.12.018.
- Alene, K.A., Viney, K., Mcbryde, E.S., Tsegaye, A.T., Clements, A.C.A., 2017. Treatment outcomes in patients with multidrug-resistant tuberculosis in North-West Ethiopia. *Tropical Medicine and International Health*, 22(3): pp.351–362. doi: 10.1111/tmi.12826.
- Alene, K.A., *et al.*, 2018. Comparison of the validity of smear and culture conversion as a prognostic marker of treatment outcome in patients with multidrug-resistant tuberculosis. *PloS one*, 13(5): pp.1–17. doi: 10.1371/journal.pone.0197880
- Alobu, I., Oshi, S.N., Oshi, D.C., and Ukwaja, K.N., 2014. Risk factors of treatment default and death among tuberculosis patients in a resource-limited setting. *Asian Pacific Journal of Tropical Medicine*, 7(12): pp.977–984. doi: 10.1016/S1995-7645(14)60172-3.
- Amril Y., 2003. Keberhasilan Directly Observed Therapy (DOT) pada pengobatan TB paru kasus baru di BP4 Surakarta. *Jurnal Respiriologi Indonesia*, 23(2).
- Brust, J.C.M., Gandhi, N.R., Carrara, H., Osburn, G., and Padayatchi, N., 2010. High treatment failure and default rates for patients with multidrug-resistant tuberculosis in KwaZulu-Natal, South Africa, 2000-2003. *The international journal of tuberculosis and lung disease*, 14(4), pp. 413–419.
- Chee, C.B., Boudville, I.C., Chan, S.P., Zee, Y.K., and Wang, Y.T., 2000. Patient and disease characteristics, and outcome of treatment defaulters from the Singapore TB control unit-a one-year retrospective survey. *The international journal of tuberculosis and lung disease*, 4(6), pp. 496–503.
- Daniel, O., Oladapo, O., and K Alausa, O., 2006. Default from tuberculosis treatment programme in Sagamu, Nigeria, Nigerian journal of medicine. *Journal of the National Association of Resident Doctors of Nigeria*. doi: 10.4314/njm.v15i1.37119.

- Dinas Kesehatan Provinsi Jawa Timur. 2019. Laporan Tuberkulosis di Provinsi Jawa Timur. Surabaya
- Farihatun, S. and Bungsu, P., 2018. Determinant factor of *drop out* (DO) among multi drug resistance tuberculosis (MDR TB) patients at Jakarta Province in 2011 to 2015. *Indonesian Jurnal of Tropical and Infectious Disease*, 7(3), pp. 87–92.
- Franke, M. F., *et al.*, 2008. Risk factors and mortality associated with default from multidrug-resistant tuberculosis treatment. *Clinical infectious diseases*, 46(12), pp. 1844–1851. doi: 10.1086/588292.
- Ghithrif, M.R., 2016. *Analisis faktor yang mempengaruhi drop out dalam pengobatan TB MDR di kabupaten Gresik*. Thesis. Universitas Airlangga.
- Holtz, T.H., Lancaster, J., Laserson, K.F., Wells, C.D., Thorpe, L., and Weyer, K., 2006. Risk factors associated with *default* from multidrug-resistant tuberculosis treatment, South Africa, 1999-2001. *The international journal of tuberculosis and lung disease*, 10(6), pp. 649–655.
- Ibrahim, L.M., *et al.*, 2014. Factors associated with interruption of treatment among Pulmonary Tuberculosis patients in Plateau State, Nigeria. 2011. *The Pan African medical journal*, 17, pp. 78. doi: 10.11604/pamj.2014.17.78.3464.
- Lalor, K.M., *et al.*, 2013. Risk Factors Associated with Default from Multi- and Extensively Drug-Resistant Tuberculosis Treatment, Uzbekistan: A Retrospective Cohort Analysis. *PloS one*, doi: 10.1371/journal.pone.0078364.
- Lu, P., Liu, Q., Martinez, L., Yang, H., Lu, W., Ding, X., & Zhu, L., 2017. Time to sputum culture conversion and treatment outcome of patients with multidrug-resistant tuberculosis: a prospective cohort study from urban China. *European Respiratory Journal*, doi.org/10.1183/13993003.01558-2016
- Kartika, 2009. *Analisis faktor-faktor yang berhubungan dengan default penderita tuberkulosis paru di RSUD Budhi Asih Jakarta*. Skripsi. Universitas Indonesia.
- Kementrian Kesehatan RI, 2009. Pedoman Nasional Penanggulangan Tuberkulosis. Jakarta.

- Kementrian Kesehatan RI, 2011a. Pedoman nasional pengendalian tuberkulosis. Jakarta.
- Kementrian Kesehatan RI, 2011b. Programatic Management of Drug Resistance: Pengendalian Tuberkulosis Indonesia 2011-2014. Jakarta.
- Kementrian Kesehatan RI, 2012. Program pengendalian Penyakit di Jawa Timur.
- Kementrian Kesehatan RI, 2014. Buku Panduan Manajemen Terpadu Pengendalian Tuberkulosis Resistan Obat. Jakarta.
- Kementrian Kesehatan RI, 2015. Profil Kesehatan Provinsi Jawa Timur Tahun 2015.
- Kementrian Kesehatan RI, 2016a. Peraturan Menteri Kesehatan Republik Indonesia No. 67 Tahun 2016 tentang Penanggulangan TB. Jakarta.
- Kementrian Kesehatan RI, 2016b. InfoDATIN : Tuberkulosis Temukan Obati Sampai Sembuh. Jakarta.
- Kementrian Kesehatan RI, 2017. Buku Panduan Manajemen Terpadu Pengendalian Tuberkulosis Resistan Obat di Indonesia 2016 – 2020. Jakarta.
- Lalor, et al., 2013. Risk Factors Associated with Default from Multi- and Extensively Drug-Resistant Tuberculosis Treatment, Uzbekistan : A Restrospective Cohort Lemeshow et al., 1990. Adequacy of Sample Size in Health Studies Chichester. *John Willey & Sons*.
- Lu, P., et al., 2017. Time to sputum culture conversion and treatment outcome of patients with multidrug-resistant tuberculosis: a prospective cohort study from urban China. *European Respiratory Journal*, 49(3), pp. 1601558. doi: 10.1183/13993003.01558-2016.
- Maesyaroh, S., 2009. Faktor-faktor yang berhubungan dengan kepatuhan berobat pasien tuberkulosis paru di Klinik Jakarta Respiratory Centre. Skripsi. UIN Syarif Hidayatullah.
- Munir, S.M., Nawas, A., and Sutoyo, D.K., 2010. Pengamatan pasien tuberkulosis paru dengan Multidrug Resistant (TB-MDR) di Poliklinik Paru RSUP Persahabatan. *Journal Respirologi Indonesia*.
- Munawwarah, R., Leida, I., and Wahiduddin, 2013. Gambaran faktor risiko pengobatan pasien TB MDR di RS Labuang Baji Kota Makassar 2013.

- Muture, B.N., Keraka, M.N., Kimuu, P.K., Kabiru, E.W., Ombeka, V.O., and Oguya, F., 2011. Factors associated with default from treatment among tuberculosis patients in nairobi province , Kenya : A case control study'.
- Notoadmodjo, S., 2012. Promosi Kesehatan dan Perilaku Kesehatan. Jakarta : PT Asdi Mahasatya
- Nwokeukwu, H., 2013. Association of sputum conversion and outcome with initial smear grading among new smear positive Tuberculosis patients in a Tertiary Health Facility, South East Zone, Nigeria. *IOSR Journal of Dental and Medical Sciences*. doi: 10.9790/0853-0112125.
- Reviono, Kusnanto, P., Eko, V., Pakiding, H., and Nurwidiastih, D., 2014. Multidrug Resistant Tuberculosis: Tinjauan Epidemiologi dan Faktor Risiko Efek Samping Obat Anti Tuberkulosis. *MKB*, 46(4), pp. 189–196.
- Scott M., Brust J.C.M., Lygizos M., Chaiyachati K., van der Merwe T.L., et al., 2011. Culture Conversion Among HIV Co-Infected Multidrug- Resistant Tuberculosis Patients in Tugela Ferry, South Africa. *PLoS ONE* 6: e15841. <https://doi.org/10.1371/journal.pone.0015841> PMID: 21253585
- Santha, T., *et al.*, 2002. Risk factors associated with default, failure and death among tuberculosis patients treated in a DOTS programme in Tiruvallur District, South India, 2000. *The international journal of tuberculosis and lung disease*, pp. 780-788.
- Tekle, B., *et al.*, 2002. Defaulting from DOTS and its determinants in three districts of Arsi Zone in Ethiopia. *International Journal Tuberculosis Lung Diseases*, 6(7), pp. 573–579.
- Umi, S., 2012. *Analisis faktor penyebab terputusnya pengobatan tuberkulosis paru di wilayah kerja Dinas Kesehatan Kabupaten Kebumen*. Skripsi. Universitas Indonesia.
- Vijay, S., *et al.*, 2003. Defaults among tuberculosis patients treated under DOTS in Bangalore City. *A Search for Solution. India*.
- Oladimeji, O., *et al.*, 2013. Factors associated with treatment success among pulmonary tuberculosis and HIV co-infected patients in Oyo. *The Nigerian Health Journal*, 13(2): pp. 75-84.
- Widyasrini, E.R., Probandari, A.N., and Reviono, 2015. Factors affecting the success of Multi Drug Resistance (MDR-TB) tuberculosis treatment in Residential Surakarta. pp. 45–57.

- World Health Organization, 2017. Tuberculosis (TB).www.who.int (September 24th 2018).
- World Health Organization, 2016. Global Tuberculosis Report 2016. www.who.int (September 24th 2018).
- World Health Organization., 2012 Global Resistensi Obat Tuberculosis. Switzerland.
- World Health Organization., 2015. Global Tuberculosis Report 2015. Switzerland.
- World Health Organization, 2016. Tuberculosis Fact Sheet. www.who.int (September 24th 2018)
- World Health Organization, 2002. Tuberculosis Epidemiology and Control. New Delhi: WHO Regional Office for South Korea.
- Wu, J. *et al.*, 2013. Sputum microbiota associated with new, recurrent and treatment failure tuberculosis. *Plos one*, 8(12): pp. 1–11. doi: 10.1371/journal.pone.0083445.
- Zai, S., Haroon, T. and Mehmood, K.T., 2010. Socioeconomic factors contributing to Multidrug-Resistant Tuberculosis. 2(4), pp. 279–283.