

DAFTAR PUSTAKA

- Bastiansyah, Eko.2008.*Panduan Lengkap Membaca Hasil Tes Kesehatan*.Jakarta:Penebar Plus.
- Dress, J.C., Petrie M.S., Wu AHB.2013.*Analytic Techniques*.Dalam: Bioshop, ML., Fody, EP. Svhoeff, L.E . *Clinical Chemistry . Principle, Techniques, Corellation*.Ed7.Philadeloia:Lippincott williams & Wilkins.H111-14.
- Estridge, Barbara H., Anna P., Reynolds, Norma J., Walters.2000.*Basic Medical Laboratory Techniques*.United state of America:Delmar
- Fischbach, Frances., Marshall B Dunning III.2009.*A Manual of Laboratory and Diagnostic Test*.Ed8th.China:Wolters Kluwer Health.
- Horne, Mima M., Pamela L., Swearingen.2001.*Keseimbangan Cairan Elektrolit &Asam Basa*.Ed2nd .Jakarta:EGC.
- Indriasari, Devi.2009.*100% Sembuh Tanpa Dokter A-Z Detksi, Obati, dan Cegah Penyakit*.Yogyakarta:Pustaka Grhatama.
- Meiner, Sue E.2015.*Gerontologic Nursing*.Ed5th.USA.Elsevier.
- Muharrami, LAILA Khamsatul.2011.*Penentuan kadar kolesterol dengan metode kromatografi Gas Agointek* vol 1 5. No 1:29
- Pagana, Kahleen Deska., Timothy J.Pagana., Theresea Noel Pagana.2015.*Mosby's Diagnostic and Laboratory Test Reference*.Ed12nd.USA:Elsevier.
- Prptomomo, Agus Joko.2018.*Pengendalian Mutu Laboratorium Medis*.Yogyakarta:Deepublish.
- Rahardja, Kirana., Tan Hoan Tjay.2007.*Obat Obat Penting kasiat, Penggunaan dan Efek-Efek Sampingnya*.Ed6th.Jakarta:PT Elex Media Komputindo.

- Roche Diagnostics GmbH.2009.*Cobas c 311 Analyzer Operator's Manual Book*..Germany:Roche.
- Sarkozi, Laszlo., Elkin Simson., dan Lakshimi Ramanathan.*The effects of total Laboratory automation on the management of a clinical chemistry laboratory. Retrospective analysis of 36 years*.Clinical Chimica Acta 2003;329;89-94
- Siregar, maria Tuntun., Wieke Sri Wulan., Doni Setiawan., dan Anik Nuryati.2018.*Bahan Ajar Teknologi Laboratorium Medik (TLM):Kendali Mutu*.Jakarta;Badan PPSDM kesehatan Kemenkes
- Springhouse.2009.*Diagnostic Test Made Incredibly Test*.Ed2md.USA:Wolters Kluwer Health.
- T. Mimura et al.2003.*Clinical Chemistry analyzer for supporting the clinical laboratory*.Hitachi Hyoron 85, pp.623-626 > Japan.