

DAFTAR PUSTAKA

1. Haidong, et al. Age-specific and sex-specific mortality in 187 countries, 1970–2010: a systematic analysis for the Global Burden of Disease Study 2010. (2012). doi: [https://doi.org/10.1016/S0140-6736\(12\)61719-X](https://doi.org/10.1016/S0140-6736(12)61719-X)
2. Davenport RJ, et al. Complications after acute stroke. *Stroke* 27:415–20. (1996)
3. Johnston,KC, et al. Medical and neurological complications of ischemic stroke: experience from the RANTTAS trial: RANTTAS investigators. *Stroke* 29:447–53 (1998).
4. Camara-Lemarroy CR, et al. Gastrointestinal complications after ischemic stroke. *J Neurol Sci* 346:20-5 (2014)
5. Wijdicks EF,et al. Gastrointestinal bleeding in stroke. *Stroke* 25: 2146–2148 (1994)
6. Misra et al. Predictors of gastrointestinal bleeding in acute intracerebral haemorrhage. *J Neurol Sci* 208 : 25-29 (2003)
7. Huan-Lin et al. Gastrointestinal Hemorrhage after Acute Ischemic Stroke and Its Risk Factors in Asians *Eur Neurol* 62:212–218(2009). doi: 10.1159/000229018
8. Tie-Cheng Yang, et.al. Gastrointestinal Bleeding After Intracerebral Hemorrhage: A Retrospective Review of 808 Cases. *Am J Med Sci* 346(4):279–282 (2013)
9. Shang-Po et.al.Gastrointestinal Hemorrhage after Spontaneous Subarachnoid Hemorrhage: A Single-Center Cohort Study SCIE NTIfIC RePortS | 7: 13557 | doi:10.1038/s41598-017-13707-3
10. Toshiyasu Ogata et al.On behalf of the Fukuoka Stroke Registry.
11. Gastrointestinal Bleeding in Acute Ischemic Stroke: Recent Trends from the Fukuoka Stroke Registry *Cerebrovasc Dis Extra* 2014;4:156–164 DOI: 10.1159/000365245
12. Rumalla, et al. Gastrointestinal Bleeding in Acute Ischemic Stroke: A Population-Based Analysis of Hospitalizations in the United States 2016 National Stroke Association. Published by Elsevier Inc. All rights reserved (2016) doi : 10.1016/j.jstrokecerebrovasdis.2016.03.044
13. Rumalla, et al. Gastrointestinal Bleeding in Acute Ischemic Stroke: A Population-Based Analysis of Hospitalizations in the United States. *Journal of stroke and cerebrovascular diseases: the ofcial journal of National Stroke Association* 2016. 25, 1728–1735 (2016)
14. Wartenberg, K. E. et al. Medical complications afer subarachnoid hemorrhage. *Neurosurgery clinics of North America* 21, 325–338, (2010)doi : 10.1016/j.nec.2009.10.012 (2010)
15. Rincon, et al. The epidemiology of admissions of nontraumatic subarachnoid hemorrhage in the United States. *Neurosurgery* 73, 217–222, discussion 212–213, (2013) doi: 10.1227/01.neu.0000430290.93304.33 (2013)
16. O'Donnell, M. J. et al. Gastrointestinal bleeding afer acute ischemic stroke. *Neurology* 71, 650–655, (2008) doi : 10.1212/01.wnl.0000319689.48946.25

17. Silver FL, et al. Early mortality following stroke: a prospective review. *Stroke*. 15:492–496 (1984)
18. Van der Veen, P. H. et al. Hemoglobin, hematocrit, and changes in cerebral blood flow: The Second Manifestations of ARTerial Disease-Magnetic Resonance study. *Neurobiol Aging* 36, 1417–1423 (2015)
19. Gottesman, R. F. et al. Patterns of regional cerebral blood flow associated with low hemoglobin in the Baltimore Longitudinal Study of Aging. *J Gerontol Biol Sci Med Sci* 67, 963–969 (2012)
20. Ferrucci, L. et al. Proinflammatory state and circulating erythropoietin in persons with and without anemia. *Am J Med* 118, 1288 (2005)
21. Barone, F. C. et al. Tumor necrosis factor-alpha. A mediator of focal ischemic brain injury. *Stroke* 28, 1233–1244 (1997)
22. Di Napoli. et al. C-reactive protein in ischemic stroke: an independent prognostic factor. *Stroke* 32, 917–924 (2001)
23. Vila, N. et al. A Proinflammatory cytokines and early neurological worsening in ischemic stroke. *Stroke* 31, 2325–2329 (2000)
24. Misra et al. A randomized placebo controlled trial of ranitidine versus sucralfate in patients with spontaneous intracerebral hemorrhage for prevention of gastric hemorrhage. *J Neurol Sci* 239:5–10 (2005)
25. Hilker R, et al. Nosocomial pneumonia after acute stroke: implications for neurological intensive care medicine. *Stroke* 34:975-981 (2003)
26. Hannawi, et al. Stroke-associated pneumonia: major advances and obstacles. *Cerebrovasc Dis* 35:430-443 (2013)
27. Vermeij,FH, et al. Netherlands stroke survey investigators: stroke-associated infection is an independent risk factor for poor outcome after acute ischemic stroke: data from the Netherlands Stroke Survey. *Cerebrovasc Dis* 27:465-471. (2009)
28. Du Moulin GC, et.al. Aspiration of gastric bacteria in antacid-treated patients: a frequent cause of postoperative colonisation of the airway. *Lancet* 1:242-245. (1982)
29. Ali T, et.al. Stress-induced ulcer bleeding in critically ill patients. *Gastroenterol Clin North Am* 38:245-265 (2009)
30. Driks MR, et al. Nosocomial pneumonia in intubated patients given sucralfate as compared with antacids or histamine type 2 blockers: the role of gastric colonization. *N Engl J Med* 317:1376-1378. (1987)
31. Bateman BT, et al. Type of stress ulcer prophylaxis and risk of nosocomial pneumonia in cardiac surgical patients: cohort study. *BMJ* 347:f5416. (2013)
32. Herzog SJ, et al. Acid-suppressive medication use and the risk for hospital-acquired pneumonia. *JAMA* 301:2120-2128. (2009)
33. MacLaren R, et al. Histamine-2 receptor antagonists vs proton pump inhibitors on gastrointestinal tract hemorrhage and infectious complications in the intensive care unit. *JAMA Intern Med* 174:564-574. (2014)
34. Miano TA, et al. Nosocomial pneumonia risk and stress ulcer prophylaxis: a comparison of pantoprazole vs ranitidine in cardiothoracic surgery patients. *Chest* 136:440-447. (2009)

35. Yang TC, et al. Gastrointestinal bleeding after intracerebral hemorrhage: a retrospective review of 808 cases. *Am J Med Sci* 346:279–82 (2013)
36. Shang-Po et al. Gastrointestinal Hemorrhage after Spontaneous Subarachnoid Hemorrhage: A Single-Center Cohort Study SCIE NTIfIC RePortS | 7: 13557 | doi:10.1038/s41598-017-13707-3
37. Huan-Lin Hsu ad al. Gastrointestinal Hemorrhage after Acute Ischemic Stroke and Its Risk Factors in Asians *Eur Neurol*; 62:212–218 (2009) doi: 10.1159/000229018
38. Sacco,et al. An Updated Definition of Stroke for the 21st Century. National Stroke Association. Published by Elsevier Inc. All rights reserved. (2018) doi : 10.1161/STR.0b013e318296aeca
39. Alerhand et al. Spontaneous Intracerebral Hemorrhage. *Emerg Med Clin N Am* 35 825-845. Elsevier Inc. All rights reserved. (2017) doi : 10.1016/j.emc.2017.07.002
40. O'Donnell MJ, et al. Risk factors for ischaemic and intracerebral haemorrhagic stroke in 22 countries (the INTERSTROKE study): a case-control study. *Lancet* 376(9735):112–23. (2010)
41. Feldmann E, et al. Major risk factors for intracerebral hemorrhage in the young are modifiable. *Stroke* 36(9):1881–5 (2005)
42. Ariesen MJ, et al. Risk factors for intracerebral hemorrhage in the general population: a systematic review. *Stroke* 34(8):2060–5. (2003)
43. Sturgeon JD, et al. Risk factors for intracerebral hemorrhage in a pooled prospective study. *Stroke* 38(10):2718–25. (2007)
44. Woo D, et al. Effect of untreated hypertension on hemorrhagic stroke. *Stroke* 35(7):1703–8. (2004)
45. Zia E, et al. Blood pressure in relation to the incidence of cerebral infarction and intracerebral hemorrhage. Hypertensive hemorrhage: debated nomenclature is still relevant. *Stroke* 38(10):2681–5. (2007)
46. Sturgeon JD, et al. Risk factors for intracerebral hemorrhage in a pooled prospective study. *Stroke*. 38(10):2718-2725. (2007)
47. Qureshi AI, et al. Intracerebral haemorrhage.*Lancet*. 373(9675):1632-1644. (2009)
48. Dekker et al. Principles of Neurological Surgery (Fourth Edition) 2018, Pages 334-342.e2. doi : /10.1016/B978-0-323-43140-8.00022-6
49. Kumar et al. Multiple Spontaneous Hypertensive Intracerebral Hemorrhages. *Journal of Stroke and Cerebrovascular Diseases*, Vol. 24, No. 1 (January), (2015) pp e25-e27. doi : /10.1016/j.jstrokecerebrovasdis.2014.08.008
50. Broderick J, et al. Guidelines for the management of spontaneous intracerebral hemorrhage in adults. 2007 update: a guideline from the American Heart Association/American Stroke Association Stroke Council, High Blood Pressure Research Council, and the Quality of Care and Outcomes in Research Interdisciplinary Working Group. *Stroke*. 38(6):2001-2023 (2007)
51. Fisher CM. Cerebral military aneurysms in hypertension. *Am J Pathol*. 66:313. (1972)

52. Nyquist P. Management of acute intracranial and intraventricular hemorrhage. Crit Care Med. 38(3):946-953. (2010)
53. Wityk et al. Hypertensive Intracerebral Hemorrhage: Epidemiology and Clinical Pathology. Neurosurgery Clinics of North America Volume 3, Issue 3, July (1992), Pages 521-532 doi:/10.1016/S1042-3680(18)30643-0
54. Little JR, et al. Brain hemorrhage from intracranial tumor. Stroke. 10(3):283-288. (1979)
55. Vespa PM, et al. Acute seizures after intracerebral hemorrhage: a factor in progressive midline shift and outcome. Neurology. 60(9):1441-1446. (2003)
56. Neisewander et al. Location of Thalamic Hemorrhage Impacts Prognosis. World Neurosurgery Volume 116, August (2018), Pages e525-e533. doi: /10.1016/j.wneu.2018.05.026
57. Steiner T, et al. Recommendations for the management of intracranial haemorrhage - part I: spontaneous intracerebral haemorrhage. The European Stroke Initiative Writing Committee and the Writing Committee for the EUSI Executive Committee. Cerebrovasc Dis 22:294-316. (2006)
58. An et al. Epidemiology, Risk Factors, and Clinical Features of Intracerebral Hemorrhage:An Update.Journal of Stroke (2017) ;19(1):3-10 doi : 10.5853/jos.2016.00864
59. Dettenkofer M, et al. Surveillance of nosocomial infections in a neurology intensive care unit. J Neurol.248:959–964. (2001)
60. Karlinski Michal et al, Infections Diagnosed after Admission to a Stroke Unit and Their Impact on Hospital Mortality in Poland from 1995 to 2015. Journal of Stroke and Cerebrovascular Diseases, Vol. 27, No. 7 (July),(2018): pp 1775–1782. doi :10.1016/j.jstrokecerebrovasdis.2018.02.005
61. Brogan E, et al. Can't swallow,can't transfer, can't toilet: factors predicting infections in the first week post stroke. J Clin Neurosci 22:92-97 (2015)
62. Aslanyan S, et al. Pneumonia and urinary tract infection after acute ischaemic stroke: a tertiary analysis of the GAIN International trial. Eur J Neurol 11:49-53. (2004)
63. Bruening T, et.al Stroke-associated pneumonia in thrombolized patients: incidence and outcome. J Stroke Cerebrovasc Dis 24:1724-1729. (2015)
64. Friedant A, et al. A simple prediction score for developing a hospital-acquired infection after acute ischemic stroke. J Stroke Cerebrovasc Dis 24:680-686. (2015)
65. Matz K, et al. Post-stroke pneumonia at the stroke unit—a registry based analysis of contributing and protective factors. BMC Neurol 16:107. (2016)
66. Bone RC, et al. Definitions for sepsis and organ failure and guidelines for the use of innovative therapies in sepsis. Chest 101:1644–55. (1992)
67. MacDonald J, et al. Oxidative stress and gene expression in sepsis. Br J Anaesth 90(2):221–32. (2003)
68. Prauchner, Carlos et al. Oxidative stress in sepsis: Pathophysiological implications justifying antioxidant co-therapy. (2016), doi :10.1016/j.burns.2016.09.023. JBUR-5083

69. Chung et al. The 2015 Resuscitation Council of Asia (RCA) guidelines on adult basic life support for lay rescuers. 2016. Resuscitation Volume 105, August (2016), Pages 145-148 doi: 10.1016/j.resuscitation.2016.05.025
70. Hemphill J. Claude et al. Guidelines for the Management of Spontaneous Intracerebral Hemorrhage. Stroke.46:2032-2060. (2015) doi : 10.1161/STR.0000000000000069.
71. Rincon F, et al. Association between hyperoxia and mortality after stroke: a multicenter cohort study. Crit Care Med 42: 387–96 (2014)
72. Fan JS, et al. Emergency department neurologic deterioration in patients with spontaneous intracerebral hemorrhage: incidence, predictors, and prognostic significance. Acad Emerg Med 19(2):133–8. (2012)
73. Sun W, et al. Predictors of late neurological deterioration after spontaneous intracerebral hemorrhage. Neurocrit Care 19(3):299–305. (2013)
74. Maas MB, et al. Surveillance neuroimaging and neurologic examinations affect care for intracerebral hemorrhage. Neurology 81(2):107–12.(2013)
75. Chrousos GP, et al. The concepts of stress and stress system disorders. Overview of physical and behavioral homeostasis. JAMA.267:1244-1252. (1992)
76. Carrasco GA, et.al. Neuroendocrine pharmacology of stress. Eur J Pharmacol. 463:235-272. (2003)
77. Charmandari E, et.al. Endocrinology of the stress response. Annu Rev Physiol. 67:259-284. (2005)
78. Sapolsky RM, et.al.How do glucocorticoids influence stress responses? Integrating permissive, suppressive, stimulatory, and preparative actions. Endocr Rev. 21:55-89. (2000)
79. Smith et al. The role of the hypothalamic-pituitary-adrenal axis in neuroendocrine responses to stress. Dialogues Clin Neurosci. 8:383-395 (2008))
80. Vale W, et.al. Characterization of a 41-residue ovine hypothalamic peptide that stimulates secretion of corticotropin and betaendorphin. Science. 213:1394-1397. (1981)
81. Rivier C, et.al. Modulation of stress-induced ACTH release by corticotropin-releasing factor, catecholamines and vasopressin. Nature.305:325-327 (1983)
82. Munck A, et.al.Physiological functions of glucocorticoids in stress and their relation to pharmacological actions. Endocr Rev.5:25-44. (1984)
83. Bamberger CM, et.al. Molecular determinants of glucocorticoid receptor function and tissue sensitivity to glucocorticoids. Endocr Rev. 17:245-261. (1996)
84. McEwen BS, et.al. Stress and the individual. Mechanisms leading to disease. Arch Intern Med. 153:2093-2101. (1993)
85. Sawchenko PE, et.al. The functional neuroanatomy of corticotropin-releasing factor. Ciba Found Symp. 172:5-21; discussion 21-29 (1993)
86. Herman JP, et al. Central mechanisms of stress integration: hierarchical circuitry controlling hypothalamo-pituitary- adrenocortical responsiveness. Front Neuroendocrinol. 24:151-180. (2003)

87. Chrousos G. P et.al.The concepts of stress and stress system disorders. Overview of physical and behavioural homeostasis. *Journal of American Medical Association* 267: 1244-1252 (1992)
88. Merali Z, et.al. Effects of corticosterone on corticotrophin-releasing hormone and gastrin-releasing peptide release in response to an aversive stimulus in two regions of the forebrain (central nucleus of the amygdala and prefrontal cortex). : *Eur J Neurosci.* 28(1):165-72. (2008)
89. Lachize S, et.al. Steroid receptor coactivator-1 is necessary for regulation of corticotropin-releasing hormone by chronic stress and glucocorticoids. *Proc Natl Acad Sci USA* May 12; 106(19):8038-8042. (2009)
90. Elenkov, I. J., et.al. Stress hormones, Th1/Th2 patterns, pro/anti-inflammatory cytokines and susceptibility to disease. *Trends Endocrinol. Metab.* 10:359–368. (1999)
91. Webster,et.al. Corticotropin-releasing hormone and inflammation. *Ann. N. Y. Acad. Sci.* 840: 21–32. (1998)
92. Audhya, T., et.al.Receptor-mediated immunomodulation by corticotropin-releasing factor. *Cell Immunol.* 134:77–84. (1991)
93. Singh, V. K., et.al Binding of corticotropin releasing factor to blood immunocytes and its reduction in Alzheimer's disease. *Immunol. Lett.* 18:5–8. (1988)
94. Agelaki et al. Corticotropin-Releasing Hormone Augments Proinflammatory Cytokine Production from Macrophages In Vitro and in Lipopolysaccharide-Induced Endotoxin Shock in Mice. *I NFECTION AND IMMUNITY* ,(2002) doi: 10.1128/IAI.70.11.6068–6074.2002
95. Button L, et al. Hospitalized incidence and case fatality for upper gastrointestinal bleeding from 1999 to 2007. *Aliment Pharmacol Ther* 33: 64–76. (2011)
96. Dodd Wilson. Hematemesis, Melena, and Hematochezia. 85: 439-441 (1999)
97. Sittichanbuncha Y, et al. How to differentiate sites of gastrointestinal bleeding in patients with hematochezia by using clinical factors? *Gastroenterol Res Pract* 265076. (2013)
98. British Society of Gastroenterology (BGS). UK Comparative Audit of Upper Gastrointestinal Bleeding and the Use of Blood. December (2007). http://www.bsg.org.uk/pdf_word_docs/blood_audit_report_07.pdf (accessed 15/10/16)
99. Wilson et al. Anatomy and Physiology of the Stomach. *Shackelford's Surgery of the Alimentary Tract*, 2 Volume Set (Eighth Edition) Volume 1: 634-646. (2019) doi: 10.1016/B978-0-323-40232-3.00056-X
100. Russin et al. Protective Effects of the Prostaglandins on the Gastric Mucosa . *The American Journal of Medicine* Volume 81 (suppl 2A). (1986) doi: 10.1016/S0002-9343(86)80002-X
101. Foneska, A.et.al. Gastroduodenal mucosal defense. *Curr. Opin. Gastroenterol.* 26,604–610 (2010).

102. Ferrer-Ferrer, M. et al. Polymorphisms in genes coding for HSP-70 are associated with gastric cancer and duodenal ulcer in a population at high risk of gastric cancer in Costa Rica. *Arch. Med. Res.* 44, 467–474 (2013).
103. Tahara, T. et al. Role of heat-shock protein (HSP) 70–72 genotype in peptic ulcer in Japanese population. *Hepatogastroenterology* 59, 426–429 (2012).
104. Takahashi, T. et al. Correlation of heat shock protein expression to gender difference in development of stress-induced gastric mucosal injury in rats. *J. Clin. Biochem. Nutr.* 47, 64–73 (2010)
105. Hawkey, C. J. & Rampton, D. S. Prostaglandins and the gastrointestinal mucosa: are they important in its function, disease, or treatment? *Gastroenterology* 89, 1162–1188 (1985).
106. Flemstrom, G. & Turnberg, L. A. Gastroduodenal defence mechanisms. *Clin. Gastroenterol.* 13, 327–354 (1984)
107. H Phillipson, M., Atuma, C., Henriksnas, J. & Holm, L. The importance of mucus layers and bicarbonate transport in preservation of gastric juxtamucosal pH. *Am. J. Physiol. Gastrointest. Liver Physiol.* 282, 211–219 (2002).
108. Flynn, R. et al. Stress ulceration and gastric mucosal cell kinetics: the influence of prophylaxis against acute stress ulceration. *J. Surg. Res.* 55, 188–192 (1993)
109. J. Arnold,et.al. :Tonometry to assess the adequacy of splanchnic oxygenation in the critically ill patient,” *Intensive Care Medicine*, vol. 20, no. 6, pp. 452–456, (1994)
110. Beltran Nohra E, et al. Gastric Tissue Damage Analysis Generated by Ischemia: Bioimpedance, Confocal Endomicroscopy, and Light Microscopy *BioMed Research International Volume 8.* (2013) doi: 10.1155/2013/824682
111. KARINCAOLU, malih et. Al. Hypovolemia-related gastric tissue damage in the setting of upper gastrointestinal bleeding. *Turk J Gastroenterol* 21 (1): 17–22 (2010)
112. Poli de Figueiredo LF, et.al. Gas tonometry for evaluation of gastrointestinal mucosal perfusion: experimental models of trauma, shock and complex surgical maneuvers. .pp: 7(4). (2002)
113. Fennerty, M. B. Pathophysiology of the upper gastrointestinal tract in the critically ill patient: rationale for the therapeutic benefits of acid suppression. *Crit. Care Med.* 30 (Suppl.), 351–355 (2002).
114. MacLaren, R., et.al. Histamine-2 receptor antagonists vs proton pump inhibitors on gastrointestinal tract hemorrhage and infectious complications in the intensive care unit. *JAMA Intern. Med.* 174, 564–574 (2014).
115. Cook, D. J. et al. The attributable mortality and length of intensive care unit stay of clinically important gastrointestinal bleeding in critically ill patients. *Crit. Care* 5, 368–375 (2001)
116. Mutlu, G. M., Mutlu, E. A. & Factor, P. GI complications in patients receiving mechanical ventilation. *Chest* 119, 1222–1241 (2001).
117. Martindale, R. G. Contemporary strategies for the prevention of stress-related mucosal bleeding. *Am. J. Health Syst. Pharm.* 62 (Suppl. 2), 11–17 (2005).

118. Adapted with permission from Elsevier Stollman, N. & Metz, D, J. Crit. Care 20, 35–45 (2005).
119. Peivandi Yazdi A, et.al. Stress-Related Mucosal Disease in Critically Ill Patients. Patient Saf Qual Improv.3(2): 266-268. (2015)
120. Cook, D. J. et al. Risk factors for gastrointestinal bleeding in critically ill patients. Canadian Critical Care Trials Group. N. Engl. J. Med. 330, 377–381 (1994).
121. Laine, L. et al. Lower gastrointestinal events in a double-blind trial of the cyclo-oxygenase-2 selective inhibitor etoricoxib and the traditional nonsteroidal anti-inflammatory drug diclofenac. Gastroenterology 135, 1517–1525 (2008).
122. Kim ji won et al. Management and Prevention of Upper GI bLeeding., 7-8 (2017)
123. Frandah, W., et.al. Patterns of use of prophylaxis for stress-related mucosal disease in patients admitted to the intensive care unit. J. Intensive Care Med. 29, 96–103 (2014).
124. Holtmann G, et.al. The Stomach - Brain Axis, Best Practice & Research Clinical Gastroenterology (2014), doi: 10.1016/j.bpg.2014.10.001.
125. CJ Mc. Arthur. Gastric emptying following brain injury. Intensive Care Med. 1995 Jul;21(7):573-6 (1995)
126. Yin A,et al: Mallory-Weiss syndrome: clinical and endoscopic characteristics, Eur J Intern Med 23(4):e92–e96 (2012)
127. Sugawa C, et.al. Mallory-Weiss Syndrome. A study of 224 patients, Am J Surg 145(1):30–33. (1983)
128. Knauer CM: Mallory-Weiss syndrome. Characterization of 75 Mallory-weiss lacerations in 528 patients with upper gastrointestinal hemorrhage, Gastroenterology 71(1):5–8. (1976)
129. Okada M, et al: Circumferential distribution and location of Mallory-Weiss tears: recent trends, Endosc Int Open 3(5):E418–E424 (2015)
130. Cherednikov EF,et.al. The role of etiopathogenetic aspects in prediction and prevention of discontinuoushemorrhagic (Mallory-Weiss) syndrome, EPMA J 7:7. (2016)
131. Dagradi AE, et al: The Mallory-Weiss syndrome and lesion. A study of 30 cases, Am J Dig Dis 11(9):710–721 (1966)
132. Kortas DY, et al: Mallory-Weiss tear: predisposing factors and predictors of a complicated course, Am J Gastroenterol 96(10):2863–2865 (2001)
133. Cappell MS, Dass K, et.al Characterization of the syndrome of UGI bleeding from a Mallory-Weiss tear associated with transesophageal echocardiography, Dig Dis Sci 59(10):2381–2389 (2014)
134. Bharucha AE, et.al: Clinical and endoscopic risk factors in the Mallory-Weiss syndrome, Am J Gastroenterol 92(5):805– 808 (1997)
135. Lin TC, Shu CH: Mallory-Weiss tears occurring during upper gastrointestinal endoscopy, Br J Hosp Med (Lond) 74(7):411 (2013)

136. Penston JG, et al.: Mallory-Weiss tears occurring during endoscopy: a report of seven cases, *Endoscopy* 24(4):262–265 (1992.)
137. Lecleire S, et al: Endoscopic band ligation could decrease recurrent bleeding in Mallory-Weiss syndrome as compared to haemostasis by hemoclips plus epinephrine, *Aliment Pharmacol Ther* 30(4):399–405 (2009)
138. Ljubicic N, et al: Mortality in high-risk patients with bleeding Mallory-Weiss syndrome is similar to that of peptic ulcer bleeding. Results of a prospective database study, *Scand J Gastroenterol* 49(4):458–464 (2014)
139. Nusrat S, Khan MS, Fazili J, Madhoun MF. Cirrhosis and its complications: evidence based treatment. *World J Gastroenterol.* 20(18):5442–5460 (2014)
140. Haq I, Tripathi D. Recent advances in the management of variceal bleeding. *Gastroenterol Rep (Oxf).* 5(2):113–126 (2017)
141. Heidelbaugh JJ, Sherbondy M. Cirrhosis and chronic liver failure: part II. Complications and treatment. *Am Fam Physician.* 74(5):767–776. (2006)
142. Romcea A, et.al. Variceal bleeding in cirrhotic patients: risk factors, evolution, treatment. *Clujul Med.* 86(2):107–110. (2013)
143. Romcea AA, et.al. The etiology of upper gastrointestinal bleeding in cirrhotic patients. *Clujul Med.* 86(1):21–23. (2013)
144. Triantos C, Kalafateli M. Primary prevention of bleeding from esophageal varices in patients with liver cirrhosis. *World J Hepatol* 6(6):363–369. 2014)
145. Tayyem, obada et al. Evaluation and management of variceal bleeding. (2018) pp:312-320. doi:10.1016/j.disamonth.2018.02.001
146. Mayer RJ. Gastrointestinal tract cancer. In: Longo DL, Fauci AS, Kasper DL, et al, editors. *Harrison's principles of internal medicine* 1. 18th edition. Medical Publishing Division: New York: McGraw-Hill; (2012).
147. Pennathur A, Gibson MK, Jobe BA, et al. Oesophageal carcinoma. *Lancet* 381(9864):401 (2013)
148. National Cancer Institute, Surveillance, Epidemiology, and End Results Program. Cancer stat facts: esophageal cancer. Available at: <http://seer.cancer.gov/statfacts/html/esoph.html>. Accessed October 28 (2017)
149. Fock KM, et al. Asia-Pacific consensus guidelines on gastric cancer prevention. *J Gastroenterol Hepatol* 23:351–65. (2008)
150. Yang P, et al. Overweight, obesity and gastric cancer risk: results from a meta-analysis of cohort studies. *Eur J Cancer* 45:2867–73. (2009)
151. Baillie, John. Hemobilia. *Gastroenterol Hepatol (N Y)*.8(4): 270–272. (2012)
152. Wallace John et al. Pathogenesis of NSAID gastropathy: are neutrophils the culprits. 1992. Volume 13, pp 129-131. (1992) doi : 10.1016/0165-6147(92)90046-9.
153. Garcı́a Rodríguez LA, et.al. NSAID-associated ulcers: new directions in research and clinical management. Oxford: Oxford Clinical Communications. (1996).
154. Griffin MR, et.al. Nonsteroidal anti-inflammatory drug use and increased risk for peptic ulcer disease in elderly persons. *Ann Intern Med* 114:257–263. (1991).

155. Larkai EN, et.al. Gastroduodenal mucosa and dyspeptic symptoms in arthritic patients during chronic non-steroidal anti-inflammatory drug use. Am J Gastroenterol 82:1153–1158. (1987).
156. Mellem H, et.al. Symptoms in patients with peptic ulcer and haematemesis and/or melaena related to the use of NSAIDs. Scand J Gastroenterol 82:1153–1158. (1985).
157. Abramson SB,et.al. The mechanism of action of non steroidal anti-inflammatory drugs. Arthritis Rheum 32:1–9. (1989).
158. Armstrong CP, Blower AL. NSAIDs and life-threatening complications of peptic ulceration. Gut 28:527–532. (1987).
159. Kurata JH. An assessment of NSAIDs as a risk factor in ulcer diseases. Ann Intern Med 114:311–317. (1991).
160. Butt JH, Barthel JS, Moore RA. Clinical spectrum of upper gastrointestinal effects of NSAIDs. Am J Med 84(suppl 2A):5–14. (1988).
161. Bjilsma JWJ. Multicenter Group. Treatment of endoscopy negative NSAID-induced upper gastrointestinal symptoms with cimetidine: an international multicenter collaborative study. Aliment Pharmacol Ther 25:75–83. (1988).
162. Dahlan , Sopiyudin. Penelitian Prognostik dan Sistem Skoring : Disertai Praktik dengan SPSS dan Stata . Alqa Print Jatinangor. (2011).
163. Hayden et al., . Journal of Clinical Epidemiology. 61(6):552-60. (2008).
164. Vergouwe Y. Prognosis and prognostic research: developing a prognostic model. BMJ 338:b604. (2009).
165. smer DW, Lemeshow S. 12 Applied logistic regression. 2nd ed. New York: Wiley (2000).
166. Moons KGM, Royston P, Vergouwe Y, Grobbee DE, Altman DG. Prognosis and prognostic research: what, why and how? BMJ 338:b375. (2009).
167. Bleeker SE, et al. External validation is necessary in prediction research: a clinical example. J Clin Epidemiol 56:826-32. (2003).
168. Harrell FE Jr, et.al. Multivariable prognostic models: issues in developing models, evaluating assumptions and adequacy, and measuring and reducing errors. Stat Med 15:361-87. (1996).
169. ackillop WJ, Quirt CF. Measuring the accuracy of prognostic judgments in oncology. J Clin Epidemiol 50:21-9. (1997).
170. Webb, Alastair et al. Accuracy of the ABC/2 Score for Intracerebral Hemorrhage Systematic Review and Analysis of MISTIE, CLEAR-IVH, and CLEAR III. 2015. Stroke 46:2470-2476. (2015) doi : 10.1161/STROKEAHA.114.007343
171. Brott T.,et.al. *Stroke*, 20 (7) , pp. 864-870. (1989).
172. Sternbach , G L. THE GLASGOW COMA SCALE. The Journal of Emergency Medicine, Vol. 19, No. 1, pp. 67–71, 2000. Elsevier Science Inc. (2000). doi: 10.1016/S0736-4679(00)00182-7.
173. Napolitano, Lena M. Sepsis 2018: Definitions and Guideline Changes. 2017. SURGICAL INFECTIONS Volume 19, Number 2, Mary Ann Liebert, Inc. (2018) doi: 10.1089/sur.2017.278

174. Farsei, Shadi et al. Variables Associated with Adherence to Stress Ulcer Prophylaxis in Patients Admitted to the General Hospital Wards: A Prospective Study . *Adv Pharm Bull* , 7(1), 73-80 (2017) doi: 10.15171/apb.2017.009
175. Ogata, Toshiyasu Ogata. Gastrointestinal Bleeding in Acute Ischemic Stroke: Recent Trends from the Fukuoka Stroke Registry . *Cerebrovasc Dis Extra* 2014;4:156–164 (2014) DOI: 10.1159/000365245
176. Frandah, W. et al . Patterns of use of prophylaxis for stress-related mucosal disease in patients admitted to the intensive care unit. *J. Intensive Care Med.* 29, 96–103 (2014)
177. JP, Broderick et al. Volume of intracerebral hemorrhage. A powerful and easy-to-use predictor of 30-day mortality. *Stroke* (1993) ;24:987–93.
178. ICH score AHA ASA
179. M, Overhaus et al . Mechanisms of polymicrobial sepsis-induced ileus. *Am J Physiol Gastrointest Liver Physiol* 2004; 287:685–94.
180. SM, Pastores et al.. Splanchnic ischemia and gut mucosal injury in sepsis and the multiple organ dysfunction syndrome. *Am J Gastroenterol* (1996) ;91:1697–710.
181. Kevin G et al. Hypothalamic Dysfunction and Multiple Sclerosis: Implications for Fatigue and Weight Dysregulation.(2017)DOI: 10.1007%2Fs11910-016-0700-3
182. FL, Zanoni FL, et al. Mesenteric microcirculatory dysfunctions and translocation of indigenous bacteria in a rat model of strangulated small bowel obstruction. *Clinics*. 2009;64(9):911-9.
183. SIRS, systemic inflammatory response syndrome; MODS, multiple organ deficiency syndrome (Gut failure in critical care: old school versus new schoolEleni Sertaridou (2015) Hellenic Society of Gastroenterology