

DAFTAR PUSTAKA

Permenkes No.67 tahun 2016 diunduh 29 mei 2019
http://hukor.kemkes.go.id/uploads/produk_hukum/PMK_No._67_ttg_Penanggulangan_Tuber kolosis_.pdf

World Health Organizatiion *Mycobacteriology laboratory manual* , 2014. diunduh 25 mei 2019 (<https://www.who.int/tb/laboratory/mycobacteriology-laboratory-manual.pdf>)

Akhter, H., Habib, Z., Ahmed, I., Akhter, H., Yusuf, A., Jhora, S., and Lutfor, A. 2017. 'Diagnosis of Tuberculous Lymphadenitis from Fine Needle Aspirate by PCR' *Bangladesh Journal of Medical Microbiology*, 8(1), 2-6.
doi:10.3329/bjmm.v8i1.31051

Ogundipe, T., Otolorin, A., Ogundipe, F., Sran, G., Abbas, G., & Filani, O. (2018). Multidrug-resistant Tuberculosis Lymphadenitis as the Initial Presentation of Secondary Multidrug-resistant Tuberculosis: A Case Report. *Cureus*, 10(3), e2363. doi:10.7759/cureus.2363

Ika Yunita Sari, Tutik Kusmiati , 2015.' TB MDR primer dengan limfadenitis TB pada wanita SLE '. jurnal respirasi , vol 1. No 3 , p: 81

Goh ,T.L., Towns,R.C., Jones,L.K., Freeman,T.J., Wong,S.C., 2011' Extensively drug- Resistant tuberculosis: New Zealand's first case and the challenges of management in a low-prevalence country Med J Aust 2011; 194 (11): 602-604. || doi: 10.5694/j.1326- 5377.2011.tb03115.x

ATS/CDC/IDSA Clinical Practice Guidelines for Drug-Susceptible TB • CID 2016:63 (1 October) diunduh 23 mei 2019 (<https://www.idsociety.org/globalassets/idsa/practice-guidelines/official-american-thoracic-society.centers-for-disease-control-and-prevention.infectious-diseases-society-of-america-clinical-practice-guidelines-reatment-of-drug-susceptible-tuberculosis.pdf>)

Inayah, S., & Wahyono, B. (2019). Penanggulangan Tuberkulosis Paru dengan Strategi DOTS. *HIGEIA (Journal of Public Health Research and Development)*, 3(2), 223-233. <https://doi.org/10.15294/higeia.v3i2.25499>

Mertaniasih NM, Kusumaningrum D, Koendhori EB, Soedarsono , Kusmiati T, Dewi DN,2017.'Nontuberculous mycobacterial species and Mycobacterium tuberculosis complex coinfection in patients with pulmonary tuberculosis in Dr. Soetomo Hospital, Surabaya indonesia.' *Int J Mycobacteriol* ;6:9-13

Mertaniasih NM, Kusumaningrum D, Koendhori EB, Soedarsono , Kusmiati T,2013.
Tuberkulosis diagnostik mikrobiologis, Pusat penerbitan dan percetakan universitas Airlangga

Pedoman Nasional pelayanan tata laksana tuberkulosis,2013 , Kementerian kesehatan RI

Nasiri, M. J., Haeili, M., Ghazi, M., Goudarzi, H., Pormohammad, A., Imani Fooladi, A. A., & Feizabadi, M. M. (2017). New Insights in to the Intrinsic and Acquired Drug Resistance Mechanisms in Mycobacteria. *Frontiers in microbiology*, 8, 681. doi:10.3389/fmicb.2017.00681

Purohit, M., & Mustafa, T. 2015. ,Laboratory diagnosis of extra-pulmonary tuberculosis (EPTB) in resource-constrained setting: state of the art, challenges and the need,. *Journal of clinical and diagnostic research : JCDR*, 9(4), EE01– EE6. doi:10.7860/JCDR/2015/12422.5792

Singh, S. K., & Tiwari, K. K. (2016). Tuberculous lymphadenopathy: Experience from the referral center of Northern India. *Nigerian medical journal : journal of the Nigeria Medical Association*, 57(2), 134–138. doi:10.4103/0300-1652.182077

Manju Raj Purohit, Rajvi Purohit, and Tehmina Mustafa, “Patient Health Seeking and Diagnostic Delay in Extrapulmonary Tuberculosis: A Hospital Based Study from Central India,” *Tuberculosis Research and Treatment*, vol. 2019, Article ID 4840561, 8 pages, 2019. <https://doi.org/10.1155/2019/4840561>.

Dandapat MC, Mishra BM, Dash SP, Kar PK. Peripheral lymph node tuberculosis:a review of 80 cases. *Br J Surg*. 1990;77:911–2. [

Khandkar, C., Harrington, Z., Jelfs, P. J., Sintchenko, V., & Dobler, C. C. (2015). Epidemiology of Peripheral Lymph Node Tuberculosis and Genotyping of M. tuberculosis Strains: A Case-Control Study. *PLoS one*, 10(7), e0132400. doi:10.1371/journal.pone.0132400

Ahmed, H. G., Nassar, A. S., & Ginawi, I. (2011). Screening for tuberculosis and its histological pattern in patients with enlarged lymph node. *Pathology research international*, 2011, 417635. doi:10.4061/2011/417635

Kumar N, Tiwari MC, Verma K. AFB staining in cytodiagnosis of tuberculosis without classical features: a comparison of Ziehl-Neelsen and fluorescent methods. *Cytopathology*. 1998;9(3):208–214.

Smaoui S, Kammoun S, Marouane C, Slim L, Messadi-Akrout F (2015) Evaluation of the BACTEC MGIT 960 TB with Solid Media for Recovery of Mycobacteria from Extrapulmonary Specimens in South Tunisia. *J Med Diagn Meth* 4: 171. doi: [10.4172/2168-9784.1000.171](https://doi.org/10.4172/2168-9784.1000.171)

BD , 2019 diunduh 3 mei 2019 (<https://www.bd.com/en-us/offering/capabilities/microbiology-solutions/mycobacteria-testing/bd-bactec-mgit-automated-mycobacterial-detection-system>)

Chatterjee, M., Bhattacharya, S., Karak, K., and Dastidar, S. G. 2013. ‘Effects of different methods of decontamination for successful cultivation of *Mycobacterium tuberculosis*’. *The Indian journal of medical research*, 138(4), 541–548

Arora, J., Kumar, G., Verma, A. K., Bhalla, M., Sarin, R., and Myneedu, V. P. 2015. ‘Utility of MPT64 Antigen Detection for Rapid Confirmation of *Mycobacterium tuberculosis* Complex’. *Journal of global infectious diseases*, 7(2), 66–69. doi:10.4103/0974-777X.154443

Gandhare A , Mahashur A. 2017.'tuberculosis of the lymph nodes : Many facets , many hues' . *Astrocyte* , 4: 80 -6,doi: 10.4103/astrocyte.astrocyte_65_17

Infodatin Tuberkulosis, 2018 diunduh 7 mei 2019 (<https://pusdatin.kemkes.go.id>)

Byeon, H. S., Ji, M. J., Kang, S. S., Kim, S. W., Kim, S. C., Park, S. Y., ... Jeon, B. Y. (2015). Performance of the SD Bioline TB Ag MPT64 Rapid test for quick confirmation of *Mycobacterium bovis* isolates from animals. *Journal of veterinary science*, 16(1), 31–35. doi:10.4142/jvs.2015.16.1.31

Poojan, S., Amit, A., Maxine, C., Krishna, G.P., Abhilasha, K., Sabina, D., et al. (2015) The Application of GeneXpert MTB/RIF for Smear-Negative TB Diagnosis as Fee-Paying Service at a South Asian General Hospital. *Tuberculosis Research and Treatment*, 2015, Article ID: 102430.

Mistry, Y., Rajdev, S. and Mullan, S. (2016) Use of Cost Effective Semi-Automated (Mannual/Micro) MGIT System over BACTEC 960 to Perform First Line Anti-Tuberculosis Drugs Sensitivity Testing. *Journal of Tuberculosis Research*, 4,227-234.