

## DAFTAR PUSTAKA

- Abdelmotaleb, G.S. *et al.* (2017) ‘Comparative study between measurement of serum cholesterol, uric acid and glucose in children with -thalassemia by laboratory and bedside method’, *International Journal of Advanced Research*, 5(6), pp. 963–973. doi: 10.21474/IJAR01/4498.
- Acton, Q.A (ed) (2012) *Menopause: New Insight for the Healthcare Professional, 2011 Edition*. Atalnta: ScholarlyEdition
- Barbieri, L. *et al.* (2014) ‘Impact of sex on uric acid levels and its relationship with the extent of coronary artery disease: A single-centre study’, *Atherosclerosis*. Elsevier Ltd, 241(1), pp. 241–248. doi: 10.1016/j.atherosclerosis.2015.03.030.
- Beccera, A.T. and Iseki, K (ed) (2018) *Uric Acid in Chronic Kidney Disease*.New York: Karger.
- Chang, C. C. *et al.* (2018) ‘Association between serum uric acid and cardiovascular risk in nonhypertensive and nondiabetic individuals: The Taiwan I-Lan Longitudinal Aging Study’, *Scientific Reports*. Springer US, 8(1), pp. 1–6. doi: 10.1038/s41598-018-22997-0.
- Chaudhary, K. *et al.* (2013) ‘Uric acid-key ingredient in the recipe for cardiorenal metabolic syndrome’, *CardioRenal Medicine*, 3(3), pp. 208–220. doi: 10.1159/000355405.
- Choe, J. Y. *et al.* (2008) ‘Change in serum uric acid between baseline and 1-year follow-up and its associated factors in male subjects’, *Clinical Rheumatology*, 27(4), pp. 483–489. doi: 10.1007/s10067-007-0732-9.
- Dahlan, M.S (2013) *Statistik untuk Kedokteran dan Kesehatan Ed. 3; Deskriptif, Bivariat dan Multivariat*. Jakarta: Salemba Medika.
- Dai, K.S.*et al.* (2005) ‘An evaluation of clinical accuracy of EasyTouch blood uric acid self-monitoring’, *Clinical Biochemistry*. Elsevier Ltd, 38(3), pp. 278–281. doi: 10.1016/j.clinbiochem.2004.11.055.
- Das, M. *et al.* (2014) ‘Reference ranges for serum uric acid among Assamese people’, *Biochemistry Research International*. Hindawi, pp. 1-7. doi: 10.1155/2014/171053.
- Doshi, S.B. and Agarwal, A. (2013) ‘Free radicals and antioxidant defense in menopause’, *Journal of Mid-Health*. Medknow Pub, 4(3), pp. 140-147. doi: 10.4103/0976-780D.11899D
- Fang, J. I. *et al.* (2014) ‘High uric acid level associated with increased arterial stiffness in apparently healthy women’, *Atherosclerosis*. Elsevier Ltd, 236(2), pp. 389–393. doi: 10.1016/j.atherosclerosis.2014.07.024.

- Farhat, G. N. *et al.* (2012) ‘The association of menopause status with physical function’, *Menopause: The Journal of The North American Menopause Society*, 19(11), pp. 1186–1192. doi: 10.1097/gme.0b013e3182565740.
- Fink, A (2006) *How to Conduct Surveys, A Step by Step Guide Third Edition*. California: Sage Publication
- Guan, S. *et al.* (2016) ‘Prevalence of hyperuricemia among Beijing post-menopausal women in 10 years’, *Archives of Gerontology and Geriatrics*. Elsevier Ireland Ltd, 64, pp. 162–166. doi: 10.1016/j.archger.2016.02.002.
- Guan, W., Duan, X. and Reed, M. A (2014) ‘Highly spesific and sensitivity non-enzymatic determination of uric acid in serum and urine by extended gate field effect transistor sensor’, *Biosensors and Bioelectronics*. Elsevier B.V, 51, pp. 225–231. doi: 10.1016/j.bios.2013.07.061.
- Hastuti, V.N. *et al.* (2016) ‘Hubungan asupan protein total dan protein terhadap kadar asam urat dalam darah wanita menopause’. *Journal of Nutrition*, 4, pp. 360–367.
- Hatayama, M.K. *et al.* (2015) ‘Nonpharmalogical Management of Gout and Hyperuricemia: Hint for Better Lifestyle’, *American Journal of Lifestyle Medicine*. Sage Pub, 20(10). doi: 10.1177.1559827615601973.
- Ishizaka, N. *et al.* (2010) ‘Changes in waist circumference and body mass index in relation to changes in serum uric acid in Japanese individuals’, *Journal Rheumatol.* 37(2), pp. 410-416.
- Joo, J. K. *et al.* (2014) ‘The Association between Serum Uric Acid Level and Incidence of Metabolic Syndrome according to Menopausal Status in Korean Women’, *Journal of Menopausal Medicine*, 20(3), p. 126. doi: 10.6118/jmm.2014.20.3.126.
- Jung, J. H. *et al.* (2017) ‘Serum uric acid levels and hormone therapy type’, *The Journal of The North American Menopauase Asociety*, 25(1), pp. 77–81. doi: 10.1097/gme.0000000000000953.
- Kementerian Kesehatan RI (2018), Hasil utama Riset Kesehatan Dasar 2018, diakses pada 19 Februari 2019, <<http://www.depkes.go.id/resources/download/info-terkini/hasil-riskesdas-2018.pdf>>
- Kementerian Kesehatan RI (2003), Kamus, diakses pada 30 Maret 2019, <http://www.depkes.go.id/index.php?txtKeyword=status+gizi&act=searchby+map&pgnumber=0&charindex=&strucid=1280&fullcontent=1&C-ALL=1>
- Kinsley, C. *et al.* (2016) ‘Chromosomal and Endocrinological Origins of Sex’, *Sex Difference in Physiology*. Academic Press, 2, pp. 5–51. doi: 10.1016/b978-0-12-802388-4.00002-1.

- Kuwabara, M. *et al.* (2018) ‘Different Risk for Hypertension, Diabetes, Dyslipidemia, and Hyperuricemia According to Level of Body Mass Index in Japanese and American Subjects’, *Nutrients*, 10(8), p. 1011. doi: 10.3390/nu10081011.
- Kuwabara, M. *et al.* (2018) ‘Elevated serum uric acid increases risks for developing high LDL cholesterol and hypertriglyceridemia: A five-year cohort study in Japan’, *International Journal of Cardiology*. Elsevier B.V., 261, pp. 183–188. doi: 10.1016/j.ijcard.2018.03.045.
- Li, Y. *et al.* (2014) ‘Association of Uric Acid with Metabolic Syndrome in Men, Premenopausal Women and Postmenopausal Women’, *International Journal of Environmental Research and Public Health*, 11(3), pp. 2899–2910. doi: 10.3390/ijerph110302899.
- Liu, J. *et al.* (2018) ‘Gender differences in the association between serum uric acid and prediabetes: A six-year longitudinal cohort study’, *International Journal of Environmental Research and Public Health*, 15(7). doi: 10.3390/ijerph15071560.
- Maiuolo, J. *et al.* (2016) ‘Regulation of uric acid metabolism and excretion’, *International Journal of Cardiology*. Elsevier B.V., 213(August), pp. 8–14. doi: 10.1016/j.ijcard.2015.08.109.
- Mandal, K.A. and Mount, D.B. (2015) ‘The molecular Physiology of uric acid homeostasis’, *Annual Review of Physiology*, 77(2), pp. 323–345. doi: 10.1146/annurev-physiol-021113-170343.
- Mumford, S. L. *et al.* (2013) ‘Serum uric acid in relation to endogenous reproductive hormones during the menstrual cycle: findings from the BioCycle study.’, *Human reproduction (Oxford, England)*, 28(7), pp. 1853–1862. doi: 10.1093/humrep/det085.
- Ndrepepa, G. (2018) ‘Uric acid and cardiovascular disease’, *Clinica Chimica Acta*. Elsevier, 484(March), pp. 150–163. doi: 10.1016/j.cca.2018.05.046.
- Nursalam (2015) *Metodologi Penelitian Ilmu Keperawatan: Pendekatan Praktis*. Jakarta: Salemba Medika.
- Nuttall, F. Q. (2015) ‘Body Mass Index’, *Nutrition Today*, 50(3), pp. 117–128. doi: 10.1097/NT.0000000000000092.
- OneMed (2018), EasyTouch GCU [printelektronik] diakses dari <https://medicom.co.id/products/easy-touch-gcu-alat-cek-gula-darah-asam-urat-kolesterol> [Akses 30 Maret 2019].
- Phipps, A. I. *et al.* (2010) ‘Defining menopausal status in epidemiologic studies: A comparison of multiple approaches and their effects on breast cancer

- rates', *Maturitas*. Elsevier Ireland Ltd, 67(1), pp. 60–66. doi: 10.1016/j.maturitas.2010.04.015.
- Preedy, V.R (ed) (2012) *Handbook of Anthropometry, Physical Measures of Human Form in Health and Disease*. New York: Springer.
- Rashad, N. M. and Ibrahim, T. M. H. (2017) 'Association of hyperuricemia with Obesity and Metabolic Co-Morbidities among Post-Menopausal Egyptian Women', (May). doi: 10.21275/ART20172735.
- Sakamoto, K. and Kurokawa, J. (2019) 'Involvement of sex hormonal regulation of K<sup>+</sup> channels in electrophysiological and contractile functions of muscle tissues', *Journal of Pharmacological Sciences*. Elsevier Ltd, (March), pp. 1–7. doi: 10.1016/j.jphs.2019.02.009.
- Sekhon, L.H. and Agarwal, A. (2013) 'The Menopause and Oxidative Stress', *Studies on Women's Health, Oxidative Stress in Applied Basic Research and Clinical Practice*. Springer Sciens, 11, pp. 181-203. doi: 10.1007/978-1-62703-041-0\_11.
- Suroso, J. and Algristian, H. (2011) *Asam Urat*. Jakarta: Penebar Plus.
- Swarjana, I.K. (2016) *Statistik Kesehatan*. Yogyakarta: AND.
- Tanaka, H. et al. (2015) 'The relationship between body mass index and uric acid: a study on Japanese adult twins', *Environmental Health and Preventive Medicine*. Springer Japan, 20(5), pp. 347–353. doi: 10.1007/s12199-015-0473-3.
- Tsushima, Y. et al. (2013) 'Uric Acid Secretion from Adipose Tissue and Its Increase in Obesity', *Journal of Biological Chemistry*, 288(38), pp. 27138–27149. doi: 10.1074/jbc.m113.485094.
- Villegas, R. et al. (2010) 'Purine-rich foods, protein intake, and the prevalence of hyperuricemia: The Shanghai' Men's Health Study', *Nutrition, Metabolism & Cardiovascular Disease*. Elsevier B.V., 53(4), pp. 367–371. doi: 10.1016/j.numecd.2010.07.012
- Vural, P. et al. (2006) 'Effects of menopause and postmenopausal tibolone treatment on plasma TNFalpha, IL-4, IL-10, IL-12 cytokines pattern and some bone turnover markers', *Parmachol Res*, 53(4), pp. 367–371.
- Waaseth, M. et al. (2008) 'Hormone replacement therapy use and plasma levels of sex hormones in the Norwegian Women and Cancer Postgenome Cohort - A cross-sectional analysis', *BMC Women's Health*, 8(May 2014). doi: 10.1186/1472-6874-8-1.
- Wang, H. et al. (2014) 'Association of Serum Uric Acid with Body Mass Index: A Cross-Sectional Study from Jiangsu Province, China.', *Iranian journal of public health*, 43(11), pp. 1503–9. Available at:

<http://www.ncbi.nlm.nih.gov/pubmed/26060717%0A><http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4449499/>

WHO (2006), Obesity and Overweight, diakses pada 30 Maret 2019, <<https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight>>

WHO (2000), Sexual and Reproductive Health, diakses pada 30 Maret 2019, <[https://www.who.int/reproductivehealth/topics/sexual\\_health/sh\\_definition/en/](https://www.who.int/reproductivehealth/topics/sexual_health/sh_definition/en/)>

Wijaya, C. (2018) *Uric Acid Test* [print elektronik] diakses dari <https://www.deherba.com/kadar-asam-urat-normal-berapa-yang-sudah-dianggap-tinggi.html> [Akses 30 Maret 2019].

Xu, Y.-L. et al. (2016) ‘Elevation of serum uric acid and incidence of type 2 diabetes: A systematic review and meta-analysis’, *Chronic Diseases and Translational Medicine*, 2(2), pp. 81–91. doi: 10.1016/j.cdtm.2016.09.003.

Yadav, B. K. et al. (2009) ‘Serum Uric Acid Level in Obese and Non-obese Individuals’, *Jnams*, 10(1), pp. 27–30.

Zhang, H. et al. (2018) ‘Sex-specific associations of serum uric acid with metabolic syndrome in Chinese rural population: The RuralDiab study’, *Clinica Chimica Acta*. Elsevier, 480 (July 2017), pp. 119–125. doi: 10.1016/j.cca.2018.02.003.

Zhang, X. et al. (2018) ‘The prevalence of hyperuricemia and its correlates in Ganzi Tibetan Autonomous Prefecture, Sichuan Province, China’, *Lipids in Health and Disease*. Lipids in Health and Disease, 17(1), pp. 1–10. doi: 10.1186/s12944-018-0882-6.