

DAFTAR PUSTAKA

- Al-Horani, Abu Dayyih, Mallah, *et al*, 2016. Nationality, Gender, Age, and Body Mass Index Influences on Vitamin D Concentration among Elderly Patients and Young Iraqi and Jordanian in Jordan. *Biochemistry Research International*, 2016, pp.1–8.
- Amaral, Calhau, Coelho, *et al*, 2014. Schizophrenia : implications of vitamin D deficit on brain development. *International Journal Of Clinical Neurosciences and Mental Health*, I: 16, 22 (Desember), Available at <http://ijcnmh.arc-publishing.org>
- Balabanova *et al*, 1984. 25-Hydroxyvitamin D , 24 , 25-Dihydroxyvitamin D and 1 , 25-Dihydroxyvitamin D in Human Cerebrospinal Fluid. *Klinische Wochenschrift*, pp.1086–1090.
- Bowie & Harvey, 2006. Cognitive deficits and functional outcome in schizophrenia Profile of cognitive impairments in schizophrenia. *Neuropsychiatric Disease and Treatment*, 2(4), pp.531–536. Available at: <https://doi.org/10.2147/ndt.2006.2.4.531>.
- Brown & Roffman, 2014. Vitamin supplementation in the treatment of schizophrenia., *CNS Drugs*, 28(7), pp.611–622.
- Bulut, Bulut, Atalas, *et al*, 2016. The relationship between symptom severity and low Vitamin D levels in patients with schizophrenia. *PLoS ONE*, 11(10), pp.1–13.
- Champe & Pamela, 2005. *Lippincott's illustrated review: biochemistry*. 3rd Ed. Lippincott Williams & Wilkins Inc., USA
- Chia, Chan, Chua, *et al*, 2010. The Schizophrenia cognition Rating Scale: Validation of an interview-based assessment of cognitive functioning in Asian patients with schizophrenia. *Psychiatry Research*, 178(1), pp.33–38. Available at: <http://dx.doi.org/10.1016/j.psychres.2010.03.020>.
- Clarke & Page, 2012. Vitamin D deficiency. *Current Opinion in Pediatrics*, 24(1), pp.46–49. Available at: <http://content.wkhealth.com/linkback/openurl?sid=WKPTLP:landingpage&an=00008480-201202000-00008>.
- Clelland, Read, Drouet, *et al*, 2014., vitamin D insufficiency and schizophrenia risk: evaluation of hiperprolinemia as a mediator of association., *National Institutes of public Health*., Juni., 156(1), pp.15–22.
- Coentre & Canelas da Silva, 2019. Symptomatic Correlates of Vitamin D Deficiency in First-Episode Psychosis. *Psychiatry Journal*, 2019, pp.1–7.

- Cruz *et al*, 2016. Interview-based assessment of cognition is a strong predictor of quality of life in patients with schizophrenia and severe negative symptoms. *Revista Brasileira de Psiquiatria*, 38(3), pp.216–221.
- Departemen Kesehatan Republik Indonesia, 1993. *Pedoman Penggolongan dan Diagnosis Gangguan Jiwa di Indonesia III (PPDGj- III)*. Jakarta, hal. 105–15.
- Eserian, 2013. Vitamin D as an effective treatment approach for drug abuse and addiction. *Journal of Medical Hypotheses and Ideas*, 7(2), pp.35–39. Available at: <http://dx.doi.org/10.1016/j.jmhi.2013.02.001>.
- Falkenberg, Westerhausen, Cravan, *et al*, 2014. Impact of glutamate levels on neuronal response and cognitive abilities in schizophrenia. *NeuroImage: Clinical*, 4, pp.576–584.
- Graham, Lieberman, Lansing, Perkins, Calikoglu, & Keefe, 2015. Relationship of low vitamin D status with positive, negative and cognitive symptom domains in people with first-episode schizophrenia. *Wiley publishing asia, Early Intervention In Psychiatry*, 9(5), 397-405. *Schizophrenia Research*, 159(2/3), 543-545.
- Groves, 2016. The role of adult vitamin D deficiency in cognition and brain function in mice., The University of Queensland, Australia
- Hardaetha, Raharjo & Sudiyanto, 2008. Uji validitas Schizophrenia Rating Scale versi Indonesia., Fakultas Kedokteran UNS, Surakarta, disampaikan dalam Konferensi Nasional Skizofrenia ke-V, 24-26 Oktober 2008.
- Healey *et al*, 2015. Observable Social Cognition - A Rating Scale: An interview-based assessment for schizophrenia. *Cognitive Neuropsychiatry*, 20(3), pp.198–221. Available at: <http://dx.doi.org/10.1080/13546805.2014.999915>.
- Henry, 2010. The episodic buffer in children with intellectual disabilities: An exploratory study. *Research in Developmental Disabilities*, 31(6), pp.1609–1614.
- Homayoun, Nadeau-Marchotte, Luck, *et al*, 2011. Subjective and objective cognitive dysfunction in schizophrenia is there a link? *Frontiers in Psychology*, 2(JUL), pp.1–8.
- Ismat & Sidique, 2014. a Study of Intelligence Measure Using Raven Standard Progressive Matrices Test Items By Principal Component analysis., *Fuuast Journal Biology.*, 5, pp.169–173.
- Javitt, 2010. Glutamatergic theories of schizophrenia. *Israel Journal of Psychiatry and Related Sciences*, 47(1), pp.4–16.

- Kaplan & Sadock's, 2015. *Synopsis of Psychiatry Behavioral Sciences/ Clinical Psychiatry*. 11th Ed. Philadelphia. Wolters Kluwer
- Keefe *et al*, 2015. The schizophrenia cognition rating scale: Reliability, validity and sensitivity. *Schizophrenia Bulletin*, 41, pp.S51–S52. Available at: http://ovidsp.ovid.com/ovidweb.cgi?T=JS&CSC=Y&NEWS=N&PAGE=fulltext&D=emed13&AN=71839442\nhttp://sfx.ucl.ac.uk/sfx_local?sid=OVID:embase&id=pmid:&id=doi:10.1093%2Fschbul%2Fsbv010&issn=0586-7614&isbn=&volume=41&issue=1&spage=S51&pages=S51-S52&date=2015&title.
- Keefe, Poe, Walker, *et al*, 2006. The schizophrenia cognition rating scale: An interview-based assessment and its relationship to cognition, real-world functioning, and functional capacity. *American Journal of Psychiatry*, 163(3), pp.426–432.
- Kementrian Lingkungan Hidup Republik Indonesia, 2011. *Status Lingkungan Hidup Indonesia 2010*., November., Jakarta.
- Kesby, Cui, Burne, *et al*, 2013. Altered dopamine ontogeny in the developmentally vitamin D deficient rat and its relevance to schizophrenia. *Frontiers in cellular neuroscience*, 7(July), p.111. Available at: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=3713405&tool=mcentrez&rendertype=abstract>.
- Kiraly *et al*, 2006. Vitamin D as a Neuroactive Substance: Review. *Review Article TheScientificWorldJOURNAL*, 6, pp.125–139.
- Krishnadas, Moore, Nayak, *et al*, 2007. Relationship of cognitive function in patients with schizophrenia in remission to disability: A cross-sectional study in an Indian sample. *Annals of General Psychiatry*, 6, pp.1–8.
- Kumar & Jain, 2016, Current understandings about cognition and the neurobiological correlates in schizophrenia. *Journal of Neurosciences in Rural Practice*., Jul-Sep: 7(3): 412-418.
- Kuroki & Nakahara, 2010. Pharmacological Basis for the Neurocognitive Effect of Atypical Antipsychotic Drugs. *Clinical Psychopharmacology and Neuroscience* , 8(1), pp.10–20.
- Li *et al*, 2015. Highly efficient direct conversion of human fibroblasts to neuronal cells by chemical compounds. *Journal of Clinical Biochemistry and Nutrition*, 56(3), pp.166–170
- Lycans *et al*, 2016. Vitamin D Deficiency : “ At Risk ” Patient Populations and Potential Drug Interactions, *Marshall Journal of Medecine*, vol2, iss1.11 , p.47-66.

- McGrath, Burne, Feron, *et al*, 2010. Developmental vitamin D deficiency and risk of schizophrenia: A 10-year update. *Schizophrenia Bulletin*, 36(6), pp.1073–1078.
- Menkes *et al*, 2012. Vitamin D status of psychiatric inpatients in New Zealand's Waikato region. *BMC Psychiatry*, 12(1), p.68. Available at: <http://bmcp psychiatry.biomedcentral.com/articles/10.1186/1471-244X-12-68>
- Millenaar, 2016. *Young onset dementia Towards a better understanding of care needs and experiences.*, NeuroPsych Publishers., Maastricht- Netherlands. Available at: [http://ukonnetwerk.nl/sites/default/files/JK_Millenaar_Proefschrift_\(klein\).pdf#page=76](http://ukonnetwerk.nl/sites/default/files/JK_Millenaar_Proefschrift_(klein).pdf#page=76)
- Ministry of Health & Cancer Society of New Zealand, 2012. Consensus Statement on Vitamin D and Sun Exposure in New Zealand. , (March), p.5.
- Moreau *et al*, 2016. Performance characteristics of the VIDAS® 25-OH Vitamin D Total assay – comparison with four immunoassays and two liquid chromatography-tandem mass spectrometry methods in a multicentric study. *Clinical Chemistry and Laboratory Medicine (CCLM)*, 54(1). Available at: <https://www.degruyter.com/view/j/cclm.2016.54.issue-1/cclm-2014-1249/cclm-2014-1249.xml>.
- Mutsatsa, Mushore, Ncube, *et al*, 2013. Vitamin D: the role of the sunshine vitamin. *British Journal of Mental Health Nursing*, 2(4), pp.182–187. Available at: <http://dx.doi.org/10.12968/bjmh.2013.2.4.182>.
- Nasrallah, Weiden, *et al*, 2014. Cognitive Impairment: Rediscovering a Core Element of Schizophrenia. *FORUM Pharmaceuticals*, FP-0030, June, pp.1–6.
- Nasri & Ardalan, 2012. Association of serum vitamin D level with age in individuals with normal renal function. *Journal of nephropharmacology*, 1(1), pp.7–9. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/28197424>
<http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC5297542>
- Nerhus, Berg, Dahl, *et al*, 2015. Vitamin D status in psychotic disorder patients and healthy controls - The influence of ethnic background. *Psychiatry Research*, 230(2), pp.616–621. Available at: <http://dx.doi.org/10.1016/j.psychres.2015.10.015>.
- Nikolaos *et al*, 2016., Assessment of intelligence with Raven and WAIS in patients with psychosis., (August), pp.72–74.
- Nutt *et al*, 2013. Cognition in schizophrenia: Summary Nice Consultation Meeting 2012. *European Neuropsychopharmacology*, 23(8), pp.769–778. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0924977X13001004>.

- Patwardhan *et al*, 2018. Duration of casual sunlight exposure necessary for adequate Vitamin D status in Indian Men. *Indian J Endocr Metab* 2018;22:249-55.
- Rajji, Ismail & Mulsant, 2009. Age at onset and cognition in schizophrenia: Meta-analysis. *British Journal of Psychiatry*, 195(4), pp.286–293.
- Raven, 2000. The Raven's Progressive Matrices: Change and Stability over Culture and Time., *Cognitive Psychology*, 41(1), pp.1–48.
- Rejnmark *et al*, 2002. Diurnal rhythm of plasma 1,25-dihydroxyvitamin D and vitamin D-binding protein in postmenopausal women: Relationship to plasma parathyroid hormone and calcium and phosphate metabolism. *European Journal of Endocrinology*, 146(5), pp.635–642.
- Murray *et al*, 2000. *Harper's Biochemistry*, 25th Ed. Appleton & Lange
- Murray *et al*, 2006. *Harper's Illustrated Biochemistry*, 27th Ed. McGraw-Hill Companies Inc
- SACN, 2016. Vitamin D and Health, July, 2016. This report is available online at:<https://www.gov.uk/government/groups/scientific-advisory-committee-on-nutrition>
- Samões & Silveira, 2017. The Role of Vitamin D in the Pathophysiology of Schizophrenia Review. *Neuropsychiatri*, 7, pp.362–369.
- Schretlen, 2007. The nature and significance of cognitive impairment in schizophrenia. *Advanced Studies in Medicine*, 7(3), pp.72–78. Available at: http://www.jhasim.com/files/articlefiles/pdf/ASM_7_3_p72_78.pdf.
- Schwartz *et al*, 2014. A comparison of measured and calculated free 25(OH) vitamin D levels in clinical populations. *Journal of Clinical Endocrinology and Metabolism*, 99(5), pp.1631–1637.
- Setiati, Oemardi & Sutrisna, 2007. The Role of Ultraviolet-B from Sun Exposure on Vitamin D3 and Parathyroid Hormone Level in Elderly Women in Indonesia. *Asian J Gerontol Geriatri*2, 2(3), pp.126–32.
- Sharma & Antonova, 2003. Cognitive function in schizophrenia. Deficits, functional consequences, and future treatment. *The Psychiatric clinics of North America*, 26(1), pp.25–40. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/12683258>.
- Simangunson *et al*, 2019. Correlation Between Serum Vitamin D Levels And Severity Of Schizophrenia Patiens In The DR. Soetomo Hospital. *Indonesian Journal Of Clinical Pathology and Medical Laboratory*, Vol 25, No 3 (2019).

- Sotodeh-as, Tamadon, Malek, *et al*, 2014. Vitamin D deficiency and psychological disorders. *Journal Parathyroid Disease* , 2(February), pp.21–25.
- Stahl, 2013. *Stahl's Essential Psychopharmacology, Neuroscientific Basis and Practical Application*, 4th edition. Cambridge University Press.
- Szigeti *et al*, 2016. Vitamin D level with psychosis: a marker of burden of care ? Orebro University School of Medicine, 2016-01-07
- Talreja, Kaltaria, Shah, *et al*, 2013. Cognitive function in schizophrenia and its association with socio-demographics factors. *Ind Psychiatry J [serial online]* 2013 [cited 2019 May 16];22:47-53. Available from: <http://www.industrialpsychiatry.org/text.asp?2013/22/1/47/123619>
- Toha, 2009. *Ensiklopedia Biokimia & Biologi Molekuler*. Edisi I. Penerbit buku kedokteran EGC.
- Uhlhaas & Singer, 2010. Abnormal neural oscillations and synchrony in schizophrenia. *Nature Reviews Neuroscience*, 11(2), pp.100–113.
- Valipour, Saneei & Esmailzadeh, 2014. Serum Vitamin D Levels in Relation to Schizophrenia: A Systematic Review and Meta-Analysis of Observational Studies. *The Journal of clinical endocrinology and metabolism*, 99(August), 3863-3872; mp.jc20141887. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/25050991>.
- Wrzosek *et al*, 2013. Vitamin D and the central nervous system. *Pharmacological reports* : PR, 65(2), pp.271–8. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/23744412>.
- Yang & Zhang, 2017. Seasonal vitamin D and bone metabolism in women of reproductive age in urban Beijing. *Asia Pac J Clin Nutr*, 26(3), pp.427–433.
- Yosephin, Riyadi, Anwar, *et al*, 2016. Is vitamin D deficiency associated with using veil in female garment workers? *Asian Pacific Journal of Tropical Disease*, 6(6), pp.481–485.
- Zalewski *et al*, 1998. A review of neuropsychological differences between paranoid and nonparanoid schizophrenia patients. *Schizophrenia Bulletin*, 24(1), pp.127–145.