

DAFTAR PUSTAKA

- Adu-Bonsaffoh, K. Courten, B. De, Boyle, J. A., & Teede, H. J. (2017) 'Endothelial dysfunction in the pathogenesis of pre-eclampsia in Ghanaian women', *BMC Physiology*. *BMC Physiology*, 17(1), pp. 1–8. doi: 10.1186/s12899-017-0029-4.
- Ahrens, K. Syngelaki, A., Mandal, R., Graham, S. F., Akolekar, R., Han, B., (2017) 'Complications and Safety of Preconception Low-Dose Aspirin Among Women With Prior Pregnancy Losses', *HHS Public Access*, 127(4), pp. 689–698. doi: 10.1097/AOG.0000000000001301. Complications.
- Anggraini, E. and Ernawati (2017) *Characteristics and Outcomes of Maternal-Neonatal Patients with Preeclampsia and Eclampsia weight in Type A Referral Hospital*. Airlangga University.
- Adibrata and Sulistyono, A. (2017) *Perbandingan Penurunan resistensi arteri uterina pada ibu hamil 16-24 minggu dengan resistensi arteri uterina abnormal yang diberi terapi aspirin antara dosis 80 mg/ hari dan 125 mg/ hari*. Airlangga.
- Carty, D. M. Sacks, G. P., Soorana, S. R., Sargent, I. L., & Redman, C. W. (2012) *Preeclampsia : early prediction and long-term consequences*. University of Glasgow.
- Chien, P. F. Gilbert, J. S., Ryan, M. J., LaMarca, B. B., Sedeek, M., Murphy, S. R., (2000) 'How useful is uterine artery Doppler flow velocimetry in the prediction of pre-eclampsia, intrauterine growth retardation and perinatal death? An overview', *BJOG: An International Journal of Obstetrics and Gynaecology*, 107(2), pp. 196–208. doi: 10.1111/j.1471-0528.2000.tb11690.x.
- Cnossen, J. S. (2008) 'Use of uterine artery Doppler ultrasonography to predict pre-eclampsia and intrauterine growth restriction: A systematic review and bivariable meta-analysis', *Canadian Medical Association Journal*, 178(6), pp. 701–711. doi: 10.1503/cmaj.070430.
- Coomarasamy, A., Papaioannou, S., Gee, H., Khan, K.S., 2001. Aspirin for the

Prevention of Preeclampsia in Women With Abnormal Uterine Artery Doppler : A Meta-Analysis 98.

Cunningham, F. G. (2014) 'Hypertensive Disorders', in *Williams Obstetrics 24th Edition*. 24th edn. New York: McGraw-Hill Education, pp. 728–780.

Dekker, G. and Sibai, B. Goulopoulou, S., & Davidge, S. T. (1993) 'Low-dose aspirin in the prevention of preeclampsia and fetal growth retardation: rationale, mechanisms, and clinical trials.', *American journal of obstetrics and gynecology*. Mosby, 168(1 Pt 1), pp. 214–227. doi: 10.1016/S0002-9378(12)90917-5.

Devore, G. R. (2014) *Uterine Artery Measurements, Fetal Diagnostic Center*. Available at: http://www.fetal.com/NT_Screening/10_Uterine_Artery_Meas.html (Accessed: 1 January 2018).

Digiacinto, D. and Graves, M. (2009) 'Uterine Artery Doppler and Its Value in Predicting Preeclampsia', *Journal of Diagnostic Medical Sonography*, 25(2), pp. 73–77. doi: 10.1177/8756479309333105.

Dinas Kesehatan Provinsi Jawa Timur (2016) *Profil Kesehatan Provinsi Jawa Timur 2015*. Surabaya: Dinas Kesehatan Provinsi Jawa Timur.

Ernawati, (2015) *Contributing Factors of Neonatal Death from Mother With Preeclampsia in Indonesia*. Airlangga.

Espinoza, J. LaMarca, B. D., Ryan, M. J., Gilbert, J. S., Murphy, S. R., & Granger, J. P. (2006) 'Normal and abnormal transformation of the spiral arteries during pregnancy', *Journal Perinatology Medicine*, 34, pp. 447–458. doi: 10.1515/JPM.2006.089.

Floyd, C. N. and Ferro, A. Lamarca, B., Wallace, K., & Granger, J. (2014) 'Mechanisms of aspirin resistance', *Pharmacology and Therapeutics*. Elsevier B.V., 141(1), pp. 69–78. doi: 10.1016/j.pharmthera.2013.08.005.

Fox, C., Khan, K. and Coomarasamy, A. (2010) 'How to interpret randomised trials of test-treatment combinations: A critical evaluation of research on uterine Doppler test to predict, and aspirin to prevent, pre-eclampsia', *BJOG: An International Journal of Obstetrics and Gynaecology*, 117(7), pp. 801–808.

doi: 10.1111/j.1471-0528.2010.02577.x.

- Fracp, R. S., Wang, X., Münch, G., Ranzcog, I. F., Rn, G. L., Chau, K., ... Makris, A. (2019). A pharmacokinetic assessment of optimal dosing, preparation, and chronotherapy of aspirin in pregnancy. *The American Journal of Obstetrics & Gynecology*, 1–9. <https://doi.org/10.1016/j.ajog.2019.04.027>
- Gathiram, P., & Moodley, J. (2016). Review Articles Pre-eclampsia: its pathogenesis and pathophysiology, *27*(2), 71–78.
- Granger, J. P. (2008) 'Pathophysiology of Hypertension During Preeclampsia: Linking Placental Ischemia With Endothelial Dysfunction', *American Journal of Physiology-Heart and Circulatory Physiology*, *294*(3), pp. 541–550. doi: 10.1161/01.HYP.38.3.718.
- Guzman, E. R., Kontopoulos, E. and Zalud, I. (2005) 'Doppler velocimetry of the uteroplacental circulation', in Maulik, D. (ed.) *Doppler Ultrasound in Obstetrics and Gynecology*. 2nd edn. Heidelberg: Springer Berlin Heidelberg, pp. 227–254.
- Harrington, K. (2000) 'A prospective management study of slow-release aspirin in the palliation of uteroplacental insufficiency predicted by uterine artery Doppler at 20 weeks', *Ultrasound in Obstetrics and Gynecology*, *15*(1), pp. 13–18. doi: 10.1046/j.1469-0705.2000.00002.x.
- Henderson, J. T. Levine, R. J., Maynard, S. E., Qian, C., Lim, K. H., England, L. J., Yu, K. F., (2014) 'Annals of Internal Medicine Review Low-Dose Aspirin for Prevention of Morbidity and Mortality From Services Task Force', *Annals of Internal Medicine*, *160*(10), pp. 695–703.
- Karumanchi, S. A., Lim, K. and August, P. (2018) 'Preeclampsia: Pathogenesis', *UpToDate*. Waltham, MA: UpToDate Inc, pp. 1–32.
- Kemenkes RI (2017) *Profil Kesehatan Indonesia Tahun 2016*. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Khalil, R. A. and Granger, J. P. (2002) 'Vascular mechanisms of increased arterial pressure in preeclampsia: lessons from animal models', *Am J Physiol Regulatory Integrative Comp Physiol*, *283*(13), pp. 29–45. doi: 10.1152/ajpregu.00762.2001.

- Khong, S. L. Long, W., Shi, Z., Fan, S., Liu, L., Lu, Y., Guo, X., Ding, H. (2015) 'First-trimester uterine artery doppler analysis in the prediction of later pregnancy complications', *Disease Markers*, 2015, pp. 1–10. doi: 10.1155/2015/679730.
- Kingdom, J. C. P. and Reister, F. (2004) 'Screening for pre-eclampsia', in Baker, P. N. and Kingdom, J. C. (eds) *PRE-ECLAMPSIA Current Perspectives on Management*. New York: The Parthenon Publishing Group, pp. 119–132.
- Lyall, F. Martínez-varea, A., Pellicer, B., Perales-marín, A., & Pellicer, A. (2003) 'Development of the utero-placental circulation: The role of carbon monoxide and nitric oxide in trophoblast invasion and spiral artery transformation', *Microscopy Research and Technique*, 60(4), pp. 402–411. doi: 10.1002/jemt.10278.
- Madiyono, B. (2016) 'Perkiraan Besar Sampel', in Sastroasmoro, S. and Ismael, S. (eds) *Dasar-dasar Metodologi Penelitian Klinis*. 5th edn. Jakarta: Sagung Seto, pp. 352–387.
- Mason, P. J., Jacobs, A. K. and Freedman, J. E. (2005) 'Aspirin resistance and atherothrombotic disease', *Journal of the American College of Cardiology*, 46(6), pp. 986–993. doi: 10.1016/j.jacc.2004.08.070.
- Meher, S. Mincheva-Nilsson, L., & Baranov, V. (2017) 'Antiplatelet therapy before or after 16 weeks' gestation for preventing preeclampsia: an individual participant data meta-analysis', *American Journal of Obstetrics and Gynecology*. Elsevier Inc., 216(2), p. 121–128.e2. doi: 10.1016/j.ajog.2016.10.016.
- MIMS (2017) *MIMS REFERENSI OBAT BAHASA INDONESIA*. Jakarta: Bhuana Ilmu Populer.
- Mjösberg, J. (2010) *Regulatory T cells in human pregnancy*. Linköping University.
- Montague, I. (2014) 'Clinical Applications of Doppler Ultrasound in Obstetrics', in Poznia, M. A. and Allan, P. L. (eds) *Clinical Doppler Ultrasound*. 3rd edn. Edinburg: Churchill Livingstone Elsevier, pp. 315–332.
- Navaratnam, K., Alfirevic, A. and Alfirevic, Z. (2016) 'Low dose aspirin and
- TESIS PERBANDINGAN PEMBERIAN ASPIRIN... HANDI F.

- pregnancy: how important is aspirin resistance?', *BJOG: An International Journal of Obstetrics and Gynaecology*, 123(9), pp. 1481–1487. doi: 10.1111/1471-0528.13914.
- Neal, M. J. Perez-Sepulveda, A., Torres, M. J., Khoury, M., & Illanes, S. E. (2012) 'Drugs acting on the gastrointestinal tract I: peptic ulcer', in *Medical pharmacology at a glance*. 7th edn. West Sussex, pp. 30–31.
- Nicolaides, K. (2002) *Doppler in Obstetrics, The Fetal Medicine Foundation*.
- Nicolaides, K. (2017) 'The role of aspirin dose on the prevention of preeclampsia and fetal growth restriction: systematic review and meta-analysis', *American Journal of Obstetrics and Gynecology*, (February), pp. 110–120. doi: 10.1016/j.ajog.2016.09.076.
- POGI (2016) *PNPK Diagnosis dan Tatalaksana Preeklampsia*. Jakarta.
- Poon, L. C. (2017) *The International Federation of Gynecology and Obstetrics (FIGO) Initiative On Preeclampsia: A Pragmatic Guide for First Trimester Screening and Prevention*. doi: 10.1002/ijgo.12802
- Rachmi and Sulistyono, A. (2015) *Pemberian Aspirin Dosis Rendah Pada Ibu Hamil 16-24 Minggu Dengan Peningkatan Resistensi Arteri Uterina*. Airlangga.
- Roberge, S. (2012) 'Early administration of low-dose aspirin for the prevention of preterm and term preeclampsia: a systematic review and meta-analysis', *Fetal Diagn Ther*, 31(3), pp. 141–146. doi: 10.1159/000336662.
- Roberge, S. (2012) 'Early administration of low-dose aspirin for the prevention of preterm and term preeclampsia: A systematic review and meta-analysis', *Fetal Diagnosis and Therapy*, 31(3), pp. 141–146. doi: 10.1159/000336662.
- Roberts, J. M. ., Michail et ql., (2013) *ACOG Guidelines: Hypertension in pregnancy, American College of Obstetricians and Gynecologists*. Washington. doi: doi: 10.1097/01.AOG.0000437382.03963.88.
- Roberts, J. M. (2014) 'Pathophysiology of ischemic placental disease', *Seminars in Perinatology*. Elsevier, 38(3), pp. 139–145. doi:

10.1053/j.semperi.2014.03.005.

Robertson, W. (1976) 'Uteroplacental vasculature', *Journal of Clinical Pathology*, 29(10), pp. 9–17. doi: 10.1136/jcp.29.Suppl_10.9.

Rolnik, D. L. ., Ramma, W., & Ahmed, A. (2017) 'Aspirin versus Placebo in Pregnancies at High Risk for Preterm Preeclampsia', *The New England Journal of Medicine*, 377(7), pp. 613–622. doi: 10.1056/NEJMoal704559.

Roman, A., Redman, C. W. G., Sacks, G. P., & Sargent, I. L. (2017) 'Hypertensive Disorders', in Berghella, V. (ed.) *Maternal-Fetal Evidence Based Guidelines*. 3rd edn. New York: CRC Press, pp. 1–23.

Sagol, S., Savoia, C., Sada, L., Zezza, L., Pucci, L., Lauri, F. M., Befani, A (1999) 'The Comparison of Uterine Artery Doppler Velocimetry w Histopathology of the Placental Bed', *Australian and New Zealand Journal of Obstetrics and Gynaecology*, 39(5), pp. 324–329. doi: 10.1111/j.1479-828X.1999.tb03407.x.

Sciscione, A. C. and Hayes, E. J. (2009) 'Uterine artery Doppler flow studies in obstetric practice', *American Journal of Obstetrics and Gynecology*. Mosby, Inc., 201(2), pp. 121–126. doi: 10.1016/j.ajog.2009.03.027.

Sibai, B., Dekker, G. and Kupferminc, M. (2005) 'Pre-eclampsia', *The Lancet*, 365, pp. 785–799.

Sibai, B. M. (2011) 'Evaluation and management of severe preeclampsia before 34 weeks' gestation', *American Journal of Obstetrics and Gynecology*, 205(3), pp. 191–198. doi: 10.1016/j.ajog.2011.07.017.

Sostres, C., Turvey, S. E., & Williams, M. A. (2010) 'Adverse effects of non-steroidal anti-inflammatory drugs (NSAIDs, aspirin and coxibs) on upper gastrointestinal tract', *Best Practice and Research: Clinical Gastroenterology*. Elsevier Ltd, 24(2), pp. 121–132. doi: 10.1016/j.bpg.2009.11.005.

Talari, H., Mesdaghinia, E. and Kalahroudi, M. A. (2014) 'Aspirin and Preeclampsia Prevention in Patients With Abnormal Uterine Artery Blood Flow', *Iranian Red Crescent Medical Journal*, 16(8), pp. 171–175. doi:

10.5812/ircmj.17175.

- Vanwijk, M. J., Udenze, I., Amadi, C., Awolola, N., & Makwe, C. C. (2000) 'Vascular function in preeclampsia', *Cardiovascular Research*, 47(1), pp. 38–48. doi: 10.1016/S0008-6363(00)00087-0.
- Walsh, S. W., Vinatier, D., & Monnier, J. C. (2011) *Prostaglandins in Pregnancy, Library of women's medicine*. Library of women's medicine. doi: 10.3843/GLOWM.10315.
- Wareing, M. (2004) 'Endothelium', in Baker, P. N. and Kingdom, J. C. (eds) *PRE-ECLAMPSIA Current Perspectives on Management*. New York: The Parthenon Publishing Group, pp. 93–117.
- Warrington, J. P. Vinatier, D., & Monnier, J. C. (2013) 'Recent Advances in the Understanding of the Pathophysiology of Preeclampsia.', *Hypertension*. Dallas: American Heart Association, 62(4), pp. 666–673. doi: 10.1161/HYPERTENSIONAHA.113.00588.
- Xu, T. ting., Abell, S. K., Courten, B. De, Boyle, J. A., & Teede, H. J. (2015) 'Low-Dose Aspirin for Preventing Preeclampsia and Its Complications: A Meta-Analysis', *Journal of Clinical Hypertension*, 17(1), pp. 567–573. doi: 10.1111/jch.12541.
- Zimmermann, P., Bahado-singh, R. O., Syngelaki, A., Mandal, R., Graham, S. F., Akolekar, R., Han, B., (1997) 'Effect of low-dose aspirin treatment on vascular resistance in the uterine, uteroplacental, renal and umbilical arteries – a prospective longitudinal study on a high risk population with persistent notch in the uterine arteries', *European journal of ultrasound*. Elsevier, 5(1), pp. 17–30.

LAMPIRAN

Lampiran 1 Lembar Informasi dan Persetujuan Pasien (Informed for Consent)

TES



PERBANDINGAN PEMBERIAN ASPIRIN... HA]

