

DAFTAR PUSTAKA

- A.G. Shammash, J.F. Maayah, Hypertension and its relation to renal function 10 years after pregnancy complicated by pre-eclampsia and pregnancy induced hypertension, *Saudi Med. J.* 21 (2) (2000) 190–192. Ahmed R, Dunford J, Mehran R, Robson S and Kunadian V. 2014. Preeclampsia and Future Cardiovascular Risk among Women: A Review. *Journal of the American College of Cardiology* (2014), doi: 10.1016/j.jacc.2014.02.529.
- Amaral LM, Cunningham MW, Cornelius DC and LaMarca B. Preeclampsia: Long-term Consequences for Vascular Health. 2015. *Vascular Health and Risk Management* 2015; 11 403-415. <http://dx.doi.org/10.2147/VHRM.S64798>.
- Anggraini, E., Ernawati, 2017. Characteristics and Outcomes of Maternal-Neonatal Patients with Preeclampsia and Eclampsia weight in Type A Referral Hospital. Airlangga University.
- Armaly, Z., Jadaon, J. E., Jabbour, A., & Abassi, Z. A. (2018). Preeclampsia: Novel Mechanisms and Potential Therapeutic Approaches. *Frontiers in Physiology*, 9. doi:10.3389/fphys.2018.00973
- Ayansina, D., Black, C., Hall, S. J., Marks, A., Millar, C., Prescott, G. J., ... Bhattacharya, S. (2016). Long term effects of gestational hypertension and pre-eclampsia on kidney function: Record linkage study. *Pregnancy Hypertension: An International Journal of Women's Cardiovascular Health*, 6(4), 344–349. <http://doi.org/10.1016/j.preghy.2016.08.231>.
- Bartsch E, Medcalf KE, Park AL and Ray JG. 2016. Clinical Risk Factors for Preeclampsia Determined in Early Pregnancy: Systematic Review and Meta-analysis of Large Cohort Studies. *BMJ* 2016;353:i1753. <http://dx.doi.org/10.1136/bmj.i1753>.
- Bokslag A, Teunissen PW, Franssen C, van Kesteren F, Kamp O, Ganzevoort W, Paulus WJ and de Groot CJM. 2017. Effect of early-onset preeclampsia on cardiovascular risk in the fifth decade of life. *Am J Obstet Gynecol* 2017;216:523.e1-7. <http://dx.doi.org/10.1016/j.ajog.2017.02.015>.
- Brown MA, Magee LA, Kenny LC, Karumanchi SA, McCarthy FP, Saito S, Hall DR, Warren CE, Adayi G and Ishaku S. 2018. Hypertensive Disorders of Pregnancy: ISSHP Classification, Diagnosis, and Management Recommendations for International Practice. *Hypertension*. 2018;72:24-43. DOI: 10.1161/HYPERTENSIONAHA.117.10803 .
- Brown MA, Hague WM, Higgins J, Lowe S, McCowan L, Oats J, Peek MJ, Rowan JA and Walters BNJ. 2000. The Detection, Investigation and Management of Hypertension in Pregnancy: Executive Summary. *Aust N Z J Obstet Gynaecol* 2000; 40: 2: 133–138.

- Covella, B., Vinturache, A. E., Cabiddu, G., Attini, R., Gesualdo, L., Versino, E., & Piccoli, G. B. (2019). A systematic review and meta-analysis indicates long-term risk of chronic and end-stage kidney disease after preeclampsia. *Kidney International*. doi:10.1016/j.kint.2019.03.033.
- Cunningham FG. 2018. *Williams Obstetrics* 25 ed. New York: McGraw-Hill Education. p.85-95.
- Dai, L., Chen, Y., Sun, W., & Liu, S. (2018). Association Between Hypertensive Disorders During Pregnancy and the Subsequent Risk of End-Stage Renal Disease: A Population-Based Follow-Up Study. *Journal of Obstetrics and Gynaecology Canada*. doi:10.1016/j.jogc.2018.01.022.
- Drakeley, A. J., Le Roux, P. A., Anthony, J., & Penny, J. (2002). Acute renal failure complicating severe preeclampsia requiring admission to an obstetric intensive care unit. *American Journal of Obstetrics and Gynecology*, 186(2), 253–256. doi:10.1067/mob.2002.120279.
- Duley L. 2003. Pre-eclampsia and The Hypertensive Disorders of Pregnancy. *British Medical Bulletin* 2003; 67: 161–176. DOI: 10.1093/bmb/ldg005.
- Duley L. 2009. The Global Impact of Pre-eclampsia and Eclampsia. *Seminars in Perinatology* 2009: 33:130-7. doi: 10.1053/j.semperi.2009.02.010.
- Ellam, T., & Nahas, M. E. (2012). Urinary albumin to protein ratio: more of the same or making a difference? *Nephrology Dialysis Transplantation*, 27(4), 1293–1296. doi:10.1093/ndt/gfs029
- Feig D, Shah BR, Lipscombe LL, Wu F, Ray J, Lowe J, Hwee J, Booth GL. 2012. Preeclampsia as a Risk Factor for Diabetes: A Population-Based Cohort Study. *PLoS Med* 10(4): e1001425. doi:10.1371/journal.pmed.1001425.
- Fiaschi, E., & Naccarato, R. (1968). The histopathology of the kidney in toxæmia. Serial renal biopsies during pregnancy, puerperium and several years postpartum. *Virchows Archiv A Pathologische Anatomie*, 345(4), 299–309. doi:10.1007/BF00586248.
- Fisher, H., Hsu, C., Vittinghoff, E., Lin, F., & Bansal, N. (2013). Comparison of Associations of Urine Protein-Creatinine Ratio Versus Albumin-Creatinine Ratio With Complications of CKD: A Cross-sectional Analysis. *American Journal of Kidney Diseases*, 62(6), 1102–1108. doi:10.1053/j.ajkd.2013.07.013
- Gathiram P and Moodley J. 2016. Pre-eclampsia: Its Pathogenesis and Pathophysiology. *Cardiovasc J Afr* 2016; 27: 71–78. DOI: 10.5830/CVJA-2016-009.
- Girsberger M, Muff C, Hösli I, and Jan Dickenmann M. 2018. Short term sequelae of preeclampsia: a single center cohort study. *BMC Pregnancy and Childbirth* (2018) 18:177. <https://doi.org/10.1186/s12884-018-1796-z>.

- Harris L. 2018. Transformation of The Spiral Arteries in Human Pregnancy-Key Events in the Remodelling Timeline. Retrieved from: https://www.research.manchester.ac.uk-portal-files-40437888-GaborThan_final_accepted.
- Haukkamaa L, Salminen M, and Laivuori H. Risk for Subsequent Coronary Artery Disease after Preeclampsia. *Am J Cardiol* 2004; 93: 805–08. doi: 10.1016/j.amjcard.2003.11.065.
- Huras H, Rytlewski K, Kusmierska-Urban K. Associations of ACE I/D and AGT M235T gene polymorphisms with the gestational hypertension and the fetal growth. *Obstet Gynecol Int J*. 2015;2(1):32–37. DOI: 10.15406/ogij.2015.02.00026
- ISSHP. 2014. The Classification, Diagnosis and Management of The Hypertensive Disorders of Pregnancy: A Revised Statement from The ISSHP. Editorial / Pregnancy Hypertension: An International Journal of Women's Cardiovascular Health 4; 2014; 97–104. <http://dx.doi.org/10.1016/j.preghy.2014.02.001>.
- Jacquemyn, Y., Jochems, L., Duiker, E., Bosmans, J.-L., van Hoof, V., & van Campenhout, C. (2004). Long-Term Renal Function after HELLP Syndrome. *Gynecologic and Obstetric Investigation*, 57(2), 117–120. doi:10.1159/000075942.
- Kanasaki K, Palmsten K, Sugimoto H, Ahmad S, Hamano Y, Xie L, Parry S, Augustin HG, Gattone Jr VH, Folkman J, Strauss JF and Kalluri R. 2008. Deficiency in cathecol-O-methyltransferase and 2-methoxyoestradiol is associated with preeclampsia. *Nature*, 453(7198), 1117-1121. doi: 10.1038/nature06951.
- Kattah, A. G., & Garovic, V. D. (2018). From Delivery to Dialysis: Does Preeclampsia Count? *American Journal of Kidney Diseases*, 71(5), 601–604. doi:10.1053/j.ajkd.2018.02.005.
- Kaze, F. F., Njukeng, F. A., Kengne, A.-P., Ashuntantang, G., Mbu, R., Halle, M. P., & Asonganyi, T. (2014). Post-partum trend in blood pressure levels, renal function and proteinuria in women with severe preeclampsia and eclampsia in Sub-Saharan Africa: A 6-months cohort study. *BMC Pregnancy and Childbirth*, 14(1). doi:10.1186/1471-2393-14-134.
- KDIGO. 2012. Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease. Diakses pada 8 Agustus 2019, dari https://kdigo.org/wp-content/uploads/2017/02/KDIGO_2012_CKD_GL.pdf.
- Laurent S, Girerd X, Mourad JJ, Lacolley P, Beck L, Boutouyrie P, Mignot JP and Safar M. 1994. Elastic modulus of the radial artery wall material is not increased in patients with essential hypertension. *Arterioscler Thromb* 1994;14:1223-31.

- Lopes van Balen, V. A., Spaan, J. J., Cornelis, T., & Spaanderman, M. E. A. (2016). Prevalence of chronic kidney disease after preeclampsia. *Journal of Nephrology*, 30(3), 403–409. doi:10.1007/s40620-016-0342-1
- Magee LA, Pels A, Helewa M, Rey E and von Dadelszen P. SOGC hypertension guideline committee. 2014. Diagnosis, evaluation, and management of the hypertensive disorders of pregnancy. *An International Journal of Women's Cardiovascular Health* 4 (2014): 105-145. <http://dx.doi.org/10.1016/j.preghy.2014.01.003>.
- McDonald, S. D., Han, Z., Walsh, M. W., Gerstein, H. C., & Devereaux, P. J. (2010). Kidney Disease After Preeclampsia: A Systematic Review and Meta-analysis. *American Journal of Kidney Diseases*, 55(6), 1026–1039. doi:10.1053/j.ajkd.2009.12.036.
- Myatt L, Redman C, Staff A, Hansson S, Wilson M, Laivouri H, Poston L and Roberts J. 2014. Strategy for Standardization of Preeclampsia Research Study Design. *Hypertension*. 2014;63:1293-1301; doi: 10.1161/HYPERTENSIONAHA.113.02664.
- Myatt L and Webster RP. 2008. Vascular biology of preeclampsia. *J Thromb Haemost* 2009; 7: 375–384. DOI: 10.1111/j.1538-7836.2008.03259.x.
- National Kidney Foundation. 2019. Albumin Creatini Ratio. New York, NY 10016, 1-800-622-9010. Diakses pada 8 Agustus 2019, dari https://www.kidney.org/kidneydisease/siemens_hcp_acr. Ac
- Nisell, H., Lintu, H., Lunell, N. O., Mollerstrom, G., & Pettersson, E. (1995). Blood pressure and renal function seven years after pregnancy complicated by hypertension. *BJOG: An International Journal of Obstetrics and Gynaecology*, 102(11), 876–881. doi:10.1111/j.1471-0528.1995.tb10874.x.
- Orabona R, Sciatti E, Vizzardì E, Bonadei I, Valcamonico A, Metra M and Frusca T. 2018. Endothelial dysfunction and vascular stiffness in women with previous pregnancy complicated by early or late pre-eclampsia. *Ultrasound Obstet Gynecol* 2017; **49**: 116–123^[11]_{SEP}. DOI 10.1002/uog.15893.
- Paauw, N. D., Luijken, K., Franx, A., Verhaar, M. C., & Lely, A. T. (2016). Long-term renal and cardiovascular risk after preeclampsia: towards screening and prevention. *Clinical Science*, 130(4), 239–246. doi:10.1042/CS20150567
- Paauw, N. D., van der Graaf, A. M., Bozoglan, R., van der Ham, D. P., Navis, G., Gansevoort, R. T., ... Lely, A. T. (2018). Kidney Function After a Hypertensive Disorder of Pregnancy: A Longitudinal Study. *American Journal of Kidney Diseases*, 71(5), 619–626. doi:10.1053/j.ajkd.2017.10.014.
- Palevsky, P. M., Liu, K. D., Brophy, P. D., Chawla, L. S., Parikh, C. R., Thakar, C. V., ... Weisbord, S. D. (2013). KDOQI US Commentary on the 2012 KDIGO Clinical Practice Guideline for Acute Kidney Injury. *American*

Journal of Kidney Diseases, 61(5), 649–672.
doi:10.1053/j.ajkd.2013.02.349.

Piccoli, G., Zakharova, E., Attini, R., Ibarra Hernandez, M., Covella, B., Alrukhaimi, M., ... Levin, A. (2018). Acute Kidney Injury in Pregnancy: The Need for Higher Awareness. A Pragmatic Review Focused on What Could Be Improved in the Prevention and Care of Pregnancy-Related AKI, in the Year Dedicated to Women and Kidney Diseases. *Journal of Clinical Medicine*, 7(10), 318. doi:10.3390/jcm7100318.

POGI, 2016. PNPk Diagnosis dan Tatalaksana Preeklamsia. Jakarta.

Pouta A, Hartikainen AL, Sovio U, Gissler M, Laitinen J, McCarthy MI, Ruokonen A, Elliott P and Jarvelin MR. 2004. Manifestations of Metabolic Syndrome After Hypertensive Pregnancy. *Hypertension*. 2004;43:825-831. DOI: 10.1161/01.HYP.0000120122.39231.88.

Ramsay JE, Stewart F, Green IA and Sattar N. 2003. Microvascular Dysfunction: a Link Between Pre-eclampsia and Maternal Coronary Heart Disease. *Br J Obstet Gynaecol* 110, pp. 1029–1031.

Redman, C. W. G. (2011). Preeclampsia: A multi-stress disorder. *La Revue de Médecine Interne*, 32, S41–S44. doi:10.1016/j.revmed.2011.03.331

Redman, C. W. G., & Staff, A. C. (2015). Preeclampsia, biomarkers, syncytiotrophoblast stress, and placental capacity. *American Journal of Obstetrics and Gynecology*, 213(4), S9.e1–S9.e4. doi:10.1016/j.ajog.2015.08.003

Report of the National High Blood Pressure Education Program. 2000. Working group report on high blood pressure in pregnancy. *Am J Obstet Gynecol* 2000; 183; S1–22. doi: 10.1067/mob.2000.107928.

Sattar N and Greer IA. 2002. Pregnancy Complications and Maternal Cardiovascular Risk: Opportunities for Intervention and Screening. *BMJ* 2002; 325; 157–60.

Sibai BM, Dekker G and Kupferminc M. 2005. Pre-eclampsia. Retrieved from: www.thelancet.com, Vol 365, February 26, 2005.

Sibai BM. 2003. Diagnosis and Management of Gestational Hypertension and Preeclampsia. *Obstet Gynecol* 2003; 102: 181–92. doi: 10.1016/S0029-7844(03)00475-7.

Stegers EAP, Von Dadelszen P, Duvekot JJ and Pijnenborg R. 2010. Pre-eclampsia. *Lancet* 2010; 376:631-44. DOI:10.1016/S0140-6736(10)60279-6.

Stekking E, Zandstra M, Peeters L and Spaanderman M. 2009. Early-Onset Preeclampsia and the Prevalence of Postpartum Metabolic Syndrome. *Obstet Gynecol* 2009;114:1076–84.

- Stergiotou I, Crispi F, Valenzuela-Alcaraz B, Bijmens B and Gratacos E. 2013. Patterns of maternal vascular remodeling and responsiveness in early-versus late-onset preeclampsia. *Am J Obstet Gynecol* 2013;209:558.e1-14. <http://dx.doi.org/10.1016/j.ajog.2013.07.030> .
- Vikse, B. E., Irgens, L. M., Leivestad, T., Skjærven, R., & Iversen, B. M. (2008). Preeclampsia and the Risk of End-Stage Renal Disease. *New England Journal of Medicine*, 359(8), 800–809. doi:10.1056/NEJMoa0706790.
- Waugh JJS, Clark TJ, Divakaran TG, Khan KS, Kilby MD. 2004. Accuracy of Urinalysis Dipstick Techniques in Predicting Significant Proteinuria in Pregnancy. *Obstet Gynecol* 2004; 103: 769–77. doi: 10.1097/01.AOG.0000118311.18958.63.
- Wilson BJ, Watson MS and Prescott GJ. 2003. Hypertensive Diseases of Pregnancy and Risk of Hypertension and Stroke in Later Life: Results from Cohort Study. *BMJ* 2003; 326; 1–7.
- Wu, C.-C., Chen, S.-H., Ho, C.-H., Liang, F.-W., Chu, C.-C., Wang, H.-Y., & Lu, Y.-H. (2014). End-stage renal disease after hypertensive disorders in pregnancy. *American Journal of Obstetrics and Gynecology*, 210(2), 147.e1–147.e8. doi:10.1016/j.ajog.2013.09.027.
- Yanfeng R, Wang H, Qin H, Yang J, Wang Y, Jiang S and Pan Y. 2014. Vascular Endothelial Growth Factor expression in peripheral blood of patients with pregnancy induced hypertension syndrome and its clinical significance. *Pak J Med Sci* 2014;30(3):634-637. doi: <http://dx.doi.org-10.12669-pjms.303.4558>.
- Young BC, Levine RJ and Karumanchi SA. 2010. Pathogenesis of Preeclampsia. *Annu. Rev. Pathol. Mech. Dis.* 2010. 5; 173–92. doi: 10.1146/annurev-pathol-121808-102149.
- Zhang J, Meikle S and Trumble A. 2003. Severe Maternal Morbidity Associated with Hypertensive Disorders in Pregnancy in The United States. *Hypertension In Pregnancy* 2003; Vol. 22, No. 22, pp. 203–212. DOI: 10.1081/PRG-120021066.