

DAFTAR PUSTAKA

- ACOG. (2013). Hypertension in pregnancy. Washington DC: American College of Obstetricians and Gynecologists.
- Al-Bayati, M., Ahmad, M. & Khamas, W. (2014). The potential effect of *L-Arginine* on mice placenta. *Advances in Pharmacoeidemiology & Drug Safety*, 3(2), pp.1-9.
- Babaei, S. & Stewart, D. (2002). Overexpression of endothelial NO synthase induces angiogenesis in a co-culture model. *Cardiovascular Research*, 55, pp.190-200.
- Baksu, B. *et al.* (2005). Plasma nitric oxide, endothelin-1 and urinary nitric oxide and cyclic guanosine monophosphate levels in hypertensive pregnant women. *International Journal of Gynecology & Obstetrics*, 90(2), pp.112-117.
- Boger, R. (2008). The Pharmacodynamics of *L-Arginine*. *The Journal of Nutrition*, 137(6), pp.1650S-5S.
- Camarena Pulido, E. E., García Benavides, L., Panduro Barón, J. G., Pascoe Gonzalez, S., Madrigal Saray, A. J., García Padilla, F. E., & Totsuka Sutto, S. E. (2016). *Efficacy of L-Arginine for preventing preeclampsia in high-risk pregnancies: A double-blind, randomized, clinical trial. Hypertension in Pregnancy*, 35(2), 217–225. doi:10.3109/10641955.2015.1137586
- Chaiworapongsa, T., Chaemsaitong, P., Yeo, L., & Romero, R. (2014). Pre-eclampsia part 1: current understanding of its pathophysiology. *Nat Rev Nephrol*, 10(8): 466–480.
- Chalid, M. T. (2016). *Upaya Menurunkan Angka Kematian Ibu: Peran Petugas Kesehatan*. Makassar: ResearchGate.
- Chappell, Lucy, Suzy Duckworth, Paul T. Seed, Cstat (2013). Diagnostic Accuracy of Placental Growth Factor in Women With Suspected Preeclampsia :A Prospective Multicenter Study. <http://circ.ahajournals.org/lookup/suppl/doi:10.1161/CIRCULATIONAHA.113.003215/-/DC1>
- Chau K., A Hennessy, and A Makris. (2017). Placental growth factor and pre-eclampsia *Journal of Human Hypertension.*, 782-786.
- Comiskey, M. *et al.* (2003). Evidence that HLA-G is the functional homolog of mouse Qa-2, the Ped gene product. *Hum Immunol*, 64(11), pp.999-1004.
- Constantine, M. M., Clearly, K., Hebert, M. F., Ahmed, M. S., Brown, L. M., Ren, Z., Hankins, G. (2016). Safety and pharmacokineticx of pravastatin used for the prevention of preeclampsia in high risk pregnant women : A pilot randomized controlled trial. *American Journal of Obstetrics and Gynecology*, 720.e1-720e17.

- Croy, B., Yamada, A., DeMayo, F. & Adamson, S. (2014). *The Guide to Investigation of Mouse Pregnancy*. London: Academic Press.
- Cunningham, F. (2014). *Williams Obstetrics*. 24th ed. New York: McGraw-Hill Education.
- Dorniak-Wall, T., Grivell, R. M., Dekker, G. A., Hague, W., & Dodd, J. M. (2013). *The role of L-Arginine in the prevention and treatment of pre-eclampsia: a systematic review of randomised trials*. *Journal of Human Hypertension*, 28(4), 230–235. doi:10.1038/jhh.2013.100
- Eddy, A. C., Bidwell, G. L., & George, E. M. (2018). *Pro-angiogenic therapeutics for preeclampsia*. *Biology of Sex Differences*, 9(1). doi:10.1186/s13293-018-0195-5
- English, F. A., Kenny, L. C., & McCarthy, F. P. (2015). Risk factors and effective management of Preeclampsia. *Integrated Blood Pressure Control*, 7-12.
- Fisher, S. J. (2015). Why is placentation abnormal in preeclampsia? *American Journal of Obstetrics & Gynecology* , 115-122.
- Fujita, D., Tanabe, A., Sekijima, T., Soen, H., Narahara, K., Yamashita, Y., Ohmichi, M. (2010). Role of Extracellular Signal-Regulated Kinase and AKT Cascades in Regulating Hypoxia-Induced Angiogenic Factors Produced by a Trophoblast-derived Cell Line. *Journal of Endocrinology*, 131-140.
- Goulopoulou, S., & Davidge, S. T. (2014). Molecular mechanisms of maternal vascular dysfunction in preeclampsia. *Trends in Molecular Medicine* , Vol. 21; 2.
- Gui, S., Jia, J., Niu, X., Bai, Y., Zou, H., Deng, J., & Zhou, R. (2013). *Arginine supplementation for improving maternal and neonatal outcomes in hypertensive disorder of pregnancy: A systematic review*. *Journal of the Renin-Angiotensin-Aldosterone System*, 15(1), 88–96. doi:10.1177/1470320313475910.
- Hartwell, L. *et al.* (2011). *Mus musculus: Genetic Portrait of the House Mouse*. In *Genetics: From Genes to Genomes*. 4th ed. McGraw-Hill. pp.109-41.
- ISSHP. (2014). The classification, diagnosis and management of the hypertensive disorders of pregnancy: A revised statement from the ISSHP. *Pregnancy Hypertension: An International Journal of Women's Cardiovascular Health* 4, 97-104.
- Katsi, V., Georgountzos, G., Kallistratos, M. S., Zerdes, I., Makris, T., Manolis, A. J., Tousoulis, D. (2017). The Role of Statins in Prevention of Preeclampsia: A Promise for the Future? *Frontiers in Pharmacology*, 8:247.
- Kuklina, E., Ayala, C. & WM, C. (2009). Hypertensive disorders and severe obstetric morbidity in the United States. *Obstet Gynecol*, 113(6), pp.1299-306.
- Kusumawati, R., Jusup, R. & Sulastomo, H. (2015). *L-Arginine Decreases Hypertension in Preeclampsia Model of Rats*. *Journal of Hypertension*, 33, p.e28.

- LaMarca, B. D., Ryan, M. J., Gilbert, J. S., Murphy, S. R., & Granger, J. P. (2007). *Inflammation Cytokines in the Pathophysiology of Hypertension during Preeclampsia*. Mississippi: Current Medicine Group LLC.
- Laresgoiti-Servitje, E., Go ´mez-Lo ´pez, N., & Olson, D. M. (2010). An immunological insight into the origins of pre-eclampsia. *Human Reproduction Update Vol.16, No.5*, 510– 524.
- Levine, R. J., Maynard, S. E., Qian, C., Lim, K.-H., England, L. J., Yu, K. F., Karumanchi, S. A. (2004). Circulating Angiogenic Factors and the Risk of Preeclampsia. *The new england journal of medicine*, 672-683.
- Livingston, J. C., Haddad, B., Gorski, L. A., Neblett, P., Ahokas, R. A., Ramsey, R., & Sibai, B. M. (2001). *Placenta growth factor is not an early marker for the development of severe preeclampsia*. *American Journal of Obstetrics and Gynecology*, 184(6), 1218–1220. doi:10.1067/mob.2001.113877
- L ´opez-Jaramillo, P., Arenas, W. D., Garc ´ıa, R. G., Rincon, M. Y., & L ´opez, M. (2008). *Review: The role of the L-Arginine-nitric oxide pathway in preeclampsia*. *Therapeutic Advances in Cardiovascular Disease*, 2(4), 261–275. doi:10.1177/1753944708092277
- L ´opez-Jaramillo, P., Arenas, W. D., Garc ´ıa, R. G., Rincon, M. Y., & L ´opez, M. (2008). *Review: The role of the L-Arginine-nitric oxide pathway in preeclampsia*. *Therapeutic Advances in Cardiovascular Disease*, 2(4), 261–275.
- Lucca L, Gallareta F.M, Goncalves T.C. (2015). Oxidative Stress Markers in Pregnant Woman with Preeclampsia. Vol. 3, No. 3, p68-73.
- McCord, N., Ayuk, P., McMahan, M., Boyd, R. C. A., Sargent, I., & Redman, C. (2005). *System γ + Arginine Transport and NO Production in Peripheral Blood Mononuclear Cells in Pregnancy and Preeclampsia*. *Hypertension*, 47(1), 109–115. doi:10.1161/01.hyp.0000197952.22711.
- Michail, K., Kallirhoe, K., & Alexis, P. (2014). The role of NK cells and HLA system in preeclampsia. *HJOG An Obstetric and Gynecology International Journal*, 1-7.
- Mohaupt, M. (2007). Molecular aspects of preeclampsia. *Molecular aspects of medicine*, 28(2), pp.169-91.
- Motta-Mejia, C., Kandzija, N., Zhang, W., Mhlomi, V., Cerdeira, A. S., Burdujan, A., ... Vatish, M. (2017). *Placental Vesicles Carry Active Endothelial Nitric Oxide Synthase and Their Activity is Reduced in Preeclampsia*. *Novelty and Significance. Hypertension*, 70(2), 372–381. doi:10.1161/hypertensionaha.117.09321
- Perez-Sepulveda, A., Torres, M. J., Khoury, M., & Illanes, S. E. (2014). Innate immune system and preeclampsia. *Frontiers in Immunology*, Volume 5 | Article 244.
- Podjarny, E., Losonczy, G. & Baylis, C. (2004). Animal models of preeclampsia. in *Seminars in nephrology*, 24(6), pp.596-606.

- Powe, C. E., Levine, R. J., & Karumanchi, S. A. (2012). Preeclampsia, a Disease of the Maternal Endothelium The Role of Antiangiogenic Factors and Implications for Later Cardiovascular Disease. *Circulation* , 2856-2869.
- PubChem Compound Database. (2018). National Center for Biotechnology Information. [Online] Available at: <https://pubchem.ncbi.nlm.nih.gov/compound/6322>
- Rădulescu, C., Bacărea, A., Huțanu, A., Gabor, R., & Dobreanu, M. (2016). Placental Growth Factor, Soluble fms-Like Tyrosine Kinase 1, Soluble Endoglin, IL-6, and IL-16 as Biomarkers in Preeclampsia. *Mediators of Inflammation*, 2016, 1–8. doi:10.1155/2016/3027363
- Rajapakse, N. & Mattson, D. (2009). Role of *L-Arginine* in nitric oxide production in health and hypertension. *Clinical and Experimental Pharmacology and Physiology*, 36(3), pp.249-55.
- Ramma, W., & Ahmed, A. (2014). Therapeutic potential of statins and the induction of heme oxygenase-1 in preeclampsia. *Journal of Reproductive Immunology*, 153-160.
- Robles, M., Couturier-Tarrade, A., Derisoud, E., Geeverding, A., Dubois, C., Dahirel, M., Chavatte-Palmer, P. (2019). Effects of dietary arginine supplementation in pregnant mares on maternal metabolism, placental structure and function and foal growth. *Scientific Reports*, 9(1). doi:10.1038/s41598-019-42941-0
- Sánchez-Aranguren, L. C., Prada, C. E., Riaño-Medina, C. E., & Lopez, M. (2014). Endothelial dysfunction and preeclampsia: role of oxidative stress. *Frontiers in Physiology*, Volume 5 | Article 372.
- Sibai, B., Dekker, G. & Kupferminc, M. (2005). Pre-eclampsia. *Lancet*, 365, pp.785-99.
- Sirait, A.(2012). Prevalensi hipertensi pada kehamilan di Indonesia dan berbagai faktor yang berhubungan (Riset Kesehatan Dasar 2007). *Buletin Penelitian Sistem Kesehatan*, 15(2), pp.103-9.
- Soares, M. *et al.* (2012). Rat Placentation: An Experimental Model for Investigating the Hemochorial Maternal-fetal Interface. *Placenta*, 33, pp.233-43.
- Sulistyowati, S., Abadi, A. & Wijiati. (2010). Low Class Ib (HLA-G/Qa-2) MHC Protein Expression againts Hsp-70 and VCAM-1 Profile on Preeclampsia. *Indones J Obstet Gynecol*, 34(3), pp.103-7.
- Tapiera, H., Mathe, G., Couvreur, P. & Tew, K. (2002). *L-Arginine*. *Biomedicine & Pharmacotherapy*, 56(9), pp.439-45.
- Tranquilli, A. A., Brown, M. A., Zeeman, G. G., Dekker, G., & Sibai, B. M. (2013). The Definition os Severe and Early-Onset Preeclampsia. Statements from the International Society for the Study of Hypertension in Pregnancy (ISSHP). *Pregnancy Hypertension*, 44-47.

- Vadillo-Ortega, F., Perichart-Perera, O., Espino, S., Avila-Vergara, M. A., Ibarra, I., Ahued, R., Strauss, J. F. (2011). *Effect of supplementation during pregnancy with L-Arginine and antioxidant vitamins in medical food on pre-eclampsia in high risk population: randomised controlled trial. BMJ, 342(may19 1), d2901–d2901.* doi:10.1136/bmj.d2901
- Wardhana, M.P. & Laksana, M.A.C. (2015). Gambaran Pelayanan Antenatal pada Kasus Hipertensi dalam Kehamilan Sebelum Dirujuk ke RSUD Dr Soetomo. In Pertemuan Ilmiah Tahunan Himpunan Obstetri dan Ginekologi Sosial Indonesia VIII. Banjarmasin, 2015.
- Wardhana, M.P., Dachlan, E.G. & Dekker, G. (2018). Pulmonary edema in preeclampsia: an Indonesian case-control study. *The Journal of Maternal-Fetal & Neonatal Medicine*, 31(6), pp.689-95.
- Wooding, P. & Burton, G. (2008). *Comparative Placentation: Structures, Functions and Evolution*. Berlin: Springer Science & Business Media.