

DAFTAR PUSTAKA

- Berg, A., Shinnar, S., Hauser, W., Alemany, M., Shapiro, E., Salomon, M. and Crain, E. (1992). A Prospective Study of Recurrent Febrile Seizures. *New England Journal of Medicine*, [online] 327(16), pp.1122-1127. Available at: <https://www.nejm.org/doi/full/10.1056/NEJM199210153271603> [Accessed 13 Jun. 2019].
- Binnie, C. and Prior, P. (1994). Electroencephalography. *Journal of Neurology, Neurosurgery, and Psychiatry*, 57, pp.1308-1319.
- Byeon, J., Kim, G. and Eun, B. (2018). Prevalence, Incidence, and Recurrence of Febrile Seizures in Korean Children Based on National Registry Data. *Journal of Clinical Neurology*, 14(1), p.43.
- Costea, R., Neamțu, B. And Maniu, G. (2016). Pathological EEG Pattern, Predictive Factor for Recurrence or Epilepsy in Febrile Seizures?. *Acta Medica Transilvanica*, 21(4), pp.22-26.
- Delpisheh, A., Veisani, Y., Sayehmiri, K. and Fayyazi, A. (2014). Febrile Seizures: Etiology, Prevalence, and Geographical Variation. *Iran J Child Neurol*, 8(3), pp.30-37.
- Doherty, C. and Forbes, R. (2014). Diagnostic Lumbar Puncture. *The Ulster Medical Society*, 83(2), pp.93-102.
- Dubé, C., Brewster, A. and Baram, T. (2009). Febrile seizures: Mechanisms and relationship to epilepsy. *Brain Dev.*, 31(5), pp.366-371.
- Eskandarifar A, Fatolahpor A, Asadi G, Gaderi I. (2017). The Risk Factors in Children with Simple and Complex Febrile Seizures: An Epidemiological Study. *Int J Pediatr*; 5(6), pp.5137-44.
- Fisher, R., Scharfman, H. and deCurtis, M. (2014). How Can We Identify Ictal and Interictal Abnormal Activity?. *Issues in Clinical Epileptology: A View from the Bench*, pp.3-23.
- González, J., Rendón, I., González de Guevara, L., Campos, J. and Cauli, O. (2018). Febrile seizure and related syndromes. *Neurology, Psychiatry and Brain Research*, 27, pp.1-5

- Graves, R., Oehler, K. And Tingle, L. (2012). Febrile Seizures: Risks, Evaluation, and Prognosis. *American Family Physician*, 85(2), pp.149-153.
- Hirtz, D. (1997). Febrile Seizures. *Pediatrics in Review*, 18(1), pp.5-9.
- Indriani, A., Risan, N. and Nurhayati, T. (2017). Five Years Study of Recurrent Febrile Seizure Risk Factors. *Althea Medical Journal*, 4(2), pp.282-285.
- Karimzadeh, P., Rezayi, A., Togha, M., Ahmadabadi, F., Derakhshanfar, H., Azargashb, E. and Khodaei, F. (2014). The Best Time for EEG Recording in Febrile Seizure. *Iran J Child Neurol*, 8(1), pp.20-25.
- Lee, E., Chung, Sajun. (2015). Electroencephalography in Children with Febrile Seizures: Is it Useful or Useless?. *Journal of Neuroinfectious Diseases*, s1.
- Lee, S., Byeon, J., Kim, G., Eun, B. and Eun, S. (2016). Epilepsy in children with a history of febrile seizures. *Korean Journal of Pediatrics*, 59(2), pp.74-79.
- Luders, H., and Noachtar, S. (1999). *Atlas and Classification of Electroencephalography*, pp.7-8.
- Martin, N. (2011). Febrile Seizures. [online] Learn.pediatrics.ubc.ca. Available at: <http://learn.pediatrics.ubc.ca/body-systems/nervous-syste/febrile-seizures/> [Accessed 2 May 2018].
- Naik, S., Jan, M., Rafiq, W., Ahmad, S. and Maqbool, M. (2015). Febrile convulsions in preschool children Kashmir India. *International Journal of Contemporary Pediatrics*, 2(3), pp.213-215.
- National Institutes of Health. (2012). MRI and EEG could identify children at risk for epilepsy after febrile seizures. [online] Available at: <https://www.nih.gov/news-events/news-releases/mri-eeg-could-identify-children-risk-epilepsy-after-febrile-seizures> [Accessed 3 May 2018].
- Pathan, H., Abdul Bari, A. and Kokiwar, P. (2017). A study of etiology and characteristics of febrile convulsions and epilepsy among children. *International Journal of Contemporary Pediatrics*, 4(6), p.2093-2097.

- Potdar, P. (2018). A retrospective study of febrile seizures among children admitted in a tertiary care hospital. *International Journal of Community Medicine and Public Health*, 5(7), pp.3121-3124.
- Romanowska, K., Żaba, Z., Panieński, P., Steinborn, B., Szemień, M., Łukasik-Głębocka, M., Ratajczak, K., Chrobak, A., Mitkowska, J. and Górny, J. (2017). The assessment of risk factors for febrile seizures in children. *Neurologia i Neurochirurgia Polska*, 51(6), pp.454-458.
- Seinfeld, D. and Pellock, J. (2014). Recent Research on Febrile Seizures: A Review. *J Neurol Neurophysiol*, 4(165), pp.1-14.
- Shinnar, S., Bello, J., Chan, S., Hesdorffer, D., Lewis, D., MacFall, J., Pellock, J., Nordli, Jr., D., Frank, L., Moshe, S., Gomes, W., Shinnar, R. and Sun, S. (2012). MRI abnormalities following febrile status epilepticus in children. The FEBSTAT study, 79, pp.871-877.
- Smith, S. (2005). EEG in the diagnosis, classification, and management of patients with epilepsy. *Journal of Neurology, Neurosurgery & Psychiatry*, 76(suppl_2), pp.ii2-ii7.
- Sownthariya, R. and Anandan, H. (2018). The Study of EEG Abnormalities in Children with Febrile Seizure. *International Journal of Contemporary Medical Research [IJCMR]*, 5(9), pp.11-12.