

DAFTAR PUSTAKA

- Al-Arif, M.A. 2016. Rancangan Percobaan. Fakultas Kedokteran Hewan. Universitas Airlangga. Surabaya. hal. 1-32.
- Association of Official Analytical Chemist. 1984. Official Methods of Analysis. AOAC Publisher. Washington DC.
- Bernard, Y. 2008. Wild Fisheries Research Bigeye (*Priacanthidae*).University of Hawaii press.
- Choi, Y. J. and J. W. Park. 2012. Acid Aided Protein Recovery From Enzyme Rich Pacific Whiting. J Food Sci 67 : 2962–2967.
- Foh, M. B. K., Wenshui, X., Amadou, I.,& Jiang, Q. 2012. Influence of pH Shift On Functional Properties if Protein Isolated of Tilapia (*Oreochromis Niloticus*) Muscles And of Soy Protein Isolate. Journal Food and Bioprocess Technology, 5 (6):2191 – 2200.
- Ghering, C. K., Gigliotti, J.C., Mortiz, J.S., Tou, J.C. and Jaczynski, J., 2011. Functional and Nutritional Characteristics of Proteins and Lipids Recovered By Isoelectric Processing of Fish By-Products and Low-Value Fish : A Review. Journal Food Chemistry, 124 (2):422-433.
- Hultin, H.O. and S.D. Kelleher.2000. High Efficiency Alkaline Protein Extraction. US Patent No. 6.136.959.
- Hulltin, H. O., Kristinsson, H.G., Lanier, T. C., and Park, J. W. 2005. Process for Recovered of Fungctional Proteins By pH Shifts. Surimi and Seafood. 107-139.
- Jaczynski, J., Xiong ,and J. Chen. 2007. pH Shifting Alters Solubility Characteristics and Thermal Stability of Soy Protein Isolate and its Globulin Fractions in Different pH, Salt Concentration, and Temperature Conditions. Journal Agriculture Food Chemical. 58 : 8035- 8042.
- Kementrian Kelautan dan Perikanan (KKP). 2013. Statistik Perikanan Tangkap Indonesia, 2010. Kementerian Kelautan dan Perikanan Indonesia. Jakarta.
- Kusriningrum, R. S. 2008. Perancangan Percobaan. Pusat Penerbitan dan Pencetakan Unair (ASUP). Surabaya. Hal.84.
- Kristinsson, H. G., Theodore, A. E., Demir, N., and Ingadottir, B. 2005. A Comparative Study between Acid-and Alkali-Adied Processing and Surimi Processing for The Recovery of proteins from Channel *Catfish*

- Muscle. *Journal of Food Science*, 71(4).
- Kristinsson, H.G. and Liang, Y. 2006. Effect of pH-Shift Processing and Surimi Processing on Atlantic Croaker (*Micropogonias undulates*) Muscle Proteins. *Journal of Food Science*, 71 (5).
- Kobayashi, Y. Mayer, S.G and Park, J.W., 2017. Gelation Properties of Tilapia Fish Protein Isolate and Surimi Pre-and Post-Rigor: Rigor Condition of Tilapia FPI and Surimi. *Journal Food Bioscience*, 17,pp.17-23.
- Lanier, T.C, Hart K. and Martin, R.E. 1992. *Manual of Standard Methods for Measuring and Specifying the Properties of Surimi*. University of North Carolina Sea Grant College Programme, Raleigh, NC.
- Lee, H.J., Yoon, I. S., Park S. H., Kim, J. S., Lee, G. W. 2016. Preparation and Characterization of Protein Isolate from Yellowfin tuna *Thunus albacores* roe by Isoelectric Solubilization / Precipitation Process. *Journal Fisheries and Aquatic Sciences*. 19 (06).
- Nilasari, D.F. 2017. *Karakteristik Surimi Dari Kombinasi Ikan Lele (Clarias Sp.) dan Ikan Kurisi (Nemipheterus nemathophorus)*. Skripsi Budiaya Perairan. Fakultas Perikanan dan Kelautan : UNAIR.
- Nelson, J. S. 1984. *Fishes of the World* 2nd Edition. Canada. Hal : 288 -289.
- Nopianti, R., N. Huda and N. Ismail. 2011. A Review on The Loss of The Functional Properties of Proteins During Frozen Storage and The Improvement of Gel Forming Properties of Surimi. *American J. of Food Tech.* 6 (1):19-30
- Nolsoe, H., & Undeland, I. 2009. The Acid and Alkaline Solubilization Process for The Isolation of Muscle Proteins; State of The Art. *Food and Bioprocess Technology*, 2(1):1-27.
- Okada, M. 1992. *Chemistry of Surimi Gelation*. Dalam : Lanier TC, Lee CM, eds. *Surimi Technology*. Marcel Dekker Inc. New York.
- Panpipat, W., M. Chaijan, and Benjakul, S. 2016. Functional Properties of pH Shifted Protein Isolates from *Bigeye Snapper (Priachanthus tayenus)* Head By-Product, 16:41 -50.
- Park, J. W. and Lanier, T.C. 2003. Processing of Surimi and Surimi Seafood. In *Marine Freshwater Product Handbook*, R. Martin, Ed: Technomic Publishing Company. Lancaster, NH.
- Park, J. W. 2005. *Surimi and Seafood*. CRC Press. Boca Raton.

- Pramono, H., Pujiastuti, D.Y., and Sahidu, A M. 2018. Biochemical and Physicochemical Analysis of Fish Protein Isolate Recovered from Red Snapper (*Lutjanus* Sp.) By-Product Using Isoelectric Solubilization/Precipitation Method. In IOP Confrence Series : Earth and Environmental Science (Vol.137, No. 1, p. 012061). IOP Publishing. Surabaya.
- Radar Bojonegoro, 2018. Dominasi Ikan Mata Besar. Jawa Pos. Diakses pada tanggal 22 Oktober 2018.
- Radityo, C. T., Y. S. Darmanto dan Romadhon. 2014. Pengaruh Penambahan Egg White Powder dengan Konsentrasi 3% terhadap Kemampuan Pembentukan Gel Surimi dari Berbagai Jenis Ikan. Jurnal Pengolahan dan Bioteknologi Hasil Perikanan, 3 (4) : 1-9.
- Saanin 1984. Taksonomi dan Kunci Identifikasi Ikan. Bina Cipta. Bandung.
- Santoso, J., A. D. Yasin, dan S. Akbar. 2008. Perubahan Karakteristik Ikan Cucut dan Ikan Pari Akibat Pengaruh Pengkomposisian dan Penyimpanan Dingin Daging Lumat. Jurnal Teknologi dan Industri Pangan. 19(1) : 11 - 14.
- Shaviklo, G.R., and Johansson, S.R. 2006. Quality Assesment of Fish Protein Isolates Using Surimi Standard Methods. The United Nations University, Fisheries Training Programe. Uinited States.
- Subagio, Y. L., N. Apriyani, dan N. Farida 2004. Karakteristik protein miofibril dari ikan kuniran (*Upeneus moluccensis*) dan Ikan Mata Besar (*Priacanthus tayenus*). Jurnal Perikanan. 17 (2):11-15.
- Susilo, I. 2010. Pengaruh Penggunaan Cryoprotectan Terhadap Kualitas Surimi Selama Penyimpanan Beku. Karya Ilmiah. Fakultas Teknologi Pertanian Universitas Widya Mandala Surabaya.
- Suryono, M., Hariyono dan Yunianta. 2013. Pemanfaatan Ikan Tuna (*Yellowfin tuna*) Ubi Jalar (*Ipomoea batatas*) dan Sagu (*Metroxylon sogo* Sp.) dalam Pembuatan Kamaboko. Jurnal Teknologi Pertanian. 14 (1) : 2 -8.
- Surasani, V. K. R. 2018. Acid and Alkaline Solubilization (pH Shift) Process: a Better Approach for the Utilization of Fish Processing Waste and by-Products. Environmental Science and Pollution Research. pp.1-19.
- Suzuki, T. 1981. Fish and Krill Protein : Processing Technology. Applied Science Publisher, Ltd. London.
- Theodore, A. Kristinsson, H. G. Crynen, S. 2003. The Effect of pH and Salt on the Gelation Properties of Catfish Surimi and Catfish Protein Isolates from Acid and Alkali-Aided Processing. IFT Annual Meeting. Chicago. Hal.

76A-10.

Tanikawa, E. 1985. Marine Product in Japan. Koseisha Koseikaku Co.Ltd. Tokyo.

Tahergorabi, R., K. E. Matak and J. Jaczynski. 2015. Fish protein Isolate: Development of Functional Foods With Nutraceutical Ingredients. J Functional Foods 18:746–756

Ulfah, M. 2009. Pemanfaatan Iota Karagenan (*Eucheuma spinosum*) dan Kappa Karagenan (*Kappaphycus alvarezii*) Sebagai Sumber Serat Untuk Meningkatkan kekenyalan Mie kering. Skripsi. Institut Pertanian Bogor. Bogor. 111 hal.

Wantanabe , N.P. 1974. Meat and Meat Product; Factor Affecting Quality Control. Applied Science Publishers, London and New Jersey.

Wijayanti, I., J. Santoso, dan A. M Jacob. 2012. Pengaruh Frekuensi Pencucian Terhadap Karakteristik Gel Surimi Ikan Lele Dumbo (*Clarias gariepinus*). Jurnal Saintek Perikanan. 8 (1):15.

Yulianti, T. 2003. Mempelajari Pengaruh Karakteristik Isolat Soy Protein terhadap Mutu Sosis (Skripsi). Fakultas Teknologi Pertanian, Institut Pertanian Bogor. Bogor.